

ETSI TS 122 038 V13.0.0 (2016-02)



**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
LTE;
(U)SIM Application Toolkit (USAT);
Service description;
Stage 1**
(3GPP TS 22.038 version 13.0.0 Release 13)



Reference

RTS/TSGS-0122038vd00

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|-------------------------------------------------------------------|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 2.1 Normative references | 7 |
| 3 Definitions and abbreviations..... | 7 |
| 3.1 Definitions..... | 7 |
| 3.2 Abbreviations | 8 |
| 4 Description | 8 |
| 5 High level USAT requirements..... | 9 |
| 6 SAT/USAT/ME interface requirements..... | 10 |
| 6.1 (U)SAT APIs..... | 10 |
| 6.2 USAT proactive capability..... | 10 |
| 6.3 ME Capability for support of bearer independent protocol..... | 11 |
| 6.4 ME equipped with positioning features..... | 12 |
| 7 USAT User Interface requirements..... | 12 |
| 7.1 Data presentation requirements (e.g. Display) | 12 |
| 7.2 Data acquisition requirements (e.g. Keypad) | 12 |
| 7.3 Access requirements (e.g. Menu) | 12 |
| 7.4 Menu capability..... | 12 |
| 7.4.1 Set up capability | 12 |
| 7.4.2 Selection capability..... | 12 |
| 7.5 Soft-key capability | 13 |
| 7.6 User control of the SAT/USAT execution environment | 13 |
| 7.7 MMS presentation requirements | 13 |
| 8 Network interface requirements | 13 |
| 8.1 USAT/Network interaction | 13 |
| 8.2 Communication control capability | 13 |
| 8.3 Service Interworking requirements | 14 |
| 9 USAT data exchange capabilities requirements | 14 |
| 9.1 Data exchange capabilities supported..... | 14 |
| 10 Charging requirements | 14 |
| 11 Security requirements..... | 15 |
| 11.1 Secure Environment requirements..... | 15 |
| 12 Emergency calls | 15 |
| 13 Roaming | 15 |
| 14 Interaction with supplementary services | 16 |
| 14.1 General | 16 |
| 14.2 Line Identification | 16 |
| 14.2.1 Calling Line Identification Presentation (CLIP)..... | 16 |
| 14.2.2 Calling Line Identification Restriction (CLIR)..... | 16 |
| 14.2.3 Connected Line Identification Presentation (COLP) | 16 |
| 14.2.4 Connected Line Identification Restriction (COLR)..... | 16 |
| 14.3 Call Forwarding..... | 16 |

| | | |
|-------------------------------|--------------------------------------------------------------------------------------------------|-----------|
| 14.3.1 | Call Forwarding Unconditional (CFU) | 16 |
| 14.3.2 | Call Forwarding Busy (CFB)..... | 16 |
| 14.3.3 | Call Forwarding on No Reply (CFNRy)..... | 16 |
| 14.3.4 | Call Forwarding on Not Reachable (CFNrc)..... | 16 |
| 14.4 | Call Completion | 16 |
| 14.4.1 | Call Hold (CH) | 16 |
| 14.4.2 | Call Waiting (CW)..... | 17 |
| 14.5 | Multi Party (MPTY)..... | 17 |
| 14.6 | Closed User Group (CUG) | 17 |
| 14.7 | Advice of Charge (AoC) | 17 |
| 14.8 | Call Barring | 17 |
| 14.8.1 | Barring of all outgoing calls | 17 |
| 14.8.2 | Barring of outgoing international calls | 17 |
| 14.8.2.1 | Mobile originated calls..... | 17 |
| 14.8.2.2 | Forwarded Calls | 17 |
| 14.8.3 | Barring of outgoing international calls except those directed to the HPLMN country | 17 |
| 14.8.4 | Barring of all incoming calls..... | 17 |
| 14.8.5 | Barring of incoming calls when roaming..... | 17 |
| 14.9 | Explicit Call Transfer (ECT)..... | 17 |
| 14.10 | Completion of Call to Busy Subscriber (CCBS) | 18 |
| 14.11 | Multiple Subscriber Profile (MSP)..... | 18 |
| 15 | Interaction with network features..... | 18 |
| 15.1 | Interactions with Operator Determined Barring (ODB) | 18 |
| 15.1.1 | Barring of all outgoing calls | 18 |
| 15.1.2 | Barring of all outgoing international calls | 18 |
| 15.1.3 | Barring of all outgoing international calls except those directed to the home PLMN country | 18 |
| 15.1.4 | Barring of outgoing calls when roaming outside the home PLMN country | 18 |
| 15.1.5 | Barring of outgoing premium rate calls | 18 |
| 15.1.6 | Barring of incoming calls | 18 |
| 15.1.7 | Barring of incoming calls when roaming outside the home PLMN country | 18 |
| 15.1.8 | Operator Specific Barring | 18 |
| 15.1.9 | Barring of Supplementary Services Management..... | 19 |
| 15.2 | Interactions with Optimal Routing (OR) | 19 |
| 15.3 | Interactions with MExE..... | 19 |
| 15.4 | Interactions with CAMEL | 19 |
| 16 | Compatibility of USAT ME's and applications | 19 |
| 16.1 | USAT Classification..... | 19 |
| 16.2 | ME/USIM operation..... | 20 |
| 16.3 | ME/UICC capability information exchange..... | 20 |
| 16.4 | ME and compatibility | 20 |
| 16.5 | Void..... | 20 |
| 17 | Void..... | 20 |
| Annex A (informative): | Change history | 21 |
| History | | 23 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

This 3GPP Technical Specification defines the stage one description of the USIM application Toolkit (USAT). Stage one is an overall service description, primarily from the subscriber's and serving environment's points of view, and does not deal with the details of the human interface itself.

This TS includes information applicable to network operators, serving environments and terminal, switch and database manufacturers.

This TS contains the core requirements for a USIM application Toolkit (USAT) which are sufficient to provide a complete service.

It is highly desirable however, that technical solutions for a USIM application Toolkit (USAT) are sufficiently flexible to allow for possible enhancements. Additional functionalities not documented in this TS may implement requirements which are considered outside the scope of this TS. This additional functionality may be on a network-wide basis, nation-wide basis or particular to a group of users. Such additional functionality shall not compromise conformance to the core requirements of the service.




Figure 1: Scope of this TS

As indicated in Figure 1, the scope of this TS encompasses the USAT functionality in the UE (comprising USIM and ME) and the interaction with the PLMN environment. The USAT Server is not necessarily a separate entity as shown in the figure; nodes providing USAT services may also exist within the PLMN. The functionalities of the USAT servers (such as charging aspects, security level classification etc.) are not covered by this specification.

The requirements are considered to be applicable to both GSM and UMTS systems.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.