

# ETSI TS 122 259 V13.0.0 (2016-01)



**Digital cellular telecommunications system (Phase 2+);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
Service requirements  
for Personal Network Management (PNM);  
Stage 1  
(3GPP TS 22.259 version 13.0.0 Release 13)**



---

Reference

RTS/TSGS-0122259vd00

---

Keywords

GSM,LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

|   |           |
|---|-----------|
| Intellectual Property Rights .....                                      | 2         |
| Foreword.....   | 2         |
| Modal verbs terminology.....  | 2         |
| Foreword.....   | 5         |
| Introduction .....  | 5         |
| 1 Scope .....   | 6         |
| 2 References .....  | 6         |
| 3 Definitions, symbols and abbreviations .....                          | 6         |
| 3.1 Definitions .....   | 6         |
| 3.2 Abbreviations .....   | 7         |
| 4 Personal UE networks .....  | 7         |
| 4.1 General description.....  | 7         |
| 4.2 PN UE Redirecting application .....                                 | 8         |
| 4.2.1 Requirements for PN UE redirecting application .....              | 8         |
| 4.2.2 Usability requirements for PN UE redirection application .....    | 10        |
| 4.2.3 Security for PN UE redirection application .....                  | 10        |
| 4.2.4 Charging for PN UE redirection application.....                   | 10        |
| 4.2.5 Interaction with supplementary services.....                      | 10        |
| 4.3 PN access control .....   | 11        |
| 4.3.1 Requirements for PN access control .....                          | 11        |
| 4.3.2 Usability requirements for PN access control .....                | 11        |
| 4.3.3 Security for PN access control.....                               | 11        |
| 4.3.4 Charging for PN access control .....                              | 11        |
| 5 PNE networks.....   | 12        |
| 5.1 General description.....  | 12        |
| 5.2 Personal area network management .....                              | 12        |
| 5.2.1 Personal area network requirements .....                          | 13        |
| 5.2.2 Usability requirements of personal area network management .....  | 14        |
| 5.2.3 Security .....  | 14        |
| 5.2.3.1 General .....   | 14        |
| 5.2.3.2 PNE management requirements .....                               | 15        |
| 5.2.4 Charging .....  | 15        |
| 5.3 PNE redirecting application .....                                   | 15        |
| 5.3.1 Requirements for PNE redirecting application .....                | 15        |
| 5.3.2 Usability requirements .....                                      | 16        |
| 5.3.3 Security .....  | 16        |
| 5.3.4 Charging .....  | 16        |
| 5.4 PN access control for PNE networks.....                             | 16        |
| 5.4.1 Requirements for PN access control for PNE networks .....         | 16        |
| 5.4.2 Usability requirements for PN access control in PNE networks..... | 16        |
| <b>Annex A (informative): Use cases .....</b>                           | <b>17</b> |
| A.1 Use case: Connection between PNEs of a PN.....                      | 17        |
| A.2 Use case of UE-PN connection .....                                  | 18        |
| A.2a PN Access control: Parental control.....                           | 19        |
| A.3 Use case of PN-User access a PLMN from their PNEs .....             | 19        |
| A.4 Use case for connection between guest UE and PN.....                | 20        |
| A.5 Use case on UE redirection of terminating services.....             | 21        |

|                               |  |           |
|-------------------------------|--|-----------|
| A.6                           | Use case on PNE redirection of terminating services .....  | 22        |
| A.7                           | Use case: Selective update based on capability lists ..... | 23        |
| A.8                           | Use case: Combination of two PANs .....                    | 23        |
| A.9                           | Use case: Separation of PAN .....                          | 25        |
| <b>Annex B (Informative):</b> | <b>Change history .....</b>                                | <b>26</b> |
|                               | History .....  | 28        |

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# Introduction

Traditionally a single integrated device with integrated radio access means formed the User Equipment (UE) for access to mobile communication services. Now, however, many subscribers possess more than one device for running mobile communication services, which may be connected to form a Personal Network (PN). The devices differ in their capabilities and these capabilities qualify the devices more or less for specific end-to-end applications or particular media like audio, video and pictures. A part of the devices offers own network access means for accessing the PLMN via UTRA, WLAN, or other access technologies. The other devices are Terminal Equipments without radio access capabilities.

Personal Network Management (PNM) allows the users to manage their devices and PN's. This TS specifies requirements for allowing the users to manage their devices. The considered management functions of Personal Network Management comprise the setup and configuration of Personal Networks, the personalization for the termination of services within the Personal Network as well as the enabling of secure connections between the Personal Network Elements. This includes the management of Personal Area Networks with their local device connections and their available radio access means.

Two different scenarios are distinguished for Personal Network Management:

- 1 Personal UE Networks: This addresses the management of multiple UEs belonging to a single PN-User. It contains the UE Redirecting application that provides for redirect terminating services to selected UEs and PN Access Control that provide for privacy and enable restricted access to a PN.
- 2 PNE Networks: This extends the scope of considered managed objects from UEs to physically separated UE components and to attached MEs. It does not only extend the PN UE Redirecting application and PN Access Control by PAN-specific aspects but addresses the PAN Management with interactions of TEs and MEs.

These two scenarios are handled separately within the TS as the requirements of Personal UE Networks and PNE Networks are focussed on different types of services. Personal UE Networks aim at an easy-to-use UE management whereas PNE Networks enable complex scenarios of local networks with alternative network access means.

---

# 1 Scope

The present document describes the service requirements for the Personal Network Management (PNM). Aspects of data synchronisation and management of user data are out of scope.

---

## 2 References

The following documents contain provisions, which through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 22.004: "General on supplementary services".
  - [2] 3GPP TS 22.101: "Service aspects; Service principles".
  - [3] 3GPP TS 22.105: "Service aspects; Services and service capabilities".
  - [4] 3GPP TR 22.944: "Report on service requirements for UE functionality split".
  - [6] Void
  - [7] 3GPP TS 23.101: "General Universal Mobile Telecommunications System (UMTS) architecture".
  - [8] 3GPP TS 22.082: "Call Forwarding (CF) supplementary services".
  - [9] 3GPP TS 22.228: "Service requirements for the Internet Protocol (IP) multimedia core network subsystem"..
  - [10] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS)".
  - [11] 3GPP TS 23.279: "Combining Circuit Switched (CS) and IP Multimedia Subsystem (IMS) services".
  - [12] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- 

## 3 Definitions, symbols and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [12] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [12].

**Personal Network:** A Personal Network (PN), in the context of Personal Network Management, consists of more than one Personal Network Element under the control of one PN-User providing access to the serving PLMNs. There shall be at least one Personal Network Element with a USIM subscription in a PN. Authentication of the user for each PLMN access is based on the USIM(s) of the PN. The Personal Network Elements are managed in a way that the user perceives a continuous secure connection regardless of their relative locations. The Personal Network Elements belonging to the PN-User's PN maybe registered to different PLMNs at a time. The PN-User controls the PN using facilities provided by the Personal Network Management (PNM).