



**Universal Mobile Telecommunications System (UMTS);
LTE;
Measurement of radiated performance for
Multiple Input Multiple Output (MIMO) and
multi-antenna reception for
High Speed Packet Access (HSPA) and LTE terminals
(3GPP TR 37.976 version 13.0.0 Release 13)**



Reference

RTR/TSGR-0437976vd00

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions, symbols and abbreviations	7
3.1 Definitions.....	7
3.2 Symbols.....	7
3.3 Abbreviations	7
4 Introduction	8
4.1 Background	8
4.2 Study item objective	8
4.3 High Level Requirements.....	8
4.4 Proposed work plan	8
5 Performance Metrics	11
5.1 Figure of Merits.....	11
5.1.1 Definition of MIMO Throughput.....	11
5.1.2 Definition of SNR	11
5.1.2.1 Multiple probe antenna based method.....	12
5.1.2.2 Reverberation chamber based method	13
5.1.2.3 Two-stage method	13
5.2 Receiver Performance Metrics	13
6 Measurement Methodologies	13
6.1 Fixed Reference Measurement Channels (FRCs).....	13
6.2 MIMO Channel Models	13
6.3 Downlink Measurement Methodologies	17
6.3.1 Methodologies based on Anechoic RF Chamber.....	18
6.3.1.1 Candidate Solution 1	18
6.3.1.1.1 Concept and Configuration.....	19
6.3.1.1.2 Test Conditions.....	20
6.3.1.2 Candidate Solution 2	21
6.3.1.2.1 Concept and Configuration.....	22
6.3.1.2.2 Scalability of the methodology	23
6.3.1.2.3 Test Conditions.....	24
6.3.1.3 Candidate Solution 3	25
6.3.1.3.1 Concept and Configuration.....	25
6.3.1.3.2 Test Conditions.....	26
6.3.1.4 Candidate Solution 4	27
6.3.1.4.1 Concept and Configuration.....	27
6.3.1.5 Candidate Solution 5	28
6.3.1.5.1 Concept and Configuration.....	28
6.3.1.5.2 Test Conditions.....	31
6.3.1.Y Downlink Transmission Modes	32
6.3.2 Methodologies based on Reverberation Chamber	32
6.3.2.1 Candidate Solution 1	32
6.3.2.1.1 Concept and Configuration.....	33
6.3.2.1.2 Test Conditions.....	34
6.3.2.2 Candidate Solution 2	35
6.3.2.2.1 Concept and Configuration.....	36
6.3.2.2.2 Test Conditions.....	36

6.3.2.Y	Downlink Transmission Modes	37
7	Measurement Results from COST2100	37
7.1	Reference Measurement Channels	37
8	Measurement Results from CTIA	37
8.1	Reference Measurement Channels	37
9	Conclusions	38
9.1	Comparison of Candidate Methodologies	38
9.1.1	Definitions of rows in the table.....	41
9.2	Lessons learnt and conclusions	42
10	Recommendations	43

Annex A (Informative): Test Plan for Anechoic Chamber based candidate methodologies with 3 or more probe antennas.....45

A.1	Introduction	45
A.2	Test setup.....	45
A.2.1	Calibration.....	46
A.2.1.1	Calibration Check	46
A.2.2	Radio Channel Conditions.....	47
A.2.2.1	Average channel power	47
A.3	Test Procedure.....	48
A.3.1	HSDPA connection settings	48
A.3.1.1	FRC.....	48
A.3.2	Method of test.....	49

Annex B (Informative): LTE MIMO OTA Test Plan51

B.1	Test Objectives	51
B.2	Test Setup.....	51
B.2.1	Figure of Merits (FOMs).....	54
B.2.2	Channel Models.....	55
B.2.3	Antenna Probes	55
B.2.4	eNodeB Emulator Parameter Settings	56
B.2.5	Reference DUTs Configurations	57
B.3	Calibration of Test System.....	58
B.3.1	Calibration Procedure for Anechoic-chamber based methodologies.....	58
B.3.1.1	Probe power calibration	58
B.3.1.2	Channel power calibration	59
B.3.1.3	Calibration check	59
B.3.2	Calibration Procedure for Reverberation-chamber based methodologies	60
B.3.2.1.	Tuning Reverberation Chamber to Specific Channel Model	61
B.3.2.2.1	Reverberation Chamber Combined with Channel Emulator.....	61
B.3.2.2	Average Path Loss Measurement.....	61
B.3.3	Calibration Procedure for 2-Stage methodologies.....	62
B.3.3.1	Antenna pattern measurement calibration in stage I	62
B.3.3.3	Power calibration for results comparison from different OTA test methods	64
B.3.4	Calibration Procedure for antenna pattern based methodologies	64
B.3.5	Calibration Procedure for two-channel method.....	65
B.4	Test Procedure.....	65
B.4.1	Test Procedure 1	65
B.4.1A	Test Procedure 1A (Reverberation Chamber Based Methodologies).....	67
B.4.2	Test Procedure 2.....	67
B.4.3	Test Procedure 3 (Antenna spatial correlation measurement)	68
B.4.4	Test Procedure 4 (Two-stage throughput)	69
B.4.5	Test Procedure 5 for two-channel method	71

Annex C (informative): Change history72

History	75
---------------	----

Foreword

This Technical Report has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document is the technical report for the study item on MIMO OTA, which was approved at TSG RAN#43 [2]. The scope of the SI is to define a 3GPP methodology for measuring the radiated performance of multiple antenna reception and MIMO receivers in the UE. The test methodology should be relevant for HSPA and LTE technologies, with particular focus on handheld devices and devices embedded in laptop computers.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] RP-090352, 'Proposed new study item: Measurement of radiated performance for MIMO and multi-antenna reception for HSPA and LTE terminals.'
- [3] TD(09) 766, COST2100 SWG 2.2, Braunschweig, Germany, Pekka Kyösti et. al. 'Proposal for standardized test procedure for OTA testing of multi-antenna terminals', Elektrobit.
- [4] 3GPP TS 34.114: 'User Equipment (UE) / Mobile Station (MS) Over The Air (OTA) Antenna Performance Conformance Testing'.
- [5] 3GPP TS 25.214, 'Physical Layer Procedures (FDD)'
- [6] TD(09) 742, COST 2100 SWG 2.2, Braunschweig, Germany, February 2009, J. Takada, 'Handset MIMO Antenna Testing Using a RF-controlled Spatial Fading Emulator'.
- [7] 3GPP TS 36.212, 'Evolved Universal Terrestrial Radio Access (E-UTRA); Multiplexing and channel coding'.
- [8] 3GPP TS 36.213, 'Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer procedures'.
- [9] CTIA, "Test Plan for Mobile Station Over the Air Performance - Method of Measurement for Radiated RF Power and Receiver Performance", Revision 3.0, 4/30/2009.
- [10] 3GPP TS 36.101, 'User Equipment (UE) radio transmission and reception'.
- [11] 3GPP TR 25.914, 'Measurements of radio performances for UMTS terminals in speech mode'.
- [12] 3GPP TS 36.521-1, 'Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification Radio transmission and reception; Part 1: Conformance Testing'