

ETSI TS 134 121-1 v13.0.0 (2016-08)



**Universal Mobile Telecommunications System (UMTS);
User Equipment (UE) conformance specification;
Radio transmission and reception (FDD);
Part 1: Conformance specification
(3GPP TS 34.121-1 version 13.0.0 Release 13)**



Reference

RTS/TSGR-0534121-1vd00

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	59
Introduction	59
1 Scope	60
2 References	60
3 Definitions, symbols, abbreviations and equations	62
3.1 Definitions	62
3.2 Symbols.....	63
3.3 Abbreviations	63
3.4 Equations	64
4 Frequency bands and channel arrangement.....	66
4.1 General	66
4.2 Frequency bands.....	67
4.3 TX-RX frequency separation	68
4.4 Channel arrangement.....	68
4.4.1 Channel spacing.....	68
4.4.2 Channel raster	69
4.4.3 Channel number.....	69
4.4.4 UARFCN	71
4A Reference Conditions	72
4A.1 Generic setup procedures	72
4A.2 System information	72
4A.3 Message contents.....	72
4A.4 Measurement configurations	73
5 Transmitter Characteristics.....	73
5.1 General	73
5.2 Maximum Output Power	74
5.2.1 Definition and applicability	74
5.2.2 Minimum Requirements	75
5.2.3 Test purpose.....	76
5.2.4 Method of test	76
5.2.4.1 Initial conditions	76
5.2.4.2 Procedure	77
5.2.5 Test requirements.....	77
5.2A Maximum Output Power with HS-DPCCH (Release 5 only)	78
5.2A.1 Definition and applicability	78
5.2A.2 Minimum Requirements	78
5.2A.3 Test purpose.....	78
5.2A.4 Method of test	78
5.2A.4.1 Initial conditions	78
5.2A.4.2 Procedure	79
5.2A.5 Test requirements.....	79
5.2AA Maximum Output Power with HS-DPCCH (Release 6 and later).....	80
5.2AA.1 Definition and applicability	80
5.2AA.2 Minimum Requirements	80
5.2AA.3 Test purpose.....	80
5.2AA.4 Method of test	80
5.2AA.4.1 Initial conditions	80
5.2AA.4.2 Procedure	81
5.2AA.5 Test requirements.....	81

5.2AB	Maximum Output Power for OLTD	82
5.2AB.1	Definition and applicability	82
5.2AB.2	Minimum Requirements	83
5.2AB.3	Test purpose.....	83
5.2AB.4	Method of test	83
5.2AB.4.1	Initial conditions	83
5.2AB.4.2	Procedure	84
5.2AB.5	Test requirements.....	84
5.2AC	Maximum Output Power for UL CLTD activation state 1	86
5.2AC.1	Definition and applicability	86
5.2AC.2	Minimum Requirements	86
5.2AC.3	Test purpose.....	87
5.2AC.4	Method of test	87
5.2AC.4.1	Initial conditions	87
5.2AC.4.2	Procedure	87
5.2AC.5	Test requirements.....	88
5.2AD	Maximum Output Power for UL CLTD activation state 2 and 3	89
5.2AD.1	Definition and applicability	89
5.2AD.2	Minimum Requirements	89
5.2AD.3	Test purpose.....	90
5.2AD.4	Method of test	90
5.2AD.4.1	Initial conditions	90
5.2AD.4.2	Procedure	91
5.2AD.5	Test requirements.....	91
5.2B	Maximum Output Power with HS-DPCCH and E-DCH.....	92
5.2B.1	Definition and applicability	92
5.2B.2	Minimum Requirements	92
5.2B.3	Test purpose.....	93
5.2B.4	Method of test	93
5.2B.4.1	Initial conditions	93
5.2B.4.2	Procedure	95
5.2B.5	Test requirements.....	95
5.2BA	UE Maximum Output Power for DC-HSUPA (QPSK).....	97
5.2BA.1	Definition and applicability	97
5.2BA.2	Minimum Requirements	97
5.2BA.3	Test purpose.....	98
5.2BA.4	Method of test	98
5.2BA.4.1	Initial conditions	98
5.2BA.4.2	Procedure	99
5.2BA.5	Test requirements.....	99
5.2BB	UE Maximum Output Power for DC-HSUPA (16QAM)	100
5.2BB.1	Definition and applicability	100
5.2BB.2	Minimum Requirements	101
5.2BB.3	Test purpose.....	102
5.2BB.4	Method of test	102
5.2BB.4.1	Initial conditions	102
5.2BB.4.2	Procedure	102
5.2BB.5	Test requirements.....	103
5.2BC	Maximum Output Power with HS-DPCCH and E-DCH for OLTD	104
5.2BC.1	Definition and applicability	104
5.2BC.2	Minimum Requirements	104
5.2BC.3	Test purpose.....	104
5.2BC.4	Method of test	105
5.2BC.4.1	Initial conditions	105
5.2BC.4.2	Procedure	107
5.2BC.4.2.1	Procedure for sub-test 1 to 4	107
5.2BC.5	Test requirements.....	107
5.2BD	Maximum Output Power with HS-DPCCH and E-DCH for UL CLTD activation state 1	108
5.2BD.1	Definition and applicability	108
5.2BD.2	Minimum Requirements	109
5.2BD.3	Test purpose.....	109
5.2BD.4	Method of test	109

5.2BD.4.1	Initial conditions	109
5.2BD.4.2	Procedure	111
5.2BD.4.2.1	Procedure for sub-test 1 to 4.....	111
5.2BD.5	Test requirements.....	112
5.2BE	Maximum Output Power with HS-DPCCH and E-DCH for UL CLTD activation state 2 and 3.....	113
5.2BE.1	Definition and applicability	113
5.2BE.2	Minimum Requirements	113
5.2BE.3	Test purpose.....	114
5.2BE.4	Method of test.....	114
5.2BE.4.1	Initial conditions	114
5.2BE.4.2	Procedure	116
5.2BE.4.2.1	Procedure for sub-test 1 to 4.....	116
5.2BE.5	Test requirements.....	116
5.2C	UE relative code domain power accuracy	118
5.2C.1	Definition and applicability	118
5.2C.2	Minimum Requirements	118
5.2C.3	Test purpose.....	118
5.2C.4	Method of test.....	118
5.2C.4.1	Initial conditions	118
5.2C.4.2	Procedure	119
5.2C.5	Test requirements.....	120
5.2CA	UE relative code domain power accuracy for OLTD.....	121
5.2CA.1	Definition and applicability	121
5.2CA.2	Minimum Requirements	121
5.2CA.3	Test purpose.....	121
5.2CA.4	Method of test.....	121
5.2CA.4.1	Initial conditions	121
5.2CA.4.2	Procedure	122
5.2CA.5	Test requirements.....	123
5.2CB	UE relative code domain power accuracy for UL CLTD activation state 1	124
5.2CB.1	Definition and applicability	124
5.2CB.2	Minimum Requirements	124
5.2CB.3	Test purpose.....	124
5.2CB.4	Method of test.....	124
5.2CB.4.1	Initial conditions	124
5.2CB.4.2	Procedure	125
5.2CB.5	Test requirements.....	126
5.2CC	UE relative code domain power accuracy for UL CLTD activation state 2 and 3	127
5.2CC.1	Definition and applicability	127
5.2CC.2	Minimum Requirements	127
5.2CC.3	Test purpose.....	127
5.2CC.4	Method of test.....	127
5.2CC.4.1	Initial conditions	127
5.2CC.4.2	Procedure	128
5.2CC.5	Test requirements.....	129
5.2D	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH.....	130
5.2D.1	Definition and applicability	130
5.2D.2	Minimum Requirements	130
5.2D.3	Test purpose.....	130
5.2D.4	Method of test.....	131
5.2D.4.1	Initial conditions	131
5.2D.4.2	Procedure	132
5.2D.5	Test requirements.....	133
5.2DA	UE Relative Code Domain Power Accuracy for DC-HSUPA with QPSK	134
5.2DA.1	Definition and applicability	134
5.2DA.2	Minimum Requirements	134
5.2DA.3	Test purpose.....	134
5.2DA.4	Method of test.....	135
5.2DA.4.1	Initial conditions	135
5.2DA.4.2	Procedure	135
5.2DA.5	Test requirements.....	136
5.2DB	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for OLTD	136

5.2DB.1	Definition and applicability	136
5.2DB.2	Minimum Requirements	137
5.2DB.3	Test purpose.....	137
5.2DB.4	Method of test	137
5.2DB.4.1	Initial conditions	137
5.2DB.4.2	Procedure	139
5.2DB.5	Test requirements.....	139
5.2DC	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for UL CLTD activation state 1.....	140
5.2DC.1	Definition and applicability	140
5.2DC.2	Minimum Requirements	141
5.2DC.3	Test purpose.....	141
5.2DC.4	Method of test	141
5.2DC.4.1	Initial conditions	141
5.2DC.4.2	Procedure	143
5.2DC.5	Test requirements.....	143
5.2DD	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for UL CLTD activation state 2 and 3	144
5.2DD.1	Definition and applicability	144
5.2DD.2	Minimum Requirements	144
5.2DD.3	Test purpose.....	145
5.2DD.4	Method of test	145
5.2DD.4.1	Initial conditions	145
5.2DD.4.2	Procedure	147
5.2DD.5	Test requirements.....	148
5.2E	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM	148
5.2E.1	Definition and applicability	148
5.2E.2	Minimum Requirements	149
5.2E.3	Test purpose.....	149
5.2E.4	Method of test	149
5.2E.4.1	Initial conditions	149
5.2E.4.2	Procedure	150
5.2E.5	Test requirements.....	151
5.2EA	UE Relative Code Domain Power Accuracy for DC-HSUPA with 16QAM.....	152
5.2EA.1	Definition and applicability	152
5.2EA.2	Minimum Requirements	152
5.2EA.3	Test purpose.....	152
5.2EA.4	Method of test	153
5.2EA.4.1	Initial conditions	153
5.2EA.4.2	Procedure	153
5.2EA.5	Test requirements.....	154
5.2EB	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for OLTD	154
5.2EB.1	Definition and applicability	154
5.2EB.2	Minimum Requirements	155
5.2EB.3	Test purpose.....	155
5.2EB.4	Method of test	155
5.2EB.4.1	Initial conditions	155
5.2EB.4.2	Procedure	156
5.2EB.5	Test requirements.....	157
5.2EC	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for UL CLTD activation state 1	158
5.2EC.1	Definition and applicability	158
5.2EC.2	Minimum Requirements	158
5.2EC.3	Test purpose.....	159
5.2EC.4	Method of test	159
5.2EC.4.1	Initial conditions	159
5.2EC.4.2	Procedure	160
5.2EC.5	Test requirements.....	161
5.2ED	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for UL CLTD activation state 2 and 3	162
5.2ED.1	Definition and applicability	162
5.2ED.2	Minimum Requirements	162

5.2ED.3	Test purpose.....	162
5.2ED.4	Method of test	163
5.2ED.4.1	Initial conditions	163
5.2ED.4.2	Procedure	164
5.2ED.5	Test requirements.....	165
5.3	Frequency Error.....	165
5.3.1	Definition and applicability	165
5.3.2	Minimum Requirements	166
5.3.3	Test purpose.....	166
5.3.4	Method of test	166
5.3.4.1	Initial conditions	166
5.3.4.2	Procedure	166
5.3.5	Test Requirements	166
5.3A	Frequency Error for DC-HSUPA	166
5.3A.1	Definition and applicability	166
5.3A.2	Minimum Requirements	167
5.3A.3	Test purpose.....	167
5.3A.4	Method of test	167
5.3A.4.1	Initial conditions	167
5.3A.4.2	Procedure	167
5.3A.5	Test Requirements	167
5.3B	Frequency Error for OLTD	168
5.3B.1	Definition and applicability	168
5.3B.2	Minimum Requirements	168
5.3B.3	Test purpose.....	168
5.3B.4	Method of test	168
5.3B.4.1	Initial conditions	168
5.3B.4.2	Procedure	169
5.3B.5	Test Requirements	169
5.3C	Frequency Error for UL CLTD Activation state 1	169
5.3C.1	Definition and applicability	169
5.3C.2	Minimum Requirements	169
5.3C.3	Test purpose.....	169
5.3C.4	Method of test	170
5.3C.4.1	Initial conditions	170
5.3C.4.2	Procedure	170
5.3C.5	Test Requirements	171
5.3D	Frequency Error for UL CLTD Activation state 2 and 3.....	171
5.3D.1	Definition and applicability	171
5.3D.2	Minimum Requirements	171
5.3D.3	Test purpose.....	171
5.3D.4	Method of test	171
5.3D.4.1	Initial conditions	171
5.3D.4.2	Procedure	172
5.3D.5	Test Requirements	172
5.4	Output Power Dynamics in the Uplink.....	172
5.4.1	Open Loop Power Control in the Uplink	172
5.4.1.1	Definition and applicability.....	172
5.4.1.2	Minimum requirements	172
5.4.1.3	Test purpose	173
5.4.1.4	Method of test	173
5.4.1.5	Test requirements	174
5.4.1A	Open Loop Power Control in the Uplink for DC-HSUPA.....	175
5.4.1A.1	Definition and applicability.....	175
5.4.1A.2	Minimum requirements	175
5.4.1A.3	Test purpose	175
5.4.1A.4	Method of test	175
5.4.1A.5	Test requirements	177
5.4.2	Inner Loop Power Control in the Uplink	177
5.4.2.1	Definition and applicability.....	177
5.4.2.2	Minimum requirements	177
5.4.2.3	Test purpose	178

5.4.2.4	Method of test	178
5.4.2.5	Test requirements	182
5.4.2A	Inner Loop Power Control in the Uplink for DC-HSUPA.....	184
5.4.2A.1	Definition and applicability.....	184
5.4.2A.2	Minimum requirements	184
5.4.2A.3	Test purpose	185
5.4.2A.4	Method of test	186
5.4.2A.5	Test requirements	188
5.4.2B	Inner Loop Power Control in the Uplink for OLTD	190
5.4.2B.1	Definition and applicability.....	190
5.4.2B.2	Minimum requirements	190
5.4.2B.3	Test purpose	191
5.4.2B.4	Method of test	192
5.4.2B.4.1	Initial conditions.....	192
5.4.2B.4.2	Procedure.....	192
5.4.2B.5	Test requirements	195
5.4.2C	Inner Loop Power Control in the Uplink for UL CLTD activation state 1	197
5.4.2C.1	Definition and applicability.....	197
5.4.2C.2	Minimum requirements	197
5.4.2C.3	Test purpose	199
5.4.2C.4	Method of test	199
5.4.2C.4.1	Initial conditions.....	199
5.4.2C.4.2	Procedure.....	200
5.4.2C.5	Test requirements	203
5.4.2D	Inner Loop Power Control in the Uplink for UL CLTD activation state 2 and 3	205
5.4.2D.1	Definition and applicability.....	205
5.4.2D.2	Minimum requirements	205
5.4.2D.3	Test purpose	207
5.4.2D.4	Method of test	207
5.4.2D.4.1	Initial conditions.....	207
5.4.2D.4.2	Procedure.....	208
5.4.2D.5	Test requirements	211
5.4.3	Minimum Output Power	213
5.4.3.1	Definition and applicability.....	213
5.4.3.2	Minimum Requirements.....	213
5.4.3.3	Test purpose	213
5.4.3.4	Method of test	213
5.4.3.5	Test requirements	214
5.4.3A	Minimum Output Power for DC-HSUPA.....	214
5.4.3A.1	Definition and applicability.....	214
5.4.3A.2	Minimum Requirements.....	214
5.4.3A.3	Test purpose	214
5.4.3A.4	Method of test	214
5.4.3A.4.1	Initial conditions.....	214
5.4.3A.4.2	Procedure.....	215
5.4.3A.5	Test requirements	215
5.4.3B	Minimum Output Power for OLTD	215
5.4.3B.1	Definition and applicability.....	215
5.4.3B.2	Minimum Requirements.....	215
5.4.3B.3	Test purpose	215
5.4.3B.4	Method of test	216
5.4.3B.4.1	Initial conditions.....	216
5.4.3B.4.2	Procedure.....	216
5.4.3B.5	Test requirements	216
5.4.3C	Minimum Output Power for UL CLTD Activation state 1	216
5.4.3C.1	Definition and applicability.....	216
5.4.3C.2	Minimum Requirements.....	216
5.4.3C.3	Test purpose	217
5.4.3C.4	Method of test	217
5.4.3C.4.1	Initial conditions.....	217
5.4.3C.4.2	Procedure.....	217
5.4.3C.5	Test requirements	217

5.4.3D	Minimum Output Power for UL CLTD Activation state 2 and 3	217
5.4.3D.1	Definition and applicability.....	217
5.4.3D.2	Minimum Requirements.....	218
5.4.3D.3	Test purpose	218
5.4.3D.4	Method of test	218
5.4.3D.4.1	Initial conditions.....	218
5.4.3D.4.2	Procedure.....	218
5.4.3D.5	Test requirements	219
5.4.4	Out-of-synchronisation handling of output power	219
5.4.4.1	Definition and applicability.....	219
5.4.4.2	Minimum Requirements.....	219
5.4.4.3	Test purpose	221
5.4.4.4	Method of test	221
5.4.4.5	Test requirements	222
5.4.4A	Out-of-synchronization handling of output power for a UE which supports type1 for DCH	222
5.4.4A.1	Definition and applicability.....	222
5.4.4A.2	Minimum requirement	222
5.4.4A.3	Test purpose	224
5.4.4A.4	Method of test	224
5.4.4A.5	Test requirements	225
5.4.4B	Out-of-synchronisation handling of output power for OLTD	225
5.4.4B.1	Definition and applicability.....	226
5.4.4B.2	Minimum Requirements.....	226
5.4.4B.3	Test purpose	227
5.4.4B.4	Method of test	228
5.4.4B.4.1	Initial conditions.....	228
5.4.4B.4.2	Procedure.....	228
5.4.4B.5	Test requirements	228
5.4.4C	Out-of-synchronisation handling of output power for UL CLTD activation state 1	228
5.4.4C.1	Definition and applicability.....	229
5.4.4C.2	Minimum Requirements.....	229
5.4.4C.3	Test purpose	231
5.4.4C.4	Method of test	231
5.4.4C.5	Test requirements	232
5.4.4D	Out-of-synchronisation handling of output power for UL CLTD activation state 2 and 3	232
5.4.4D.1	Definition and applicability.....	232
5.4.4D.2	Minimum Requirements.....	232
5.4.4D.3	Test purpose	234
5.4.4D.4	Method of test	234
5.4.4D.5	Test requirements	235
5.4.5	Out of quality handling of TPI for UL CLTD activation state 1	235
5.4.5.1	Definition and applicability.....	235
5.4.5.2	Minimum Requirements.....	236
5.4.5.3	Test purpose	237
5.4.5.4	Method of test	237
5.4.5.5	Test requirements	238
5.5	Transmit ON/OFF Power	238
5.5.1	Transmit OFF Power	238
5.5.1.1	Definition and applicability.....	238
5.5.1.2	Minimum Requirements.....	238
5.5.1.3	Test purpose	238
5.5.1.4	Method of test	238
5.5.1.5	Test requirements	238
5.5.2	Transmit ON/OFF Time mask	239
5.5.2.1	Definition and applicability.....	239
5.5.2.2	Minimum requirements	239
5.5.2.3	Test purpose	241
5.5.2.4	Method of test	241
5.5.2.5	Test requirements	243
5.6	Change of TFC	244
5.6.1	Definition and applicability	244
5.6.2	Minimum requirements	244

5.6.3	Test purpose.....	246
5.6.4	Method of test	246
5.6.5	Test requirements.....	246
5.6AA	Change of TFC for OLTD	247
5.6AA.1	Definition and applicability	247
5.6AA.2	Minimum requirements.....	247
5.6AA.3	Test purpose.....	249
5.6AA.4	Method of test	249
5.6AA.4.1	Initial conditions	249
5.6AA.4.2	Procedure	249
5.6AA.5	Test requirements.....	249
5.6AB	Void.....	249
5.6AC	Void.....	249
5.7	Power setting in uplink compressed mode	249
5.7.1	Definition and applicability	249
5.7.2	Minimum requirements.....	250
5.7.3	Test purpose.....	252
5.7.4	Method of test	252
5.7.5	Test requirements.....	259
5.7A	HS-DPCCH power control	261
5.7A.1	Definition and applicability	261
5.7A.2	Minimum requirement	261
5.7A.3	Test purpose.....	263
5.7A.4	Method of test	263
5.7A.5	Test requirements.....	264
5.7BA	HS-DPCCH power control for UL OLTD	265
5.7BA.1	Definition and applicability	266
5.7BA.2	Minimum requirement	266
5.7BA.3	Test purpose.....	266
5.7BA.4	Method of test	267
5.7BA.4.1	Initial conditions	267
5.7BA.4.2	Procedure	267
5.7BA.5	Test requirements.....	268
5.7BB	HS-DPCCH power control for UL CLTD activation state 1	269
5.7BB.1	Definition and applicability	270
5.7BB.2	Minimum requirement	270
5.7BB.3	Test purpose.....	270
5.7BB.4	Method of test	271
5.7BB.4.1	Initial conditions	271
5.7BB.4.2	Procedure	271
5.7BB.5	Test requirements.....	272
5.7BC	HS-DPCCH power control for UL CLTD activation state 2 and 3	274
5.7BC.1	Definition and applicability	274
5.7BC.2	Minimum requirement	274
5.7BC.3	Test purpose.....	275
5.7BC.4	Method of test	275
5.7BC.4.1	Initial conditions	275
5.7BC.4.2	Procedure	275
5.7BC.5	Test requirements.....	276
5.8	Occupied Bandwidth (OBW)	278
5.8.1	Definition and applicability	278
5.8.2	Minimum Requirements	278
5.8.3	Test purpose.....	278
5.8.4	Method of test	279
5.8.5	Test Requirements	279
5.8A	Occupied Bandwidth (OBW) for DC-HSUPA	279
5.8A.1	Definition and applicability	279
5.8A.2	Minimum Requirements	279
5.8A.3	Test purpose.....	279
5.8A.4	Method of test	280
5.8A.4.1	Initial conditions	280
5.8A.4.2	Procedure	280

5.8A.5	Test Requirements	281
5.8B	Occupied Bandwidth (OBW) for OLTD	281
5.8B.1	Definition and applicability	281
5.8B.2	Minimum Requirements	281
5.8B.3	Test purpose.....	281
5.8B.4	Method of test	281
5.8B.4.1	Initial conditions	281
5.8B.4.2	Procedure	281
5.8B.5	Test Requirements	282
5.8C	Occupied Bandwidth (OBW) for UL CLTD Activation state 1	282
5.8C.1	Definition and applicability	282
5.8C.2	Minimum Requirements	282
5.8C.3	Test purpose.....	282
5.8C.4	Method of test	282
5.8C.4.1	Initial conditions	282
5.8C.4.2	Procedure	283
5.8C.5	Test Requirements	283
5.9	Spectrum emission mask	283
5.9.1	Definition and applicability	283
5.9.2	Minimum Requirements	283
5.9.3	Test purpose.....	285
5.9.4	Method of test	285
5.9.4.1	Initial conditions	285
5.9.4.2	Procedure	285
5.9.5	Test requirements.....	285
5.9A	Spectrum Emission Mask with HS-DPCCH	287
5.9A.1	Definition and applicability	287
5.9A.2	Minimum Requirements	287
5.9A.3	Test purpose.....	288
5.9A.4	Method of test	288
5.9A.4.1	Initial conditions	288
5.9A.4.2	Procedure	289
5.9A.5	Test requirements.....	289
5.9AA	Spectrum Emission Mask with HS-DPCCH for UL OLTD	291
5.9AA.1	Definition and applicability	291
5.9AA.2	Minimum Requirements	291
5.9AA.3	Test purpose.....	292
5.9AA.4	Method of test	292
5.9AA.4.1	Initial conditions	292
5.9AA.4.2	Procedure	293
5.9AA.5	Test requirements.....	293
5.9AB	Spectrum Emission Mask with HS-DPCCH for UL CLTD activation state 1	295
5.9AB.1	Definition and applicability	295
5.9AB.2	Minimum Requirements	295
5.9AB.3	Test purpose.....	296
5.9AB.4	Method of test	296
5.9AB.4.1	Initial conditions	296
5.9AB.4.2	Procedure	297
5.9AB.5	Test requirements.....	297
5.9AC	Spectrum Emission Mask with HS-DPCCH for UL CLTD activation state 2 and 3	299
5.9AC.1	Definition and applicability	299
5.9AC.2	Minimum Requirements	299
5.9AC.3	Test purpose.....	300
5.9AC.4	Method of test	300
5.9AC.4.1	Initial conditions	300
5.9AC.4.2	Procedure	301
5.9AC.5	Test requirements.....	301
5.9B	Spectrum Emission Mask with E-DCH	302
5.9B.1	Definition and applicability	302
5.9B.2	Minimum Requirements	303
5.9B.3	Test purpose.....	304
5.9B.4	Method of test	304

5.9B.4.1	Initial conditions	304
5.9B.4.2	Procedure	305
5.9B.5	Test requirements.....	305
5.9BA	Spectrum Emission Mask with E-DCH for UL OLTD	307
5.9BA.1	Definition and applicability	307
5.9BA.2	Minimum Requirements	307
5.9BA.3	Test purpose.....	308
5.9BA.4	Method of test	308
5.9BA.4.1	Initial conditions	308
5.9BA.4.2	Procedure	309
5.9BA.5	Test requirements.....	309
5.9BB	Spectrum Emission Mask with E-DCH for UL CLTD activation state 1.....	311
5.9BB.1	Definition and applicability	311
5.9BB.2	Minimum Requirements	311
5.9BB.3	Test purpose.....	312
5.9BB.4	Method of test	312
5.9BB.4.1	Initial conditions	312
5.9BB.4.2	Procedure	313
5.9BB.5	Test requirements.....	313
5.9BC	Spectrum Emission Mask with E-DCH for UL CLTD activation state 2 and 3	315
5.9BC.1	Definition and applicability	315
5.9BC.2	Minimum Requirements	315
5.9BC.3	Test purpose.....	316
5.9BC.4	Method of test	316
5.9BC.4.1	Initial conditions	316
5.9BC.4.2	Procedure	317
5.9BC.5	Test requirements.....	317
5.9C	Additional Spectrum Emission Mask for DC-HSUPA (QPSK).....	319
5.9C.1	Definition and applicability	319
5.9C.2	Minimum Requirements	319
5.9C.3	Test purpose.....	319
5.9C.4	Method of test	320
5.9C.4.1	Initial conditions	320
5.9C.4.2	Procedure	320
5.9C.5	Test requirements.....	320
5.9D	Additional Spectrum Emission Mask for DC-HSUPA (16QAM).....	321
5.9D.1	Definition and applicability	321
5.9D.2	Minimum Requirements	321
5.9D.3	Test purpose.....	322
5.9D.4	Method of test	322
5.9D.4.1	Initial conditions	322
5.9D.4.2	Procedure	323
5.9D.5	Test requirements.....	323
5.10	Adjacent Channel Leakage Power Ratio (ACLR).....	323
5.10.1	Definition and applicability	323
5.10.2	Minimum Requirements	324
5.10.3	Test purpose.....	324
5.10.4	Method of test	324
5.10.5	Test requirements.....	325
5.10A	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH	325
5.10A.1	Definition and applicability	325
5.10A.2	Minimum Requirements	325
5.10A.3	Test purpose.....	325
5.10A.4	Method of test	326
5.10A.5	Test requirements.....	327
5.10AA	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for OLTD	327
5.10AA.1	Definition and applicability	327
5.10AA.2	Minimum Requirements	327
5.10AA.3	Test purpose.....	327
5.10AA.4	Method of test	328
5.10AA.5	Test requirements.....	329
5.10AB	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for UL CLTD Activation state 1	329

5.10AB.1	Definition and applicability	329
5.10AB.2	Minimum Requirements	329
5.10AB.3	Test purpose.....	329
5.10AB.4	Method of test	330
5.10AB.4.1	Initial conditions	330
5.10AB.4.2	Procedure	330
5.10AB.5	Test requirements.....	330
5.10AC	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for UL CLTD Activation state 2 and 3.....	331
5.10AC.1	Definition and applicability	331
5.10AC.2	Minimum Requirements	331
5.10AC.3	Test purpose.....	331
5.10AC.4	Method of test	331
5.10AC.4.1	Initial conditions	331
5.10AC.4.2	Procedure	332
5.10AC.5	Test requirements.....	333
5.10B	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH.....	333
5.10B.1	Definition and applicability	333
5.10B.2	Minimum Requirements	333
5.10B.3	Test purpose.....	333
5.10B.4	Method of test	334
5.10B.5	Test requirements.....	335
5.10BA	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for OLTD	335
5.10BA.1	Definition and applicability	335
5.10BA.2	Minimum Requirements	335
5.10BA.3	Test purpose.....	335
5.10BA.4	Method of test	336
5.10BA.5	Test requirements.....	336
5.10BB	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for UL CLTD Activation state 1	337
5.10BB.1	Definition and applicability	337
5.10BB.2	Minimum Requirements	337
5.10BB.3	Test purpose.....	337
5.10BB.4	Method of test	337
5.10BB.5	Test requirements.....	338
5.10BC	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for UL CLTD Activation state 2 and 3.....	338
5.10BC.1	Definition and applicability	338
5.10BC.2	Minimum Requirements	339
5.10BC.3	Test purpose.....	339
5.10BC.4	Method of test	339
5.10BC.5	Test requirements.....	340
5.10C	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for DC-HSUPA (QPSK)	341
5.10C.1	Definition and applicability	341
5.10C.2	Minimum Requirements	341
5.10C.3	Test purpose.....	341
5.10C.4	Method of test	341
5.10C.5	Test requirements.....	342
5.10D	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for DC-HSUPA (16QAM)	342
5.10D.1	Definition and applicability	342
5.10D.2	Minimum Requirements	343
5.10D.3	Test purpose.....	343
5.10D.4	Method of test	343
5.10D.5	Test requirements.....	344
5.11	Spurious Emissions	344
5.11.1	Definition and applicability	344
5.11.2	Minimum Requirements	345
5.11.3	Test purpose.....	352
5.11.4	Method of test	352
5.11.5	Test requirements.....	353
5.11A	Spurious Emissions for DC-HSUPA	360
5.11A.1	Definition and applicability	360
5.11A.2	Minimum Requirements	360
5.11A.3	Test purpose.....	364

5.11A.4	Method of test.....	364
5.11A.5	Test requirements.....	365
5.11B	Spurious Emissions for UL OLTD.....	369
5.11B.1	Definition and applicability	369
5.11B.2	Minimum Requirements	369
5.11B.3	Test purpose.....	369
5.11B.4	Method of test.....	369
5.11B.5	Test requirements.....	370
5.11C	Spurious Emissions for UL CLTD Activation state 1	377
5.11C.1	Definition and applicability	377
5.11C.2	Minimum Requirements	377
5.11C.3	Test purpose.....	377
5.11C.4	Method of test	378
5.11C.5	Test requirements.....	378
5.11D	Spurious Emissions for UL CLTD Activation state 2 and 3	385
5.11D.1	Definition and applicability	385
5.11D.2	Minimum Requirements	385
5.11D.3	Test purpose.....	385
5.11D.4	Method of test	386
5.11D.5	Test requirements.....	386
5.12	Transmit Intermodulation.....	393
5.12.1	Definition and applicability	393
5.12.2	Minimum Requirements	393
5.12.3	Test purpose.....	393
5.12.4	Method of test	394
5.12.5	Test requirements.....	394
5.12A	Transmit Intermodulation for DC-HSUPA	394
5.12A.1	Definition and applicability	394
5.12A.2	Minimum Requirements for DC-HSUPA.....	395
5.12A.3	Test purpose.....	395
5.12A.4	Method of test	395
5.12A.5	Test requirements.....	395
5.13	Transmit Modulation.....	396
5.13.1	Error Vector Magnitude (EVM)	396
5.13.1.1	Definition and applicability.....	396
5.13.1.2	Minimum Requirements.....	396
5.13.1.3	Test purpose	396
5.13.1.4	Method of test	396
5.13.1.5	Test requirements.....	397
5.13.1A	Error Vector Magnitude (EVM) with HS-DPCCH.....	397
5.13.1A.1	Definition and applicability.....	397
5.13.1A.2	Minimum Requirements.....	397
5.13.1A.3	Test purpose	398
5.13.1A.4	Method of test	398
5.13.1A.5	Test requirements	399
5.13.1AA	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH	400
5.13.1AA.1	Definition and applicability.....	400
5.13.1AA.2	Minimum Requirements.....	400
5.13.1AA.3	Test purpose	401
5.13.1AA.4	Method of test	401
5.13.1AA.5	Test requirements	402
5.13.1AB	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for OLTD	403
5.13.1AB.1	Definition and applicability.....	403
5.13.1AB.2	Minimum Requirements.....	403
5.13.1AB.3	Test purpose	404
5.13.1AB.4	Method of test	404
5.13.1AB.5	Test requirements	405
5.13.1AB	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for OLTD	406
5.13.1AC	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for UL CLTD Activation state 1	406
5.13.1AC.1	Definition and applicability.....	406
5.13.1AC.2	Minimum Requirements.....	406

5.13.1AC.3	Test purpose	407
5.13.1AC.4	Method of test	407
5.13.1AC.5	Test requirements	409
5.13.1AD	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for UL CLTD Activation state 2 and 3	409
5.13.1AD.1	Definition and applicability.....	409
5.13.1AD.2	Minimum Requirements.....	410
5.13.1AD.3	Test purpose	410
5.13.1AD.4	Method of test	411
5.13.1AD.5	Test requirements	412
5.13.1AAA	EVM and IQ origin offset for HS-DPCCH and E-DCH with 16 QAM.....	413
5.13.1AAA.1	Definition and applicability.....	413
5.13.1AAA.2	Minimum requirement	413
5.13.1AAA.3	Test purpose	414
5.13.1AAA.4	Method of test	414
5.13.1AAA.5	Test requirements	415
5.13.2	Peak code domain error	416
5.13.2.1	Definition and applicability.....	416
5.13.2.2	Minimum Requirements.....	416
5.13.2.3	Test purpose	416
5.13.2.4	Method of test	416
5.13.2.5	Test requirements	417
5.13.2A	Relative Code Domain Error with HS-DPCCH.....	417
5.13.2A.1	Definition and applicability.....	417
5.13.2A.2	Minimum Requirements.....	417
5.13.2A.3	Test purpose	418
5.13.2A.4	Method of test	418
5.13.2B	Relative Code Domain Error with HS-DPCCH and E-DCH	420
5.13.2B.1	Definition and applicability.....	420
5.13.2B.2	Minimum Requirements.....	420
5.13.2B.3	Test purpose	421
5.13.2B.4	Method of test	421
5.13.2B.5	Test requirements	423
5.13.2BA	Relative Code Domain Error with HS-DPCCH and E-DCH for DC-HSUPA	424
5.13.2BA.1	Definition and applicability.....	424
5.13.2BA.2	Minimum Requirements.....	424
5.13.2BA.3	Test purpose	425
5.13.2BA.4	Method of test	425
5.13.2BA.5	Test requirements	426
5.13.2C	Relative Code Domain Error for HS-DPCCH and E-DCH with 16QAM	426
5.13.2C.1	Definition and applicability.....	426
5.13.2C.2	Minimum Requirements.....	427
5.13.2C.3	Test purpose	428
5.13.2C.4	Method of test	428
5.13.2CA	Relative Code Domain Error for HS-DPCCH and E-DCH with 16QAM for DC-HSUPA	430
5.13.2CA.1	Definition and applicability.....	430
5.13.2CA.2	Minimum Requirements.....	431
5.13.2CA.3	Test purpose	432
5.13.2CA.4	Method of test	432
5.13.2CA.5	Test requirements	433
5.13.3	UE phase discontinuity	434
5.13.3.1	Definition and applicability.....	434
5.13.3.2	Minimum requirements	434
5.13.3.3	Test purpose	435
5.13.3.4	Method of test	435
5.13.3.5	Test requirements	436
5.13.4	PRACH preamble quality	437
5.13.4.1	Definition and applicability.....	437
5.13.4.2	Minimum requirements	437
5.13.4.3	Test purpose	437
5.13.4.4	Method of test	437
5.13.4.5	Test requirements	438

5.13.5	In-band emission for DC-HSUPA	439
5.13.5.1	Definition and applicability.....	439
5.13.5.2	Minimum Requirements.....	439
5.13.5.3	Test purpose	439
5.13.5.4	Method of test	439
5.13.5.5	Test requirements.....	440
6	Receiver Characteristics	441
6.1	General	441
6.1A	Reference input power adjustment for a dual band device	442
6.2	Reference Sensitivity Level.....	443
6.2.1	Definition and applicability	443
6.2.2	Minimum Requirements	443
6.2.3	Test purpose.....	444
6.2.4	Method of test	444
6.2.5	Test requirements.....	445
6.2A	Reference Sensitivity Level for DC-HSDPA	445
6.2A.1	Definition and applicability	445
6.2A.2	Minimum Requirements	446
6.2A.3	Test purpose.....	447
6.2A.4	Method of test	447
6.2A.5	Test requirements.....	448
6.2B	Reference Sensitivity Level for DB-DC-HSDPA	449
6.2B.1	Definition and applicability	449
6.2B.2	Minimum Requirements	449
6.2B.3	Test purpose.....	450
6.2B.4	Method of test	450
6.2B.5	Test requirements.....	451
6.2C	Reference Sensitivity Level for Single band 4C-HSDPA	451
6.2C.1	Definition and applicability	451
6.2C.2	Minimum Requirements	452
6.2C.3	Test purpose.....	453
6.2C.4	Method of test	453
6.2C.4.2	Procedure	453
6.2C.5	Test requirements.....	453
6.2D	Reference Sensitivity Level for Dual band 4C-HSDPA	454
6.2D.1	Definition and applicability	454
6.2D.2	Minimum Requirements	454
6.2D.3	Test purpose.....	455
6.2D.4	Method of test	455
6.2D.5	Test requirements.....	456
6.2DA	Reference Sensitivity Level for Dual band 4C-HSDPA (3 carrier).....	456
6.2DA.1	Definition and applicability	456
6.2DA.2	Minimum Requirements	456
6.2DA.3	Test purpose.....	457
6.2DA.4	Method of test	457
6.2DA.5	Test requirements.....	458
6.3	Maximum Input Level.....	458
6.3.1	Definition and applicability	458
6.3.2	Minimum requirements.....	458
6.3.3	Test purpose.....	458
6.3.4	Method of test	459
6.3.5	Test requirements.....	459
6.3A	Maximum Input Level for HS-PDSCH Reception (16QAM)	460
6.3A.1	Definition and applicability	460
6.3A.2	Minimum requirements.....	460
6.3A.3	Test purpose.....	460
6.3A.4	Method of test	460
6.3A.5	Test requirements.....	461
6.3B	Maximum Input Level for HS-PDSCH Reception (64QAM)	461
6.3B.1	Definition and applicability	461
6.3B.2	Minimum requirements.....	461

6.3B.3	Test purpose.....	462
6.3B.4	Method of test	462
6.3B.5	Test requirements.....	464
6.3C	Maximum Input Level for DC-HSDPA Reception (16QAM)	464
6.3C.1	Definition and applicability	464
6.3C.2	Minimum requirements.....	464
6.3C.3	Test purpose.....	465
6.3C.4	Method of test	465
6.3C.5	Test requirements.....	466
6.3D	Maximum Input Level for DC-HSDPA Reception (64QAM)	466
6.3D.1	Definition and applicability	466
6.3D.2	Minimum requirements.....	466
6.3D.3	Test purpose.....	467
6.3D.4	Method of test	467
6.3D.5	Test requirements.....	468
6.3E	Maximum Input Level for DB-DC-HSDPA Reception (16QAM).....	468
6.3E.1	Definition and applicability	468
6.3E.2	Minimum requirements.....	468
6.3E.3	Test purpose.....	469
6.3E.4	Method of test	469
6.3E.5	Test requirements.....	470
6.3F	Maximum Input Level for DB-DC-HSDPA Reception (64QAM).....	470
6.3F.1	Definition and applicability	470
6.3F.2	Minimum requirements.....	470
6.3F.3	Test purpose.....	471
6.3F.4	Method of test	471
6.3F.5	Test requirements.....	472
6.3G	Maximum Input Level for 4C-HSDPA Reception (16QAM)	473
6.3G.1	Definition and applicability	473
6.3G.2	Minimum requirements.....	473
6.3G.3	Test purpose.....	473
6.3G.4	Method of test	473
6.3G.5	Test requirements.....	474
6.3GA	Maximum Input Level for 4C-HSDPA Reception (16QAM) (3 carrier)	475
6.3GA.1	Definition and applicability	475
6.3GA.2	Minimum requirements.....	475
6.3GA.3	Test purpose.....	475
6.3GA.4	Method of test	475
6.3GA.5	Test requirements.....	476
6.3H	Maximum Input Level for 4C-HSDPA Reception (64QAM)	477
6.3H.1	Definition and applicability	477
6.3H.2	Minimum requirements.....	477
6.3H.3	Test purpose.....	477
6.3H.4	Method of test	477
6.3H.5	Test requirements.....	479
6.3HA	Maximum Input Level for 4C-HSDPA Reception (64QAM) (3 carrier)	479
6.3HA.1	Definition and applicability	479
6.3HA.2	Minimum requirements.....	479
6.3HA.3	Test purpose.....	480
6.3HA.4	Method of test	480
6.3HA.5	Test requirements.....	481
6.4	Adjacent Channel Selectivity (ACS) (Rel-99 and Rel-4).....	482
6.4.1	Definition and applicability	482
6.4.2	Minimum Requirements	482
6.4.3	Test purpose.....	482
6.4.4	Method of test	483
6.4.5	Test requirements.....	483
6.4A	Adjacent Channel Selectivity (ACS) (Rel-5 and later releases)	484
6.4A.1	Definition and applicability	484
6.4A.2	Minimum Requirements	484
6.4A.3	Test purpose.....	484
6.4A.4	Method of test	484

6.4A.5	Test requirements.....	485
6.4B	Adjacent Channel Selectivity (ACS) for DC-HSDPA	485
6.4B.1	Definition and applicability	485
6.4B.2	Minimum Requirements	486
6.4B.3	Test purpose.....	486
6.4B.4	Method of test	486
6.4B.5	Test requirements.....	487
6.4C	Adjacent Channel Selectivity (ACS) for DB-DC-HSDPA.....	488
6.4C.1	Definition and applicability	488
6.4C.2	Minimum Requirements	488
6.4C.3	Test purpose.....	489
6.4C.4	Method of test	489
6.4C.5	Test requirements.....	490
6.5	Blocking Characteristics.....	490
6.5.1	Definition and applicability	490
6.5.2	Minimum Requirements	490
6.5.2.1	Minimum Requirements (In-band blocking).....	490
6.5.2.2	Minimum requirements (Out of-band blocking)	492
6.5.2.3	Minimum requirements (Narrow band blocking).....	494
6.5.3	Test purpose.....	494
6.5.4	Method of test	494
6.5.5	Test requirements.....	495
6.5A	Blocking Characteristics for DC-HSDPA	498
6.5A.1	Definition and applicability	498
6.5A.2	Minimum Requirements	499
6.5A.2.1	Minimum Requirements (In-band blocking).....	499
6.5A.2.2	Minimum requirements (Out of-band blocking)	500
6.5A.2.3	Minimum requirements (Narrow band blocking).....	502
6.5A.3	Test purpose.....	502
6.5A.4	Method of test	502
6.5A.5	Test requirements.....	504
6.5B	Blocking Characteristics for DB-DC-HSDPA	507
6.5B.1	Definition and applicability	507
6.5B.2	Minimum Requirements	507
6.5B.2.1	Minimum Requirements (In-band blocking).....	507
6.5B.2.2	Minimum requirements (Out of-band blocking)	509
6.5B.2.3	Minimum requirements (Narrow band blocking).....	510
6.5B.3	Test purpose.....	510
6.5B.4	Method of test	510
6.5B.5	Test requirements.....	511
6.5C	Blocking Characteristics for DC-HSUPA	514
6.5C.1	Definition and applicability	514
6.5C.2	Minimum Requirements	514
6.5C.2.1	Minimum Requirements (In-band blocking).....	514
6.5C.2.2	Minimum requirements (Narrow band blocking).....	516
6.5C.3	Test purpose.....	517
6.5C.4	Method of test	517
6.5C.5	Test requirements.....	518
6.5D	Blocking Characteristics for single Uplink Single band 4C-HSDPA.....	521
6.5D.1	Definition and applicability	521
6.5D.2	Minimum Requirements	521
6.5D.2.1	Minimum Requirements (In-band blocking).....	521
6.5D.2.2	Minimum requirements (Out of-band blocking)	522
6.5D.3	Test purpose.....	522
6.5D.4	Method of test	523
6.5D.4.1	Initial conditions	523
6.5D.4.2	Procedure	523
6.5D.5	Test requirements.....	523
6.5E	Blocking Characteristics for dual uplink single band 4C-HSDPA	525
6.5E.1	Definition and applicability	525
6.5E.2	Minimum Requirements	525
6.5E.2.1	Minimum Requirements (In-band blocking).....	525

6.5E.3	Test purpose.....	525
6.5E.4	Method of test	526
6.5E.4.1	Initial conditions	526
6.5E.4.2	Procedure	526
6.5E.5	Test requirements.....	526
6.5F	Blocking Characteristics for single Uplink dual band 4C-HSDPA	527
6.5F.1	Definition and applicability	527
6.5F.2	Minimum Requirements	527
6.5F.2.1	Minimum Requirements (In-band blocking).....	527
6.5F.2.2	Minimum requirements (Out of-band blocking).....	528
6.5F.2.3	Minimum requirements (Narrow band blocking).....	530
6.5F.3	Test purpose.....	531
6.5F.4	Method of test	531
6.5F.4.1	Initial conditions	531
6.5F.4.2	Procedure	532
6.5F.5	Test requirements.....	532
6.5FA	Blocking Characteristics for single Uplink dual band 4C-HSDPA (3 carrier)	535
6.5FA.1	Definition and applicability	535
6.5FA.2	Minimum Requirements	535
6.5FA.2.1	Minimum Requirements (In-band blocking).....	535
6.5FA.2.2	Minimum requirements (Out of-band blocking).....	536
6.5FA.2.3	Minimum requirements (Narrow band blocking).....	538
6.5FA.3	Test purpose.....	539
6.5FA.4	Method of test	539
6.5FA.4.1	Initial conditions	539
6.5FA.4.2	Procedure	540
6.5FA.5	Test requirements.....	540
6.5G	Blocking Characteristics for dual uplink dual band 4C-HSDPA.....	543
6.5G.1	Definition and applicability	543
6.5G.2	Minimum Requirements	543
6.5G.2.1	Minimum Requirements (In-band blocking).....	543
6.5G.2.2	Minimum requirements (Narrow band blocking).....	545
6.5G.3	Test purpose.....	546
6.5G.4	Method of test	546
6.5G.5	Test requirements.....	547
6.5GA	Blocking Characteristics for dual uplink dual band 4C-HSDPA (3 carrier)	549
6.5GA.1	Definition and applicability	549
6.5GA.2	Minimum Requirements	550
6.5GA.2.1	Minimum Requirements (In-band blocking).....	550
6.5GA.2.2	Minimum requirements (Narrow band blocking).....	551
6.5GA.3	Test purpose.....	552
6.5GA.4	Method of test	552
6.5GA.5	Test requirements.....	553
6.6	Spurious Response	555
6.6.1	Definition and applicability	555
6.6.2	Minimum Requirements	555
6.6.3	Test purpose.....	556
6.6.4	Method of test	556
6.6.5	Test requirements.....	556
6.6A	Spurious Response for DC-HSDPA	557
6.6A.1	Definition and applicability	557
6.6A.2	Minimum Requirements	557
6.6A.3	Test purpose.....	557
6.6A.4	Method of test	557
6.6A.5	Test requirements.....	558
6.6B	Spurious Response for DB-DC-HSDPA	559
6.6B.1	Definition and applicability	559
6.6B.2	Minimum Requirements	559
6.6B.3	Test purpose.....	559
6.6B.4	Method of test	559
6.6B.5	Test requirements.....	560
6.6C	Spurious Response for single band 4C-HSDPA.....	561

6.6C.1	Definition and applicability	561
6.6C.2	Minimum Requirements	561
6.6C.3	Test purpose.....	561
6.6C.4	Method of test	561
6.6C.5	Test requirements.....	562
6.6D	Spurious Response for dual band 4C-HSDPA	562
6.6D.1	Definition and applicability	562
6.6D.2	Minimum Requirements	563
6.6D.3	Test purpose.....	563
6.6D.4	Method of test	563
6.6D.5	Test requirements.....	564
6.6DA	Spurious Response for dual band 4C-HSDPA (3 carrier)	564
6.6DA.1	Definition and applicability	564
6.6DA.2	Minimum Requirements	564
6.6DA.3	Test purpose.....	565
6.6DA.4	Method of test	565
6.6DA.5	Test requirements.....	565
6.7	Intermodulation Characteristics.....	566
6.7.1	Definition and applicability	566
6.7.2	Minimum Requirements	566
6.7.3	Test purpose.....	567
6.7.4	Method of test	567
6.7.5	Test requirements.....	568
6.7A	Intermodulation Characteristics for DC-HSDPA	568
6.7A.1	Definition and applicability	568
6.7A.2	Minimum Requirements	569
6.7A.3	Test purpose.....	569
6.7A.4	Method of test	570
6.7A.5	Test requirements.....	570
6.7B	Intermodulation Characteristics for DB-DC-HSDPA	571
6.7B.1	Definition and applicability	571
6.7B.2	Minimum Requirements	572
6.7B.3	Test purpose.....	572
6.7B.4	Method of test	573
6.7B.5	Test requirements.....	573
6.7C	Intermodulation Characteristics for DC-HSUPA	574
6.7C.1	Definition and applicability	574
6.7C.2	Minimum Requirements	575
6.7C.3	Test purpose.....	576
6.7C.4	Method of test	576
6.7C.5	Test requirements.....	577
6.7D	Intermodulation Characteristics for single uplink single band 4C-HSDPA	579
6.7D.1	Definition and applicability	579
6.7D.2	Minimum Requirements	579
6.7D.3	Test purpose.....	580
6.7D.4	Method of test	580
6.7D.5	Test requirements.....	581
6.7E	Intermodulation Characteristics for single uplink dual band 4C-HSDPA	581
6.7E.1	Definition and applicability	581
6.7E.2	Minimum Requirements	581
6.7E.3	Test purpose.....	583
6.7E.4	Method of test	583
6.7E.5	Test requirements.....	584
6.7EA	Intermodulation Characteristics for single uplink dual band 4C-HSDPA (3 carrier)	586
6.7EA.1	Definition and applicability	586
6.7EA.2	Minimum Requirements	586
6.7EA.3	Test purpose.....	587
6.7EA.4	Method of test	588
6.7EA.5	Test requirements.....	588
6.8	Spurious Emissions	590
6.8.1	Definition and applicability	590
6.8.2	Minimum Requirements	590

6.8.3	Test purpose.....	591
6.8.4	Method of test	592
6.8.5	Test requirements.....	592
6.8A	Spurious Emissions for DB-DC-HSDPA	595
6.8A.1	Definition and applicability	595
6.8A.2	Minimum Requirements	595
6.8A.3	Test purpose.....	595
6.8A.4	Method of test	595
6.8A.5	Test requirements.....	595
7	Performance requirements.....	597
7.1	General	597
7.1.1	Measurement Configurations	597
7.1.2	Definition of Additive White Gaussian Noise (AWGN) Interferer	597
7.2	Demodulation in Static Propagation conditions	598
7.2.1	Demodulation of Dedicated Channel (DCH).....	598
7.2.1.1	Definition and applicability.....	598
7.2.1.2	Minimum requirements	598
7.2.1.3	Test purpose	598
7.2.1.4	Method of test	598
7.2.1.5	Test requirements	599
7.2.2	Demodulation of Dedicated Channel (DCH) when (DL_DCH_FET_Config) is configured by higher layers.....	599
7.2.2.1	Definition and applicability.....	599
7.2.2.2	Minimum requirements	600
7.2.2.3	Test purpose	600
7.2.2.4	Method of test	600
7.2.2.4.1	Initial conditions.....	600
7.2.2.4.2	Procedures	601
7.2.2.5	Test requirements	601
7.3	Demodulation of DCH in Multi-path Fading Propagation conditions.....	602
7.3.1	Single Link Performance	602
7.3.1.1	Definition and applicability.....	602
7.3.1.2	Minimum requirements	602
7.3.1.3	Test purpose	604
7.3.1.4	Method of test	604
7.3.1.5	Test requirements	605
7.3.2	Single Link Performance when (DL_DCH_FET_Config) is configured by higher layers	607
7.3.2.1	Definition and applicability.....	607
7.3.2.2	Minimum requirements	608
7.3.2.3	Test purpose	609
7.3.2.4	Method of test	609
7.3.2.4.1	Initial conditions.....	609
7.3.2.5	Test requirements	610
7.4	Demodulation of DCH in Moving Propagation conditions	612
7.4.1	Single Link Performance	612
7.4.1.1	Definition and applicability.....	612
7.4.1.2	Minimum requirements	612
7.4.1.3	Test purpose	613
7.4.1.4	Method of test	613
7.4.1.5	Test requirements	613
7.5	Demodulation of DCH in Birth-Death Propagation conditions.....	614
7.5.1	Single Link Performance	614
7.5.1.1	Definition and applicability.....	614
7.5.1.2	Minimum requirements	614
7.5.1.3	Test purpose	614
7.5.1.4	Method of test	614
7.5.1.5	Test requirements	615
7.5A	Demodulation of DCH in high speed train condition.....	615
7.5A.1	Single Link Performance	615
7.5A.1.1	Definition and applicability.....	615
7.5A.1.2	Minimum requirement	615

7.5A.1.3	Test purpose	616
7.5A.1.4	Method of test	616
7.5A.1.5	Test requirements	616
7.6	Demodulation of DCH in downlink Transmit diversity modes.....	617
7.6.1	Demodulation of DCH in open-loop transmit diversity mode.....	617
7.6.1.1	Definition and applicability.....	617
7.6.1.2	Minimum requirements	617
7.6.1.3	Test purpose	617
7.6.1.4	Method of test	617
7.6.1.5	Test Requirements.....	618
7.6.2	Demodulation of DCH in closed loop transmit diversity mode.....	619
7.6.2.1	Definition and applicability.....	619
7.6.2.2	Minimum requirements	619
7.6.2.3	Test purpose	620
7.6.2.4	Method of test	620
7.6.2.5	Test Requirements.....	621
7.6.3	Demodulation of DCH in Site Selection Diversity Transmission Power Control mode.....	622
7.6.3.1	Definition and applicability.....	622
7.6.3.2	Minimum requirements	622
7.6.3.3	Test purpose	623
7.6.3.4	Method of test	623
7.6.3.5	Test Requirements.....	626
7.7	Demodulation in Handover conditions.....	627
7.7.1	Demodulation of DCH in Inter-Cell Soft Handover (Release 5 and earlier)	627
7.7.1.1	Definition and applicability.....	627
7.7.1.2	Minimum requirements	627
7.7.1.3	Test purpose	628
7.7.1.4	Method of test	628
7.7.1.5	Test requirements	628
7.7.1A	Demodulation of DCH in Inter-Cell Soft Handover (Release 6 and later)	629
7.7.1A.1	Definition and applicability.....	629
7.7.1A.2	Minimum requirements	629
7.7.1A.3	Test purpose	630
7.7.1A.4	Method of test	630
7.7.1A.5	Test requirements	630
7.7.1B	Demodulation of DCH in Inter-Cell Soft Handover when (DL_DCH_FET_Config) is configured by higher layers.....	631
7.7.1B.1	Definition and applicability.....	631
7.7.1B.2	Minimum requirements	631
7.7.1B.3	Test purpose	632
7.7.1B.4	Method of test	632
7.7.1B.4.1	Initial conditions	632
7.7.1B.4.2	Procedures	632
7.7.1B.5	Test requirements	632
7.7.2	Combining of TPC commands from radio links of different radio link sets.....	633
7.7.2.1	Definition and applicability.....	633
7.7.2.2	Minimum requirements	633
7.7.2.3	Test purpose	634
7.7.2.4	Method of test	634
7.7.2.5	Test requirements	635
7.7.2A	Combining of TPC commands from radio links of different radio link sets when (DL_DCH_FET_Config) is configured by higher layers	636
7.7.2A.1	Definition and applicability.....	636
7.7.2A.2	Minimum requirements	636
7.7.2A.3	Test purpose	637
7.7.2A.4	Method of test	637
7.7.2A.4.1	Initial conditions	637
7.7.2A.4.2	Procedures	638
7.7.2A.5	Test requirements	639
7.7.3	Combining of reliable TPC commands from radio links of different radio link sets.....	640
7.7.3.1	Definition and applicability.....	640
7.7.3.2	Minimum requirements	640

7.7.3.3	Test purpose	640
7.7.3.4	Method of test	641
7.7.3.4.1	Test 1 Initial conditions	641
7.7.3.4.2	Test 1 Procedures	641
7.7.3.4.3	Test 2 Initial conditions	641
7.7.3.4.4	Test 2 Procedures	641
7.7.3.5	Test requirements	642
7.7.3A	Combining of reliable TPC commands from radio links of different radio link sets when DL_DCH_FET_Config [10] is configured by higher layers	643
7.7.3A.1	Definition and applicability.....	643
7.7.3A.2	Minimum requirements	643
7.7.3A.3	Test purpose	643
7.7.3A.4	Method of test	644
7.7.3A.4.1	Test 1 Initial conditions	644
7.7.3A.4.2	Test 1 Procedures	644
7.7.3A.4.3	Test 2 Initial conditions	644
7.7.3A.4.4	Test 2 Procedures	644
7.7.3A.5	Test requirements.....	645
7.8	Power control in downlink	646
7.8.1	Power control in the downlink, constant BLER target (Release 5 and earlier).....	647
7.8.1.1	Definition and applicability.....	647
7.8.1.2	Minimum requirements	647
7.8.1.3	Test purpose	647
7.8.1.4	Method of test	647
7.8.1.5	Test Requirements.....	648
7.8.1A	Power control in the downlink, constant BLER target (Release 6 and later).....	649
7.8.1A.1	Definition and applicability.....	649
7.8.1A.2	Minimum requirements	649
7.8.1A.3	Test purpose	649
7.8.1A.4	Method of test	649
7.8.1A.5	Test Requirements.....	650
7.8.1B	Power control in the downlink, constant BLER target when DL_DCH_FET_Config is configured by higher layers.....	651
7.8.1B.1	Definition and applicability.....	651
7.8.1B.2	Minimum requirements	651
7.8.1B.3	Test purpose	652
7.8.1B.4	Method of test	652
7.8.1B.5	Test Requirements.....	654
7.8.2	Power control in the downlink, initial convergence.....	656
7.8.2.1	Definition and applicability.....	656
7.8.2.2	Minimum requirements	656
7.8.2.3	Test purpose	657
7.8.2.4	Method of test	657
7.8.2.5	Test Requirements.....	657
7.8.2A	Power control in the downlink, initial convergence when DL_DCH_FET_Config is configured by higher layers.....	659
7.8.2A.1	Definition and applicability.....	659
7.8.2A.2	Minimum requirements	659
7.8.2A.3	Test purpose	660
7.8.2A.4	Method of test	660
7.8.2A.5	Test Requirements.....	661
7.8.3	Power control in the downlink, wind up effects (Release 5 and earlier).....	663
7.8.3.1	Definition and applicability.....	663
7.8.3.2	Minimum requirements	663
7.8.3.3	Test purpose	663
7.8.3.4	Method of test	663
7.8.3.5	Test Requirements.....	664
7.8.3A	Power control in the downlink, wind up effects (Release 6 and later).....	665
7.8.3A.1	Definition and applicability.....	665
7.8.3A.2	Minimum requirements	665
7.8.3A.3	Test purpose	666
7.8.3A.4	Method of test	666

7.8.3B	Power control in the downlink, wind up effects (Release 6 and later) when DL_DCH_FET_Config is configured by higher layers	667
7.8.3B.1	Definition and applicability.....	667
7.8.3B.2	Minimum requirements	667
7.8.3B.3	Test purpose	669
7.8.3B.4	Method of test	670
7.8.3B.4.1	Initial conditions.....	670
7.8.3B.4.2	Procedure.....	670
7.8.3B.5	Test Requirements.....	672
7.8.4	Power control in the downlink, different transport formats	674
7.8.4.1	Definition and applicability.....	674
7.8.4.2	Minimum requirements	674
7.8.4.3	Test purpose	675
7.8.4.4	Method of test	675
7.8.4.5	Test Requirements.....	676
7.8.4A	Power control in the downlink, different transport formats when DL_DCH_FET_Config is configured by higher layers	677
7.8.4A.1	Definition and applicability.....	677
7.8.4A.2	Minimum requirements	677
7.8.4A.3	Test purpose	678
7.8.4A.4	Method of test	678
7.8.4A.4.1	Initial conditions.....	678
7.8.4A.4.2	Procedure.....	679
7.8.4.5	Test Requirements.....	680
7.8.5	Power control in the downlink for F-DPCH	682
7.8.5.1	Definition and applicability.....	682
7.8.5.2	Minimum requirements	682
7.8.5.3	Test purpose	683
7.8.5.4	Method of test	683
7.8.5.5	Test Requirements.....	686
7.9	Downlink compressed mode	686
7.9.1	Single link performance (Release 5 and earlier).....	687
7.9.1.1	Definition and applicability.....	687
7.9.1.2	Minimum requirements	687
7.9.1.3	Test purpose	688
7.9.1.4	Method of test	688
7.9.1.5	Test requirements	688
7.9.1A	Single link performance (Release 6 and later).....	690
7.9.1A.1	Definition and applicability.....	690
7.9.1A.2	Minimum requirements	690
7.9.1A.3	Test purpose	690
7.9.1A.4	Method of test	691
7.9.1A.5	Test requirements	691
7.10	Blind transport format detection.....	692
7.10.1	Definition and applicability	692
7.10.2	Minimum requirements	692
7.10.3	Test purpose.....	693
7.10.4	Method of test	693
7.10.5	Test requirements.....	694
7.11	Demodulation of Paging Channel (PCH)	694
7.11.1	Definition and applicability	694
7.11.2	Minimum requirements	694
7.11.3	Test purpose.....	695
7.11.4	Method of test	695
7.11.5	Test requirements.....	698
7.12	Detection of Acquisition Indicator (AI)	698
7.12.1	Definition and applicability	698
7.12.2	Minimum requirements	699
7.12.3	Test purpose.....	699
7.12.4	Method of test	699
7.12.5	Test requirements.....	701
7.12A	Detection of E-DCH Acquisition Indicator (E-AI)	701

7.12A.1	Definition and applicability	701
7.12A.2	Minimum requirements.....	701
7.12A.3	Test purpose.....	702
7.12A.4	Method of test	702
7.12A.5	Test requirements.....	703
7.13	UE UL power control operation with discontinuous UL DPCCH transmission operation	704
7.13.1	Definition and applicability	704
7.13.2	Minimum requirement	704
7.13.3	Test purpose.....	704
7.13.4	Method of test	705
7.13.4.1	Initial conditions	705
7.13.4.2	Procedure	705
7.13.5.	Test Requirements.....	707
8	Requirements for support of RRM.....	708
8.1	General	708
8.1.1	Definition of Additive White Gaussian Noise (AWGN) Interferer	708
8.2	Idle Mode Tasks	708
8.2.1	Cell Selection.....	708
8.2.2	Cell Re-Selection	708
8.2.2.1	Scenario 1: Single carrier case	708
8.2.2.1.1	Definition and applicability	708
8.2.2.1.2	Minimum requirement.....	709
8.2.2.1.3	Test purpose	709
8.2.2.1.4	Method of test.....	709
8.2.2.1.5	Test requirements	712
8.2.2.2	Scenario 2: Multi carrier case.....	712
8.2.2.2.1	Definition and applicability	712
8.2.2.2.2	Minimum requirement.....	712
8.2.2.2.3	Test purpose	712
8.2.2.2.4	Method of test.....	713
8.2.2.2.5	Test requirements	715
8.2.3	UTRAN to GSM Cell Re-Selection.....	717
8.2.3.1	Scenario 1: Both UTRA and GSM level changed.....	717
8.2.3.1.1	Definition and applicability	717
8.2.3.1.2	Minimum requirement.....	717
8.2.3.1.3	Test purpose	717
8.2.3.1.4	Method of test.....	717
8.2.3.1.5	Test requirements	719
8.2.3.2	Scenario 2: Only UTRA level changed.....	720
8.2.3.2.1	Definition and applicability	720
8.2.3.2.2	Minimum requirement.....	720
8.2.3.2.3	Test purpose	720
8.2.3.2.4	Method of test.....	720
8.2.3.2.5	Test requirements	722
8.2.3.3	Scenario 3: HCS with only UTRA level changed	723
8.2.3.3.1	Definition and applicability	723
8.2.3.3.2	Minimum requirement.....	723
8.2.3.3.3	Test purpose	723
8.2.3.3.4	Method of test.....	723
8.2.3.3.5	Test requirements	725
8.2.4	FDD/TDD Cell Re-selection.....	726
8.2.4.1	Definition and applicability.....	726
8.2.4.1.1	3.84 Mcps TDD Option.....	726
8.2.4.1.2	1.28 Mcps TDD Option	726
8.2.4.2	Minimum requirement	727
8.2.4.3	Test purpose	727
8.2.4.4	Method of test	727
8.2.4.4.1	Initial conditions	727
8.2.4.4.1.1	3.84 Mcps TDD Option	727
8.2.4.4.1.2	1.28Mcps TDD Option	728
8.2.4.4.2	Procedures	729

8.2.4.5	Test requirements	729
8.2.5	UTRAN to E-UTRA Cell Re-Selection	730
8.2.5.1	E-UTRA is of higher priority	730
8.2.5.1.1	Definition and applicability	730
8.2.5.1.2	Minimum requirement	730
8.2.5.1.3	Test purpose	730
8.2.5.1.4	Method of test	730
8.2.5.1.5	Test requirements	733
8.2.5.2	E-UTRA is of lower priority	734
8.2.5.2.1	Definition and applicability	734
8.2.5.2.2	Minimum requirement	735
8.2.5.2.3	Test purpose	735
8.2.5.2.4	Method of test	735
8.2.5.2.5	Test requirements	738
8.2.5.3	RSRQ based reselection when E-UTRA FDD is of higher priority	739
8.2.5.3.1	Definition and applicability	739
8.2.5.3.2	Minimum requirement	739
8.2.5.3.3	Test purpose	739
8.2.5.3.4	Method of test	739
8.2.5.3.5	Test requirements	744
8.3	UTRAN Connected Mode Mobility	745
8.3.1	FDD/FDD Soft Handover	745
8.3.1.1	Definition and applicability	745
8.3.1.2	Minimum requirement	746
8.3.1.3	Test purpose	746
8.3.1.4	Method of test	746
8.3.1.5	Test requirements	751
8.3.2	FDD/FDD Hard Handover	752
8.3.2.1	FDD/FDD Hard Handover to intra-frequency cell	752
8.3.2.1.1	Definition and applicability	752
8.3.2.1.2	Minimum requirement	752
8.3.2.1.3	Test purpose	753
8.3.2.1.4	Method of test	753
8.3.2.1.5	Test requirements	759
8.3.2.2	FDD/FDD Hard Handover to inter-frequency cell	759
8.3.2.2.1	Definition and applicability	759
8.3.2.2.2	Minimum requirement	759
8.3.2.2.3	Test purpose	760
8.3.2.2.4	Method of test	760
8.3.2.2.5	Test requirements	765
8.3.3	FDD/TDD Handover	766
8.3.3.1	Definition and applicability	766
8.3.3.2	Minimum requirement	766
8.3.3.3	Test purpose	766
8.3.3.4	Method of test	766
8.3.3.5	Test requirements	771
8.3.4	Inter-system Handover from UTRAN FDD to GSM	772
8.3.4.1	Definition and applicability	772
8.3.4.2	Minimum requirement	772
8.3.4.3	Test purpose	772
8.3.4.4	Method of test	772
8.3.4.5	Test requirements	779
8.3.4a	Inter-system Handover from UTRAN FDD to E-UTRAN FDD	779
8.3.4a.1	Definition and applicability	779
8.3.4a.2	Minimum requirement	780
8.3.4a.3	Test purpose	780
8.3.4a.4	Method of test	780
8.3.4a.5	Test requirements	788
8.3.4b	Inter-system Handover from UTRAN FDD to E-UTRAN TDD	789
8.3.4b.1	Definition and applicability	789
8.3.4b.2	Minimum requirement	790
8.3.4b.3	Test purpose	790

8.3.4b.4	Method of test	790
8.3.4b.4.1	Initial conditions.....	790
8.3.4b.4.2	Procedure.....	792
8.3.4b.5	Test requirements	798
8.3.4c	Inter-system Handover from UTRAN FDD to E-UTRAN FDD: Unknown Target Cell	800
8.3.4c.1	Definition and applicability.....	800
8.3.4c.2	Minimum requirement	800
8.3.4c.3	Test purpose	800
8.3.4c.4	Method of test	800
8.3.4c.5	Test requirements	806
8.3.4d	Inter-system Handover from UTRAN FDD to E-UTRAN TDD; Unknown Target Cell	807
8.3.4d.1	Definition and applicability.....	807
8.3.4d.2	Minimum requirement	807
8.3.4d.3	Test purpose	807
8.3.4d.4	Method of test	807
8.3.4d.4.1	Initial conditions.....	807
8.3.4d.4.2	Procedure.....	809
8.3.4d.5	Test requirements	813
8.3.5	Cell Re-selection in CELL_FACH	813
8.3.5.1	One frequency present in neighbour lis and FACH measurement occasions configured.....	813
8.3.5.1.1	Definition and applicability.....	813
8.3.5.1.2	Minimum requirements	814
8.3.5.1.3	Test purpose	814
8.3.5.1.4	Method of test.....	814
8.3.5.1.5	Test requirements	816
8.3.5.1a	One frequency present in neighbour list and HS-DSCH DRX configured	817
8.3.5.1a.1	Definition and applicability.....	817
8.3.5.1a.2	Minimum requirements	817
8.3.5.1a.3	Test purpose	817
8.3.5.1a.4	Method of test.....	818
8.3.5.1a.5	Test requirements	820
8.3.5.2	Two frequencies present in the neighbour list and FACH measurement occasions configured.....	821
8.3.5.2.1	Definition and applicability.....	821
8.3.5.2.2	Minimum requirements	821
8.3.5.2.3	Test purpose	821
8.3.5.2.4	Method of test.....	822
8.3.5.2.5	Test requirements	825
8.3.5.2a	Two frequencies present in the neighbour list and HS-DSCH DRX configured (Absolute priority levels not configured).....	825
8.3.5.2a.1	Definition and applicability.....	825
8.3.5.2a.2	Minimum requirements	825
8.3.5.2a.3	Test purpose	826
8.3.5.2a.4	Method of test.....	826
8.3.5.2a.5	Test requirements	828
8.3.5.2b	Two frequencies present in the neighbour list and HS-DSCH DRX configured (Absolute priority levels configured).....	829
8.3.5.2b.1	Definition and applicability.....	829
8.3.5.2b.2	Minimum requirements	829
8.3.5.2b.3	Test purpose	829
8.3.5.2b.4	Method of test.....	830
8.3.5.2b.5	Test requirements	832
8.3.5.2c	Two frequencies present in the neighbour list and HS-DSCH 2 nd DRX configured (Absolute priority levels not configured).....	833
8.3.5.2c.1	Definition and applicability.....	833
8.3.5.2c.2	Minimum requirements	833
8.3.5.2c.3	Test purpose	833
8.3.5.2c.4	Method of test.....	834
8.3.5.2c.5	Test requirements	836
8.3.5.2d	Two frequencies present in the neighbour list and HS-DSCH 2 nd DRX configured (Absolute priority levels configured).....	837
8.3.5.2d.1	Definition and applicability.....	837
8.3.5.2d.2	Minimum requirements	837

8.3.5.2d.3	Test purpose	838
8.3.5.2d.4	Method of test.....	838
8.3.5.2d.5	Test requirements	841
8.3.5.3	Cell Reselection to GSM.....	842
8.3.5.3.1	Definition and applicability.....	842
8.3.5.3.2	Minimum requirements	842
8.3.5.3.3	Test purpose	843
8.3.5.3.4	Method of test.....	843
8.3.5.3.5	Test requirements	845
8.3.5.4	Cell Reselection during an MBMS session, two frequencies present in neighbour list	846
8.3.5.4.1	Definition and applicability.....	846
8.3.5.4.2	Minimum requirements	846
8.3.5.4.3	Test purpose	846
8.3.5.4.4	Method of test.....	847
8.3.5.4.5	Test requirements	851
8.3.5.5	UTRAN to E-UTRA Cell Reselection	852
8.3.5.5.1	Reselection to E-UTRA FDD when HS-DSCH DRX is configured (E-UTRA has higher priority).....	852
8.3.5.5.1.1	Definition and applicability	852
8.3.5.5.1.1	Minimum requirements.....	852
8.3.5.5.1.3	Test purpose.....	852
8.3.5.5.1.4	Method of test	852
8.3.5.5.1.4.1	Initial conditions.....	852
8.3.5.5.1.4.2	Procedure.....	855
8.3.5.5.1.5	Test requirements.....	856
8.3.5.5.2	Reselection to E-UTRA FDD when HS-DSCH DRX is configured (E-UTRA has lower priority).....	858
8.3.5.5.2.1	Definition and applicability	858
8.3.5.5.2.1	Minimum requirements.....	858
8.3.5.5.2.3	Test purpose.....	858
8.3.5.5.2.4	Method of test	858
8.3.5.5.2.4.1	Initial conditions.....	858
8.3.5.5.2.4.2	Procedure.....	861
8.3.5.5.2.5	Test requirements.....	862
8.3.5.5.3	Reselection to E-UTRA FDD when HS-DSCH 2nd DRX is configured (E-UTRA has higher priority).....	864
8.3.5.5.3.1	Definition and applicability	864
8.3.5.5.3.1	Minimum requirements.....	864
8.3.5.5.3.3	Test purpose.....	865
8.3.5.5.3.4	Method of test	865
8.3.5.5.3.4.1	Initial conditions.....	865
8.3.5.5.3.4.2	Procedure.....	868
8.3.5.5.1.5	Test requirements.....	869
8.3.5.5.4	Reselection to E-UTRA TDD when HS-DSCH DRX is configured (E-UTRA has higher priority).....	871
8.3.5.5.4.1	Definition and applicability	871
8.3.5.5.4.1	Minimum requirements.....	871
8.3.5.5.4.3	Test purpose.....	872
8.3.5.5.4.4	Method of test	872
8.3.5.5.4.4.1	Initial conditions.....	872
8.3.5.5.4.4.2	Procedure.....	875
8.3.5.5.4.5	Test requirements.....	875
8.3.5.5.5	Reselection to E-UTRA TDD when HS-DSCH DRX is configured (E-UTRA has lower priority).....	876
8.3.5.5.5.1	Definition and applicability	876
8.3.5.5.5.1	Minimum requirements.....	876
8.3.5.5.5.3	Test purpose.....	877
8.3.5.5.5.4	Method of test	877
8.3.5.5.5.4.1	Initial conditions.....	877
8.3.5.5.5.4.2	Procedure.....	880
8.3.5.5.5.5	Test requirements.....	880

8.3.5.5.6	Reselection to E-UTRA TDD when HS-DSCH 2 nd DRX is configured (E-UTRA has higher priority).....	881
8.3.5.5.6.1	Definition and applicability	881
8.3.5.5.6.2	Minimum requirements.....	881
8.3.5.5.6.3	Test purpose.....	882
8.3.5.5.6.4	Method of test	882
8.3.5.5.6.4.1	Initial conditions.....	882
8.3.5.5.6.4.2	Procedure.....	885
8.3.5.5.6.5	Test requirements.....	885
8.3.6	Cell Re-selection in CELL_PCH	887
8.3.6.1	One frequency present in the neighbour list.....	887
8.3.6.1.1	Definition and applicability	887
8.3.6.1.2	Minimum requirements	887
8.3.6.1.3	Test purpose	887
8.3.6.1.4	Method of test.....	887
8.3.6.1.5	Test requirements	891
8.3.6.2	Two frequencies present in the neighbour list.....	891
8.3.6.2.1	Definition and applicability	891
8.3.6.2.2	Minimum requirement.....	891
8.3.6.2.3	Test purpose	892
8.3.6.2.4	Method of test.....	892
8.3.6.2.5	Test requirements	896
8.3.6.3	Cell re-selection during an MBMS session, one UTRAN inter-frequency and 2 GSM cells present in the neighbour list	897
8.3.6.3.1	Definition and applicability	897
8.3.6.3.2	Minimum requirement.....	897
8.3.6.3.3	Test purpose	897
8.3.6.3.4	Method of test.....	897
8.3.6.3.5	Test requirements	901
8.3.7	Cell Re-selection in URA_PCH.....	902
8.3.7.1	One frequency present in the neighbour list.....	902
8.3.7.1.1	Definition and applicability	902
8.3.7.1.2	Minimum requirement.....	902
8.3.7.1.3	Test purpose	903
8.3.7.1.4	Method of test.....	903
8.3.7.1.5	Test requirements	906
8.3.7.2	Two frequencies present in the neighbour list.....	906
8.3.7.2.1	Definition and applicability	906
8.3.7.2.2	Minimum requirement.....	906
8.3.7.2.3	Test purpose	907
8.3.7.2.4	Method of test.....	907
8.3.7.2.5	Test requirements	910
8.3.8	Serving HS-DSCH cell change	911
8.3.8.1	Definition and applicability.....	911
8.3.8.2	Minimum requirement	911
8.3.8.3	Test purpose	911
8.3.8.4	Method of test	911
8.3.8.4.1	Initial conditions.....	915
8.3.8.4.2	Procedure.....	915
8.3.8.5	Test requirements	924
8.3.9	Enhanced Serving HS-DSCH cell change	926
8.3.9.1	Definition and applicability.....	926
8.3.9.2	Minimum requirement	926
8.3.9.3	Test purpose	926
8.3.9.4	Method of test	927
8.3.9.4.1	Initial conditions.....	928
8.3.9.4.2	Procedure.....	928
8.3.9.5	Test requirements	936
8.3.10	System information acquisition for CSG cell	936
8.3.10.1	Intrafrequency System information acquisition for CSG cell	936
8.3.10.1.1	Definition and applicability	936
8.3.10.1.2	Minimum requirement.....	937

8.3.10.1.3	Test purpose	937
8.3.10.1.4	Method of test.....	937
8.3.10.1.5	Test requirements	941
8.3.10.2	Inter frequency System information acquisition for CSG cell	941
8.3.10.2.1	Definition and applicability.....	941
8.3.10.2.2	Minimum requirement.....	941
8.3.10.2.3	Test purpose	942
8.3.10.2.4	Method of test.....	942
8.3.10.2.5	Test requirements	948
8.4	RRC Connection Control	949
8.4.1	RRC Re-establishment delay	949
8.4.1.1	Test 1.....	949
8.4.1.1.1	Definition and applicability.....	949
8.4.1.1.2	Minimum requirement.....	949
8.4.1.1.3	Test purpose	949
8.4.1.1.4	Method of test.....	950
8.4.1.1.5	Test requirements	952
8.4.1.2	Test 2.....	952
8.4.1.2.1	Definition and applicability.....	952
8.4.1.2.2	Minimum requirement.....	952
8.4.1.2.3	Test purpose	953
8.4.1.2.4	Method of test.....	953
8.4.1.2.5	Test requirements	954
8.4.2	Random Access	955
8.4.2.1	Correct behaviour when receiving an ACK (Release 5 and earlier)	955
8.4.2.1.1	Definition and applicability.....	955
8.4.2.1.2	Minimum Requirements	955
8.4.2.1.3	Test purpose	955
8.4.2.1.4	Method of test.....	955
8.4.2.1.5	Test requirements	957
8.4.2.1A	Correct behaviour when receiving an ACK (Release 6 and later).....	958
8.4.2.1A.1	Definition and applicability.....	958
8.4.2.1A.2	Minimum Requirements	958
8.4.2.1A.3	Test purpose	958
8.4.2.1A.4	Method of test.....	958
8.4.2.1A.5	Test requirements	960
8.4.2.2	Correct behaviour when receiving an NACK	961
8.4.2.2.1	Definition and applicability	961
8.4.2.2.2	Minimum Requirements	961
8.4.2.2.3	Test purpose	961
8.4.2.2.4	Method of test.....	961
8.4.2.2.5	Test requirements	961
8.4.2.3	Correct behaviour at Time-out	962
8.4.2.3.1	Definition and applicability	962
8.4.2.3.2	Minimum Requirements	962
8.4.2.3.3	Test purpose	962
8.4.2.3.4	Method of test.....	962
8.4.2.3.5	Test requirements	962
8.4.2.4	Correct behaviour when reaching maximum transmit power	962
8.4.2.4.1	Definition and applicability	962
8.4.2.4.2	Minimum Requirements	963
8.4.2.4.3	Test purpose	963
8.4.2.4.4	Method of test.....	963
8.4.2.4.5	Test requirements	964
8.4.3	Transport format combination selection in UE	964
8.4.3.1	Interactive or Background, PS, UL: 64 kbps.....	964
8.4.3.1.1	Definition and applicability	964
8.4.3.1.2	Minimum requirements	964
8.4.3.1.3	Test purpose	965
8.4.3.1.4	Method of test.....	965
8.4.3.1.5	Test requirements	968
8.4.3.1A	Interactive or Background, PS, UL: 64 kbps + Conversational / speech, CS, UL: 12.2kbps.....	968

8.4.3.1A.1	Definition and applicability	968
8.4.3.1A.2	Minimum requirements	968
8.4.3.1A.3	Test purpose	970
8.4.3.1A.4	Method of test.....	970
8.4.3.1A.5	Test requirements	973
8.4.4	E-TFC restriction in UE.....	974
8.4.4.1	10ms TTI E-DCH E-TFC restriction	974
8.4.4.1.1	Definition and applicability	974
8.4.4.1.2	Minimum requirements	974
8.4.4.1.3	Test Purpose	976
8.4.4.1.4	Method of test.....	976
8.4.4.1.5	Test Requirements	980
8.4.4.2	2ms TTI E-DCH E-TFC restriction	980
8.4.4.2.1	Definition and applicability	980
8.4.4.2.2	Minimum requirements	980
8.4.4.2.3	Test Purpose	983
8.4.4.2.4	Method of test.....	983
8.4.4.2.5	Test Requirements	987
8.5	Timing and Signalling Characteristics	987
8.5.1	UE Transmit Timing.....	987
8.5.1.1	Definition and applicability.....	987
8.5.1.2	Minimum requirements	988
8.5.1.3	Test purpose	989
8.5.1.4	Method of test	989
8.5.1.5	Test requirements	993
8.6	UE Measurements Procedures.....	994
8.6.1	FDD intra frequency measurements	994
8.6.1.1	Event triggered reporting in AWGN propagation conditions (R99)	994
8.6.1.1.1	Definition and applicability	994
8.6.1.1.2	Minimum requirements	994
8.6.1.1.3	Test purpose	995
8.6.1.1.4	Method of test.....	996
8.6.1.1.5	Test requirements	999
8.6.1.1A	Event triggered reporting in AWGN propagation conditions (Rel-4 and later)	999
8.6.1.1A.1	Definition and applicability	999
8.6.1.1A.2	Minimum requirements	1000
8.6.1.1A.3	Test purpose	1001
8.6.1.1A.4	Method of test.....	1001
8.6.1.1A.5	Test requirements	1004
8.6.1.2	Event triggered reporting of multiple neighbours in AWGN propagation condition (R99).....	1005
8.6.1.2.1	Definition and applicability	1005
8.6.1.2.2	Minimum requirements	1005
8.6.1.2.3	Test purpose	1005
8.6.1.2.4	Method of test.....	1005
8.6.1.2.5	Test requirements	1012
8.6.1.2A	Event triggered reporting of multiple neighbours in AWGN propagation condition (Rel-4 and later)	1014
8.6.1.2A.1	Definition and applicability	1014
8.6.1.2A.2	Minimum requirements	1014
8.6.1.2A.3	Test purpose	1014
8.6.1.2A.4	Method of test.....	1014
8.6.1.2A.5	Test requirements	1020
8.6.1.3	Event triggered reporting of two detectable neighbours in AWGN propagation condition (R99)....	1021
8.6.1.3.1	Definition and applicability	1021
8.6.1.3.2	Minimum requirements	1021
8.6.1.3.3	Test purpose	1021
8.6.1.3.4	Method of test.....	1021
8.6.1.3.5	Test requirements	1027
8.6.1.3A	Event triggered reporting of two detectable neighbours in AWGN propagation condition (Rel-4 and later)	1029
8.6.1.3A.1	Definition and applicability	1029
8.6.1.3A.2	Minimum requirements	1029

8.6.1.3A.3	Test purpose	1029
8.6.1.3A.4	Method of test.....	1029
8.6.1.3A.5	Test requirements	1032
8.6.1.4	Void.....	1033
8.6.1.4A	Correct reporting of neighbours in fading propagation condition (Rel-4 and later)	1033
8.6.1.4A.1	Definition and applicability	1033
8.6.1.4A.2	Minimum requirements	1034
8.6.1.4A.3	Test purpose	1034
8.6.1.4A.4	Method of test.....	1034
8.6.1.4A.5	Test requirements	1037
8.6.1.5	Event triggered reporting of multiple neighbour cells in Case 1 fading condition.....	1038
8.6.1.5.1	Definition and applicability	1038
8.6.1.5.2	Minimum requirements	1038
8.6.1.5.3	Test purpose	1038
8.6.1.5.4	Method of test.....	1038
8.6.1.5.5	Test requirements	1041
8.6.1.6	Event triggered reporting of multiple neighbour cells in Case 3 fading condition.....	1042
8.6.1.6.1	Definition and applicability	1042
8.6.1.6.2	Minimum requirements	1042
8.6.1.6.3	Test purpose	1042
8.6.1.6.4	Method of test.....	1042
8.6.1.6.5	Test requirements	1046
8.6.2	FDD inter frequency measurements	1047
8.6.2.1	Correct reporting of neighbours in AWGN propagation condition (Release 5 and earlier)	1047
8.6.2.1.1	Definition and applicability	1047
8.6.2.1.2	Minimum requirements	1047
8.6.2.1.3	Test purpose	1048
8.6.2.1.4	Method of test.....	1048
8.6.2.1.5	Test requirements	1054
8.6.2.1A	Correct reporting of neighbours in AWGN propagation condition (Release 6 and later)	1055
8.6.2.1A.1	Definition and applicability	1055
8.6.2.1A.2	Minimum requirements	1056
8.6.2.1A.3	Test purpose	1056
8.6.2.1A.4	Method of test.....	1057
8.6.2.1A.5	Test requirements	1063
8.6.2.2	Correct reporting of neighbours in fading propagation condition (Release 5 only)	1064
8.6.2.2.1	Definition and applicability	1064
8.6.2.2.2	Minimum requirements	1064
8.6.2.2.3	Test purpose	1064
8.6.2.2.4	Method of test.....	1064
8.6.2.2.4.1	Initial conditions	1064
8.6.2.2.4.2	Procedure	1065
8.6.2.2.5	Test requirements	1069
8.6.2.2A	Correct reporting of neighbours in fading propagation condition (Release 6 and later)	1069
8.6.2.2A.1	Definition and applicability	1069
8.6.2.2A.2	Minimum requirements	1069
8.6.2.2A.3	Test purpose	1069
8.6.2.2A.4	Method of test.....	1070
8.6.2.2A.4.1	Initial conditions	1070
8.6.2.2A.4.2	Procedure	1070
8.6.2.2A.5	Test requirements	1074
8.6.2.3	Correct reporting of neighbours in fading propagation condition using TGL1=14.....	1074
8.6.2.3.1	Definition and applicability	1074
8.6.2.3.2	Minimum requirements	1075
8.6.2.3.3	Test purpose	1075
8.6.2.3.4	Method of test.....	1075
8.6.2.3.4.1	Initial conditions	1075
8.6.2.3.4.2	Procedure	1076
8.6.2.3.5	Test requirements	1079
8.6.3	TDD measurements	1080
8.6.3.1	Correct reporting of TDD neighbours in AWGN propagation condition.....	1080
8.6.3.1.1	Definition and applicability	1080

8.6.3.1.2	Minimum requirement	1080
8.6.3.1.2.1	3.84Mcps TDD option	1080
8.6.3.1.2.2	1.28Mcps TDD option	1081
8.6.3.1.3	Test purpose	1082
8.6.3.1.4	Method of test.....	1082
8.6.3.1.4.1	Initial conditions.....	1082
8.6.3.1.4.1.1	3.84Mcps TDD option	1082
8.6.3.1.4.1.2	1.28Mcps TDD option	1084
8.6.3.1.5	Test requirements	1089
8.6.4	GSM measurements.....	1089
8.6.4.1	Correct reporting of GSM neighbours in AWGN propagation condition	1089
8.6.4.1.1	Definition and applicability	1089
8.6.4.1.2	Minimum requirements	1090
8.6.4.1.3	Test purpose	1090
8.6.4.1.4	Method of test.....	1090
8.6.4.1.4.1	Test 1 initial conditions	1090
8.6.4.1.4.2	Test 1 Procedure	1091
8.6.4.1.4.3	Test 2 initial conditions	1095
8.6.4.1.4.4	Test 2 Procedure	1096
8.6.4.1.5	Test requirements	1099
8.6.4.1.5.1	TEST 1 With BSIC verification required.....	1099
8.6.4.1.5.2	TEST 2 Without BSIC verification required	1099
8.6.5	Combined inter frequency and GSM measurements	1100
8.6.5.1	Correct reporting of neighbours in AWGN propagation condition.....	1100
8.6.5.1.1	Definition and applicability	1100
8.6.5.1.2	Minimum requirement.....	1100
8.6.5.1.3	Test purpose	1101
8.6.5.1.4	Method of test.....	1101
8.6.5.1.5	Test requirements	1113
8.6.6	E-UTRAN Measurement	1113
8.6.6.1	Correct reporting of E-UTRAN FDD neighbour in fading propagation condition in CELL_DCH ..	1113
8.6.6.1.1	Definition and applicability	1113
8.6.6.1.2	Minimum requirement.....	1114
8.6.6.1.3	Test purpose	1115
8.6.6.1.4	Method of test.....	1115
8.6.6.1.5	Test requirements	1119
8.6.6.2	Correct reporting of E-UTRAN TDD neighbour in fading propagation condition in CELL_DCH..	1121
8.6.6.2.1	Definition and applicability	1121
8.6.6.2.2	Minimum requirement.....	1122
8.6.6.2.3	Test purpose	1122
8.6.6.2.4	Method of test.....	1122
8.6.6.2.5	Test requirements	1127
8.6.7	Combined Inter-frequency and E-UTRAN measurements	1128
8.6.7.1	Correct reporting of E-UTRA FDD neighbours in fading propagation condition	1128
8.6.7.1.1	Definition and applicability	1128
8.6.7.1.2	Minimum requirement.....	1129
8.6.7.1.3	Test purpose	1130
8.6.7.1.4	Method of test.....	1130
8.6.7.1.5	Test requirements	1136
8.6.7.2	Correct reporting of E-UTRA TDD neighbours in Fading propagation condition	1138
8.6.7.2.1	Definition and applicability	1138
8.6.7.2.2	Minimum requirement.....	1138
8.6.7.2.3	Test purpose	1139
8.6.7.2.4	Method of test.....	1139
8.6.7.2.5	Test requirements	1146
8.7	Measurements Performance Requirements	1148
8.7.1	CPICH RSCP	1148
8.7.1.1	Intra frequency measurements accuracy	1148
8.7.1.1.1	Absolute accuracy requirement	1148
8.7.1.1.2	Relative accuracy requirement	1153
8.7.1.2	Inter frequency measurement accuracy	1156
8.7.1.2.1	Relative accuracy requirement	1156

8.7.2	CPICH Ec/Io.....	1163
8.7.2.1	Intra frequency measurements accuracy	1163
8.7.2.1.1	Absolute accuracy requirement	1163
8.7.2.1.2	Relative accuracy requirement	1168
8.7.2.2	Inter frequency measurement accuracy.....	1171
8.7.2.2.1	Absolute accuracy requirement	1171
8.7.2.2.2	Relative accuracy requirement	1171
8.7.3	UTRA Carrier RSSI.....	1177
8.7.3.1	Absolute measurement accuracy requirement.....	1178
8.7.3.1.1	Definition and applicability.....	1178
8.7.3.1.2	Minimum Requirements	1178
8.7.3.1.3	Test purpose	1178
8.7.3.1.4	Method of test.....	1178
8.7.3.1.5	Test requirements	1182
8.7.3.2	Relative measurement accuracy requirement.....	1183
8.7.3.2.1	Definition and applicability.....	1183
8.7.3.2.2	Minimum Requirements	1183
8.7.3.2.3	Test purpose	1184
8.7.3.2.4	Method of test.....	1184
8.7.3.2.5	Test requirements	1188
8.7.3A	GSM Carrier RSSI.....	1189
8.7.3A.1	Definition and applicability.....	1189
8.7.3A.2	Minimum Requirements.....	1189
8.7.3A.3	Test purpose	1191
8.7.3A.4	Method of test	1191
8.7.3A.4.1	Initial conditions.....	1191
8.7.3A.4.2	Procedure.....	1193
8.7.3A.5	Test requirements.....	1196
8.7.3B	Transport channel BLER	1198
8.7.3C	UE transmitted power (R99 and Rel-4 only)	1198
8.7.3C.1	Definition and applicability.....	1198
8.7.3C.2	Minimum requirements	1199
8.7.3C.3	Test purpose	1199
8.7.3C.4	Method of test	1199
8.7.3C.4.1	Initial conditions.....	1199
8.7.3C.4.2	Procedure.....	1200
8.7.3C.5	Test requirements	1202
8.7.3D	UE transmitted power (Rel-5 and later).....	1202
8.7.3D.1	Definition and applicability.....	1202
8.7.3D.2	Minimum requirements	1202
8.7.3D.3	Test purpose	1203
8.7.3D.4	Method of test	1203
8.7.3D.4.1	Initial conditions.....	1203
8.7.3D.4.2	Procedure.....	1204
8.7.3D.5	Test requirements	1207
8.7.4	SFN-CFN observed time difference	1207
8.7.4.1	Intra frequency measurement requirement.....	1207
8.7.4.1.1	Definition and applicability.....	1207
8.7.4.1.2	Minimum requirements	1208
8.7.4.1.3	Test Purpose	1208
8.7.4.1.4	Method of test.....	1208
8.7.4.1.5	Test requirements	1210
8.7.4.2	Inter frequency measurement requirement.....	1212
8.7.4.2.1	Definition and applicability	1212
8.7.4.2.2	Minimum requirements	1212
8.7.4.2.3	Test purpose	1212
8.7.4.2.4	Method of test.....	1212
8.7.4.2.5	Test requirements	1216
8.7.5	SFN-SFN observed time difference	1218
8.7.5.1	SFN-SFN observed time difference type 1	1218
8.7.5.1.1	Definition and applicability	1218
8.7.5.1.2	Minimum requirements	1218

8.7.5.1.3	Test purpose	1218
8.7.5.1.4	Method of test.....	1219
8.7.5.1.5	Test requirements	1221
8.7.5.2	SFN-SFN observed time difference type 2 without IPDL period active.....	1223
8.7.5.2.1	Definition and applicability.....	1223
8.7.5.2.2	Minimum requirements	1223
8.7.5.2.3	Test purpose and Environment	1223
8.7.5.3	SFN-SFN observed time difference type 2 with IPDL period active	1224
8.7.5.3.1	Definition and applicability.....	1224
8.7.5.3.2	Minimum requirements	1224
8.7.5.3.3	Test purpose and Environment	1225
8.7.6	UE Rx-Tx time difference	1226
8.7.6.1	UE Rx-Tx time difference type 1 (Release 5 and earlier)	1226
8.7.6.1.1	Definition and applicability.....	1226
8.7.6.1.2	Minimum requirements	1226
8.7.6.1.3	Test purpose	1226
8.7.6.1.4	Method of test.....	1226
8.7.6.1.5	Test requirements	1228
8.7.6.1A	UE Rx-Tx time difference type 1 (Release 6 and later)	1230
8.7.6.1A.1	Definition and applicability.....	1230
8.7.6.1A.2	Minimum requirements	1230
8.7.6.1A.3	Test purpose	1230
8.7.6.1A.4	Method of test.....	1230
8.7.6.1A.5	Test requirements	1232
8.7.6.2	UE Rx-Tx time difference type 2	1234
8.7.6.2.1	Definition and applicability.....	1234
8.7.6.2.2	Minimum requirements	1234
8.7.6.2.3	Test purpose	1234
8.7.7	Observed time difference to GSM cell (R99 and Rel-4 only).....	1235
8.7.8	P-CCPCH RSCP	1235
8.7.8.1	Absolute measurement accuracy.....	1235
8.7.8.1.1	Definition and applicability.....	1235
8.7.8.1.2	Minimum Requirements	1235
8.7.8.1.3	Test purpose	1236
8.7.8.1.4	Method of test.....	1236
8.7.8.1.5	Test requirements	1240
8.7.9	UE Transmission Power Headroom.....	1240
8.7.9.1	Definition and applicability.....	1240
8.7.9.2	Minimum Requirements.....	1240
8.7.9.3	Test purpose	1241
8.7.9.4	Method of test	1241
8.7.9.4.1	Initial conditions.....	1241
8.7.9.4.2	Test procedure	1243
8.7.9.5	Test requirements.....	1244
8.7.10	E-UTRAN FDD RSRP absolute accuracy (CELL_DCH).....	1244
8.7.10.1	Definition and applicability	1244
8.7.10.2	Minimum Requirements	1244
8.7.10.3	Test purpose	1245
8.7.10.4	Method of test.....	1245
8.7.10.5	Test requirements	1249
8.7.11	E-UTRAN TDD RSRP absolute accuracy (CELL_DCH).....	1251
8.7.11.1	Definition and applicability	1251
8.7.11.2	Minimum Requirements	1252
8.7.11.3	Test purpose	1252
8.7.11.4	Method of test.....	1252
8.7.11.5	Test requirements	1256
8.7.12	E-UTRAN FDD RSRQ absolute accuracy (CELL_DCH)	1258
8.7.12.1	Definition and applicability	1258
8.7.12.2	Minimum Requirements	1258
8.7.12.3	Test purpose	1259
8.7.12.4	Method of test.....	1259
8.7.12.5	Test requirements	1263

8.7.13	E-UTRAN TDD RSRQ absolute accuracy (CELL_DCH)	1265
8.7.13.1	Definition and applicability	1265
8.7.13.2	Minimum Requirements	1265
8.7.13.3	Test purpose	1266
8.7.13.4	Method of test	1266
8.7.13.5	Test requirements	1270
9	Performance requirements for HSDPA	1273
9.1	General	1273
9.2	Demodulation of HS-DSCH (Fixed Reference Channel)	1273
9.2.1	Single Link Performance	1283
9.2.1A	Single Link Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3	1283
9.2.1A.1	Definition and applicability	1283
9.2.1A.2	Minimum requirements	1283
9.2.1A.3	Test purpose	1285
9.2.1A.4	Method of test	1285
9.2.1A.4.1	Initial conditions	1285
9.2.1A.4.2	Procedure	1285
9.2.1A.5	Test Requirements	1285
9.2.1B	Single Link Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5	1287
9.2.1B.1	Definition and applicability	1287
9.2.1B.2	Minimum requirements	1287
9.2.1B.3	Test purpose	1288
9.2.1B.4	Method of test	1288
9.2.1B.4.1	Initial conditions	1288
9.2.1B.4.2	Procedure	1288
9.2.1B.5	Test Requirements	1289
9.2.1C	Single Link Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3	1290
9.2.1C.1	Definition and applicability	1290
9.2.1C.2	Minimum requirements	1290
9.2.1C.3	Test purpose	1292
9.2.1C.4	Method of test	1292
9.2.1C.4.1	Initial conditions	1292
9.2.1C.4.2	Procedure	1292
9.2.1C.5	Test Requirements	1293
9.2.1D	Single Link Performance - Enhanced Performance Requirements Type 1 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3	1294
9.2.1D.1	Definition and applicability	1294
9.2.1D.2	Minimum requirements	1295
9.2.1D.3	Test purpose	1296
9.2.1D.4	Method of test	1296
9.2.1D.4.1	Initial conditions	1296
9.2.1D.4.2	Procedure	1297
9.2.1D.5	Test Requirements	1297
9.2.1E	Single Link Performance - Enhanced Performance Requirements Type 1- QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3	1298
9.2.1E.1	Definition and applicability	1298
9.2.1E.2	Minimum requirements	1298
9.2.1E.3	Test purpose	1300
9.2.1E.4	Method of test	1301
9.2.1E.4.1	Initial conditions	1301
9.2.1E.4.2	Procedure	1301
9.2.1E.5	Test Requirements	1301
9.2.1F	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3	1303
9.2.1F.1	Definition and applicability	1303
9.2.1F.2	Minimum requirements	1303
9.2.1F.3	Test purpose	1305
9.2.1F.4	Method of test	1305
9.2.1F.4.1	Initial conditions	1305
9.2.1F.4.2	Procedure	1306
9.2.1F.5	Test Requirements	1306

9.2.1FA	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A.....	1307
9.2.1FA.1	Definition and applicability.....	1307
9.2.1FA.2	Minimum requirements	1307
9.2.1FA.3	Test purpose	1309
9.2.1FA.4	Method of test	1309
9.2.1FA.4.1	Initial conditions.....	1309
9.2.1FA.4.2	Procedure.....	1310
9.2.1FA.5	Test Requirements.....	1310
9.2.1FB	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A for DB-DC-HSDPA	1312
9.2.1FB.1	Definition and applicability.....	1312
9.2.1FB.2	Minimum requirements	1312
9.2.1FB.3	Test purpose	1314
9.2.1FB.4	Method of test	1314
9.2.1FB.4.1	Initial conditions.....	1314
9.2.1FB.4.2	Procedure.....	1315
9.2.1FB.5	Test Requirements.....	1315
9.2.1FC	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6B/3B	1316
9.2.1FC.1	Definition and applicability.....	1316
9.2.1FC.2	Minimum requirements	1317
9.2.1FC.3	Test purpose	1318
9.2.1FC.4	Method of test	1319
9.2.1FC.4.1	Initial conditions.....	1319
9.2.1FC.4.2	Procedure.....	1319
9.2.1FC.5	Test Requirements.....	1319
9.2.1FD	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6C/3C	1321
9.2.1FD.1	Definition and applicability.....	1321
9.2.1FD.2	Minimum requirements	1321
9.2.1FD.3	Test purpose	1323
9.2.1FD.4	Method of test	1323
9.2.1FD.4.1	Initial conditions.....	1323
9.2.1FD.4.2	Procedure.....	1324
9.2.1FD.5	Test Requirements.....	1324
9.2.1G	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3	1326
9.2.1G.1	Definition and applicability.....	1326
9.2.1G.2	Minimum requirements	1326
9.2.1G.3	Test purpose	1328
9.2.1G.4	Method of test	1328
9.2.1G.4.1	Initial conditions.....	1328
9.2.1G.4.2	Procedure.....	1329
9.2.1G.5	Test Requirements.....	1329
9.2.1GA	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A.....	1331
9.2.1GA.1	Definition and applicability.....	1331
9.2.1GA.2	Minimum requirements	1331
9.2.1GA.3	Test purpose	1334
9.2.1GA.4	Method of test	1334
9.2.1GA.4.1	Initial conditions.....	1334
9.2.1GA.4.2	Procedure.....	1335
9.2.1GA.5	Test Requirements	1335
9.2.1GB	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A for DB-DC-HSDPA	1337
9.2.1GB.1	Definition and applicability.....	1337
9.2.1GB.2	Minimum requirements	1337
9.2.1GB.3	Test purpose	1340
9.2.1GB.4	Method of test	1340
9.2.1GB.4.1	Initial conditions.....	1340
9.2.1GB.4.2	Procedure.....	1341

9.2.1GB.5	Test Requirements	1341
9.2.1GC	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6B/3B	1343
9.2.1GC.1	Definition and applicability.....	1343
9.2.1GC.2	Minimum requirements	1343
9.2.1GC.3	Test purpose	1346
9.2.1GC.4	Method of test	1346
9.2.1GC.4.1	Initial conditions.....	1346
9.2.1GC.4.2	Procedure.....	1347
9.2.1GC.5	Test Requirements	1347
9.2.1GD	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6C/3C	1349
9.2.1GD.1	Definition and applicability.....	1349
9.2.1GD.2	Minimum requirements	1349
9.2.1GD.3	Test purpose	1352
9.2.1GD.4	Method of test	1352
9.2.1GD.4.1	Initial conditions.....	1352
9.2.1GD.4.2	Procedure.....	1353
9.2.1GD.5	Test Requirements	1353
9.2.1H	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8	1355
9.2.1H.1	Definition and applicability.....	1355
9.2.1H.2	Minimum requirements	1355
9.2.1H.3	Test purpose	1356
9.2.1H.4	Method of test	1356
9.2.1H.4.1	Initial conditions.....	1356
9.2.1H.4.2	Procedure.....	1358
9.2.1H.5	Test Requirements.....	1358
9.2.1HA	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8 A	1358
9.2.1HA.1	Definition and applicability.....	1358
9.2.1HA.2	Minimum requirements	1358
9.2.1HA.3	Test purpose	1359
9.2.1HA.4	Method of test	1359
9.2.1HA.4.1	Initial conditions.....	1359
9.2.1HA.4.2	Procedure.....	1360
9.2.1HA.5	Test Requirements	1360
9.2.1HB	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8 A for DB-DC-HSDPA	1361
9.2.1HB.1	Definition and applicability.....	1361
9.2.1HB.2	Minimum requirements	1361
9.2.1HB.3	Test purpose	1362
9.2.1HB.4	Method of test	1362
9.2.1HB.4.1	Initial conditions.....	1362
9.2.1HB.4.2	Procedure.....	1363
9.2.1HB.5	Test Requirements	1363
9.2.1HC	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8B	1364
9.2.1HC.1	Definition and applicability.....	1364
9.2.1HC.2	Minimum requirements	1364
9.2.1HC.3	Test purpose	1365
9.2.1HC.4	Method of test	1365
9.2.1HC.4.1	Initial conditions.....	1365
9.2.1HC.4.2	Procedure.....	1366
9.2.1HC.5	Test Requirements	1366
9.2.1HD	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8C	1367
9.2.1HD.1	Definition and applicability.....	1367
9.2.1HD.2	Minimum requirements	1367
9.2.1HD.3	Test purpose	1368
9.2.1HD.4	Method of test	1368
9.2.1HD.4.1	Initial conditions.....	1368

9.2.1HD.4.2	Procedure.....	1369
9.2.1HD.5	Test Requirements	1369
9.2.1I	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8.....	1370
9.2.1I.1	Definition and applicability.....	1370
9.2.1I.2	Minimum requirements.....	1370
9.2.1I.3	Test purpose	1371
9.2.1I.4	Method of test	1371
9.2.1I.4.1	Initial conditions.....	1371
9.2.1I.4.2	Procedure.....	1372
9.2.1I.5	Test Requirements.....	1373
9.2.1IA	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8A.....	1373
9.2.1IA.1	Definition and applicability.....	1373
9.2.1IA.2	Minimum requirements.....	1373
9.2.1IA.3	Test purpose	1374
9.2.1IA.4	Method of test	1374
9.2.1IA.4.1	Initial conditions.....	1374
9.2.1IA.4.2	Procedure.....	1375
9.2.1IA.5	Test Requirements	1375
9.2.1IB	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8A for DB-DC-HSDPA	1376
9.2.1IB.1	Definition and applicability.....	1376
9.2.1IB.2	Minimum requirements.....	1376
9.2.1IB.3	Test purpose	1377
9.2.1IB.4	Method of test	1377
9.2.1IB.4.1	Initial conditions.....	1377
9.2.1IB.4.2	Procedure.....	1378
9.2.1IB.5	Test Requirements	1378
9.2.1IC	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8B	1379
9.2.1IC.1	Definition and applicability.....	1379
9.2.1IC.2	Minimum requirements.....	1379
9.2.1IC.3	Test purpose	1380
9.2.1IC.4	Method of test	1380
9.2.1IC.4.1	Initial conditions.....	1380
9.2.1IC.4.2	Procedure.....	1381
9.2.1IC.5	Test Requirements	1381
9.2.1ID	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8C	1382
9.2.1ID.1	Definition and applicability.....	1382
9.2.1ID.2	Minimum requirements.....	1382
9.2.1ID.3	Test purpose	1383
9.2.1ID.4	Method of test	1383
9.2.1ID.4.1	Initial conditions.....	1383
9.2.1ID.4.2	Procedure.....	1384
9.2.1ID.5	Test Requirements	1384
9.2.1J	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10	1385
9.2.1J.1	Definition and applicability.....	1385
9.2.1J.2	Minimum requirements	1385
9.2.1J.3	Test purpose	1386
9.2.1J.4	Method of test	1386
9.2.1J.4.1	Initial conditions.....	1386
9.2.1J.4.2	Procedure.....	1387
9.2.1J.5	Test Requirements	1388
9.2.1JA	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A.....	1388
9.2.1JA.1	Definition and applicability.....	1388
9.2.1JA.2	Minimum requirements	1388
9.2.1JA.3	Test purpose	1390
9.2.1JA.4	Method of test	1390

9.2.1JA.4.1	Initial conditions.....	1390
9.2.1JA.4.2	Procedure.....	1391
9.2.1JA.5	Test Requirements.....	1391
9.2.1JB	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A DB-DC-HSDPA	1392
9.2.1JB.1	Definition and applicability.....	1392
9.2.1JB.2	Minimum requirements.....	1392
9.2.1JB.3	Test purpose	1393
9.2.1JB.4	Method of test	1393
9.2.1JB.4.1	Initial conditions.....	1393
9.2.1JB.4.2	Procedure.....	1394
9.2.1JB.5	Test Requirements.....	1394
9.2.1JC	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10B	1395
9.2.1JC.1	Definition and applicability.....	1395
9.2.1JC.2	Minimum requirements.....	1395
9.2.1JC.3	Test purpose	1397
9.2.1JC.4	Method of test	1397
9.2.1JC.4.1	Initial conditions.....	1397
9.2.1JC.4.2	Procedure.....	1398
9.2.1JC.5	Test Requirements.....	1398
9.2.1JD	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10C	1399
9.2.1JD.1	Definition and applicability.....	1399
9.2.1JD.2	Minimum requirements.....	1399
9.2.1JD.3	Test purpose	1400
9.2.1JD.4	Method of test	1400
9.2.1JD.4.1	Initial conditions.....	1400
9.2.1JD.4.2	Procedure.....	1401
9.2.1JD.5	Test Requirements.....	1401
9.2.1K	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10	1402
9.2.1K.1	Definition and applicability.....	1402
9.2.1K.2	Minimum requirements	1402
9.2.1K.3	Test purpose	1404
9.2.1K.4	Method of test	1404
9.2.1K.4.1	Initial conditions.....	1404
9.2.1K.4.2	Procedure.....	1405
9.2.1K.5	Test Requirements.....	1405
9.2.1KA	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A	1406
9.2.1KA.1	Definition and applicability.....	1406
9.2.1KA.2	Minimum requirements	1406
9.2.1KA.3	Test purpose	1407
9.2.1KA.4	Method of test	1407
9.2.1KA.4.1	Initial conditions.....	1407
9.2.1KA.4.2	Procedure.....	1408
9.2.1KA.5	Test Requirements.....	1408
9.2.1KB	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A for DB-DC-HSDPA	1409
9.2.1KB.1	Definition and applicability.....	1409
9.2.1KB.2	Minimum requirements	1409
9.2.1KB.3	Test purpose	1410
9.2.1KB.4	Method of test	1411
9.2.1KB.4.1	Initial conditions.....	1411
9.2.1KB.4.2	Procedure.....	1412
9.2.1KB.5	Test Requirements.....	1412
9.2.1KC	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10B	1413
9.2.1KC.1	Definition and applicability.....	1413
9.2.1KC.2	Minimum requirements	1413
9.2.1KC.3	Test purpose	1414

9.2.1KC.4	Method of test	1414
9.2.1KC.4.1	Initial conditions.....	1414
9.2.1KC.4.2	Procedure.....	1415
9.2.1KC.5	Test Requirements.....	1415
9.2.1KD	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10C.....	1416
9.2.1KD.1	Definition and applicability.....	1416
9.2.1KD.2	Minimum requirements.....	1416
9.2.1KD.3	Test purpose	1417
9.2.1KD.4	Method of test	1418
9.2.1KD.4.1	Initial conditions.....	1418
9.2.1KD.4.2	Procedure.....	1418
9.2.1KD.5	Test Requirements.....	1419
9.2.1L	Single Link Performance - Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6.....	1419
9.2.1L.1	Definition and applicability.....	1419
9.2.1L.2	Minimum requirements.....	1420
9.2.1L.3	Test purpose	1420
9.2.1L.4	Method of test	1420
9.2.1L.5	Test Requirements.....	1422
9.2.1LA	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6A.....	1423
9.2.1LA.1	Definition and applicability.....	1423
9.2.1LA.2	Minimum requirements.....	1423
9.2.1LA.3	Test purpose	1424
9.2.1LA.4	Method of test	1424
9.2.1LA.5	Test Requirements.....	1425
9.2.1LB	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6A for DB-DC-HSDPA.....	1426
9.2.1LB.1	Definition and applicability.....	1426
9.2.1LB.2	Minimum requirements.....	1426
9.2.1LB.3	Test purpose	1427
9.2.1LB.4	Method of test	1427
9.2.1LB.5	Test Requirements.....	1428
9.2.1LC	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6B	1429
9.2.1LC.1	Definition and applicability.....	1429
9.2.1LC.2	Minimum requirements.....	1429
9.2.1LC.3	Test purpose	1430
9.2.1LC.4	Method of test	1430
9.2.1LC.5	Test Requirements.....	1431
9.2.1LD	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6C	1432
9.2.1LD.1	Definition and applicability.....	1432
9.2.1LD.2	Minimum requirements.....	1432
9.2.1LD.3	Test purpose	1433
9.2.1LD.4	Method of test	1433
9.2.1LD.5	Test Requirements.....	1434
9.2.1M	Single Link Performance - Enhanced Performance Requirements Type 3i – 16QAM/QPSK, Fixed Reference Channel (FRC) H-Set 6 for Multiflow HSDPA (2 cells).....	1435
9.2.1M.1	Definition and applicability.....	1435
9.2.1M.2	Minimum requirements.....	1435
9.2.1M.3	Test purpose	1436
9.2.1M.4	Method of test	1436
9.2.1M.4.1	Initial conditions.....	1436
9.2.1M.4.2	Procedure.....	1437
9.2.1M.5	Test Requirements.....	1437
9.2.1MA	Single Link Performance - Enhanced Performance Requirements Type 3i – 16QAM/QPSK, Fixed Reference Channel (FRC) H-Set 6 for Multiflow HSDPA (3 cells).....	1438
9.2.1MA.1	Definition and applicability.....	1438
9.2.1MA.2	Minimum requirements.....	1438
9.2.1MA.3	Test purpose	1439
9.2.1MA.4	Method of test	1439
9.2.1MA.4.1	Initial conditions.....	1439
9.2.1MA.4.2	Procedure.....	1440

9.2.1MA.5	Test Requirements.....	1440
9.2.2	Open Loop Diversity Performance	1441
9.2.2A	Open Loop Diversity Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3.....	1441
9.2.2A.1	Definition and applicability.....	1441
9.2.2A.2	Minimum requirements	1441
9.2.2A.3	Test purpose	1443
9.2.2A.4	Method of test	1443
9.2.2B	Open Loop Diversity Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5.....	1446
9.2.2B.1	Definition and applicability.....	1446
9.2.2B.2	Minimum requirements	1446
9.2.2B.3	Test purpose	1447
9.2.2B.4	Method of test	1447
9.2.2C	Open Loop Diversity Performance - Enhanced Performance Requirements Type 1 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3	1449
9.2.2C.1	Definition and applicability.....	1449
9.2.2C.2	Minimum requirements	1450
9.2.2C.3	Test purpose	1451
9.2.2C.4	Method of test	1451
9.2.2D	Open Loop Diversity Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3	1454
9.2.2D.1	Definition and applicability.....	1454
9.2.2D.2	Minimum requirements	1454
9.2.2D.3	Test purpose	1456
9.2.2D.4	Method of test	1456
9.2.2D.4.1	Initial conditions.....	1456
9.2.2D.4.2	Procedure.....	1457
9.2.2D.5	Test Requirements	1458
9.2.2E	Open Loop Diversity Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3	1459
9.2.2E.1	Definition and applicability.....	1459
9.2.2E.2	Minimum requirements	1459
9.2.2E.3	Test purpose	1461
9.2.2E.4	Method of test	1461
9.2.2E.4.1	Initial conditions.....	1461
9.2.2E.4.2	Procedure.....	1462
9.2.2E.5	Test Requirements	1462
9.2.3	Closed Loop Diversity Performance.....	1463
9.2.3A	Closed Loop Diversity Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3 ..	1463
9.2.3A.1	Definition and applicability.....	1463
9.2.3A.2	Minimum requirements	1464
9.2.3A.3	Test purpose	1465
9.2.3A.4	Method of test	1465
9.2.3A.4.1	Initial conditions.....	1465
9.2.3A.4.2	Procedure.....	1466
9.2.3A.5	Test Requirements.....	1467
9.2.3B	Closed Loop Diversity Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5.....	1468
9.2.3B.1	Definition and applicability.....	1468
9.2.3B.2	Minimum requirements	1468
9.2.3B.3	Test purpose	1469
9.2.3B.4	Method of test	1469
9.2.3B.4.1	Initial conditions.....	1469
9.2.3B.4.2	Procedure.....	1471
9.2.3B.5	Test Requirements.....	1471
9.2.3C	Closed Loop Diversity Performance Enhanced Performance Requirements Type 1, QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3	1472
9.2.3C.1	Definition and applicability.....	1472
9.2.3C.2	Minimum requirements	1472
9.2.3C.3	Test purpose	1474
9.2.3C.4	Method of test	1474
9.2.3C.4.1	Initial conditions.....	1474
9.2.3C.4.2	Procedure.....	1475
9.2.3C.5	Test Requirements.....	1475

9.2.3D	Closed Loop Diversity Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3	1477
9.2.3D.1	Definition and applicability.....	1477
9.2.3D.2	Minimum requirements	1477
9.2.3D.3	Test purpose	1480
9.2.3D.4	Method of test	1480
9.2.3D.4.1	Initial conditions.....	1480
9.2.3D.4.2	Procedure.....	1481
9.2.3D.5	Test Requirements.....	1481
9.2.3E	Closed Loop Diversity Performance Enhanced Performance Requirements Type 3, QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3	1483
9.2.3E.1	Definition and applicability.....	1483
9.2.3E.2	Minimum requirements	1483
9.2.3E.3	Test purpose	1485
9.2.3E.4	Method of test	1485
9.2.3E.4.1	Initial conditions.....	1485
9.2.3E.4.2	Procedure.....	1486
9.2.3E.5	Test Requirements.....	1487
9.2.4	MIMO Performance.....	1488
9.2.4A	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9.....	1488
9.2.4A.1	Definition and applicability.....	1488
9.2.4A.2	Minimum requirements	1488
9.2.4A.3	Test purpose	1489
9.2.4A.4	Method of test	1489
9.2.4A.4.1	Initial conditions.....	1489
9.2.4A.4.2	Procedure.....	1490
9.2.4A.5	Test Requirements	1491
9.2.4B	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11.....	1491
9.2.4B.1	Definition and applicability.....	1491
9.2.4B.2	Minimum requirements	1491
9.2.4B.3	Test purpose	1492
9.2.4B.4	Method of test	1492
9.2.4B.4.1	Initial conditions.....	1492
9.2.4B.4.2	Procedure.....	1493
9.2.4B.5	Test Requirements	1493
9.2.4C	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A.....	1494
9.2.4C.1	Definition and applicability.....	1494
9.2.4C.2	Minimum requirements	1494
9.2.4C.3	Test purpose	1495
9.2.4C.4	Method of test	1495
9.2.4C.4.1	Initial conditions.....	1495
9.2.4C.4.2	Procedure.....	1497
9.2.4C.5	Test Requirements	1497
9.2.4CA	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A for DB DC-HSDPA.....	1498
9.2.4CA.1	Definition and applicability.....	1498
9.2.4CA.2	Minimum requirements	1498
9.2.4CA.3	Test purpose	1499
9.2.4CA.4	Method of test	1499
9.2.4CA.4.1	Initial conditions.....	1499
9.2.4CA.4.2	Procedure.....	1500
9.2.4CA.5	Test Requirements	1500
9.2.4D	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A.....	1501
9.2.4D.1	Definition and applicability.....	1501
9.2.4D.2	Minimum requirements	1501
9.2.4D.3	Test purpose	1502
9.2.4D.4	Method of test	1502
9.2.4D.4.1	Initial conditions.....	1502
9.2.4D.4.2	Procedure.....	1503
9.2.4D.5	Test Requirements	1503
9.2.4DA	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A for DB DC-HSDPA.....	1504
9.2.4DA.1	Definition and applicability.....	1504
9.2.4DA.2	Minimum requirements	1504

9.2.4DA.3	Test purpose	1505
9.2.4DA.4	Method of test	1505
9.2.4DA.4.1	Initial conditions.....	1505
9.2.4DA.4.2	Procedure.....	1506
9.2.4DA.5	Test Requirements.....	1506
9.2.4E	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9 Asymmetric CPICHs.....	1507
9.2.4E.1	Definition and applicability.....	1507
9.2.4E.2	Minimum requirements	1507
9.2.4E.3	Test purpose	1508
9.2.4E.4	Method of test	1508
9.2.4E.4.1	Initial conditions.....	1508
9.2.4E.4.2	Procedure.....	1509
9.2.4E.5	Test Requirements	1510
9.2.4F	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11 Asymmetric CPICHs.....	1510
9.2.4F.1	Definition and applicability.....	1510
9.2.4F.2	Minimum requirements	1510
9.2.4F.3	Test purpose	1511
9.2.4F.4	Method of test	1511
9.2.4F.4.1	Initial conditions.....	1511
9.2.4F.4.2	Procedure.....	1512
9.2.4F.5	Test Requirements	1512
9.2.4G	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A Asymmetric CPICHs.....	1513
9.2.4G.1	Definition and applicability.....	1513
9.2.4G.2	Minimum requirements	1513
9.2.4G.3	Test purpose	1514
9.2.4G.4	Method of test	1514
9.2.4G.4.1	Initial conditions.....	1514
9.2.4G.4.2	Procedure.....	1516
9.2.4G.5	Test Requirements.....	1516
9.2.4H	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A Asymmetric CPICHs.....	1517
9.2.4H.1	Definition and applicability.....	1517
9.2.4H.2	Minimum requirements	1517
9.2.4H.3	Test purpose	1518
9.2.4H.4	Method of test	1518
9.2.4H.4.1	Initial conditions.....	1518
9.2.4H.4.2	Procedure.....	1519
9.2.4H.5	Test Requirements	1519
9.3	Reporting of Channel Quality Indicator	1520
9.3.1	Single Link Performance - AWGN Propagation Conditions	1520
9.3.1.1	Definition and applicability.....	1520
9.3.1.2	Minimum requirements	1521
9.3.1.3	Test purpose	1521
9.3.1.4	Method of test	1522
9.3.1.4.1	Initial conditions.....	1522
9.3.1.4.2	Procedure.....	1522
9.3.1.5	Test Requirements	1523
9.3.1A	Single Link Performance - AWGN Propagation Conditions, 64QAM.....	1523
9.3.1A.1	Definition and applicability.....	1523
9.3.1A.2	Minimum requirements	1523
9.3.1A.3	Test purpose	1524
9.3.1A.4	Method of test	1524
9.3.1A.4.1	Initial conditions.....	1524
9.3.1A.4.2	Procedure.....	1525
9.3.1A.5	Test Requirements	1527
9.3.1B	Single Link Performance - AWGN Propagation Conditions, DC-HSDPA requirements.....	1527
9.3.1B.1	Definition and applicability.....	1527
9.3.1B.2	Minimum requirements	1528
9.3.1B.3	Test purpose	1528
9.3.1B.4	Method of test	1529
9.3.1B.4.1	Initial conditions.....	1529
9.3.1B.4.2	Procedure.....	1529
9.3.1B.5	Test Requirements	1531

9.3.1BA	Single Link Performance - AWGN Propagation Conditions, DB-DC-HSDPA requirements.....	1531
9.3.1BA.1	Definition and applicability.....	1531
9.3.1BA.2	Minimum requirements.....	1531
9.3.1BA.4	Method of test	1532
9.3.1BA.4.1	Initial conditions.....	1532
9.3.1BA.4.2	Procedure.....	1533
9.3.1BA.5	Test Requirements.....	1534
9.3.1BB	Single Link Performance - AWGN Propagation Conditions, 4C-HSDPA requirements (3 Carriers)	1535
9.3.1BB.1	Definition and applicability.....	1535
9.3.1BB.2	Minimum requirements.....	1535
9.3.1BB.4	Method of test	1536
9.3.1BB.4.1	Initial conditions.....	1536
9.3.1BB.4.2	Procedure.....	1536
9.3.1BB.5	Test Requirements.....	1537
9.3.1BC	Single Link Performance - AWGN Propagation Conditions, 4C-HSDPA requirements	1537
9.3.1BC.1	Definition and applicability.....	1537
9.3.1BC.2	Minimum requirements.....	1538
9.3.1BC.4	Method of test	1538
9.3.1BC.4.1	Initial conditions.....	1538
9.3.1BC.4.2	Procedure.....	1539
9.3.1BC.5	Test Requirements.....	1540
9.3.2AB	Single Link Performance - Fading Propagation Conditions, 4C-HSDPA requirements(3 Carriers)	1540
9.3.2AB.1	Definition and applicability.....	1540
9.3.2AB.2	Minimum requirements	1540
9.3.2AB.3	Test purpose	1541
9.3.2AB.4	Method of test	1541
9.3.2AB.4.1	Initial conditions.....	1541
9.3.2AB.4.2	Procedure.....	1542
9.3.2AB.5	Test Requirements.....	1543
9.3.2AC	Single Link Performance - Fading Propagation Conditions, 4C-HSDPA requirements.....	1543
9.3.2AC.1	Definition and applicability.....	1543
9.3.2AC.2	Minimum requirements	1543
9.3.2AC.3	Test purpose	1544
9.3.2AC.4	Method of test	1544
9.3.2AC.4.1	Initial conditions.....	1544
9.3.2AC.4.2	Procedure.....	1545
9.3.2AC.5	Test Requirements.....	1546
9.3.1C	Single Link Performance - AWGN Propagation Conditions, Periodically Varying Radio Conditions ..	1546
9.3.1C.1	Definition and applicability.....	1546
9.3.1C.2	Minimum requirements	1546
9.3.1C.3	Test purpose	1548
9.3.1C.4	Method of test	1549
9.3.1C.4.1	Initial conditions.....	1549
9.3.1C.4.2	Procedure.....	1549
9.3.1C.5	Test Requirements.....	1550
9.3.2	Single Link Performance - Fading Propagation Conditions	1550
9.3.2.1	Definition and applicability.....	1550
9.3.2.2	Minimum requirements	1550
9.3.2.3	Test purpose	1551
9.3.2.4	Method of test	1551
9.3.2.4.1	Initial conditions.....	1551
9.3.2.4.2	Procedure.....	1552
9.3.2.5	Test Requirements.....	1553
9.3.2A	Single Link Performance - Fading Propagation Conditions, DC-HSDPA requirements.....	1553
9.3.2A.1	Definition and applicability.....	1553
9.3.2A.2	Minimum requirements	1553
9.3.2A.3	Test purpose	1554
9.3.2A.4	Method of test	1554
9.3.2A.4.1	Initial conditions.....	1554
9.3.2A.4.2	Procedure.....	1555
9.3.2A.5	Test Requirements.....	1557
9.3.2AA	Single Link Performance - Fading Propagation Conditions, DB-DC-HSDPA requirements	1557

9.3.2AA.1	Definition and applicability.....	1557
9.3.2AA.2	Minimum requirements	1557
9.3.2AA.3	Test purpose	1558
9.3.2AA.4	Method of test	1558
9.3.2AA.4.1	Initial conditions.....	1558
9.3.2AA.4.2	Procedure.....	1559
9.3.2AA.5	Test Requirements.....	1561
9.3.2B	Single Link Performance - Fading Propagation Conditions, 64QAM	1561
9.3.2B.1	Definition and applicability.....	1561
9.3.2B.2	Minimum requirements	1561
9.3.2B.3	Test purpose	1562
9.3.2B.4	Method of test	1562
9.3.2B.4.1	Initial conditions.....	1562
9.3.2B.4.2	Procedure.....	1563
9.3.2B.5	Test Requirements.....	1565
9.3.2C	Single Link Performance - Fading Propagation Conditions, Multiflow HSDPA requirements (2 Cells).....	1565
9.3.2C.1	Definition and applicability.....	1566
9.3.2C.2	Minimum requirements	1566
9.3.2C.3	Test purpose	1567
9.3.2C.4	Method of test	1567
9.3.2C.4.1	Initial conditions.....	1567
9.3.2C.4.2	Procedure.....	1567
9.3.2C.5	Test Requirements.....	1569
9.3.2CA	Single Link Performance - Fading Propagation Conditions, Multiflow HSDPA requirements (3 Cells).....	1569
9.3.2CA.1	Definition and applicability.....	1569
9.3.2CA.2	Minimum requirements	1569
9.3.2CA.3	Test purpose	1571
9.3.2CA.4	Method of test	1571
9.3.2CA.4.1	Initial conditions.....	1571
9.3.2CA.4.2	Procedure.....	1571
9.3.2CA.5	Test Requirements.....	1573
9.3.3	Open Loop Diversity Performance - AWGN Propagation Conditions	1573
9.3.3.1	Definition and applicability	1573
9.3.3.2	Minimum requirements	1573
9.3.3.3	Test purpose	1574
9.3.3.4	Method of test	1574
9.3.3.4.1	Initial conditions.....	1574
9.3.3.4.2	Procedure.....	1574
9.3.3.5	Test Requirements.....	1577
9.3.4	Open Loop Diversity Performance - Fading Propagation Conditions	1577
9.3.4.1	Definition and applicability	1577
9.3.4.2	Minimum requirements	1577
9.3.4.3	Test purpose	1578
9.3.4.4	Method of test	1578
9.3.4.4.1	Initial conditions.....	1578
9.3.4.4.2	Procedure.....	1579
9.3.4.5	Test Requirements.....	1581
9.3.5	Closed Loop Diversity Performance - AWGN Propagation Conditions	1581
9.3.5.1	Definition and applicability	1581
9.3.5.2	Minimum requirements	1581
9.3.5.3	Test purpose	1582
9.3.5.4	Method of test	1582
9.3.5.4.1	Initial conditions.....	1582
9.3.5.4.2	Procedure.....	1583
9.3.5.5	Test Requirements.....	1585
9.3.6	Closed Loop Diversity Performance - Fading Propagation Conditions	1585
9.3.6.1	Definition and applicability	1585
9.3.6.2	Minimum requirements	1585
9.3.6.3	Test purpose	1586
9.3.6.4	Method of test	1586

9.3.6.4.1	Initial conditions.....	1586
9.3.6.4.2	Procedure.....	1587
9.3.6.5	Test Requirements.....	1589
9.3.7	MIMO Performance - Reporting of Channel Quality Indicator.....	1589
9.3.7A	MIMO Single Stream Fading Conditions	1589
9.3.7A.1	Definition and applicability.....	1589
9.3.7A.2	Minimum requirements.....	1590
9.3.7A.3	Test purpose	1591
9.3.7A.4	Method of test	1591
9.3.7A.4.1	Initial conditions.....	1591
9.3.7A.4.2	Procedure.....	1591
9.3.7A.5	Test Requirements.....	1592
9.3.7B	MIMO Dual Stream Fading Conditions.....	1592
9.3.7B.1	Definition and applicability.....	1592
9.3.7B.2	Minimum requirements.....	1593
9.3.7B.3	Test purpose	1594
9.3.7B.4	Method of test	1594
9.3.7B.4.1	Initial conditions.....	1594
9.3.7B.4.2	Procedure.....	1595
9.3.7B.5	Test Requirements.....	1596
9.3.7C	MIMO Dual Stream Fading Conditions - UE categories 19-20.....	1596
9.3.7C.1	Definition and applicability.....	1596
9.3.7C.2	Minimum requirements.....	1597
9.3.7C.3	Test purpose	1598
9.3.7C.4	Method of test	1599
9.3.7C.4.1	Initial conditions.....	1599
9.3.7C.4.2	Procedure.....	1599
9.3.7C.5	Test Requirements.....	1600
9.3.7D	MIMO Dual Stream Static Orthogonal Conditions - UE categories 15-20.....	1600
9.3.7D.1	Definition and applicability.....	1600
9.3.7D.2	Minimum requirements.....	1601
9.3.7D.3	Test purpose	1601
9.3.7D.4	Method of test	1601
9.3.7D.4.1	Initial conditions.....	1601
9.3.7D.4.2	Procedure.....	1602
9.3.7D.5	Test Requirements.....	1603
9.3.7E	MIMO Dual Stream Static Orthogonal Conditions - UE categories 19-20.....	1603
9.3.7E.1	Definition and applicability.....	1603
9.3.7E.2	Minimum requirements.....	1603
9.3.7E.3	Test purpose	1604
9.3.7E.4	Method of test	1604
9.3.7E.4.1	Initial conditions.....	1604
9.3.7E.4.2	Procedure.....	1605
9.3.7E.5	Test Requirements.....	1606
9.3.7F	MIMO Single Stream Fading Conditions - Asymmetric CPICHs.....	1606
9.3.7F.1	Definition and applicability.....	1606
9.3.7F.2	Minimum requirements.....	1606
9.3.7F.3	Test purpose	1607
9.3.7F.4	Method of test	1607
9.3.7F.4.1	Initial conditions.....	1607
9.3.7F.4.2	Procedure.....	1608
9.3.7F.5	Test Requirements.....	1609
9.3.7G	MIMO Dual Stream Fading Conditions- Asymmetric CPICHs	1609
9.3.7G.1	Definition and applicability.....	1609
9.3.7G.2	Minimum requirements	1610
9.3.7G.3	Test purpose	1611
9.3.7G.4	Method of test	1611
9.3.7G.4.1	Initial conditions.....	1611
9.3.7G.4.2	Procedure.....	1612
9.3.7G.5	Test Requirements.....	1613
9.3.7H	MIMO Dual Stream Fading Conditions - UE categories 19-20 - Asymmetric CPICHs	1613
9.3.7H.1	Definition and applicability.....	1613

9.3.7H.2	Minimum requirements	1614
9.3.7H.3	Test purpose	1615
9.3.7H.4	Method of test	1616
9.3.7H.4.1	Initial conditions.....	1616
9.3.7H.4.2	Procedure.....	1616
9.3.7H.5	Test Requirements.....	1617
9.3.7I	MIMO Dual Stream Static Orthogonal Conditions - UE categories 15-20 - Asymmetric CPICHs	1617
9.3.7I.1	Definition and applicability.....	1617
9.3.7I.2	Minimum requirements	1618
9.3.7I.3	Test purpose	1618
9.3.7I.4	Method of test	1618
9.3.7I.4.1	Initial conditions.....	1618
9.3.7I.4.2	Procedure.....	1619
9.3.7I.5	Test Requirements.....	1620
9.3.7J	MIMO Dual Stream Static Orthogonal Conditions - UE categories 19-20- Asymmetric CPICHs	1620
9.3.7J.1	Definition and applicability.....	1620
9.3.7J.2	Minimum requirements	1620
9.3.7J.3	Test purpose	1621
9.3.7J.4	Method of test	1621
9.3.7J.4.1	Initial conditions.....	1621
9.3.7J.4.2	Procedure.....	1622
9.3.7J.5	Test Requirements.....	1623
9.4	HS-SCCH Detection Performance	1623
9.4.1	Single Link Performance	1623
9.4.1.1	Definition and applicability.....	1623
9.4.1.2	Minimum requirements	1623
9.4.1.3	Test purpose	1624
9.4.1.4	Method of test	1624
9.4.1.4.1	Initial conditions.....	1624
9.4.1.4.2	Procedure.....	1624
9.4.1.5	Test Requirements.....	1624
9.4.1A	Single Link Performance - Enhanced Performance Requirements Type 1	1625
9.4.1A.1	Definition and applicability.....	1625
9.4.1A.2	Minimum requirements	1626
9.4.1A.3	Test purpose	1626
9.4.1A.4	Method of test	1626
9.4.1A.4.1	Initial conditions.....	1626
9.4.1A.4.2	Procedure.....	1627
9.4.1A.5	Test Requirements.....	1627
9.4.2	Open Loop Diversity Performance	1628
9.4.2.1	Definition and applicability.....	1628
9.4.2.2	Minimum requirements	1628
9.4.2.3	Test purpose	1628
9.4.2.4	Method of test	1628
9.4.2.4.1	Initial conditions.....	1628
9.4.2.4.2	Procedure.....	1629
9.4.2.5	Test Requirements.....	1630
9.4.2A	Open Loop Diversity Performance - Enhanced Performance Requirements Type 1	1630
9.4.2A.1	Definition and applicability.....	1630
9.4.2A.2	Minimum requirements	1631
9.4.2A.3	Test purpose	1631
9.4.2A.4	Method of test	1631
9.4.2A.4.1	Initial conditions.....	1631
9.4.2A.4.2	Procedure.....	1631
9.4.2A.5	Test Requirements.....	1632
9.4.3	HS-SCCH Type 3 Performance	1633
9.4.3.1	Definition and applicability.....	1633
9.4.3.2	Minimum requirements	1633
9.4.3.3	Test purpose	1634
9.4.3.4	Method of test	1634
9.4.3.4.1	Initial conditions.....	1634
9.4.3.4.2	Procedure.....	1635

9.4.3.5	Test Requirements.....	1635
9.4.3A	HS-SCCH Type 3 Performance -STTD disabled- Asymmetric CPICHs	1636
9.4.3A.1	Definition and applicability.....	1636
9.4.3A.2	Minimum requirements	1637
9.4.3A.3	Test purpose	1638
9.4.3A.4	Method of test	1638
9.4.3A.4.1	Initial conditions.....	1638
9.4.3A.5	Test Requirements.....	1639
9.4.3B	HS-SCCH Type 3 Performance -STTD enabled- Asymmetric CPICHs	1640
9.4.3B.1	Definition and applicability.....	1640
9.4.3B.2	Minimum requirements	1640
9.4.3B.3	Test purpose	1641
9.4.3B.4	Method of test	1641
9.4.3B.4.1	Initial conditions	1641
9.4.3B.4.2	Procedure	1642
9.4.3B.5	Test Requirements.....	1642
9.4.4	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction.....	1644
9.4.4.1	Definition and applicability.....	1644
9.4.4.2	Minimum requirements	1644
9.4.4.3	Test purpose	1645
9.4.4.4	Method of test	1645
9.4.4.4.1	Initial conditions.....	1645
9.4.4.4.2	Procedure	1645
9.4.4.5	Test Requirements.....	1645
9.4.4A	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction- Enhanced Performance Requirements Type 1.....	1646
9.4.4A.1	Definition and applicability.....	1646
9.4.4A.2	Minimum requirements	1646
9.4.4A.3	Test purpose	1647
9.4.4A.4	Method of test	1647
9.4.4A.4.1	Initial conditions.....	1647
9.4.4A.4.2	Procedure	1647
9.4.4A.5	Test Requirements.....	1648
9.4.4B	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD disabled-asymmetric CPICHs	1649
9.4.4B.1	Definition and applicability.....	1649
9.4.4B.2	Minimum requirements	1649
9.4.4B.3	Test purpose	1650
9.4.4B.4	Method of test	1650
9.4.4B.4.1	Initial conditions.....	1650
9.4.4B.4.2	Procedure	1650
9.4.4B.5	Test Requirements.....	1651
9.4.4C	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD disabled-asymmetric CPICHs- Enhanced Performance Requirements Type 1	1651
9.4.4C.1	Definition and applicability.....	1651
9.4.4C.2	Minimum requirements	1652
9.4.4C.3	Test purpose	1652
9.4.4C.4	Method of test	1652
9.4.4C.4.1	Initial conditions.....	1652
9.4.4C.4.2	Procedure	1653
9.4.4C.5	Test Requirements.....	1653
9.4.4D	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD enabled-asymmetric CPICHs	1654
9.4.4D.1	Definition and applicability.....	1654
9.4.4D.2	Minimum requirements	1654
9.4.4D.3	Test purpose	1655
9.4.4D.4	Method of test	1655
9.4.4D.4.1	Initial conditions.....	1655
9.4.4D.4.2	Procedure	1655
9.4.4D.5	Test Requirements.....	1656
9.4.4E	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD enabled-asymmetric CPICHs- Enhanced Performance Requirements Type 1	1656

9.4.4E.1	Definition and applicability.....	1656
9.4.4E.2	Minimum requirements	1657
9.4.4E.3	Test purpose	1657
9.4.4E.4	Method of test	1657
9.4.4E.4.1	Initial conditions.....	1657
9.4.4E.4.2	Procedure.....	1658
9.4.4E.5	Test Requirements.....	1658
9.5	HS-SCCH-less demodulation of HS-DSCH (Fixed Reference Channel).....	1659
9.5.1	Requirement QPSK, Fixed Reference Channel (FRC) H-Set 7.....	1659
9.5.1.1	Definition and applicability.....	1659
9.5.1.2	Minimum requirements	1659
9.5.1.3	Test purpose	1660
9.5.1.4	Method of test	1660
9.5.1.5	Test Requirements.....	1661
9.5.1A	Requirement QPSK, Fixed Reference Channel (FRC) H-Set 7 - Enhanced Performance	
	Requirements Type 1	1661
9.5.1A.1	Definition and applicability.....	1661
9.5.1A.2	Minimum requirements	1662
9.5.1A.3	Test purpose	1662
9.5.1A.4	Method of test	1662
9.5.1A.5	Test Requirements.....	1663
9.6	HS-DSCH and HS-SCCH reception in CELL-FACH state	1664
9.6.1	Single link HS-DSCH Demodulation performance in CELL_FACH state	1664
9.6.1.1	Definition and applicability.....	1664
9.6.1.2	Minimum requirement QPSK, Fixed Reference Channel (FRC) H-Set 3.....	1664
9.6.1.3	Test purpose	1665
9.6.1.4	Method of test	1665
9.6.1.5	Test Requirements.....	1666
9.6.2	Single link HS-SCCH Detection performance in CELL_FACH state	1666
9.6.2.1	Definition and applicability.....	1666
9.6.2.2	Minimum requirement	1666
9.6.2.3	Test purpose	1667
9.6.2.4	Method of test	1667
9.6.2.5	Test Requirements.....	1667
10	Performance requirement (E-DCH)	1669
10.1	General	1669
10.2	Detection of E-DCH HARQ ACK Indicator Channel (E-HICH).....	1669
10.2.1	Single link performance.....	1669
10.2.1.1	Single link performance (10ms TTI).....	1669
10.2.1.1.1	Definition and applicability.....	1669
10.2.1.1.2	Minimum requirement	1669
10.2.1.1.3	Test purpose	1670
10.2.1.1.4	Method of test.....	1670
10.2.1.1.4.1	Initial conditions	1670
10.2.1.1.4.2	Procedure	1671
10.2.1.1.5.	Test requirements	1672
10.2.1.1A	Single link performance (10ms TTI, Type 1).....	1672
10.2.1.1A.1	Definition and applicability.....	1672
10.2.1.1A.2	Minimum requirement	1672
10.2.1.1A.3	Test purpose	1673
10.2.1.1A.4	Method of test.....	1673
10.2.1.1A.4.1	Initial conditions	1673
10.2.1.1A.4.2	Procedure	1673
10.2.1.1A.5.	Test requirements	1674
10.2.1.2	Single link performance (2ms TTI).....	1674
10.2.1.2.1	Definition and applicability.....	1674
10.2.1.2.2	Minimum requirement	1674
10.2.1.2.3	Test purpose	1675
10.2.1.2.4	Method of test.....	1675
10.2.1.2.4.1	Initial conditions	1675
10.2.1.2.4.2	Procedure	1676

10.2.1.2.5.	Test requirements	1677
10.2.1.2A	Single link performance (2ms TTI, Type 1).....	1677
10.2.1.2A.1	Definition and applicability	1677
10.2.1.2A.2	Minimum requirement.....	1677
10.2.1.2A.3	Test purpose	1678
10.2.1.2A.4	Method of test.....	1678
10.2.1.2A.4.1	Initial conditions	1678
10.2.1.2A.4.2	Procedure	1678
10.2.1.2A.5.	Test requirements	1679
10.2.2	Detection in Inter-Cell Handover conditions	1679
10.2.2.1	RLS not containing the Serving E-DCH cell	1679
10.2.2.1.1	RLS not containing the Serving E-DCH cell (10ms TTI)	1679
10.2.2.1.1.1	Definition and applicability	1679
10.2.2.1.1.2	Minimum requirement	1680
10.2.2.1.1.3	Test Purpose.....	1680
10.2.2.1.1.4	Method of test	1681
10.2.2.1.1.5	Test Requirements	1683
10.2.2.1.1A	RLS not containing the Serving E-DCH cell (10ms TTI, Type 1)	1684
10.2.2.1.1A.1	Definition and applicability	1684
10.2.2.1.1A.2	Minimum requirement	1684
10.2.2.1.1A.3	Test Purpose.....	1685
10.2.2.1.1A.4	Method of test	1685
10.2.2.1.1A.5	Test Requirements	1687
10.2.2.1.2	RLS not containing the Serving E-DCH cell (2ms TTI)	1688
10.2.2.1.2.1	Definition and applicability	1688
10.2.2.1.2.2	Minimum requirement	1688
10.2.2.1.2.3	Test Purpose.....	1689
10.2.2.1.2.4	Method of test	1689
10.2.2.1.2.4.1	Initial conditions.....	1689
10.2.2.1.2.4.2	Procedure.....	1690
10.2.2.1.2.5	Test Requirements	1692
10.2.2.1.2A	RLS not containing the Serving E-DCH cell (2ms TTI, Type 1)	1693
10.2.2.1.2A.1	Definition and applicability	1693
10.2.2.1.2A.2	Minimum requirement	1693
10.2.2.1.2A.3	Test Purpose.....	1694
10.2.2.1.2A.4	Method of test	1694
10.2.2.1.2A.4.1	Initial conditions.....	1694
10.2.2.1.2A.4.2	Procedure.....	1695
10.2.2.1.2A.5	Test Requirements	1696
10.2.2.2	RLS containing the Serving E-DCH cell	1697
10.2.2.2.1	RLS containing the Serving E-DCH cell (10ms TTI)	1697
10.2.2.2.1.1	Definition and applicability	1697
10.2.2.2.1.2	Minimum requirement	1697
10.2.2.2.1.3	Test purpose.....	1698
10.2.2.2.1.4	Method of test	1698
10.2.2.2.1.4.1	Initial conditions.....	1698
10.2.2.2.1.4.2	Procedure.....	1699
10.2.2.2.1.5	Test requirements.....	1701
10.2.2.2.1A	RLS containing the Serving E-DCH cell (10ms TTI, Type 1)	1702
10.2.2.2.1A.1	Definition and applicability	1702
10.2.2.2.1A.2	Minimum requirement	1703
10.2.2.2.1A.3	Test purpose.....	1703
10.2.2.2.1A.4	Method of test	1703
10.2.2.2.1A.4.1	Initial conditions.....	1703
10.2.2.2.1A.4.2	Procedure.....	1704
10.2.2.2.1A.5	Test requirements.....	1705
10.2.2.2.2	RLS containing the Serving E-DCH cell (2ms TTI)	1706
10.2.2.2.2.1	Definition and applicability	1706
10.2.2.2.2.2	Minimum requirement	1706
10.2.2.2.2.3	Test purpose.....	1707
10.2.2.2.2.4	Method of test	1707
10.2.2.2.2.4.1	Initial conditions.....	1707

10.2.2.2.4.2	Procedure.....	1708
10.2.2.2.5	Test requirements.....	1710
10.2.2.2A	RLS containing the Serving E-DCH cell (2ms TTI, Type 1)	1711
10.2.2.2A.1	Definition and applicability	1711
10.2.2.2A.2	Minimum requirement	1711
10.2.2.2A.3	Test purpose.....	1712
10.2.2.2A.4	Method of test	1712
10.2.2.2A.4.1	Initial conditions.....	1712
10.2.2.2A.4.2	Procedure.....	1713
10.2.2.2A.5	Test requirements.....	1714
10.3	Detection of E-DCH Relative Grant Channel (E-RGCH)	1715
10.3.1	Single link performance.....	1715
10.3.1.1	Single link performance (10ms TTI).....	1715
10.3.1.1.1	Definition and applicability	1715
10.3.1.1.2	Minimum requirement	1715
10.3.1.1.3	Test purpose	1716
10.3.1.1.4	Method of test.....	1716
10.3.1.1.4.1	Initial conditions	1716
10.3.1.1.4.2	Procedure	1717
10.3.1.1.5	Test requirements	1718
10.3.1.1A	Single link performance (10ms TTI, Type 1).....	1719
10.3.1.1A.1	Definition and applicability	1719
10.3.1.1A.2	Minimum requirement	1719
10.3.1.1A.3	Test purpose	1719
10.3.1.1A.4	Method of test.....	1720
10.3.1.1A.4.1	Initial conditions	1720
10.3.1.1A.4.2	Procedure	1720
10.3.1.1A.5	Test requirements	1721
10.3.1.2	Single link performance (2ms TTI).....	1722
10.3.1.2.1	Definition and applicability	1722
10.3.1.2.2	Minimum requirement.....	1722
10.3.1.2.3	Test purpose	1723
10.3.1.2.4	Method of test.....	1723
10.3.1.2.4.1	Initial conditions	1723
10.3.1.2.4.2	Procedure	1723
10.3.1.2.5	Test requirements	1725
10.3.1.2A	Single link performance (2ms TTI, Type 1).....	1726
10.3.1.2A.1	Definition and applicability	1726
10.3.1.2A.2	Minimum requirement.....	1726
10.3.1.2A.3	Test purpose	1726
10.3.1.2A.4	Method of test.....	1726
10.3.1.2A.4.1	Initial conditions	1726
10.3.1.2A.4.2	Procedure	1727
10.3.1.2A.5	Test requirements	1728
10.3.2	Detection in Inter-Cell Handover conditions	1729
10.3.2.1	Definition and applicability.....	1729
10.3.2.2	Minimum requirement for Non-serving E-DCH RL	1729
10.3.2.3	Test Purpose.....	1729
10.3.2.4	Method of test	1730
10.3.2.4.1	Initial conditions	1730
10.3.2.4.2	Procedure	1730
10.3.2.5	Test Requirements.....	1733
10.3.2A	Detection in Inter-Cell Handover conditions (Type 1)	1734
10.3.2A.1	Definition and applicability.....	1734
10.3.2A.2	Minimum requirement for Non-serving E-DCH RL	1735
10.3.2A.3	Test Purpose.....	1735
10.3.2A.4	Method of test	1735
10.3.2A.4.1	Initial conditions	1735
10.3.2A.4.2	Procedure	1736
10.3.2A.5	Test Requirements.....	1738
10.4	Demodulation of E-DCH Absolute Grant Channel (E-AGCH)	1739
10.4.1	Single link performance.....	1739

10.4.1.1	Definition and applicability.....	1739
10.4.1.2	Minimum requirement	1739
10.4.1.3	Test Purpose.....	1740
10.4.1.4	Method of test	1740
10.4.1.4.1	Initial conditions.....	1740
10.4.1.4.2	Procedure.....	1740
10.4.1.5	Test Requirements.....	1741
10.4.1A	Single link performance (Type 1).....	1742
10.4.1A.1	Definition and applicability.....	1742
10.4.1A.2	Minimum requirement	1742
10.4.1A.3	Test Purpose.....	1742
10.4.1A.4	Method of test	1742
10.4.1A.4.1	Initial conditions.....	1742
10.4.1A.4.2	Procedure.....	1743
10.4.1A.5	Test Requirements.....	1743
11	Performance requirement (MBMS).....	1744
11.1	General	1744
11.2	Demodulation of MTCH	1744
11.2.1	Definition and applicability	1744
11.2.2	Minimum requirement	1744
11.2.3	Test Purpose.....	1745
11.2.4	Method of test	1745
11.2.4.1	Initial conditions	1745
11.2.4.2	Procedure	1746
11.2.5	Test Requirements	1747
11.2A	Demodulation of MTCH - Enhanced Performance Requirements Type 1	1748
11.2A.1	Definition and applicability	1748
11.2A.2	Minimum requirement	1748
11.2A.3	Test Purpose.....	1748
11.2A.4	Method of test	1748
11.2A.4.1	Initial conditions	1748
11.2A.4.2	Procedure	1749
11.2A.5	Test Requirements	1750
11.3	Demodulation of MTCH and cell identification.....	1751
11.3.1	Definition and applicability	1751
11.3.2	Minimum requirements	1751
11.3.3	Test purpose.....	1752
11.3.4	Method of test	1752
11.3.5	Test requirements.....	1754
Annex A (informative):	Connection Diagrams	1755
Annex B (normative):	Global In-Channel TX-Test	1794
B.1	General	1794
B.2	Definition of the process	1794
B.2.1	Basic principle.....	1794
B.2.2	Output signal of the TX under test	1794
B.2.3	Reference signal	1794
B.2.4	void.....	1795
B.2.5	Classification of measurement results	1795
B.2.6	Process definition to achieve results f, t, φ, g ₁ , g ₂ , and O	1795
B.2.6.1	Decision Point Power.....	1796
B.2.6.2	Measured total power of all active codes.....	1796
B.2.6.3	Code-Domain Power.....	1796
B.2.6.4	Code-Domain Power of the varied reference signal	1797
B.2.7	Process definition to achieve results EVM, PCDE, RCDE	1797
B.2.7.1	Error Vector Magnitude (EVM)	1797
B.2.7.2	Code Domain Error Power	1798
B.2.7.3	Relative Code Domain Error (RCDE)	1798

B.3 Notes.....	1799
Annex C (normative): Measurement channels.....	1802
C.1 General	1802
C.2 UL reference measurement channel	1802
C.2.1 UL reference measurement channel (12,2 kbps).....	1802
C.2.2 UL reference measurement channel (64 kbps).....	1803
C.2.3 UL reference measurement channel (144 kbps).....	1805
C.2.4 UL reference measurement channel (384 kbps).....	1807
C.2.5 UL reference measurement channel (768 kbps).....	1809
C.2.6 UL E-DCH reference measurement channel for DC-HSUPA using BPSK modulation.....	1811
C.2.7 UL E-DCH reference measurement channel for DC-HSUPA using 16QAM modulation.....	1812
C.2.8 Combinations of UL E-DCH reference measurement channel for DC-HSUPA tests	1813
C.3 DL reference measurement channel	1813
C.3.1 DL reference measurement channel (12.2 kbps).....	1813
C.3.1A DL reference measurement channel (0 kbps and 12.2 kbps).....	1815
C.3.2 DL reference measurement channel (64 kbps).....	1817
C.3.3 DL reference measurement channel (144 kbps).....	1819
C.3.4 DL reference measurement channel (384 kbps).....	1821
C.3.5 DL reference measurement channel 2 (64 kbps).....	1823
C.4 Reference measurement channel for BTFD performance requirements	1824
C.4.1 UL reference measurement channel for BTFD performance requirements.....	1824
C.4.2 DL reference measurement channel for BTFD performance requirements.....	1827
C.4.3 Reference parameters for discontinuous UL DPCCH transmission	1830
C.5 DL reference compressed mode parameters.....	1830
C.6 Auxiliary measurement channels	1833
C.6.1 Introduction	1833
C.6.2 Channel combinations for BLER measurements.....	1834
C.6.3 UL auxiliary reference measurement channel (TM, 12.2 kbps, no CRC)	1835
C.6.3A UL auxiliary reference measurement channel (TM, 0 kbps and 12.2 kbps, no CRC)	1835
C.6.4 Void.....	1836
C.6.5 Void.....	1836
C.6.6 Void.....	1836
C.6.7 UL AUXMC AM 12.2 kbps.....	1837
C.6.8 UL AUXMC AM 12.2 kbps(DCCH with TB size of 148bit)	1837
C.7 DL reference parameters for PCH tests.....	1838
C.8 DL reference channel parameters for HSDPA tests	1838
C.8.1 Fixed Reference Channel (FRC)	1838
C.8.1.1 Fixed Reference Channel Definition H-Set 1/1A/1B/1C.....	1838
C.8.1.2 Fixed Reference Channel Definition H-Set 2	1839
C.8.1.3 Fixed Reference Channel Definition H-Set 3/3A/3B/3C.....	1840
C.8.1.4 Fixed Reference Channel Definition H-Set 4	1841
C.8.1.5 Fixed Reference Channel Definition H-Set 5	1842
C.8.1.6 Fixed Reference Channel Definition H-Set 6/6A/6B/6C.....	1843
C.8.1.7 Fixed Reference Channel Definition H-Set 7	1844
C.8.1.8 Fixed Reference Channel Definition H-Set 8/8A/8B/8C.....	1845
C.8.1.9 Fixed Reference Channel Definition H-Set 9/9A/9B/9C.....	1846
C.8.1.10 Fixed Reference Channel Definition H-Set 10/10A/10B/10C	1847
C.8.1.11 Fixed Reference Channel Definition H-Set 11/11A/11B/11C	1849
C.8.1.12 Fixed Reference Channel Definition H-Set 12	1850
C.9 Downlink reference channel dummy DCCH transmission on DCH.....	1851
C.9A MAC header transmission on HS-DSCH	1851
C.10 UL reference channel parameters for HSDPA tests	1851
C.10.1 UL reference measurement channel for HSDPA tests.....	1851
C.10.2 UL reference measurement channel for HSDPA tests with UL OLTD/CLTD	1852

C.11 Reference channel parameters for E-DCH tests	1854
C.11.1 UL reference measurement channel for E-DCH tests	1854
C.11.1A UL reference measurement channel for E-DCH tests with UL OLTD/CLTD	1855
C.11.2 DL reference measurement channel for E-DCH tests	1857
C.11.3 RLC SDU size for E-DCH tests	1857
C.11A Reference channel parameters for DC-HSUPA tests	1859
C.11A.1 UL reference measurement channel for DC-HSUPA tests	1859
C.11A.2 DL reference measurement channel for DC-HSUPA tests	1860
C.11A.3 RLC SDU size for DC-HSUPA tests	1860
C.12 DL reference parameters for MBMS tests.....	1861
C.12.1 MTCH	1861
C.12.2 Combined MTCH demodulation and cell identification	1861
Annex D (normative): Propagation Conditions.....	1862
D.1 General	1862
D.1.1 Definition of Additive White Gaussian Noise (AWGN) Interferer.....	1862
D.2 Propagation Conditions	1862
D.2.1 Static propagation condition	1862
D.2.2 Multi-path fading propagation conditions	1862
D.2.3 Moving propagation conditions.....	1864
D.2.4 Birth-Death propagation conditions	1864
D.2.4A High speed train conditions	1865
D.2.5 Conditions for HSDPA enhanced performance requirements type 1 with UE receiver diversity	1866
D.2.6 Conditions for HSDPA enhanced performance requirements type 3 with UE receiver diversity	1866
D.2.7 Conditions for open and closed loop diversity performance	1866
D.2.8 Conditions for MBMS enhanced performance requirements type 1 with UE receiver diversity	1866
D.2.9 MIMO propagation conditions	1867
D.2.9.1 MIMO Single Stream Fading Conditions	1867
D.2.9.2 MIMO Dual Stream Fading Conditions.....	1868
D.2.9.3 MIMO Dual Stream Static Orthogonal Conditions	1869
Annex E (normative): Downlink Physical Channels.....	1870
E.1 General	1870
E.2 Connection Set-up for non-HSDPA test cases	1870
E.2.1 Measurement without dedicated connection	1870
E.3 During connection for non-HSDPA test cases	1870
E.3.1 Measurement of Tx Characteristics.....	1871
E.3.2 Measurement of Rx Characteristics.....	1871
E.3.3 Measurement of Performance requirements	1871
E.3.4 Connection with open-loop transmit diversity mode.....	1873
E.3.5 Connection with closed loop transmit diversity mode.....	1874
E.3.6 OCNS Definition.....	1874
E.4 W-CDMA Modulated Interferer for non-HSDPA test cases.....	1875
E.5 HSDPA DL Physical channels	1875
E.5.0 Downlink Physical Channels for connection set-up	1875
E.5.1 Downlink Physical Channels for measurement	1875
E.5.2 HSDPA OCNS Definition.....	1884
E.5.3 Downlink Physical Channels for measurement including test tolerances	1885
E.5.4 Downlink Physical Channels for Transmitter Characteristics with HS-DPCCH	1887
E.5A E-DCH with HSDPA DL Physical channels.....	1888
E.5A.0 Downlink Physical Channels for connection set-up	1888
E.5A.1 Downlink Physical Channels for measurement	1888
E.5A.2 E-DCH OCNS Definition.....	1890
E.5B MBMS DL Physical channels	1891
E.5B.1 Downlink Physical Channels for connection set-up	1891

E.5C F-DPCH with HSDPA DL Physical channels.....	1891
E.5C.0 Downlink Physical Channels for connection set-up.....	1891
E.5C.1 Downlink Physical Channels for measurement.....	1891
E.5D HSDPA and E-DCH DL Physical channels with discontinuous UL DPCCH transmission	1893
E.5D.0 Downlink Physical Channels for connection set-up	1893
E.5D.1 Downlink Physical Channels for measurement.....	1893
E.5E Test Definition for Enhanced Performance Type 3i.....	1894
E.5E.1 Transmitted code and power characteristics for serving cell.....	1895
E.5E.2 Transmitted code and power characteristics for interfering cells	1897
E.5E.3 Model for power control sequence generation	1897
E.5F Test Definition for MultiFlow HSDPA	1898
E.5F.1 Test configuration when 2 cells are configured in Multiflow mode	1898
E.5F.2 Test configuration when 3 cells are configured in Multiflow mode	1900
E.5F.3 Test configuration when 4 cells are configured in Multiflow mode	1900
E.6 Downlink Physical Channels Code Allocation (This clause is informative)	1900
E.6.1 Downlink Physical Channels Code Allocation for non-HSDPA test cases.....	1900
E.6.2 Downlink Physical Channels Code Allocation for HSDPA test cases	1903
E.6.3 Downlink Physical Channels Code Allocation for E-DCH test cases	1907
E.6.4 Downlink Physical Channels Code Allocation for MBMS test cases	1909

Annex F (normative): General test conditions and declarations.....1911

F.1 Acceptable uncertainty of Test System	1911
F.1.1 Measurement of test environments.....	1911
F.1.2 Measurement of transmitter.....	1912
F.1.3 Measurement of receiver	1919
F.1.4 Performance requirement	1924
F.1.5 Requirements for support of RRM	1932
F.1.6 Performance requirement (HSDPA).....	1958
F.1.7 Performance requirement (E-DCH).....	1964
F.1.8 Performance requirement (MBMS).....	1967
F.2 Test Tolerances (This clause is informative).....	1968
F.2.1 Transmitter	1968
F.2.2 Receiver.....	1973
F.2.3 Performance requirements.....	1975
F.2.4 Requirements for support of RRM	1979
F.2.5 Performance requirements (HSDPA).....	1988
F.2.6 Performance requirements (E-DCH).....	1991
F.2.7 Performance requirements (MBMS)	1992
F.3 Interpretation of measurement results	1992
F.4 Derivation of Test Requirements (This clause is informative).....	1992
F.4.1 Transmitter	1993
F.4.2 Receiver.....	2017
F.4.3 Performance requirements.....	2023
F.4.4 Requirements for support of RRM	2037
F.4.5 Performance requirements (HSDPA).....	2072
F.4.6 Performance requirements (E-DCH).....	2080
F.4.7 Performance requirements (MBMS)	2083
F.5 Acceptable uncertainty of Test Equipment (This clause is informative)	2083
F.5.1 Transmitter measurements.....	2084
F.5.2 Receiver measurements.....	2086
F.5.3 Performance measurements.....	2087
F.5.4 Requirements for support of RRM	2087
F.5.5 Performance measurements (HSDPA)	2088
F.5.6 Performance measurements (E-DCH).....	2090
F.5.7 Performance measurements (MBMS)	2091

F.6	General rules for statistical testing	2091
F.6.1	Statistical testing of receiver BER/BLER performance	2091
F.6.1.1	Error Definition	2091
F.6.1.2	Test Method	2091
F.6.1.3	Test Criteria	2091
F.6.1.4	Calculation assumptions	2092
F.6.1.4.1	Statistical independence	2092
F.6.1.4.2	Applied formulas	2092
F.6.1.4.3	Approximation of the distribution	2092
F.6.1.5	Definition of good pass fail decision	2092
F.6.1.6	Good balance between test time and statistical significance	2093
F.6.1.7	Pass fail decision rules	2094
F.6.1.8	Test conditions for BER, BLER, RLC SDU Error Rate tests	2095
F.6.1.9	Practical Use (informative)	2098
F.6.1.10	Dual limit BLER tests	2100
F.6.1.10.1	Description of the parameters for dual limit BLER tests	2101
F.6.1.10.2	Pass fail decision rules	2103
F.6.1.10.3	Test conditions for dual limit BLER tests	2104
F.6.1.10.4	Test conditions for dual limit TPC Command Error Rate tests	2105
F.6.2	Statistical testing of RRM delay performance	2105
F.6.2.1	Test Method	2105
F.6.2.2	Bad Delay Ratio (ER)	2105
F.6.2.3	Test Criteria	2105
F.6.2.4	Calculation assumptions	2105
F.6.2.4.1	Statistical independence	2105
F.6.2.4.2	Applied formulas	2106
F.6.2.4.3	Approximation of the distribution	2106
F.6.2.5	Definition of good pass fail decision	2106
F.6.2.6	Good balance between test-time and statistical significance	2107
F.6.2.7	Pass fail decision rules	2107
F.6.2.8	Test conditions for RRM delay tests, Combining of TPC commands test 1, Demodulation of Paging channel and Detection of acquisition indicator tests and UE measurement performance tests	2107
F.6.2.9	Practical Use (informative)	2111
F.6.3	Statistical Testing of HSDPA Receiver Performance	2112
F.6.3.1	Definition	2112
F.6.3.2	Mapping throughput to block error ratio	2113
F.6.3.3	Bad DUT factor	2113
F.6.3.3.1	Bad DUT factor, range of applicability	2114
F.6.3.4	Minimum Test time	2115
F.6.3.5	Test conditions for HSDPA Receiver Performance	2117
F.6.4	Statistical testing of performance requirement (E-DCH and MBMS)	2138
F.6.4.1	Test Method	2138
F.6.4.2	Bad Result Ratio (ER)	2138
F.6.4.3	Mapping of E-DCH and MBMS tests to RRM tests (F.6.2) and HSDPA tests (F.6.3)	2138
F.6.4.4	Test conditions for E-DCH tests and MBMS	2139
Annex G (normative):	Environmental conditions	2140
G.1	General	2140
G.2	Environmental requirements	2140
G.2.1	Temperature	2140
G.2.2	Voltage	2140
G.2.3	Vibration	2141
G.2.4	Specified frequency range	2141
Annex H (normative):	UE Capabilities (FDD).....	2142
H.1	Void	2142
H.2	Void	2142
Annex I (normative):	Default Message Contents	2143

Contents of MEASUREMENT REPORT message for Intra frequency test cases.....	2143
Contents of MEASUREMENT REPORT message for Inter frequency test cases.....	2144
Contents of MEASUREMENT REPORT message for inter – RAT test cases.....	2145
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH)	2145
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA).....	2145
Contents of Master Information Block PLMN type is the case of GSM-MAP	2146
Contents of Scheduling Block 1 (FDD)	2146
Contents of Scheduling Block 1 (FDD)	2147
Contents of Scheduling Block 1 (FDD)	2147
Contents of System Information Block type 11 (FDD).....	2148
Contents of System Information Block type 11 (FDD).....	2149
Contents of System Information Block type 11 (FDD).....	2149
Contents of System Information Block type 11 (FDD).....	2150
Contents of Scheduling Block 1 (FDD)	2150
Contents of System Information Block type 11 (FDD).....	2151
Contents of System Information Block type 11 (FDD).....	2152
Contents of Scheduling Block 1 (FDD)	2153
Contents of System Information Block type 11 (FDD).....	2153
Contents of System Information Block type 11 (FDD).....	2154
Contents of ACTIVE SET UPDATE message for test cases with SHO in clauses 7.7.1, 7.7.1A, 7.7.2, and 7.7.3	2158
Annex J (informative): Information about special regional application of test cases and requirements.....	2161
J.1 Japan.....	2161
Annex K (normative): Cell configuration mapping	2162
Annex L (normative): Conditions for RRM requirements applicability for operating bands .	2167
L.1 Conditions for Idle mode tasks.....	2167
L.1.1 Conditions for measurements of inter-RAT E-UTRA cells	2167
L.2 Conditions for UE Measurements Procedures	2167
L.2.1 Conditions for E-UTRAN measurements.....	2167
L.3 Conditions for Measurement Performance for UE.....	2168
L.3.1 Conditions for intra frequency CPICH RSCP measurements accuracy	2168
L.3.2 Conditions for intra frequency CPICH RSCP relative measurements accuracy.....	2168
L.3.3 Conditions for inter frequency CPICH RSCP relative measurements accuracy.....	2169
L.3.4 Conditions for intra frequency CPICH Ec/Io measurements accuracy.....	2169
L.3.5 Conditions for intra frequency CPICH Ec/Io relative measurements accuracy.....	2169
L.3.6 Conditions for inter frequency CPICH Ec/Io measurements accuracy.....	2169
L.3.7 Conditions for inter frequency CPICH Ec/Io relative measurements accuracy.....	2169
L.3.8 Conditions for intra frequency SFN-SFN observed time difference	2170
L.3.9 Conditions for inter frequency SFN-SFN observed time difference	2170
L.3.10 Conditions for SFN-SFN observed time difference type 1.....	2170
L.3.11 Conditions for intra frequency SFN-SFN observed time difference type 2 without or with IPDL period active	2170
L.3.12 Conditions for inter frequency SFN-SFN observed time difference type 2	2170
L.4 Conditions for UTRAN Connected mode mobility.....	2170
L.4.1 Conditions for identification of a new CGI of inter-RAT E-UTRA cell with autonomous gaps	2170
Annex M (informative): Change history	2172
History	2215

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 1 of a multi-parts TS:

3GPP TS 34.121-1: User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 1: Conformance specification.

3GPP TS 34.121-2 [32]: User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 2: Implementation Conformance Statement (ICS).

NOTE: TS 34.121 has been converted to multipart TS with version 7.0.0. Previous versions are a single part standard 34.121.

1 Scope

The present document specifies the UTRA measurement procedures for the conformance test of the user equipment (UE) that contain transmitting characteristics, receiving characteristics and performance requirements in addition to requirements for support of RRM (Radio Resource Management) in FDD mode. In addition it specifies conformance testing of RRM requirements for support of E-UTRA when the UE operates in UTRA mode.

NOTE: Conformance testing of RRM requirements for support of UTRA when the UE operates in E-UTRA mode are specified in TS 36.521-3 [38].

The requirements are listed in different clauses only if the corresponding parameters deviate. More generally, tests are only applicable to those mobiles that are intended to support the appropriate functionality. To indicate the circumstances in which tests apply, this is noted in the "*definition and applicability*" part of the test.

For example only Release 5 and later UE declared to support HSDPA shall be tested for this functionality. In the event that for some tests different conditions apply for different releases, this is indicated within the text of the test itself.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).
 - For a Release 1999 UE, references to 3GPP documents are to version 3.x.y.
 - For a Release 4 UE, references to 3GPP documents are to version 4.x.y.
 - For a Release 5 UE, references to 3GPP documents are to version 5.x.y.
 - For a Release 6 UE, references to 3GPP documents are to version 6.x.y.
 - For a Release 7 UE, references to 3GPP documents are to version 7.x.y.
 - For a Release 8 UE, references to 3GPP documents are to version 8.x.y.
 - For a Release 9 UE, references to 3GPP documents are to version 9.x.y.

- [1] 3GPP TS 25.101: "UE Radio transmission and reception (FDD)".
- [2] 3GPP TS 25.133: "Requirements for Support of Radio Resource Management (FDD)".
- [3] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".
- [5] 3GPP TS 25.214: "Physical layer procedures (FDD)".
- [6] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [7] 3GPP TR 25.990: "Vocabulary".
- [8] 3GPP TS 25.331: "Radio Resource Control (RRC); Protocol Specification".
- [9] 3GPP TS 25.433: "UTRAN Iub Interface NBAP Signalling".