

# ETSI TS 100 526 V7.5.0 (2003-06)

*Technical Specification*

**Digital cellular telecommunications system (Phase 2+);  
Organization of Subscriber Data  
(3GPP TS 03.08 version 7.5.0 Release 1998)**



---

Reference

RTS/TSGN-040308v750

---

Keywords

GSM

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:  
[editor@etsi.org](mailto:editor@etsi.org)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.  
All rights reserved.

**DECT™, PLUGTESTS™ and UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under  
<http://webapp.etsi.org/key/queryform.asp> .

---

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Foreword.....	6
0 Scope .....	7
0.1 References .....	7
0.2 Abbreviations .....	8
1 Introduction .....	9
1.1 Definition .....	9
1.2 Storage facilities.....	9
1.3 Subscriber data in functional units other than the HLR, the VLR, the SGSN, the GGSN, the GLMC, the SMLC and the LMU.....	9
2 Definition of subscriber data .....	10
2.1 Data related to subscription, identification and numbering.....	10
2.1.1 Data defining the subscription profile.....	10
2.1.1.1 International Mobile Subscriber Identity (IMSI) .....	10
2.1.1.2 Network Access Mode (NAM) .....	10
2.1.2 Mobile Station International ISDN Number (MSISDN) .....	10
2.1.3 MSISDNs for multinumbering option .....	10
2.1.3.1 The Basic MSISDN indicator .....	10
2.1.3.2 The MSISDN-Alert indicator .....	10
2.1.4 Temporary mobile subscriber identity (TMSI) .....	10
2.1.5 Packet-Temporary Mobile Subscriber Identity (P-TMSI) .....	11
2.1.6 Temporary Link Layer Identifier (TLLI).....	11
2.1.7 Random TLLI .....	11
2.1.8 Local Mobile Station Identity (LMSI) .....	11
2.1.9 International Mobile Equipment Identity (IMEI) .....	11
2.2 Data related to Mobile Station types .....	11
2.2.1 Mobile Station Category .....	11
2.2.2 LMU Identifier.....	11
2.3 Data related to authentication and ciphering .....	12
2.3.1 Random Number (RAND), Signed Response (SRES) and Ciphering Key (Kc) .....	12
2.3.2 The Ciphering Key Sequence Number (CKSN) .....	12
2.3.3 Selected Ciphering Algorithm .....	12
2.3.4 Current Kc .....	12
2.3.5 P-TMSI Signature .....	12
2.4 Data related to roaming .....	12
2.4.1 Mobile Station Roaming Number (MSRN) .....	12
2.4.2 Location Area Identification (LAI).....	12
2.4.3 Routing Area Identification (RAI).....	13
2.4.4 Cell Global Identification .....	13
2.4.5 VLR number .....	13
2.4.6 MSC number.....	13
2.4.7 HLR number .....	13
2.4.8 GSN number .....	13
2.4.8.1 SGSN number .....	13
2.4.8.2 GGSN number.....	13
2.4.9 MLC number .....	13
2.4.9.1 SMLC number.....	14
2.4.9.2 GLMC number .....	14
2.4.10 Subscription restriction .....	14
2.4.11 Regional Subscription Information.....	14
2.4.11.1 RSZI lists .....	14
2.4.11.2 Zone Code List.....	14
2.4.12 MSC area restricted flag .....	15

2.4.13	LA not allowed flag .....	15
2.4.14	SGSN area restricted flag .....	15
2.4.14a	RA not allowed flag .....	15
2.4.15	Service restriction data induced by roaming .....	15
2.4.15.1	ODB-induced barring data .....	16
2.4.15.2	Roaming restriction due to unsupported feature .....	16
2.4.15.3	Roaming restricted in the SGSN due to unsupported feature .....	16
2.4.16	Cell ID .....	17
2.4.17	Localised Service Area Information .....	17
2.4.17.1	LSA Identity .....	17
2.4.17.2	LSA Priority .....	17
2.4.17.2A	LSA Preferential Access Indicator .....	17
2.4.17.2B	LSA Active Mode Support Indicator .....	17
2.4.17.3	LSA Only Access Indicator .....	17
2.4.17.4	LSA Active Mode Indicator .....	17
2.4.17.5	VPLMN Identifier .....	17
2.5	Data related to basic services .....	18
2.5.1	Provision of bearer service .....	18
2.5.2	Provision of teleservice .....	18
2.5.3	Bearer capability allocation .....	18
2.5.4	Transfer of SM option .....	18
2.6	Data related to supplementary services .....	18
2.7	Mobile station status data .....	19
2.7.1	IMSI detached flag .....	19
2.7.2	Mobile station Not Reachable for GPRS (MNRG) .....	19
2.7.3	Mobility Management State .....	19
2.7.4	Restoration flags .....	19
2.7.4.1	Confirmed by Radio Contact indicator .....	19
2.7.4.2	Subscriber Data Confirmed by HLR indicator .....	19
2.7.4.3	Location Information Confirmed in HLR indicator .....	19
2.7.4.4	Check SS indicator .....	20
2.7.5	MS purged for non-GPRS flag .....	20
2.7.6	MS purged for GPRS flag .....	20
2.7.7	Mobile station Not Reachable Reason (MNRR) .....	20
2.8	Data related to operator determined barring .....	20
2.8.1	Subscriber status .....	20
2.8.2	Operator determined barring general data .....	20
2.8.2.1	Barring of outgoing calls .....	20
2.8.2.2	Barring of incoming calls .....	21
2.8.2.3	Barring of roaming .....	21
2.8.2.4	Barring of premium rate calls .....	21
2.8.2.5	Barring of supplementary services management .....	21
2.8.2.6	Barring of registration of call forwarding .....	21
2.8.2.7	Barring of invocation of call transfer .....	22
2.8.3	Operator determined barring PLMN-specific data .....	22
2.9	Data related to handover .....	22
2.9.1	Handover Number .....	22
2.10	Data related to short message support .....	23
2.10.1	Messages Waiting Data (MWD) .....	23
2.10.2	Mobile Station Not Reachable Flag (MNRF) .....	23
2.10.3	Memory Capacity Exceeded Flag (MCEF) .....	23
2.10.4	Mobile station Not Reachable for GPRS (MNRG) .....	23
2.10.5	Mobile station Not Reachable Reason (MNRR) .....	23
2.11	Data related to subscriber trace .....	23
2.11.1	Trace Reference .....	23
2.11.2	Trace Type .....	23
2.11.3	Operations Systems Identity .....	23
2.11.4	HLR Trace Type .....	23
2.11.5	MAP Error On Trace .....	23
2.11.6	Trace Activated in VLR .....	24
2.11.7	Trace Activated in SGSN .....	24
2.11.8	Foreign Subscriber Registered in VLR .....	24

2.12	Data related to the support of voice group and broadcast calls .....	24
2.12.1	VGCS Group Membership List .....	24
2.12.2	VBS Group Membership List .....	24
2.12.2.1	Broadcast Call Initiation Allowed List.....	24
2.13	Data related to GPRS NAM .....	24
2.13.1	PDP Type.....	24
2.13.2	PDP Address.....	25
2.13.3	NSAPI.....	25
2.13.4	Packet Data Protocol (PDP) State.....	25
2.13.5	New SGSN Address.....	25
2.13.6	Access Point Name (APN) .....	25
2.13.7	GGSN Address in Use .....	25
2.13.8	VPLMN Address Allowed.....	25
2.13.9	Dynamic Address.....	25
2.13.10	SGSN Address .....	25
2.13.11	GGSN-list .....	26
2.13.12	Quality of Service Subscribed .....	26
2.13.13	Quality of Service Requested.....	26
2.13.14	Quality of Service Negotiated.....	26
2.13.15	SND .....	26
2.13.16	SNU .....	26
2.13.17	DRX Parameters .....	26
2.13.18	Compression .....	26
2.13.19	Non-GPRS Alert Flag (NGAF) .....	26
2.13.20	Classmark .....	27
2.13.21	Tunnel IDentifier (TID).....	27
2.13.22	Radio Priority.....	27
2.13.23	Radio Priority SMS.....	27
2.13.24	PDP Context Identifier.....	27
2.14	Data related to CAMEL .....	27
2.14.1	The following Subscriber Data stored in HLR .....	27
2.14.1.1	Originating CAMEL Subscription Information (O-CSI) .....	27
2.14.1.2	Terminating CAMEL Subscription Information (T-CSI) .....	27
2.14.1.3	Location information/Subscriber state interrogation.....	28
2.14.1.4	USSD CAMEL subscription information(U-CSI) .....	28
2.14.1.5	Supplementary Service invocation notification(SS-CSI).....	28
2.14.1.6	Translation Information flag (TIF-CSI) .....	28
2.14.2	Other Data stored in HLR .....	28
2.14.3	Data stored in VLR .....	29
2.14.3.1	Originating CAMEL Subscription Information (O-CSI) .....	29
2.14.3.2	Supplementary Service invocation notification(SS-CSI).....	29
2.15	Data related to Location Services.....	29
2.15.1	Subscriber Data stored in HLR .....	29
2.15.1.1	Privacy Exception List .....	29
2.15.1.2	GMLC Numbers .....	29
2.15.1.3	MO-LR List.....	29
2.15.2	Data stored in GMLC .....	29
2.15.3	Data stored in SMLC .....	30
2.15.4	Data stored in LMU .....	30
2.15.5	Data stored in the MSC.....	30
2.15.6	Data stored in the BSC.....	30
3	Summary of data stored in location registers .....	30
4	Accessing subscriber data .....	30
<b>Annex A (informative): Status of Technical Specification GSM 03.08.....</b>		<b>36</b>
History .....		37

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

## 0 Scope

The scope of the present document is to provide details concerning information to be stored in home location registers, visitor location registers and GPRS Support Nodes concerning mobile subscribers.

Clause 2 contains all details concerning the definition of the parameters, often given by reference to other specifications, and where the parameter is to be stored.

Table 1 in clause 3 gives a summary overview and clause 4 identifies the reference information required for accessing the information.

### 0.1 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 02.02: "Digital cellular telecommunications system (Phase 2+); Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
- [3] GSM 02.03: "Digital cellular telecommunications system (Phase 2+); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
- [4] GSM 02.04: "Digital cellular telecommunications system (Phase 2+); General on supplementary services".
- [5] GSM 03.03: "Digital cellular telecommunications system (Phase 2+); Numbering, addressing and identification".
- [6] GSM 03.07: "Digital cellular telecommunications system (Phase 2+); Restoration procedures".
- [7] GSM 03.09: "Digital cellular telecommunications system (Phase 2+); Handover procedures".
- [8] GSM 03.12: "Digital cellular telecommunications system (Phase 2+); Location registration procedures".
- [9] GSM 03.15: "Digital cellular telecommunications system (Phase 2+); Technical realization of operator determined barring".
- [10] GSM 03.20: "Digital cellular telecommunications system (Phase 2+); Security related network functions".
- [11] GSM 03.40: "Digital cellular telecommunications system (Phase 2+); Technical realization of the Short Message Service (SMS) Point-to-Point (PP)".
- [12] GSM 03.67: "Digital cellular telecommunications system (Phase 2+); enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 2".
- [13] GSM 03.68: "Digital cellular telecommunications system (Phase 2+); Voice Group Call Service (VGCS) - Stage 2".