

ETSI TS 101 376-4-7 V3.3.1 (2012-12)



**GEO-Mobile Radio Interface Specifications (Release 3);  
Third Generation Satellite Packet Radio Service;  
Part 4: Radio interface protocol specifications;  
Sub-part 7: Mobile Radio Interface Signalling Layer 3  
General Aspects;  
GMR-1 3G 24.007**

---

**Reference**

---

RTS/SES-00328-4-7

---

**Keywords**

---

3G, GMPRS, GMR, GPRS, GSM, GSO,  
interface, layer 3, MES, mobile, MSS, radio,  
satellite, signalling, S-PCN**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2012.  
All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM**<sup>®</sup> and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
Introduction .....	6
1 Scope .....	8
2 References .....	8
2.1 Normative references .....	8
2.2 Informative references.....	9
3 Definitions and abbreviations.....	9
3.1 Definitions .....	9
3.2 Abbreviations .....	10
4 Introduction .....	10
4.1 General .....	10
4.2 Applicability of functional blocks .....	10
4.3 Technique of description .....	10
4.3.1 Service description.....	10
4.3.2 Abstract service primitives .....	10
4.3.3 Protocols and peer-to-peer communication .....	10
4.3.4 Contents of layer 3 related Technical Specifications .....	10
5 Structure of layer 3 functions .....	10
5.1 Basic groups of functions .....	10
5.2 Protocol architecture.....	11
6 Services provided by signalling layer 3 at the MS side.....	11
6.1 Registration services.....	12
6.2 Call Control services .....	12
6.3 Call-independent supplementary services support .....	12
6.4 Short Message Services support.....	12
6.5 MN-RR state services support.....	12
6.6 Position information support .....	12
6.7 DTMF digits transmission and reception service .....	12
6.8 Session Management Services for GMPRS-Services.....	12
6.9 Registration Services for GMPRS-Services .....	12
6.10 Services provided to SMDCP entities by GMPRS Logical Link Control services .....	12
6.11 Dark-beam information support .....	12
7 Services provided by signalling layer 3 on the Network side .....	13
7.1 Call Control services .....	13
7.2 Call-independent supplementary services support .....	13
7.3 Short Message Services support.....	13
7.4 Services provided to SMDCP and SMS entities by GMPRS Logical Link Control services .....	13
7.5 Session Management services for GMPRS-1 .....	13
8 Services assumed from signalling layers 1 and 2.....	13
9 Interlayer service interfaces on the MMS side .....	13
9.1 Services provided by the Radio Resource management entity .....	13
9.1.1 Service state diagram.....	13
9.1.2 Service primitives .....	13
9.2 Services provided by the Mobility Management entity.....	13
9.2.1 Service state diagram.....	14
9.2.2 Service primitives .....	14
9.3 Services provided by radio resource management entity for GMPRS services .....	14
9.3.1 Service primitives for GRR-SAP (A/Gb mode only) .....	14
9.3.2 Service primitives for GMMRR-SAP (A/Gb mode only) .....	14

9.3.3	Service primitives for RABMAS-SAP (Iu mode only) .....	14
9.3.4	Service primitives for GMMAS-SAP (Iu mode only) .....	14
9.4	Services provided by LLC entity for GMPRS services (A/Gb mode only).....	14
9.5	Registration Services provided for GMPRS services .....	14
9.5.1	Service primitives for GMMSM-SAP .....	14
9.5.2	Void .....	14
9.5.3	Service primitives for GMMSMS-SAP .....	14
9.5.4	Service primitives for PMMSMS-SAP (Iu mode only).....	14
9.5.5	Service primitives for GMMRABM-SAP (Iu mode only).....	15
10	Interlayer service interfaces on the Network side .....	15
11	Standard layer 3 messages.....	15
11.1	Components of a standard layer 3 message.....	15
11.2	Imperative part of a standard layer 3 message.....	15
11.2.1	Protocol discriminator.....	15
11.2.2	Skip Indicator.....	15
11.2.3	Transaction identifier.....	15
11.2.4	Message type .....	15
11.2.5	Further information elements of the imperative part .....	15
11.3	Non-imperative part of a standard layer 3 message.....	15
11.4	Presence requirements of information elements.....	15
11.5	Handling of superfluous information .....	16
11.5.1	Information elements that are unnecessary in a message.....	16
<b>Annex A (informative):</b>	<b>MN-Services arrow diagram.....</b>	<b>17</b>
<b>Annex B (informative):</b>	<b>Description of CSN.1 .....</b>	<b>18</b>
<b>Annex C (informative):</b>	<b>GPRS-Services sequence diagram.....</b>	<b>19</b>
History .....		20