

# ETSI TS 134 121-1 V14.1.0 (2017-03)



**Universal Mobile Telecommunications System (UMTS);  
User Equipment (UE) conformance specification;  
Radio transmission and reception (FDD);  
Part 1: Conformance specification  
(3GPP TS 34.121-1 version 14.1.0 Release 14)**



---

Reference

RTS/TSGR-0534121-1ve10

---

Keywords

UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by the ETSI 3<sup>rd</sup> Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	59
Introduction .....	59
1 Scope .....	60
2 References .....	60
3 Definitions, symbols, abbreviations and equations .....	62
3.1 Definitions .....	62
3.2 Symbols.....	63
3.3 Abbreviations .....	63
3.4 Equations.....	64
4 Frequency bands and channel arrangement.....	66
4.1 General .....	66
4.2 Frequency bands.....	67
4.3 TX-RX frequency separation .....	68
4.4 Channel arrangement.....	68
4.4.1 Channel spacing.....	68
4.4.2 Channel raster .....	69
4.4.3 Channel number.....	69
4.4.4 UARFCN .....	71
4A Reference Conditions .....	72
4A.1 Generic setup procedures .....	72
4A.2 System information .....	72
4A.3 Message contents.....	72
4A.4 Measurement configurations .....	73
5 Transmitter Characteristics.....	73
5.1 General .....	73
5.2 Maximum Output Power .....	74
5.2.1 Definition and applicability .....	74
5.2.2 Minimum Requirements .....	75
5.2.3 Test purpose.....	76
5.2.4 Method of test .....	76
5.2.4.1 Initial conditions .....	76
5.2.4.2 Procedure .....	77
5.2.5 Test requirements.....	77
5.2A Maximum Output Power with HS-DPCCH (Release 5 only) .....	78
5.2A.1 Definition and applicability .....	78
5.2A.2 Minimum Requirements .....	78
5.2A.3 Test purpose.....	78
5.2A.4 Method of test.....	78
5.2A.4.1 Initial conditions .....	78
5.2A.4.2 Procedure .....	79
5.2A.5 Test requirements.....	79
5.2AA Maximum Output Power with HS-DPCCH (Release 6 and later).....	80
5.2AA.1 Definition and applicability .....	80
5.2AA.2 Minimum Requirements .....	80
5.2AA.3 Test purpose.....	80
5.2AA.4 Method of test .....	80
5.2AA.4.1 Initial conditions .....	80
5.2AA.4.2 Procedure .....	81
5.2AA.5 Test requirements.....	81

5.2AB	Maximum Output Power for OLTD.....	82
5.2AB.1	Definition and applicability .....	82
5.2AB.2	Minimum Requirements .....	83
5.2AB.3	Test purpose.....	83
5.2AB.4	Method of test .....	83
5.2AB.4.1	Initial conditions .....	83
5.2AB.4.2	Procedure .....	84
5.2AB.5	Test requirements.....	84
5.2AC	Maximum Output Power for UL CLTD activation state 1 .....	86
5.2AC.1	Definition and applicability .....	86
5.2AC.2	Minimum Requirements .....	86
5.2AC.3	Test purpose.....	87
5.2AC.4	Method of test .....	87
5.2AC.4.1	Initial conditions .....	87
5.2AC.4.2	Procedure .....	87
5.2AC.5	Test requirements.....	88
5.2AD	Maximum Output Power for UL CLTD activation state 2 and 3 .....	89
5.2AD.1	Definition and applicability .....	89
5.2AD.2	Minimum Requirements .....	89
5.2AD.3	Test purpose.....	90
5.2AD.4	Method of test .....	90
5.2AD.4.1	Initial conditions .....	90
5.2AD.4.2	Procedure .....	91
5.2AD.5	Test requirements.....	91
5.2B	Maximum Output Power with HS-DPCCH and E-DCH.....	92
5.2B.1	Definition and applicability .....	92
5.2B.2	Minimum Requirements .....	92
5.2B.3	Test purpose.....	93
5.2B.4	Method of test .....	93
5.2B.4.1	Initial conditions .....	93
5.2B.4.2	Procedure .....	95
5.2B.5	Test requirements.....	95
5.2BA	UE Maximum Output Power for DC-HSUPA (QPSK).....	97
5.2BA.1	Definition and applicability .....	97
5.2BA.2	Minimum Requirements .....	97
5.2BA.3	Test purpose.....	98
5.2BA.4	Method of test .....	98
5.2BA.4.1	Initial conditions .....	98
5.2BA.4.2	Procedure .....	99
5.2BA.5	Test requirements.....	99
5.2BB	UE Maximum Output Power for DC-HSUPA (16QAM) .....	100
5.2BB.1	Definition and applicability .....	100
5.2BB.2	Minimum Requirements .....	101
5.2BB.3	Test purpose.....	102
5.2BB.4	Method of test .....	102
5.2BB.4.1	Initial conditions .....	102
5.2BB.4.2	Procedure .....	102
5.2BB.5	Test requirements.....	103
5.2BC	Maximum Output Power with HS-DPCCH and E-DCH for OLTD .....	104
5.2BC.1	Definition and applicability .....	104
5.2BC.2	Minimum Requirements .....	104
5.2BC.3	Test purpose.....	104
5.2BC.4	Method of test .....	105
5.2BC.4.1	Initial conditions .....	105
5.2BC.4.2	Procedure .....	107
5.2BC.4.2.1	Procedure for sub-test 1 to 4 .....	107
5.2BC.5	Test requirements.....	107
5.2BD	Maximum Output Power with HS-DPCCH and E-DCH for UL CLTD activation state 1 .....	108
5.2BD.1	Definition and applicability .....	108
5.2BD.2	Minimum Requirements .....	109
5.2BD.3	Test purpose.....	109
5.2BD.4	Method of test .....	109

5.2BD.4.1	Initial conditions .....	109
5.2BD.4.2	Procedure .....	111
5.2BD.4.2.1	Procedure for sub-test 1 to 4.....	111
5.2BD.5	Test requirements.....	112
5.2BE	Maximum Output Power with HS-DPCCH and E-DCH for UL CLTD activation state 2 and 3.....	113
5.2BE.1	Definition and applicability .....	113
5.2BE.2	Minimum Requirements .....	113
5.2BE.3	Test purpose.....	114
5.2BE.4	Method of test.....	114
5.2BE.4.1	Initial conditions .....	114
5.2BE.4.2	Procedure .....	116
5.2BE.4.2.1	Procedure for sub-test 1 to 4.....	116
5.2BE.5	Test requirements.....	116
5.2C	UE relative code domain power accuracy .....	118
5.2C.1	Definition and applicability .....	118
5.2C.2	Minimum Requirements .....	118
5.2C.3	Test purpose.....	118
5.2C.4	Method of test .....	118
5.2C.4.1	Initial conditions .....	118
5.2C.4.2	Procedure .....	119
5.2C.5	Test requirements.....	120
5.2CA	UE relative code domain power accuracy for OLTD.....	121
5.2CA.1	Definition and applicability .....	121
5.2CA.2	Minimum Requirements .....	121
5.2CA.3	Test purpose.....	121
5.2CA.4	Method of test.....	121
5.2CA.4.1	Initial conditions .....	121
5.2CA.4.2	Procedure .....	122
5.2CA.5	Test requirements.....	123
5.2CB	UE relative code domain power accuracy for UL CLTD activation state 1 .....	124
5.2CB.1	Definition and applicability .....	124
5.2CB.2	Minimum Requirements .....	124
5.2CB.3	Test purpose.....	124
5.2CB.4	Method of test.....	124
5.2CB.4.1	Initial conditions .....	124
5.2CB.4.2	Procedure .....	125
5.2CB.5	Test requirements.....	126
5.2CC	UE relative code domain power accuracy for UL CLTD activation state 2 and 3 .....	127
5.2CC.1	Definition and applicability .....	127
5.2CC.2	Minimum Requirements .....	127
5.2CC.3	Test purpose.....	127
5.2CC.4	Method of test.....	127
5.2CC.4.1	Initial conditions .....	127
5.2CC.4.2	Procedure .....	128
5.2CC.5	Test requirements.....	129
5.2D	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH.....	130
5.2D.1	Definition and applicability .....	130
5.2D.2	Minimum Requirements .....	130
5.2D.3	Test purpose.....	130
5.2D.4	Method of test.....	131
5.2D.4.1	Initial conditions .....	131
5.2D.4.2	Procedure .....	132
5.2D.5	Test requirements.....	133
5.2DA	UE Relative Code Domain Power Accuracy for DC-HSUPA with QPSK.....	134
5.2DA.1	Definition and applicability .....	134
5.2DA.2	Minimum Requirements .....	134
5.2DA.3	Test purpose.....	134
5.2DA.4	Method of test.....	135
5.2DA.4.1	Initial conditions .....	135
5.2DA.4.2	Procedure .....	135
5.2DA.5	Test requirements.....	136
5.2DB	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for OLTD .....	136

5.2DB.1	Definition and applicability .....	136
5.2DB.2	Minimum Requirements .....	137
5.2DB.3	Test purpose.....	137
5.2DB.4	Method of test .....	137
5.2DB.4.1	Initial conditions .....	137
5.2DB.4.2	Procedure .....	139
5.2DB.5	Test requirements.....	139
5.2DC	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for UL CLTD activation state 1.....	140
5.2DC.1	Definition and applicability .....	140
5.2DC.2	Minimum Requirements .....	141
5.2DC.3	Test purpose.....	141
5.2DC.4	Method of test .....	141
5.2DC.4.1	Initial conditions .....	141
5.2DC.4.2	Procedure .....	143
5.2DC.5	Test requirements.....	143
5.2DD	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH for UL CLTD activation state 2 and 3 .....	144
5.2DD.1	Definition and applicability .....	144
5.2DD.2	Minimum Requirements .....	144
5.2DD.3	Test purpose.....	145
5.2DD.4	Method of test .....	145
5.2DD.4.1	Initial conditions .....	145
5.2DD.4.2	Procedure .....	147
5.2DD.5	Test requirements.....	148
5.2E	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM .....	148
5.2E.1	Definition and applicability .....	148
5.2E.2	Minimum Requirements .....	149
5.2E.3	Test purpose.....	149
5.2E.4	Method of test .....	149
5.2E.4.1	Initial conditions .....	149
5.2E.4.2	Procedure .....	150
5.2E.5	Test requirements.....	151
5.2EA	UE Relative Code Domain Power Accuracy for DC-HSUPA with 16QAM.....	152
5.2EA.1	Definition and applicability .....	152
5.2EA.2	Minimum Requirements .....	152
5.2EA.3	Test purpose.....	152
5.2EA.4	Method of test .....	153
5.2EA.4.1	Initial conditions .....	153
5.2EA.4.2	Procedure .....	153
5.2EA.5	Test requirements.....	154
5.2EB	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for OLTD .....	154
5.2EB.1	Definition and applicability .....	154
5.2EB.2	Minimum Requirements .....	155
5.2EB.3	Test purpose.....	155
5.2EB.4	Method of test .....	155
5.2EB.4.1	Initial conditions .....	155
5.2EB.4.2	Procedure .....	156
5.2EB.5	Test requirements.....	157
5.2EC	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for UL CLTD activation state 1 .....	158
5.2EC.1	Definition and applicability .....	158
5.2EC.2	Minimum Requirements .....	158
5.2EC.3	Test purpose.....	159
5.2EC.4	Method of test .....	159
5.2EC.4.1	Initial conditions .....	159
5.2EC.4.2	Procedure .....	160
5.2EC.5	Test requirements.....	161
5.2ED	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM for UL CLTD activation state 2 and 3 .....	162
5.2ED.1	Definition and applicability .....	162
5.2ED.2	Minimum Requirements .....	162

5.2ED.3	Test purpose.....	162
5.2ED.4	Method of test .....	163
5.2ED.4.1	Initial conditions .....	163
5.2ED.4.2	Procedure .....	164
5.2ED.5	Test requirements.....	165
5.3	Frequency Error.....	165
5.3.1	Definition and applicability .....	165
5.3.2	Minimum Requirements .....	166
5.3.3	Test purpose.....	166
5.3.4	Method of test .....	166
5.3.4.1	Initial conditions .....	166
5.3.4.2	Procedure .....	166
5.3.5	Test Requirements .....	166
5.3A	Frequency Error for DC-HSUPA .....	166
5.3A.1	Definition and applicability .....	166
5.3A.2	Minimum Requirements .....	167
5.3A.3	Test purpose.....	167
5.3A.4	Method of test .....	167
5.3A.4.1	Initial conditions .....	167
5.3A.4.2	Procedure .....	167
5.3A.5	Test Requirements .....	167
5.3B	Frequency Error for OLTD .....	168
5.3B.1	Definition and applicability .....	168
5.3B.2	Minimum Requirements .....	168
5.3B.3	Test purpose.....	168
5.3B.4	Method of test .....	168
5.3B.4.1	Initial conditions .....	168
5.3B.4.2	Procedure .....	169
5.3B.5	Test Requirements .....	169
5.3C	Frequency Error for UL CLTD Activation state 1 .....	169
5.3C.1	Definition and applicability .....	169
5.3C.2	Minimum Requirements .....	169
5.3C.3	Test purpose.....	169
5.3C.4	Method of test .....	170
5.3C.4.1	Initial conditions .....	170
5.3C.4.2	Procedure .....	170
5.3C.5	Test Requirements .....	171
5.3D	Frequency Error for UL CLTD Activation state 2 and 3.....	171
5.3D.1	Definition and applicability .....	171
5.3D.2	Minimum Requirements .....	171
5.3D.3	Test purpose.....	171
5.3D.4	Method of test .....	171
5.3D.4.1	Initial conditions .....	171
5.3D.4.2	Procedure .....	172
5.3D.5	Test Requirements .....	172
5.4	Output Power Dynamics in the Uplink.....	172
5.4.1	Open Loop Power Control in the Uplink .....	172
5.4.1.1	Definition and applicability.....	172
5.4.1.2	Minimum requirements.....	172
5.4.1.3	Test purpose .....	173
5.4.1.4	Method of test .....	173
5.4.1.5	Test requirements.....	174
5.4.1A	Open Loop Power Control in the Uplink for DC-HSUPA.....	175
5.4.1A.1	Definition and applicability.....	175
5.4.1A.2	Minimum requirements .....	175
5.4.1A.3	Test purpose .....	175
5.4.1A.4	Method of test .....	175
5.4.1A.5	Test requirements.....	177
5.4.2	Inner Loop Power Control in the Uplink .....	177
5.4.2.1	Definition and applicability.....	177
5.4.2.2	Minimum requirements.....	177
5.4.2.3	Test purpose .....	178



5.4.2.4	Method of test .....	178
5.4.2.5	Test requirements .....	182
5.4.2A	Inner Loop Power Control in the Uplink for DC-HSUPA .....	184
5.4.2A.1	Definition and applicability .....	184
5.4.2A.2	Minimum requirements .....	184
5.4.2A.3	Test purpose .....	185
5.4.2A.4	Method of test .....	186
5.4.2A.5	Test requirements .....	188
5.4.2B	Inner Loop Power Control in the Uplink for OLTD .....	190
5.4.2B.1	Definition and applicability .....	190
5.4.2B.2	Minimum requirements .....	190
5.4.2B.3	Test purpose .....	191
5.4.2B.4	Method of test .....	192
5.4.2B.4.1	Initial conditions .....	192
5.4.2B.4.2	Procedure .....	192
5.4.2B.5	Test requirements .....	195
5.4.2C	Inner Loop Power Control in the Uplink for UL CLTD activation state 1 .....	197
5.4.2C.1	Definition and applicability .....	197
5.4.2C.2	Minimum requirements .....	197
5.4.2C.3	Test purpose .....	199
5.4.2C.4	Method of test .....	199
5.4.2C.4.1	Initial conditions .....	199
5.4.2C.4.2	Procedure .....	200
5.4.2C.5	Test requirements .....	203
5.4.2D	Inner Loop Power Control in the Uplink for UL CLTD activation state 2 and 3 .....	205
5.4.2D.1	Definition and applicability .....	205
5.4.2D.2	Minimum requirements .....	205
5.4.2D.3	Test purpose .....	207
5.4.2D.4	Method of test .....	207
5.4.2D.4.1	Initial conditions .....	207
5.4.2D.4.2	Procedure .....	208
5.4.2D.5	Test requirements .....	211
5.4.3	Minimum Output Power .....	213
5.4.3.1	Definition and applicability .....	213
5.4.3.2	Minimum Requirements .....	213
5.4.3.3	Test purpose .....	213
5.4.3.4	Method of test .....	213
5.4.3.5	Test requirements .....	214
5.4.3A	Minimum Output Power for DC-HSUPA .....	214
5.4.3A.1	Definition and applicability .....	214
5.4.3A.2	Minimum Requirements .....	214
5.4.3A.3	Test purpose .....	214
5.4.3A.4	Method of test .....	214
5.4.3A.4.1	Initial conditions .....	214
5.4.3A.4.2	Procedure .....	215
5.4.3A.5	Test requirements .....	215
5.4.3B	Minimum Output Power for OLTD .....	215
5.4.3B.1	Definition and applicability .....	215
5.4.3B.2	Minimum Requirements .....	215
5.4.3B.3	Test purpose .....	215
5.4.3B.4	Method of test .....	216
5.4.3B.4.1	Initial conditions .....	216
5.4.3B.4.2	Procedure .....	216
5.4.3B.5	Test requirements .....	216
5.4.3C	Minimum Output Power for UL CLTD Activation state 1 .....	216
5.4.3C.1	Definition and applicability .....	216
5.4.3C.2	Minimum Requirements .....	216
5.4.3C.3	Test purpose .....	217
5.4.3C.4	Method of test .....	217
5.4.3C.4.1	Initial conditions .....	217
5.4.3C.4.2	Procedure .....	217
5.4.3C.5	Test requirements .....	217

5.4.3D	Minimum Output Power for UL CLTD Activation state 2 and 3 .....	217
5.4.3D.1	Definition and applicability.....	217
5.4.3D.2	Minimum Requirements.....	218
5.4.3D.3	Test purpose .....	218
5.4.3D.4	Method of test .....	218
5.4.3D.4.1	Initial conditions.....	218
5.4.3D.4.2	Procedure.....	218
5.4.3D.5	Test requirements.....	219
5.4.4	Out-of-synchronisation handling of output power .....	219
5.4.4.1	Definition and applicability.....	219
5.4.4.2	Minimum Requirements.....	219
5.4.4.3	Test purpose .....	221
5.4.4.4	Method of test .....	221
5.4.4.5	Test requirements.....	222
5.4.4A	Out-of-synchronization handling of output power for a UE which supports type1 for DCH .....	222
5.4.4A.1	Definition and applicability.....	222
5.4.4A.2	Minimum requirement .....	222
5.4.4A.3	Test purpose .....	224
5.4.4A.4	Method of test .....	224
5.4.4A.5	Test requirements.....	225
5.4.4B	Out-of-synchronisation handling of output power for OLTD.....	225
5.4.4B.1	Definition and applicability.....	226
5.4.4B.2	Minimum Requirements.....	226
5.4.4B.3	Test purpose .....	227
5.4.4B.4	Method of test .....	228
5.4.4B.4.1	Initial conditions .....	228
5.4.4B.4.2	Procedure.....	228
5.4.4B.5	Test requirements.....	228
5.4.4C	Out-of-synchronisation handling of output power for UL CLTD activation state 1.....	228
5.4.4C.1	Definition and applicability.....	229
5.4.4C.2	Minimum Requirements.....	229
5.4.4C.3	Test purpose .....	231
5.4.4C.4	Method of test .....	231
5.4.4C.5	Test requirements.....	232
5.4.4D	Out-of-synchronisation handling of output power for UL CLTD activation state 2 and 3 .....	232
5.4.4D.1	Definition and applicability.....	232
5.4.4D.2	Minimum Requirements.....	232
5.4.4D.3	Test purpose .....	234
5.4.4D.4	Method of test .....	234
5.4.4D.5	Test requirements.....	235
5.4.5	Out of quality handling of TPI for UL CLTD activation state 1 .....	235
5.4.5.1	Definition and applicability.....	235
5.4.5.2	Minimum Requirements.....	236
5.4.5.3	Test purpose .....	237
5.4.5.4	Method of test .....	237
5.4.5.5	Test requirements.....	238
5.5	Transmit ON/OFF Power .....	238
5.5.1	Transmit OFF Power .....	238
5.5.1.1	Definition and applicability.....	238
5.5.1.2	Minimum Requirements.....	238
5.5.1.3	Test purpose .....	238
5.5.1.4	Method of test .....	238
5.5.1.5	Test requirements.....	238
5.5.2	Transmit ON/OFF Time mask.....	239
5.5.2.1	Definition and applicability.....	239
5.5.2.2	Minimum requirements.....	239
5.5.2.3	Test purpose .....	241
5.5.2.4	Method of test .....	241
5.5.2.5	Test requirements.....	243
5.6	Change of TFC.....	244
5.6.1	Definition and applicability .....	244
5.6.2	Minimum requirements.....	244

5.6.3	Test purpose.....	246
5.6.4	Method of test.....	246
5.6.5	Test requirements.....	246
5.6AA	Change of TFC for OLTD.....	247
5.6AA.1	Definition and applicability.....	247
5.6AA.2	Minimum requirements.....	247
5.6AA.3	Test purpose.....	249
5.6AA.4	Method of test.....	249
5.6AA.4.1	Initial conditions.....	249
5.6AA.4.2	Procedure.....	249
5.6AA.5	Test requirements.....	249
5.6AB	Void.....	249
5.6AC	Void.....	249
5.7	Power setting in uplink compressed mode.....	249
5.7.1	Definition and applicability.....	249
5.7.2	Minimum requirements.....	250
5.7.3	Test purpose.....	252
5.7.4	Method of test.....	252
5.7.5	Test requirements.....	259
5.7A	HS-DPCCH power control.....	261
5.7A.1	Definition and applicability.....	261
5.7A.2	Minimum requirement.....	261
5.7A.3	Test purpose.....	263
5.7A.4	Method of test.....	263
5.7A.5	Test requirements.....	264
5.7BA	HS-DPCCH power control for UL OLTD.....	265
5.7BA.1	Definition and applicability.....	266
5.7BA.2	Minimum requirement.....	266
5.7BA.3	Test purpose.....	266
5.7BA.4	Method of test.....	267
5.7BA.4.1	Initial conditions.....	267
5.7BA.4.2	Procedure.....	267
5.7BA.5	Test requirements.....	268
5.7BB	HS-DPCCH power control for UL CLTD activation state 1.....	269
5.7BB.1	Definition and applicability.....	270
5.7BB.2	Minimum requirement.....	270
5.7BB.3	Test purpose.....	270
5.7BB.4	Method of test.....	271
5.7BB.4.1	Initial conditions.....	271
5.7BB.4.2	Procedure.....	271
5.7BB.5	Test requirements.....	272
5.7BC	HS-DPCCH power control for UL CLTD activation state 2 and 3.....	274
5.7BC.1	Definition and applicability.....	274
5.7BC.2	Minimum requirement.....	274
5.7BC.3	Test purpose.....	275
5.7BC.4	Method of test.....	275
5.7BC.4.1	Initial conditions.....	275
5.7BC.4.2	Procedure.....	275
5.7BC.5	Test requirements.....	276
5.8	Occupied Bandwidth (OBW).....	278
5.8.1	Definition and applicability.....	278
5.8.2	Minimum Requirements.....	278
5.8.3	Test purpose.....	278
5.8.4	Method of test.....	279
5.8.5	Test Requirements.....	279
5.8A	Occupied Bandwidth (OBW) for DC-HSUPA.....	279
5.8A.1	Definition and applicability.....	279
5.8A.2	Minimum Requirements.....	279
5.8A.3	Test purpose.....	279
5.8A.4	Method of test.....	280
5.8A.4.1	Initial conditions.....	280
5.8A.4.2	Procedure.....	280

5.8A.5	Test Requirements .....	281
5.8B	Occupied Bandwidth (OBW) for OLTD .....	281
5.8B.1	Definition and applicability .....	281
5.8B.2	Minimum Requirements .....	281
5.8B.3	Test purpose.....	281
5.8B.4	Method of test .....	281
5.8B.4.1	Initial conditions .....	281
5.8B.4.2	Procedure .....	281
5.8B.5	Test Requirements .....	282
5.8C	Occupied Bandwidth (OBW) for UL CLTD Activation state 1 .....	282
5.8C.1	Definition and applicability .....	282
5.8C.2	Minimum Requirements .....	282
5.8C.3	Test purpose.....	282
5.8C.4	Method of test .....	282
5.8C.4.1	Initial conditions .....	282
5.8C.4.2	Procedure .....	283
5.8C.5	Test Requirements .....	283
5.9	Spectrum emission mask .....	283
5.9.1	Definition and applicability .....	283
5.9.2	Minimum Requirements .....	283
5.9.3	Test purpose.....	285
5.9.4	Method of test .....	285
5.9.4.1	Initial conditions .....	285
5.9.4.2	Procedure .....	285
5.9.5	Test requirements.....	285
5.9A	Spectrum Emission Mask with HS-DPCCH .....	287
5.9A.1	Definition and applicability .....	287
5.9A.2	Minimum Requirements .....	287
5.9A.3	Test purpose.....	288
5.9A.4	Method of test .....	288
5.9A.4.1	Initial conditions .....	288
5.9A.4.2	Procedure .....	289
5.9A.5	Test requirements.....	289
5.9AA	Spectrum Emission Mask with HS-DPCCH for UL OLTD.....	291
5.9AA.1	Definition and applicability .....	291
5.9AA.2	Minimum Requirements .....	291
5.9AA.3	Test purpose.....	292
5.9AA.4	Method of test .....	292
5.9AA.4.1	Initial conditions .....	292
5.9AA.4.2	Procedure .....	293
5.9AA.5	Test requirements.....	293
5.9AB	Spectrum Emission Mask with HS-DPCCH for UL CLTD activation state 1 .....	295
5.9AB.1	Definition and applicability .....	295
5.9AB.2	Minimum Requirements .....	295
5.9AB.3	Test purpose.....	296
5.9AB.4	Method of test .....	296
5.9AB.4.1	Initial conditions .....	296
5.9AB.4.2	Procedure .....	297
5.9AB.5	Test requirements.....	297
5.9AC	Spectrum Emission Mask with HS-DPCCH for UL CLTD activation state 2 and 3 .....	299
5.9AC.1	Definition and applicability .....	299
5.9AC.2	Minimum Requirements .....	299
5.9AC.3	Test purpose.....	300
5.9AC.4	Method of test .....	300
5.9AC.4.1	Initial conditions .....	300
5.9AC.4.2	Procedure .....	301
5.9AC.5	Test requirements.....	301
5.9B	Spectrum Emission Mask with E-DCH.....	302
5.9B.1	Definition and applicability .....	302
5.9B.2	Minimum Requirements .....	303
5.9B.3	Test purpose.....	304
5.9B.4	Method of test .....	304

5.9B.4.1	Initial conditions .....	304
5.9B.4.2	Procedure .....	305
5.9B.5	Test requirements.....	305
5.9BA	Spectrum Emission Mask with E-DCH for UL OLTD .....	307
5.9BA.1	Definition and applicability .....	307
5.9BA.2	Minimum Requirements .....	307
5.9BA.3	Test purpose.....	308
5.9BA.4	Method of test .....	308
5.9BA.4.1	Initial conditions .....	308
5.9BA.4.2	Procedure .....	309
5.9BA.5	Test requirements.....	309
5.9BB	Spectrum Emission Mask with E-DCH for UL CLTD activation state 1.....	311
5.9BB.1	Definition and applicability .....	311
5.9BB.2	Minimum Requirements .....	311
5.9BB.3	Test purpose.....	312
5.9BB.4	Method of test .....	312
5.9BB.4.1	Initial conditions .....	312
5.9BB.4.2	Procedure .....	313
5.9BB.5	Test requirements.....	313
5.9BC	Spectrum Emission Mask with E-DCH for UL CLTD activation state 2 and 3 .....	315
5.9BC.1	Definition and applicability .....	315
5.9BC.2	Minimum Requirements .....	315
5.9BC.3	Test purpose.....	316
5.9BC.4	Method of test .....	316
5.9BC.4.1	Initial conditions .....	316
5.9BC.4.2	Procedure .....	317
5.9BC.5	Test requirements.....	317
5.9C	Additional Spectrum Emission Mask for DC-HSUPA (QPSK).....	319
5.9C.1	Definition and applicability .....	319
5.9C.2	Minimum Requirements .....	319
5.9C.3	Test purpose.....	319
5.9C.4	Method of test .....	320
5.9C.4.1	Initial conditions .....	320
5.9C.4.2	Procedure .....	320
5.9C.5	Test requirements.....	320
5.9D	Additional Spectrum Emission Mask for DC-HSUPA (16QAM).....	321
5.9D.1	Definition and applicability .....	321
5.9D.2	Minimum Requirements .....	321
5.9D.3	Test purpose.....	322
5.9D.4	Method of test .....	322
5.9D.4.1	Initial conditions .....	322
5.9D.4.2	Procedure .....	323
5.9D.5	Test requirements.....	323
5.10	Adjacent Channel Leakage Power Ratio (ACLR).....	323
5.10.1	Definition and applicability .....	323
5.10.2	Minimum Requirements .....	324
5.10.3	Test purpose.....	324
5.10.4	Method of test .....	324
5.10.5	Test requirements.....	325
5.10A	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH .....	325
5.10A.1	Definition and applicability .....	325
5.10A.2	Minimum Requirements .....	325
5.10A.3	Test purpose.....	325
5.10A.4	Method of test .....	326
5.10A.5	Test requirements.....	327
5.10AA	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for OLTD .....	327
5.10AA.1	Definition and applicability .....	327
5.10AA.2	Minimum Requirements .....	327
5.10AA.3	Test purpose.....	327
5.10AA.4	Method of test .....	328
5.10AA.5	Test requirements.....	329
5.10AB	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for UL CLTD Activation state 1 .....	329

5.10AB.1	Definition and applicability .....	329
5.10AB.2	Minimum Requirements .....	329
5.10AB.3	Test purpose.....	329
5.10AB.4	Method of test.....	330
5.10AB.4.1	Initial conditions .....	330
5.10AB.4.2	Procedure .....	330
5.10AB.5	Test requirements.....	330
5.10AC	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH for UL CLTD Activation state 2 and 3.....	331
5.10AC.1	Definition and applicability .....	331
5.10AC.2	Minimum Requirements .....	331
5.10AC.3	Test purpose.....	331
5.10AC.4	Method of test.....	331
5.10AC.4.1	Initial conditions .....	331
5.10AC.4.2	Procedure .....	332
5.10AC.5	Test requirements.....	333
5.10B	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH.....	333
5.10B.1	Definition and applicability .....	333
5.10B.2	Minimum Requirements .....	333
5.10B.3	Test purpose.....	333
5.10B.4	Method of test.....	334
5.10B.5	Test requirements.....	335
5.10BA	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for OLTD .....	335
5.10BA.1	Definition and applicability .....	335
5.10BA.2	Minimum Requirements .....	335
5.10BA.3	Test purpose.....	335
5.10BA.4	Method of test.....	336
5.10BA.5	Test requirements.....	336
5.10BB	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for UL CLTD Activation state 1 .....	337
5.10BB.1	Definition and applicability .....	337
5.10BB.2	Minimum Requirements .....	337
5.10BB.3	Test purpose.....	337
5.10BB.4	Method of test.....	337
5.10BB.5	Test requirements.....	338
5.10BC	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for UL CLTD Activation state 2 and 3.....	338
5.10BC.1	Definition and applicability .....	338
5.10BC.2	Minimum Requirements .....	339
5.10BC.3	Test purpose.....	339
5.10BC.4	Method of test.....	339
5.10BC.5	Test requirements.....	340
5.10C	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for DC-HSUPA (QPSK) .....	341
5.10C.1	Definition and applicability .....	341
5.10C.2	Minimum Requirements .....	341
5.10C.3	Test purpose.....	341
5.10C.4	Method of test.....	341
5.10C.5	Test requirements.....	342
5.10D	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH for DC-HSUPA (16QAM) .....	342
5.10D.1	Definition and applicability .....	342
5.10D.2	Minimum Requirements .....	343
5.10D.3	Test purpose.....	343
5.10D.4	Method of test.....	343
5.10D.5	Test requirements.....	344
5.11	Spurious Emissions .....	344
5.11.1	Definition and applicability .....	344
5.11.2	Minimum Requirements .....	344
5.11.3	Test purpose.....	352
5.11.4	Method of test.....	352
5.11.5	Test requirements.....	353
5.11A	Spurious Emissions for DC-HSUPA.....	360
5.11A.1	Definition and applicability .....	360
5.11A.2	Minimum Requirements .....	360
5.11A.3	Test purpose.....	364

5.11A.4	Method of test .....	365
5.11A.5	Test requirements.....	365
5.11B	Spurious Emissions for UL OLTD .....	370
5.11B.1	Definition and applicability .....	370
5.11B.2	Minimum Requirements .....	370
5.11B.3	Test purpose.....	370
5.11B.4	Method of test .....	370
5.11B.5	Test requirements.....	371
5.11C	Spurious Emissions for UL CLTD Activation state 1 .....	378
5.11C.1	Definition and applicability .....	378
5.11C.2	Minimum Requirements .....	378
5.11C.3	Test purpose.....	378
5.11C.4	Method of test .....	379
5.11C.5	Test requirements.....	379
5.11D	Spurious Emissions for UL CLTD Activation state 2 and 3 .....	386
5.11D.1	Definition and applicability .....	386
5.11D.2	Minimum Requirements .....	386
5.11D.3	Test purpose.....	386
5.11D.4	Method of test .....	387
5.11D.5	Test requirements.....	387
5.12	Transmit Intermodulation.....	394
5.12.1	Definition and applicability .....	394
5.12.2	Minimum Requirements .....	394
5.12.3	Test purpose.....	394
5.12.4	Method of test .....	395
5.12.5	Test requirements.....	395
5.12A	Transmit Intermodulation for DC-HSUPA .....	395
5.12A.1	Definition and applicability .....	395
5.12A.2	Minimum Requirements for DC-HSUPA.....	396
5.12A.3	Test purpose.....	396
5.12A.4	Method of test .....	396
5.12A.5	Test requirements.....	396
5.13	Transmit Modulation.....	397
5.13.1	Error Vector Magnitude (EVM) .....	397
5.13.1.1	Definition and applicability.....	397
5.13.1.2	Minimum Requirements.....	397
5.13.1.3	Test purpose .....	397
5.13.1.4	Method of test .....	397
5.13.1.5	Test requirements.....	398
5.13.1A	Error Vector Magnitude (EVM) with HS-DPCCH.....	398
5.13.1A.1	Definition and applicability.....	398
5.13.1A.2	Minimum Requirements.....	398
5.13.1A.3	Test purpose .....	399
5.13.1A.4	Method of test .....	399
5.13.1A.5	Test requirements.....	400
5.13.1AA	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH .....	401
5.13.1AA.1	Definition and applicability.....	401
5.13.1AA.2	Minimum Requirements.....	401
5.13.1AA.3	Test purpose .....	402
5.13.1AA.4	Method of test .....	402
5.13.1AA.5	Test requirements.....	403
5.13.1AB	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for OLTD .....	404
5.13.1AB.1	Definition and applicability.....	404
5.13.1AB.2	Minimum Requirements.....	404
5.13.1AB.3	Test purpose .....	405
5.13.1AB.4	Method of test .....	405
5.13.1AB.5	Test requirements.....	406
5.13.1AB	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for OLTD .....	407
5.13.1AC	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for UL CLTD Activation state 1.....	407
5.13.1AC.1	Definition and applicability.....	407
5.13.1AC.2	Minimum Requirements.....	407

5.13.1AC.3	Test purpose .....	408
5.13.1AC.4	Method of test .....	408
5.13.1AC.5	Test requirements .....	410
5.13.1AD	Error Vector Magnitude (EVM) and phase discontinuity with HS-DPCCH for UL CLTD Activation state 2 and 3 .....	410
5.13.1AD.1	Definition and applicability .....	410
5.13.1AD.2	Minimum Requirements .....	411
5.13.1AD.3	Test purpose .....	411
5.13.1AD.4	Method of test .....	412
5.13.1AD.5	Test requirements .....	413
5.13.1AAA	EVM and IQ origin offset for HS-DPCCH and E-DCH with 16 QAM .....	414
5.13.1AAA.1	Definition and applicability .....	414
5.13.1AAA.2	Minimum requirement .....	414
5.13.1AAA.3	Test purpose .....	415
5.13.1AAA.4	Method of test .....	415
5.13.1AAA.5	Test requirements .....	416
5.13.2	Peak code domain error .....	417
5.13.2.1	Definition and applicability .....	417
5.13.2.2	Minimum Requirements .....	417
5.13.2.3	Test purpose .....	417
5.13.2.4	Method of test .....	417
5.13.2.5	Test requirements .....	418
5.13.2A	Relative Code Domain Error with HS-DPCCH .....	418
5.13.2A.1	Definition and applicability .....	418
5.13.2A.2	Minimum Requirements .....	418
5.13.2A.3	Test purpose .....	419
5.13.2A.4	Method of test .....	419
5.13.2B	Relative Code Domain Error with HS-DPCCH and E-DCH .....	421
5.13.2B.1	Definition and applicability .....	421
5.13.2B.2	Minimum Requirements .....	421
5.13.2B.3	Test purpose .....	422
5.13.2B.4	Method of test .....	422
5.13.2B.5	Test requirements .....	424
5.13.2BA	Relative Code Domain Error with HS-DPCCH and E-DCH for DC-HSUPA .....	425
5.13.2BA.1	Definition and applicability .....	425
5.13.2BA.2	Minimum Requirements .....	425
5.13.2BA.3	Test purpose .....	426
5.13.2BA.4	Method of test .....	426
5.13.2BA.5	Test requirements .....	427
5.13.2C	Relative Code Domain Error for HS-DPCCH and E-DCH with 16QAM .....	427
5.13.2C.1	Definition and applicability .....	427
5.13.2C.2	Minimum Requirements .....	428
5.13.2C.3	Test purpose .....	429
5.13.2C.4	Method of test .....	429
5.13.2CA	Relative Code Domain Error for HS-DPCCH and E-DCH with 16QAM for DC-HSUPA .....	431
5.13.2CA.1	Definition and applicability .....	431
5.13.2CA.2	Minimum Requirements .....	432
5.13.2CA.3	Test purpose .....	433
5.13.2CA.4	Method of test .....	433
5.13.2CA.5	Test requirements .....	434
5.13.3	UE phase discontinuity .....	435
5.13.3.1	Definition and applicability .....	435
5.13.3.2	Minimum requirements .....	435
5.13.3.3	Test purpose .....	436
5.13.3.4	Method of test .....	436
5.13.3.5	Test requirements .....	437
5.13.4	PRACH preamble quality .....	438
5.13.4.1	Definition and applicability .....	438
5.13.4.2	Minimum requirements .....	438
5.13.4.3	Test purpose .....	438
5.13.4.4	Method of test .....	438
5.13.4.5	Test requirements .....	439



5.13.5	In-band emission for DC-HSUPA .....	440
5.13.5.1	Definition and applicability.....	440
5.13.5.2	Minimum Requirements.....	440
5.13.5.3	Test purpose .....	440
5.13.5.4	Method of test .....	440
5.13.5.5	Test requirements.....	441
6	Receiver Characteristics .....	442
6.1	General .....	442
6.1A	Reference input power adjustment for a dual band device .....	443
6.2	Reference Sensitivity Level.....	444
6.2.1	Definition and applicability .....	444
6.2.2	Minimum Requirements .....	444
6.2.3	Test purpose.....	445
6.2.4	Method of test .....	445
6.2.5	Test requirements.....	446
6.2A	Reference Sensitivity Level for DC-HSDPA .....	446
6.2A.1	Definition and applicability .....	446
6.2A.2	Minimum Requirements .....	447
6.2A.3	Test purpose.....	448
6.2A.4	Method of test .....	448
6.2A.5	Test requirements.....	449
6.2B	Reference Sensitivity Level for DB-DC-HSDPA .....	450
6.2B.1	Definition and applicability .....	450
6.2B.2	Minimum Requirements .....	450
6.2B.3	Test purpose.....	451
6.2B.4	Method of test .....	451
6.2B.5	Test requirements.....	452
6.2C	Reference Sensitivity Level for Single band 4C-HSDPA .....	452
6.2C.1	Definition and applicability .....	452
6.2C.2	Minimum Requirements .....	453
6.2C.3	Test purpose.....	454
6.2C.4	Method of test .....	454
6.2C.4.2	Procedure .....	454
6.2C.5	Test requirements.....	454
6.2D	Reference Sensitivity Level for Dual band 4C-HSDPA.....	455
6.2D.1	Definition and applicability .....	455
6.2D.2	Minimum Requirements .....	455
6.2D.3	Test purpose.....	456
6.2D.4	Method of test .....	456
6.2D.5	Test requirements.....	457
6.2DA	Reference Sensitivity Level for Dual band 4C-HSDPA (3 carrier).....	457
6.2DA.1	Definition and applicability .....	457
6.2DA.2	Minimum Requirements .....	457
6.2DA.3	Test purpose.....	458
6.2DA.4	Method of test .....	458
6.2DA.5	Test requirements.....	459
6.3	Maximum Input Level.....	459
6.3.1	Definition and applicability .....	459
6.3.2	Minimum requirements.....	459
6.3.3	Test purpose.....	459
6.3.4	Method of test .....	460
6.3.5	Test requirements.....	460
6.3A	Maximum Input Level for HS-PDSCH Reception (16QAM) .....	461
6.3A.1	Definition and applicability .....	461
6.3A.2	Minimum requirements.....	461
6.3A.3	Test purpose.....	461
6.3A.4	Method of test .....	461
6.3A.5	Test requirements.....	462
6.3B	Maximum Input Level for HS-PDSCH Reception (64QAM) .....	462
6.3B.1	Definition and applicability .....	462
6.3B.2	Minimum requirements.....	462

6.3B.3	Test purpose.....	463
6.3B.4	Method of test.....	463
6.3B.5	Test requirements.....	465
6.3C	Maximum Input Level for DC-HSDPA Reception (16QAM) .....	465
6.3C.1	Definition and applicability .....	465
6.3C.2	Minimum requirements.....	465
6.3C.3	Test purpose.....	466
6.3C.4	Method of test.....	466
6.3C.5	Test requirements.....	467
6.3D	Maximum Input Level for DC-HSDPA Reception (64QAM) .....	467
6.3D.1	Definition and applicability .....	467
6.3D.2	Minimum requirements.....	467
6.3D.3	Test purpose.....	468
6.3D.4	Method of test.....	468
6.3D.5	Test requirements.....	469
6.3E	Maximum Input Level for DB-DC-HSDPA Reception (16QAM).....	469
6.3E.1	Definition and applicability .....	469
6.3E.2	Minimum requirements.....	469
6.3E.3	Test purpose.....	470
6.3E.4	Method of test.....	470
6.3E.5	Test requirements.....	471
6.3F	Maximum Input Level for DB-DC-HSDPA Reception (64QAM).....	471
6.3F.1	Definition and applicability .....	471
6.3F.2	Minimum requirements.....	471
6.3F.3	Test purpose.....	472
6.3F.4	Method of test.....	472
6.3F.5	Test requirements.....	473
6.3G	Maximum Input Level for 4C-HSDPA Reception (16QAM) .....	474
6.3G.1	Definition and applicability .....	474
6.3G.2	Minimum requirements.....	474
6.3G.3	Test purpose.....	474
6.3G.4	Method of test.....	474
6.3G.5	Test requirements.....	475
6.3GA	Maximum Input Level for 4C-HSDPA Reception (16QAM) (3 carrier) .....	476
6.3GA.1	Definition and applicability .....	476
6.3GA.2	Minimum requirements.....	476
6.3GA.3	Test purpose.....	476
6.3GA.4	Method of test.....	476
6.3GA.5	Test requirements.....	477
6.3H	Maximum Input Level for 4C-HSDPA Reception (64QAM) .....	478
6.3H.1	Definition and applicability .....	478
6.3H.2	Minimum requirements.....	478
6.3H.3	Test purpose.....	478
6.3H.4	Method of test.....	478
6.3H.5	Test requirements.....	480
6.3HA	Maximum Input Level for 4C-HSDPA Reception (64QAM) (3 carrier) .....	480
6.3HA.1	Definition and applicability .....	480
6.3HA.2	Minimum requirements.....	480
6.3HA.3	Test purpose.....	481
6.3HA.4	Method of test.....	481
6.3HA.5	Test requirements.....	482
6.4	Adjacent Channel Selectivity (ACS) (Rel-99 and Rel-4).....	483
6.4.1	Definition and applicability .....	483
6.4.2	Minimum Requirements .....	483
6.4.3	Test purpose.....	483
6.4.4	Method of test.....	484
6.4.5	Test requirements.....	484
6.4A	Adjacent Channel Selectivity (ACS) (Rel-5 and later releases).....	485
6.4A.1	Definition and applicability .....	485
6.4A.2	Minimum Requirements .....	485
6.4A.3	Test purpose.....	485
6.4A.4	Method of test.....	485

6.4A.5	Test requirements.....	486
6.4B	Adjacent Channel Selectivity (ACS) for DC-HSDPA .....	486
6.4B.1	Definition and applicability .....	486
6.4B.2	Minimum Requirements .....	487
6.4B.3	Test purpose.....	487
6.4B.4	Method of test .....	487
6.4B.5	Test requirements.....	488
6.4C	Adjacent Channel Selectivity (ACS) for DB-DC-HSDPA.....	489
6.4C.1	Definition and applicability .....	489
6.4C.2	Minimum Requirements .....	489
6.4C.3	Test purpose.....	490
6.4C.4	Method of test .....	490
6.4C.5	Test requirements.....	491
6.5	Blocking Characteristics.....	491
6.5.1	Definition and applicability .....	491
6.5.2	Minimum Requirements .....	491
6.5.2.1	Minimum Requirements (In-band blocking).....	491
6.5.2.2	Minimum requirements (Out of-band blocking) .....	493
6.5.2.3	Minimum requirements (Narrow band blocking).....	495
6.5.3	Test purpose.....	495
6.5.4	Method of test .....	495
6.5.5	Test requirements.....	496
6.5A	Blocking Characteristics for DC-HSDPA .....	499
6.5A.1	Definition and applicability .....	499
6.5A.2	Minimum Requirements .....	500
6.5A.2.1	Minimum Requirements (In-band blocking).....	500
6.5A.2.2	Minimum requirements (Out of-band blocking) .....	501
6.5A.2.3	Minimum requirements (Narrow band blocking).....	503
6.5A.3	Test purpose.....	503
6.5A.4	Method of test .....	503
6.5A.5	Test requirements.....	505
6.5B	Blocking Characteristics for DB-DC-HSDPA .....	508
6.5B.1	Definition and applicability .....	508
6.5B.2	Minimum Requirements .....	508
6.5B.2.1	Minimum Requirements (In-band blocking).....	508
6.5B.2.2	Minimum requirements (Out of-band blocking) .....	510
6.5B.2.3	Minimum requirements (Narrow band blocking).....	511
6.5B.3	Test purpose.....	511
6.5B.4	Method of test .....	511
6.5B.5	Test requirements.....	512
6.5C	Blocking Characteristics for DC-HSUPA .....	515
6.5C.1	Definition and applicability .....	515
6.5C.2	Minimum Requirements .....	515
6.5C.2.1	Minimum Requirements (In-band blocking).....	515
6.5C.2.2	Minimum requirements (Narrow band blocking).....	517
6.5C.3	Test purpose.....	518
6.5C.4	Method of test .....	518
6.5C.5	Test requirements.....	519
6.5D	Blocking Characteristics for single Uplink Single band 4C-HSDPA.....	522
6.5D.1	Definition and applicability .....	522
6.5D.2	Minimum Requirements .....	522
6.5D.2.1	Minimum Requirements (In-band blocking).....	522
6.5D.2.2	Minimum requirements (Out of-band blocking) .....	523
6.5D.3	Test purpose.....	523
6.5D.4	Method of test .....	524
6.5D.4.1	Initial conditions .....	524
6.5D.4.2	Procedure .....	524
6.5D.5	Test requirements.....	524
6.5E	Blocking Characteristics for dual uplink single band 4C-HSDPA.....	526
6.5E.1	Definition and applicability .....	526
6.5E.2	Minimum Requirements .....	526
6.5E.2.1	Minimum Requirements (In-band blocking).....	526

6.5E.3	Test purpose.....	526
6.5E.4	Method of test .....	527
6.5E.4.1	Initial conditions .....	527
6.5E.4.2	Procedure .....	527
6.5E.5	Test requirements.....	527
6.5F	Blocking Characteristics for single Uplink dual band 4C-HSDPA .....	528
6.5F.1	Definition and applicability .....	528
6.5F.2	Minimum Requirements .....	528
6.5F.2.1	Minimum Requirements (In-band blocking).....	528
6.5F.2.2	Minimum requirements (Out of-band blocking) .....	529
6.5F.2.3	Minimum requirements (Narrow band blocking).....	531
6.5F.3	Test purpose.....	532
6.5F.4	Method of test .....	532
6.5F.4.1	Initial conditions .....	532
6.5F.4.2	Procedure .....	533
6.5F.5	Test requirements.....	533
6.5FA	Blocking Characteristics for single Uplink dual band 4C-HSDPA (3 carrier).....	536
6.5FA.1	Definition and applicability .....	536
6.5FA.2	Minimum Requirements .....	536
6.5FA.2.1	Minimum Requirements (In-band blocking).....	536
6.5FA.2.2	Minimum requirements (Out of-band blocking) .....	537
6.5FA.2.3	Minimum requirements (Narrow band blocking).....	539
6.5FA.3	Test purpose.....	540
6.5FA.4	Method of test .....	540
6.5FA.4.1	Initial conditions .....	540
6.5FA.4.2	Procedure .....	541
6.5FA.5	Test requirements.....	541
6.5G	Blocking Characteristics for dual uplink dual band 4C-HSDPA.....	544
6.5G.1	Definition and applicability .....	544
6.5G.2	Minimum Requirements .....	544
6.5G.2.1	Minimum Requirements (In-band blocking).....	544
6.5G.2.2	Minimum requirements (Narrow band blocking).....	546
6.5G.3	Test purpose.....	547
6.5G.4	Method of test .....	547
6.5G.5	Test requirements.....	548
6.5GA	Blocking Characteristics for dual uplink dual band 4C-HSDPA (3 carrier).....	550
6.5GA.1	Definition and applicability .....	550
6.5GA.2	Minimum Requirements .....	551
6.5GA.2.1	Minimum Requirements (In-band blocking).....	551
6.5GA.2.2	Minimum requirements (Narrow band blocking).....	552
6.5GA.3	Test purpose.....	553
6.5GA.4	Method of test .....	553
6.5GA.5	Test requirements.....	554
6.6	Spurious Response .....	556
6.6.1	Definition and applicability .....	556
6.6.2	Minimum Requirements .....	556
6.6.3	Test purpose.....	557
6.6.4	Method of test .....	557
6.6.5	Test requirements.....	557
6.6A	Spurious Response for DC-HSDPA .....	558
6.6A.1	Definition and applicability .....	558
6.6A.2	Minimum Requirements .....	558
6.6A.3	Test purpose.....	558
6.6A.4	Method of test .....	558
6.6A.5	Test requirements.....	559
6.6B	Spurious Response for DB-DC-HSDPA .....	560
6.6B.1	Definition and applicability .....	560
6.6B.2	Minimum Requirements .....	560
6.6B.3	Test purpose.....	560
6.6B.4	Method of test .....	560
6.6B.5	Test requirements.....	561
6.6C	Spurious Response for single band 4C-HSDPA.....	562

6.6C.1	Definition and applicability .....	562
6.6C.2	Minimum Requirements .....	562
6.6C.3	Test purpose.....	562
6.6C.4	Method of test .....	562
6.6C.5	Test requirements.....	563
6.6D	Spurious Response for dual band 4C-HSDPA .....	563
6.6D.1	Definition and applicability .....	563
6.6D.2	Minimum Requirements .....	564
6.6D.3	Test purpose.....	564
6.6D.4	Method of test .....	564
6.6D.5	Test requirements.....	565
6.6DA	Spurious Response for dual band 4C-HSDPA (3 carrier) .....	565
6.6DA.1	Definition and applicability .....	565
6.6DA.2	Minimum Requirements .....	565
6.6DA.3	Test purpose.....	566
6.6DA.4	Method of test .....	566
6.6DA.5	Test requirements.....	566
6.7	Intermodulation Characteristics.....	567
6.7.1	Definition and applicability .....	567
6.7.2	Minimum Requirements .....	567
6.7.3	Test purpose.....	568
6.7.4	Method of test .....	568
6.7.5	Test requirements.....	569
6.7A	Intermodulation Characteristics for DC-HSDPA .....	569
6.7A.1	Definition and applicability .....	569
6.7A.2	Minimum Requirements .....	570
6.7A.3	Test purpose.....	570
6.7A.4	Method of test .....	571
6.7A.5	Test requirements.....	571
6.7B	Intermodulation Characteristics for DB-DC-HSDPA .....	572
6.7B.1	Definition and applicability .....	572
6.7B.2	Minimum Requirements .....	573
6.7B.3	Test purpose.....	573
6.7B.4	Method of test .....	574
6.7B.5	Test requirements.....	574
6.7C	Intermodulation Characteristics for DC-HSUPA .....	575
6.7C.1	Definition and applicability .....	575
6.7C.2	Minimum Requirements .....	576
6.7C.3	Test purpose.....	577
6.7C.4	Method of test .....	577
6.7C.5	Test requirements.....	578
6.7D	Intermodulation Characteristics for single uplink single band 4C-HSDPA .....	580
6.7D.1	Definition and applicability .....	580
6.7D.2	Minimum Requirements .....	580
6.7D.3	Test purpose.....	581
6.7D.4	Method of test .....	581
6.7D.5	Test requirements.....	582
6.7E	Intermodulation Characteristics for single uplink dual band 4C-HSDPA .....	582
6.7E.1	Definition and applicability .....	582
6.7E.2	Minimum Requirements .....	582
6.7E.3	Test purpose.....	584
6.7E.4	Method of test .....	584
6.7E.5	Test requirements.....	585
6.7EA	Intermodulation Characteristics for single uplink dual band 4C-HSDPA (3 carrier).....	587
6.7EA.1	Definition and applicability .....	587
6.7EA.2	Minimum Requirements .....	587
6.7EA.3	Test purpose.....	588
6.7EA.4	Method of test .....	589
6.7EA.5	Test requirements.....	589
6.8	Spurious Emissions .....	591
6.8.1	Definition and applicability .....	591
6.8.2	Minimum Requirements .....	591

6.8.3	Test purpose.....	592
6.8.4	Method of test.....	593
6.8.5	Test requirements.....	593
6.8A	Spurious Emissions for DB-DC-HSDPA.....	596
6.8A.1	Definition and applicability.....	596
6.8A.2	Minimum Requirements.....	596
6.8A.3	Test purpose.....	596
6.8A.4	Method of test.....	596
6.8A.5	Test requirements.....	596
7	Performance requirements.....	598
7.1	General.....	598
7.1.1	Measurement Configurations.....	598
7.1.2	Definition of Additive White Gaussian Noise (AWGN) Interferer.....	598
7.2	Demodulation in Static Propagation conditions.....	599
7.2.1	Demodulation of Dedicated Channel (DCH).....	599
7.2.1.1	Definition and applicability.....	599
7.2.1.2	Minimum requirements.....	599
7.2.1.3	Test purpose.....	599
7.2.1.4	Method of test.....	599
7.2.1.5	Test requirements.....	600
7.2.2	Demodulation of Dedicated Channel (DCH) when (DL_DCH_FET_Config) is configured by higher layers.....	600
7.2.2.1	Definition and applicability.....	600
7.2.2.2	Minimum requirements.....	601
7.2.2.3	Test purpose.....	601
7.2.2.4	Method of test.....	601
7.2.2.4.1	Initial conditions.....	601
7.2.2.4.2	Procedures.....	602
7.2.2.5	Test requirements.....	602
7.3	Demodulation of DCH in Multi-path Fading Propagation conditions.....	603
7.3.1	Single Link Performance.....	603
7.3.1.1	Definition and applicability.....	603
7.3.1.2	Minimum requirements.....	603
7.3.1.3	Test purpose.....	605
7.3.1.4	Method of test.....	605
7.3.1.5	Test requirements.....	606
7.3.2	Single Link Performance when (DL_DCH_FET_Config) is configured by higher layers.....	608
7.3.2.1	Definition and applicability.....	608
7.3.2.2	Minimum requirements.....	609
7.3.2.3	Test purpose.....	610
7.3.2.4	Method of test.....	610
7.3.2.4.1	Initial conditions.....	610
7.3.2.5	Test requirements.....	611
7.4	Demodulation of DCH in Moving Propagation conditions.....	613
7.4.1	Single Link Performance.....	613
7.4.1.1	Definition and applicability.....	613
7.4.1.2	Minimum requirements.....	613
7.4.1.3	Test purpose.....	614
7.4.1.4	Method of test.....	614
7.4.1.5	Test requirements.....	614
7.5	Demodulation of DCH in Birth-Death Propagation conditions.....	615
7.5.1	Single Link Performance.....	615
7.5.1.1	Definition and applicability.....	615
7.5.1.2	Minimum requirements.....	615
7.5.1.3	Test purpose.....	615
7.5.1.4	Method of test.....	615
7.5.1.5	Test requirements.....	616
7.5A	Demodulation of DCH in high speed train condition.....	616
7.5A.1	Single Link Performance.....	616
7.5A.1.1	Definition and applicability.....	616
7.5A.1.2	Minimum requirement.....	616

7.5A.1.3	Test purpose .....	617
7.5A.1.4	Method of test .....	617
7.5A.1.5	Test requirements.....	617
7.6	Demodulation of DCH in downlink Transmit diversity modes.....	618
7.6.1	Demodulation of DCH in open-loop transmit diversity mode.....	618
7.6.1.1	Definition and applicability.....	618
7.6.1.2	Minimum requirements .....	618
7.6.1.3	Test purpose .....	618
7.6.1.4	Method of test .....	618
7.6.1.5	Test Requirements.....	619
7.6.2	Demodulation of DCH in closed loop transmit diversity mode.....	620
7.6.2.1	Definition and applicability.....	620
7.6.2.2	Minimum requirements .....	620
7.6.2.3	Test purpose .....	621
7.6.2.4	Method of test .....	621
7.6.2.5	Test Requirements.....	622
7.6.3	Demodulation of DCH in Site Selection Diversity Transmission Power Control mode.....	623
7.6.3.1	Definition and applicability.....	623
7.6.3.2	Minimum requirements .....	623
7.6.3.3	Test purpose .....	624
7.6.3.4	Method of test .....	624
7.6.3.5	Test Requirements.....	627
7.7	Demodulation in Handover conditions.....	628
7.7.1	Demodulation of DCH in Inter-Cell Soft Handover (Release 5 and earlier) .....	628
7.7.1.1	Definition and applicability.....	628
7.7.1.2	Minimum requirements .....	628
7.7.1.3	Test purpose .....	629
7.7.1.4	Method of test .....	629
7.7.1.5	Test requirements.....	629
7.7.1A	Demodulation of DCH in Inter-Cell Soft Handover (Release 6 and later) .....	630
7.7.1A.1	Definition and applicability.....	630
7.7.1A.2	Minimum requirements .....	630
7.7.1A.3	Test purpose .....	631
7.7.1A.4	Method of test .....	631
7.7.1A.5	Test requirements.....	631
7.7.1B	Demodulation of DCH in Inter-Cell Soft Handover when (DL_DCH_FET_Config) is configured by higher layers.....	632
7.7.1B.1	Definition and applicability.....	632
7.7.1B.2	Minimum requirements .....	632
7.7.1B.3	Test purpose .....	633
7.7.1B.4	Method of test .....	633
7.7.1B.4.1	Initial conditions .....	633
7.7.1B.4.2	Procedures .....	633
7.7.1B.5	Test requirements .....	633
7.7.2	Combining of TPC commands from radio links of different radio link sets.....	634
7.7.2.1	Definition and applicability.....	634
7.7.2.2	Minimum requirements .....	634
7.7.2.3	Test purpose .....	635
7.7.2.4	Method of test .....	635
7.7.2.5	Test requirements.....	636
7.7.2A	Combining of TPC commands from radio links of different radio link sets when (DL_DCH_FET_Config) is configured by higher layers .....	637
7.7.2A.1	Definition and applicability.....	637
7.7.2A.2	Minimum requirements .....	637
7.7.2A.3	Test purpose .....	638
7.7.2A.4	Method of test .....	638
7.7.2A.4.1	Initial conditions .....	638
7.7.2A.4.2	Procedures .....	639
7.7.2A.5	Test requirements.....	640
7.7.3	Combining of reliable TPC commands from radio links of different radio link sets .....	641
7.7.3.1	Definition and applicability.....	641
7.7.3.2	Minimum requirements.....	641

7.7.3.3	Test purpose .....	641
7.7.3.4	Method of test .....	642
7.7.3.4.1	Test 1 Initial conditions .....	642
7.7.3.4.2	Test 1 Procedures .....	642
7.7.3.4.3	Test 2 Initial conditions .....	642
7.7.3.4.4	Test 2 Procedures .....	642
7.7.3.5	Test requirements .....	643
7.7.3A	Combining of reliable TPC commands from radio links of different radio link sets when DL_DCH_FET_Config [10] is configured by higher layers .....	644
7.7.3A.1	Definition and applicability .....	644
7.7.3A.2	Minimum requirements .....	644
7.7.3A.3	Test purpose .....	644
7.7.3A.4	Method of test .....	645
7.7.3A.4.1	Test 1 Initial conditions .....	645
7.7.3A.4.2	Test 1 Procedures .....	645
7.7.3A.4.3	Test 2 Initial conditions .....	645
7.7.3A.4.4	Test 2 Procedures .....	645
7.7.3A.5	Test requirements .....	646
7.8	Power control in downlink .....	647
7.8.1	Power control in the downlink, constant BLER target (Release 5 and earlier) .....	648
7.8.1.1	Definition and applicability .....	648
7.8.1.2	Minimum requirements .....	648
7.8.1.3	Test purpose .....	648
7.8.1.4	Method of test .....	648
7.8.1.5	Test Requirements .....	649
7.8.1A	Power control in the downlink, constant BLER target (Release 6 and later) .....	650
7.8.1A.1	Definition and applicability .....	650
7.8.1A.2	Minimum requirements .....	650
7.8.1A.3	Test purpose .....	650
7.8.1A.4	Method of test .....	650
7.8.1A.5	Test Requirements .....	651
7.8.1B	Power control in the downlink, constant BLER target when DL_DCH_FET_Config is configured by higher layers .....	652
7.8.1B.1	Definition and applicability .....	652
7.8.1B.2	Minimum requirements .....	652
7.8.1B.3	Test purpose .....	653
7.8.1B.4	Method of test .....	653
7.8.1B.5	Test Requirements .....	655
7.8.2	Power control in the downlink, initial convergence .....	657
7.8.2.1	Definition and applicability .....	657
7.8.2.2	Minimum requirements .....	657
7.8.2.3	Test purpose .....	658
7.8.2.4	Method of test .....	658
7.8.2.5	Test Requirements .....	658
7.8.2A	Power control in the downlink, initial convergence when DL_DCH_FET_Config is configured by higher layers .....	660
7.8.2A.1	Definition and applicability .....	660
7.8.2A.2	Minimum requirements .....	660
7.8.2A.3	Test purpose .....	661
7.8.2A.4	Method of test .....	661
7.8.2A.5	Test Requirements .....	662
7.8.3	Power control in the downlink, wind up effects (Release 5 and earlier) .....	664
7.8.3.1	Definition and applicability .....	664
7.8.3.2	Minimum requirements .....	664
7.8.3.3	Test purpose .....	664
7.8.3.4	Method of test .....	664
7.8.3.5	Test Requirements .....	665
7.8.3A	Power control in the downlink, wind up effects (Release 6 and later) .....	666
7.8.3A.1	Definition and applicability .....	666
7.8.3A.2	Minimum requirements .....	666
7.8.3A.3	Test purpose .....	667
7.8.3A.4	Method of test .....	667



7.8.3B	Power control in the downlink, wind up effects (Release 6 and later) when DL_DCH_FET_Config is configured by higher layers .....	668
7.8.3B.1	Definition and applicability .....	668
7.8.3B.2	Minimum requirements .....	668
7.8.3B.3	Test purpose .....	670
7.8.3B.4	Method of test .....	671
7.8.3B.4.1	Initial conditions .....	671
7.8.3B.4.2	Procedure .....	671
7.8.3B.5	Test Requirements .....	673
7.8.4	Power control in the downlink, different transport formats .....	675
7.8.4.1	Definition and applicability .....	675
7.8.4.2	Minimum requirements .....	675
7.8.4.3	Test purpose .....	676
7.8.4.4	Method of test .....	676
7.8.4.5	Test Requirements .....	677
7.8.4A	Power control in the downlink, different transport formats when DL_DCH_FET_Config is configured by higher layers .....	678
7.8.4A.1	Definition and applicability .....	678
7.8.4A.2	Minimum requirements .....	678
7.8.4A.3	Test purpose .....	679
7.8.4A.4	Method of test .....	679
7.8.4A.4.1	Initial conditions .....	679
7.8.4A.4.2	Procedure .....	680
7.8.4.5	Test Requirements .....	681
7.8.5	Power control in the downlink for F-DPCH .....	683
7.8.5.1	Definition and applicability .....	683
7.8.5.2	Minimum requirements .....	683
7.8.5.3	Test purpose .....	684
7.8.5.4	Method of test .....	684
7.8.5.5	Test Requirements .....	687
7.9	Downlink compressed mode .....	687
7.9.1	Single link performance (Release 5 and earlier) .....	688
7.9.1.1	Definition and applicability .....	688
7.9.1.2	Minimum requirements .....	688
7.9.1.3	Test purpose .....	689
7.9.1.4	Method of test .....	689
7.9.1.5	Test requirements .....	689
7.9.1A	Single link performance (Release 6 and later) .....	691
7.9.1A.1	Definition and applicability .....	691
7.9.1A.2	Minimum requirements .....	691
7.9.1A.3	Test purpose .....	691
7.9.1A.4	Method of test .....	692
7.9.1A.5	Test requirements .....	692
7.10	Blind transport format detection .....	693
7.10.1	Definition and applicability .....	693
7.10.2	Minimum requirements .....	693
7.10.3	Test purpose .....	694
7.10.4	Method of test .....	694
7.10.5	Test requirements .....	695
7.11	Demodulation of Paging Channel (PCH) .....	695
7.11.1	Definition and applicability .....	695
7.11.2	Minimum requirements .....	695
7.11.3	Test purpose .....	696
7.11.4	Method of test .....	696
7.11.5	Test requirements .....	699
7.12	Detection of Acquisition Indicator (AI) .....	699
7.12.1	Definition and applicability .....	699
7.12.2	Minimum requirements .....	700
7.12.3	Test purpose .....	700
7.12.4	Method of test .....	700
7.12.5	Test requirements .....	702
7.12A	Detection of E-DCH Acquisition Indicator (E-AI) .....	702

7.12A.1	Definition and applicability .....	702
7.12A.2	Minimum requirements.....	702
7.12A.3	Test purpose.....	703
7.12A.4	Method of test.....	703
7.12A.5	Test requirements.....	704
7.13	UE UL power control operation with discontinuous UL DPCCH transmission operation .....	705
7.13.1	Definition and applicability .....	705
7.13.2	Minimum requirement .....	705
7.13.3	Test purpose.....	705
7.13.4	Method of test.....	706
7.13.4.1	Initial conditions .....	706
7.13.4.2	Procedure .....	706
7.13.5.	Test Requirements.....	708
8	Requirements for support of RRM.....	709
8.1	General .....	709
8.1.1	Definition of Additive White Gaussian Noise (AWGN) Interferer .....	709
8.1.2	Groups of E-UTRA bands .....	709
8.2	Idle Mode Tasks .....	710
8.2.1	Cell Selection.....	710
8.2.2	Cell Re-Selection .....	710
8.2.2.1	Scenario 1: Single carrier case .....	710
8.2.2.1.1	Definition and applicability.....	710
8.2.2.1.2	Minimum requirement.....	710
8.2.2.1.3	Test purpose .....	711
8.2.2.1.4	Method of test.....	711
8.2.2.1.5	Test requirements .....	714
8.2.2.2	Scenario 2: Multi carrier case.....	714
8.2.2.2.1	Definition and applicability.....	714
8.2.2.2.2	Minimum requirement.....	714
8.2.2.2.3	Test purpose .....	714
8.2.2.2.4	Method of test.....	715
8.2.2.2.5	Test requirements .....	717
8.2.3	UTRAN to GSM Cell Re-Selection.....	719
8.2.3.1	Scenario 1: Both UTRA and GSM level changed.....	719
8.2.3.1.1	Definition and applicability.....	719
8.2.3.1.2	Minimum requirement.....	719
8.2.3.1.3	Test purpose .....	719
8.2.3.1.4	Method of test.....	719
8.2.3.1.5	Test requirements .....	721
8.2.3.2	Scenario 2: Only UTRA level changed.....	722
8.2.3.2.1	Definition and applicability.....	722
8.2.3.2.2	Minimum requirement.....	722
8.2.3.2.3	Test purpose .....	722
8.2.3.2.4	Method of test.....	722
8.2.3.2.5	Test requirements .....	724
8.2.3.3	Scenario 3: HCS with only UTRA level changed.....	725
8.2.3.3.1	Definition and applicability.....	725
8.2.3.3.2	Minimum requirement.....	725
8.2.3.3.3	Test purpose .....	725
8.2.3.3.4	Method of test.....	725
8.2.3.3.5	Test requirements .....	727
8.2.4	FDD/TDD Cell Re-selection.....	728
8.2.4.1	Definition and applicability.....	728
8.2.4.1.1	3.84 Mcps TDD Option.....	728
8.2.4.1.2	1.28 Mcps TDD Option.....	728
8.2.4.2	Minimum requirement .....	729
8.2.4.3	Test purpose .....	729
8.2.4.4	Method of test .....	729
8.2.4.4.1	Initial conditions .....	729
8.2.4.4.1.1	3.84 Mcps TDD Option .....	729
8.2.4.4.1.2	1.28Mcps TDD Option .....	730

8.2.4.4.2	Procedures .....	731
8.2.4.5	Test requirements .....	731
8.2.5	UTRAN to E-UTRA Cell Re-Selection .....	732
8.2.5.1	E-UTRA is of higher priority .....	732
8.2.5.1.1	Definition and applicability .....	732
8.2.5.1.2	Minimum requirement .....	732
8.2.5.1.3	Test purpose .....	732
8.2.5.1.4	Method of test .....	732
8.2.5.1.5	Test requirements .....	735
8.2.5.2	E-UTRA is of lower priority .....	736
8.2.5.2.1	Definition and applicability .....	736
8.2.5.2.2	Minimum requirement .....	737
8.2.5.2.3	Test purpose .....	737
8.2.5.2.4	Method of test .....	737
8.2.5.2.5	Test requirements .....	740
8.2.5.3	RSRQ based reselection when E-UTRA FDD is of higher priority .....	741
8.2.5.3.1	Definition and applicability .....	741
8.2.5.3.2	Minimum requirement .....	741
8.2.5.3.3	Test purpose .....	741
8.2.5.3.4	Method of test .....	741
8.2.5.3.5	Test requirements .....	746
8.3	UTRAN Connected Mode Mobility .....	747
8.3.1	FDD/FDD Soft Handover .....	747
8.3.1.1	Definition and applicability .....	747
8.3.1.2	Minimum requirement .....	748
8.3.1.3	Test purpose .....	748
8.3.1.4	Method of test .....	748
8.3.1.5	Test requirements .....	753
8.3.2	FDD/FDD Hard Handover .....	754
8.3.2.1	FDD/FDD Hard Handover to intra-frequency cell .....	754
8.3.2.1.1	Definition and applicability .....	754
8.3.2.1.2	Minimum requirement .....	754
8.3.2.1.3	Test purpose .....	755
8.3.2.1.4	Method of test .....	755
8.3.2.1.5	Test requirements .....	761
8.3.2.2	FDD/FDD Hard Handover to inter-frequency cell .....	761
8.3.2.2.1	Definition and applicability .....	761
8.3.2.2.2	Minimum requirement .....	761
8.3.2.2.3	Test purpose .....	762
8.3.2.2.4	Method of test .....	762
8.3.2.2.5	Test requirements .....	767
8.3.3	FDD/TDD Handover .....	768
8.3.3.1	Definition and applicability .....	768
8.3.3.2	Minimum requirement .....	768
8.3.3.3	Test purpose .....	768
8.3.3.4	Method of test .....	768
8.3.3.5	Test requirements .....	773
8.3.4	Inter-system Handover from UTRAN FDD to GSM .....	774
8.3.4.1	Definition and applicability .....	774
8.3.4.2	Minimum requirement .....	774
8.3.4.3	Test purpose .....	774
8.3.4.4	Method of test .....	774
8.3.4.5	Test requirements .....	781
8.3.4a	Inter-system Handover from UTRAN FDD to E-UTRAN FDD .....	781
8.3.4a.1	Definition and applicability .....	781
8.3.4a.2	Minimum requirement .....	782
8.3.4a.3	Test purpose .....	782
8.3.4a.4	Method of test .....	782
8.3.4a.5	Test requirements .....	790
8.3.4b	Inter-system Handover from UTRAN FDD to E-UTRAN TDD .....	791
8.3.4b.1	Definition and applicability .....	791
8.3.4b.2	Minimum requirement .....	792

8.3.4b.3	Test purpose .....	792
8.3.4b.4	Method of test .....	792
8.3.4b.4.1	Initial conditions .....	792
8.3.4b.4.2	Procedure.....	794
8.3.4b.5	Test requirements.....	800
8.3.4c	Inter-system Handover from UTRAN FDD to E-UTRAN FDD: Unknown Target Cell .....	802
8.3.4c.1	Definition and applicability.....	802
8.3.4c.2	Minimum requirement .....	802
8.3.4c.3	Test purpose .....	802
8.3.4c.4	Method of test .....	802
8.3.4c.5	Test requirements.....	808
8.3.4d	Inter-system Handover from UTRAN FDD to E-UTRAN TDD; Unknown Target Cell .....	809
8.3.4d.1	Definition and applicability.....	809
8.3.4d.2	Minimum requirement .....	809
8.3.4d.3	Test purpose .....	809
8.3.4d.4	Method of test .....	809
8.3.4d.4.1	Initial conditions.....	809
8.3.4d.4.2	Procedure.....	811
8.3.4d.5	Test requirements.....	815
8.3.5	Cell Re-selection in CELL_FACH .....	815
8.3.5.1	One frequency present in neighbour list and FACH measurement occasions configured.....	815
8.3.5.1.1	Definition and applicability .....	815
8.3.5.1.2	Minimum requirements .....	816
8.3.5.1.3	Test purpose .....	816
8.3.5.1.4	Method of test.....	816
8.3.5.1.5	Test requirements .....	818
8.3.5.1a	One frequency present in neighbour list and HS-DSCH DRX configured .....	819
8.3.5.1a.1	Definition and applicability .....	819
8.3.5.1a.2	Minimum requirements .....	819
8.3.5.1a.3	Test purpose .....	819
8.3.5.1a.4	Method of test.....	820
8.3.5.1a.5	Test requirements .....	822
8.3.5.2	Two frequencies present in the neighbour list and FACH measurement occasions configured.....	823
8.3.5.2.1	Definition and applicability .....	823
8.3.5.2.2	Minimum requirements .....	823
8.3.5.2.3	Test purpose .....	823
8.3.5.2.4	Method of test.....	824
8.3.5.2.5	Test requirements .....	827
8.3.5.2a	Two frequencies present in the neighbour list and HS-DSCH DRX configured (Absolute priority levels not configured).....	827
8.3.5.2a.1	Definition and applicability .....	827
8.3.5.2a.2	Minimum requirements .....	827
8.3.5.2a.3	Test purpose .....	828
8.3.5.2a.4	Method of test.....	828
8.3.5.2a.5	Test requirements .....	830
8.3.5.2b	Two frequencies present in the neighbour list and HS-DSCH DRX configured (Absolute priority levels configured).....	831
8.3.5.2b.1	Definition and applicability .....	831
8.3.5.2b.2	Minimum requirements .....	831
8.3.5.2b.3	Test purpose .....	831
8.3.5.2b.4	Method of test.....	832
8.3.5.2b.5	Test requirements .....	834
8.3.5.2c	Two frequencies present in the neighbour list and HS-DSCH 2 <sup>nd</sup> DRX configured (Absolute priority levels not configured).....	835
8.3.5.2c.1	Definition and applicability .....	835
8.3.5.2c.2	Minimum requirements .....	835
8.3.5.2c.3	Test purpose .....	835
8.3.5.2c.4	Method of test.....	836
8.3.5.2c.5	Test requirements .....	838
8.3.5.2d	Two frequencies present in the neighbour list and HS-DSCH 2 <sup>nd</sup> DRX configured (Absolute priority levels configured).....	839
8.3.5.2d.1	Definition and applicability .....	839

8.3.5.2d.2	Minimum requirements .....	839
8.3.5.2d.3	Test purpose .....	840
8.3.5.2d.4	Method of test.....	840
8.3.5.2d.5	Test requirements .....	843
8.3.5.3	Cell Reselection to GSM.....	844
8.3.5.3.1	Definition and applicability .....	844
8.3.5.3.2	Minimum requirements .....	844
8.3.5.3.3	Test purpose .....	845
8.3.5.3.4	Method of test.....	845
8.3.5.3.5	Test requirements .....	847
8.3.5.4	Cell Reselection during an MBMS session, two frequencies present in neighbour list .....	848
8.3.5.4.1	Definition and applicability .....	848
8.3.5.4.2	Minimum requirements .....	848
8.3.5.4.3	Test purpose .....	848
8.3.5.4.4	Method of test.....	849
8.3.5.4.5	Test requirements .....	853
8.3.5.5	UTRAN to E-UTRA Cell Reselection .....	854
8.3.5.5.1	Reselection to E-UTRA FDD when HS-DSCH DRX is configured (E-UTRA has higher priority).....	854
8.3.5.5.1.1	Definition and applicability .....	854
8.3.5.5.1.1	Minimum requirements.....	854
8.3.5.5.1.3	Test purpose.....	854
8.3.5.5.1.4	Method of test .....	854
8.3.5.5.1.4.1	Initial conditions.....	854
8.3.5.5.1.4.2	Procedure.....	857
8.3.5.5.1.5	Test requirements.....	858
8.3.5.5.2	Reselection to E-UTRA FDD when HS-DSCH DRX is configured (E-UTRA has lower priority).....	860
8.3.5.5.2.1	Definition and applicability .....	860
8.3.5.5.2.1	Minimum requirements.....	860
8.3.5.5.2.3	Test purpose.....	860
8.3.5.5.2.4	Method of test .....	860
8.3.5.5.2.4.1	Initial conditions.....	860
8.3.5.5.2.4.2	Procedure.....	863
8.3.5.5.2.5	Test requirements.....	864
8.3.5.5.3	Reselection to E-UTRA FDD when HS-DSCH 2nd DRX is configured (E-UTRA has higher priority).....	866
8.3.5.5.3.1	Definition and applicability .....	866
8.3.5.5.3.1	Minimum requirements.....	866
8.3.5.5.3.3	Test purpose.....	867
8.3.5.5.3.4	Method of test .....	867
8.3.5.5.3.4.1	Initial conditions.....	867
8.3.5.5.3.4.2	Procedure.....	870
8.3.5.5.3.5	Test requirements.....	871
8.3.5.5.4	Reselection to E-UTRA TDD when HS-DSCH DRX is configured (E-UTRA has higher priority).....	873
8.3.5.5.4.1	Definition and applicability .....	873
8.3.5.5.4.1	Minimum requirements.....	873
8.3.5.5.4.3	Test purpose.....	874
8.3.5.5.4.4	Method of test .....	874
8.3.5.5.4.4.1	Initial conditions.....	874
8.3.5.5.4.4.2	Procedure.....	877
8.3.5.5.4.5	Test requirements.....	877
8.3.5.5.5	Reselection to E-UTRA TDD when HS-DSCH DRX is configured (E-UTRA has lower priority).....	878
8.3.5.5.5.1	Definition and applicability .....	878
8.3.5.5.5.1	Minimum requirements.....	878
8.3.5.5.5.3	Test purpose.....	879
8.3.5.5.5.4	Method of test .....	879
8.3.5.5.5.4.1	Initial conditions.....	879
8.3.5.5.5.4.2	Procedure.....	882
8.3.5.5.5.5	Test requirements.....	882

8.3.5.5.6	Reselection to E-UTRA TDD when HS-DSCH 2 <sup>nd</sup> DRX is configured (E-UTRA has higher priority).....	883
8.3.5.5.6.1	Definition and applicability .....	883
8.3.5.5.6.2	Minimum requirements.....	883
8.3.5.5.6.3	Test purpose.....	884
8.3.5.5.6.4	Method of test .....	884
8.3.5.5.6.4.1	Initial conditions.....	884
8.3.5.5.6.4.2	Procedure.....	887
8.3.5.5.6.5	Test requirements.....	887
8.3.6	Cell Re-selection in CELL_PCH .....	889
8.3.6.1	One frequency present in the neighbour list.....	889
8.3.6.1.1	Definition and applicability .....	889
8.3.6.1.2	Minimum requirements .....	889
8.3.6.1.3	Test purpose .....	889
8.3.6.1.4	Method of test.....	889
8.3.6.1.5	Test requirements .....	893
8.3.6.2	Two frequencies present in the neighbour list.....	893
8.3.6.2.1	Definition and applicability .....	893
8.3.6.2.2	Minimum requirement.....	893
8.3.6.2.3	Test purpose .....	894
8.3.6.2.4	Method of test.....	894
8.3.6.2.5	Test requirements .....	898
8.3.6.3	Cell re-selection during an MBMS session, one UTRAN inter-frequency and 2 GSM cells present in the neighbour list .....	899
8.3.6.3.1	Definition and applicability .....	899
8.3.6.3.2	Minimum requirement.....	899
8.3.6.3.3	Test purpose .....	899
8.3.6.3.4	Method of test.....	899
8.3.6.3.5	Test requirements .....	903
8.3.7	Cell Re-selection in URA_PCH.....	904
8.3.7.1	One frequency present in the neighbour list.....	904
8.3.7.1.1	Definition and applicability .....	904
8.3.7.1.2	Minimum requirement.....	904
8.3.7.1.3	Test purpose .....	905
8.3.7.1.4	Method of test.....	905
8.3.7.1.5	Test requirements .....	908
8.3.7.2	Two frequencies present in the neighbour list.....	908
8.3.7.2.1	Definition and applicability .....	908
8.3.7.2.2	Minimum requirement.....	908
8.3.7.2.3	Test purpose .....	909
8.3.7.2.4	Method of test.....	909
8.3.7.2.5	Test requirements .....	912
8.3.8	Serving HS-DSCH cell change.....	913
8.3.8.1	Definition and applicability.....	913
8.3.8.2	Minimum requirement .....	913
8.3.8.3	Test purpose .....	913
8.3.8.4	Method of test .....	913
8.3.8.4.1	Initial conditions .....	917
8.3.8.4.2	Procedure.....	917
8.3.8.5	Test requirements.....	926
8.3.9	Enhanced Serving HS-DSCH cell change .....	928
8.3.9.1	Definition and applicability.....	928
8.3.9.2	Minimum requirement .....	928
8.3.9.3	Test purpose .....	928
8.3.9.4	Method of test .....	929
8.3.9.4.1	Initial conditions .....	930
8.3.9.4.2	Procedure.....	930
8.3.9.5	Test requirements.....	938
8.3.10	System information acquisition for CSG cell .....	938
8.3.10.1	Intrafrequency System information acquisition for CSG cell .....	938
8.3.10.1.1	Definition and applicability .....	938
8.3.10.1.2	Minimum requirement.....	939

8.3.10.1.3	Test purpose .....	939
8.3.10.1.4	Method of test.....	939
8.3.10.1.5	Test requirements .....	943
8.3.10.2	Inter frequency System information acquisition for CSG cell .....	943
8.3.10.2.1	Definition and applicability .....	943
8.3.10.2.2	Minimum requirement.....	943
8.3.10.2.3	Test purpose .....	944
8.3.10.2.4	Method of test.....	944
8.3.10.2.5	Test requirements .....	950
8.4	RRC Connection Control .....	951
8.4.1	RRC Re-establishment delay .....	951
8.4.1.1	Test 1.....	951
8.4.1.1.1	Definition and applicability .....	951
8.4.1.1.2	Minimum requirement .....	951
8.4.1.1.3	Test purpose .....	951
8.4.1.1.4	Method of test.....	952
8.4.1.1.5	Test requirements .....	954
8.4.1.2	Test 2.....	954
8.4.1.2.1	Definition and applicability .....	954
8.4.1.2.2	Minimum requirement.....	954
8.4.1.2.3	Test purpose .....	955
8.4.1.2.4	Method of test.....	955
8.4.1.2.5	Test requirements .....	956
8.4.2	Random Access .....	957
8.4.2.1	Correct behaviour when receiving an ACK (Release 5 and earlier) .....	957
8.4.2.1.1	Definition and applicability .....	957
8.4.2.1.2	Minimum Requirements .....	957
8.4.2.1.3	Test purpose .....	957
8.4.2.1.4	Method of test.....	957
8.4.2.1.5	Test requirements .....	959
8.4.2.1A	Correct behaviour when receiving an ACK (Release 6 and later).....	960
8.4.2.1A.1	Definition and applicability .....	960
8.4.2.1A.2	Minimum Requirements .....	960
8.4.2.1A.3	Test purpose .....	960
8.4.2.1A.4	Method of test.....	960
8.4.2.1A.5	Test requirements .....	962
8.4.2.2	Correct behaviour when receiving an NACK .....	963
8.4.2.2.1	Definition and applicability .....	963
8.4.2.2.2	Minimum Requirements .....	963
8.4.2.2.3	Test purpose .....	963
8.4.2.2.4	Method of test.....	963
8.4.2.2.5	Test requirements .....	963
8.4.2.3	Correct behaviour at Time-out .....	964
8.4.2.3.1	Definition and applicability .....	964
8.4.2.3.2	Minimum Requirements .....	964
8.4.2.3.3	Test purpose .....	964
8.4.2.3.4	Method of test.....	964
8.4.2.3.5	Test requirements .....	964
8.4.2.4	Correct behaviour when reaching maximum transmit power .....	964
8.4.2.4.1	Definition and applicability .....	964
8.4.2.4.2	Minimum Requirements .....	965
8.4.2.4.3	Test purpose .....	965
8.4.2.4.4	Method of test.....	965
8.4.2.4.5	Test requirements .....	966
8.4.3	Transport format combination selection in UE.....	966
8.4.3.1	Interactive or Background, PS, UL: 64 kbps.....	966
8.4.3.1.1	Definition and applicability .....	966
8.4.3.1.2	Minimum requirements .....	966
8.4.3.1.3	Test purpose .....	967
8.4.3.1.4	Method of test.....	967
8.4.3.1.5	Test requirements .....	970
8.4.3.1A	Interactive or Background, PS, UL: 64 kbps + Conversational / speech, CS, UL: 12.2kbps.....	970

8.4.3.1A.1	Definition and applicability .....	970
8.4.3.1A.2	Minimum requirements .....	970
8.4.3.1A.3	Test purpose .....	972
8.4.3.1A.4	Method of test.....	972
8.4.3.1A.5	Test requirements .....	975
8.4.4	E-TFC restriction in UE.....	976
8.4.4.1	10ms TTI E-DCH E-TFC restriction .....	976
8.4.4.1.1	Definition and applicability .....	976
8.4.4.1.2	Minimum requirements .....	976
8.4.4.1.3	Test Purpose .....	978
8.4.4.1.4	Method of test.....	978
8.4.4.1.5	Test Requirements .....	982
8.4.4.2	2ms TTI E-DCH E-TFC restriction .....	982
8.4.4.2.1	Definition and applicability .....	982
8.4.4.2.2	Minimum requirements .....	982
8.4.4.2.3	Test Purpose .....	985
8.4.4.2.4	Method of test.....	985
8.4.4.2.5	Test Requirements .....	989
8.5	Timing and Signalling Characteristics .....	989
8.5.1	UE Transmit Timing.....	989
8.5.1.1	Definition and applicability.....	989
8.5.1.2	Minimum requirements .....	990
8.5.1.3	Test purpose .....	991
8.5.1.4	Method of test .....	991
8.5.1.5	Test requirements .....	995
8.6	UE Measurements Procedures.....	996
8.6.1	FDD intra frequency measurements .....	996
8.6.1.1	Event triggered reporting in AWGN propagation conditions (R99) .....	996
8.6.1.1.1	Definition and applicability .....	996
8.6.1.1.2	Minimum requirements .....	996
8.6.1.1.3	Test purpose .....	997
8.6.1.1.4	Method of test.....	998
8.6.1.1.5	Test requirements .....	1001
8.6.1.1A	Event triggered reporting in AWGN propagation conditions (Rel-4 and later) .....	1001
8.6.1.1A.1	Definition and applicability .....	1001
8.6.1.1A.2	Minimum requirements .....	1002
8.6.1.1A.3	Test purpose .....	1003
8.6.1.1A.4	Method of test.....	1003
8.6.1.1A.5	Test requirements .....	1006
8.6.1.2	Event triggered reporting of multiple neighbours in AWGN propagation condition (R99).....	1007
8.6.1.2.1	Definition and applicability .....	1007
8.6.1.2.2	Minimum requirements .....	1007
8.6.1.2.3	Test purpose .....	1007
8.6.1.2.4	Method of test.....	1007
8.6.1.2.5	Test requirements .....	1014
8.6.1.2A	Event triggered reporting of multiple neighbours in AWGN propagation condition (Rel-4 and later) .....	1016
8.6.1.2A.1	Definition and applicability .....	1016
8.6.1.2A.2	Minimum requirements .....	1016
8.6.1.2A.3	Test purpose .....	1016
8.6.1.2A.4	Method of test.....	1016
8.6.1.2A.5	Test requirements .....	1022
8.6.1.3	Event triggered reporting of two detectable neighbours in AWGN propagation condition (R99)....	1023
8.6.1.3.1	Definition and applicability .....	1023
8.6.1.3.2	Minimum requirements .....	1023
8.6.1.3.3	Test purpose .....	1023
8.6.1.3.4	Method of test.....	1023
8.6.1.3.5	Test requirements .....	1029
8.6.1.3A	Event triggered reporting of two detectable neighbours in AWGN propagation condition (Rel-4 and later) .....	1031
8.6.1.3A.1	Definition and applicability .....	1031
8.6.1.3A.2	Minimum requirements .....	1031



8.6.1.3A.3	Test purpose .....	1031
8.6.1.3A.4	Method of test.....	1031
8.6.1.3A.5	Test requirements .....	1034
8.6.1.4	Void.....	1035
8.6.1.4A	Correct reporting of neighbours in fading propagation condition (Rel-4 and later).....	1035
8.6.1.4A.1	Definition and applicability .....	1035
8.6.1.4A.2	Minimum requirements .....	1036
8.6.1.4A.3	Test purpose .....	1036
8.6.1.4A.4	Method of test.....	1036
8.6.1.4A.5	Test requirements .....	1039
8.6.1.5	Event triggered reporting of multiple neighbour cells in Case 1 fading condition.....	1040
8.6.1.5.1	Definition and applicability .....	1040
8.6.1.5.2	Minimum requirements .....	1040
8.6.1.5.3	Test purpose .....	1040
8.6.1.5.4	Method of test.....	1040
8.6.1.5.5	Test requirements .....	1043
8.6.1.6	Event triggered reporting of multiple neighbour cells in Case 3 fading condition.....	1044
8.6.1.6.1	Definition and applicability .....	1044
8.6.1.6.2	Minimum requirements .....	1044
8.6.1.6.3	Test purpose .....	1044
8.6.1.6.4	Method of test.....	1044
8.6.1.6.5	Test requirements .....	1048
8.6.2	FDD inter frequency measurements .....	1049
8.6.2.1	Correct reporting of neighbours in AWGN propagation condition (Release 5 and earlier).....	1049
8.6.2.1.1	Definition and applicability .....	1049
8.6.2.1.2	Minimum requirements .....	1049
8.6.2.1.3	Test purpose .....	1050
8.6.2.1.4	Method of test.....	1050
8.6.2.1.5	Test requirements .....	1056
8.6.2.1A	Correct reporting of neighbours in AWGN propagation condition (Release 6 and later).....	1057
8.6.2.1A.1	Definition and applicability .....	1057
8.6.2.1A.2	Minimum requirements .....	1058
8.6.2.1A.3	Test purpose .....	1058
8.6.2.1A.4	Method of test.....	1059
8.6.2.1A.5	Test requirements .....	1065
8.6.2.2	Correct reporting of neighbours in fading propagation condition (Release 5 only).....	1066
8.6.2.2.1	Definition and applicability .....	1066
8.6.2.2.2	Minimum requirements .....	1066
8.6.2.2.3	Test purpose .....	1066
8.6.2.2.4	Method of test.....	1066
8.6.2.2.4.1	Initial conditions .....	1066
8.6.2.2.4.2	Procedure .....	1067
8.6.2.2.5	Test requirements .....	1071
8.6.2.2A	Correct reporting of neighbours in fading propagation condition (Release 6 and later).....	1071
8.6.2.2A.1	Definition and applicability .....	1071
8.6.2.2A.2	Minimum requirements .....	1071
8.6.2.2A.3	Test purpose .....	1071
8.6.2.2A.4	Method of test.....	1072
8.6.2.2A.4.1	Initial conditions .....	1072
8.6.2.2A.4.2	Procedure .....	1072
8.6.2.2A.5	Test requirements .....	1076
8.6.2.3	Correct reporting of neighbours in fading propagation condition using TGL1=14.....	1076
8.6.2.3.1	Definition and applicability .....	1076
8.6.2.3.2	Minimum requirements .....	1077
8.6.2.3.3	Test purpose .....	1077
8.6.2.3.4	Method of test.....	1077
8.6.2.3.4.1	Initial conditions .....	1077
8.6.2.3.4.2	Procedure .....	1078
8.6.2.3.5	Test requirements .....	1081
8.6.3	TDD measurements .....	1082
8.6.3.1	Correct reporting of TDD neighbours in AWGN propagation condition.....	1082
8.6.3.1.1	Definition and applicability .....	1082

8.6.3.1.2	Minimum requirement.....	1082
8.6.3.1.2.1	3.84Mcps TDD option .....	1082
8.6.3.1.2.2	1.28Mcps TDD option .....	1083
8.6.3.1.3	Test purpose .....	1084
8.6.3.1.4	Method of test.....	1084
8.6.3.1.4.1	Initial conditions .....	1084
8.6.3.1.4.1.1	3.84Mcps TDD option .....	1084
8.6.3.1.4.1.2	1.28Mcps TDD option .....	1086
8.6.3.1.5	Test requirements .....	1091
8.6.4	GSM measurements .....	1091
8.6.4.1	Correct reporting of GSM neighbours in AWGN propagation condition .....	1091
8.6.4.1.1	Definition and applicability .....	1091
8.6.4.1.2	Minimum requirements .....	1092
8.6.4.1.3	Test purpose .....	1092
8.6.4.1.4	Method of test.....	1092
8.6.4.1.4.1	Test 1 initial conditions.....	1092
8.6.4.1.4.2	Test 1 Procedure .....	1093
8.6.4.1.4.3	Test 2 initial conditions.....	1097
8.6.4.1.4.4	Test 2 Procedure .....	1098
8.6.4.1.5	Test requirements .....	1101
8.6.4.1.5.1	TEST 1 With BSIC verification required.....	1101
8.6.4.1.5.2	TEST 2 Without BSIC verification required .....	1101
8.6.5	Combined inter frequency and GSM measurements .....	1102
8.6.5.1	Correct reporting of neighbours in AWGN propagation condition.....	1102
8.6.5.1.1	Definition and applicability .....	1102
8.6.5.1.2	Minimum requirement.....	1102
8.6.5.1.3	Test purpose .....	1103
8.6.5.1.4	Method of test.....	1103
8.6.5.1.5	Test requirements .....	1115
8.6.6	E-UTRAN Measurement .....	1115
8.6.6.1	Correct reporting of E-UTRAN FDD neighbour in fading propagation condition in CELL_DCH..	1115
8.6.6.1.1	Definition and applicability .....	1115
8.6.6.1.2	Minimum requirement.....	1116
8.6.6.1.3	Test purpose .....	1116
8.6.6.1.4	Method of test.....	1116
8.6.6.1.5	Test requirements .....	1121
8.6.6.2	Correct reporting of E-UTRAN TDD neighbour in fading propagation condition in CELL_DCH..	1123
8.6.6.2.1	Definition and applicability .....	1123
8.6.6.2.2	Minimum requirement.....	1124
8.6.6.2.3	Test purpose .....	1124
8.6.6.2.4	Method of test.....	1124
8.6.6.2.5	Test requirements .....	1129
8.6.7	Combined Inter-frequency and E-UTRAN measurements .....	1130
8.6.7.1	Correct reporting of E-UTRA FDD neighbours in fading propagation condition .....	1130
8.6.7.1.1	Definition and applicability .....	1130
8.6.7.1.2	Minimum requirement.....	1131
8.6.7.1.3	Test purpose .....	1132
8.6.7.1.4	Method of test.....	1132
8.6.7.1.5	Test requirements .....	1138
8.6.7.2	Correct reporting of E-UTRA TDD neighbours in Fading propagation condition .....	1140
8.6.7.2.1	Definition and applicability .....	1140
8.6.7.2.2	Minimum requirement.....	1140
8.6.7.2.3	Test purpose .....	1141
8.6.7.2.4	Method of test.....	1141
8.6.7.2.5	Test requirements .....	1148
8.7	Measurements Performance Requirements .....	1150
8.7.1	CPICH RSCP.....	1150
8.7.1.1	Intra frequency measurements accuracy .....	1150
8.7.1.1.1	Absolute accuracy requirement .....	1150
8.7.1.1.2	Relative accuracy requirement .....	1155
8.7.1.2	Inter frequency measurement accuracy.....	1158
8.7.1.2.1	Relative accuracy requirement .....	1158

8.7.2	CPICH Ec/Io .....	1165
8.7.2.1	Intra frequency measurements accuracy .....	1165
8.7.2.1.1	Absolute accuracy requirement .....	1165
8.7.2.1.2	Relative accuracy requirement .....	1170
8.7.2.2	Inter frequency measurement accuracy .....	1173
8.7.2.2.1	Absolute accuracy requirement .....	1173
8.7.2.2.2	Relative accuracy requirement .....	1173
8.7.3	UTRA Carrier RSSI.....	1179
8.7.3.1	Absolute measurement accuracy requirement.....	1180
8.7.3.1.1	Definition and applicability .....	1180
8.7.3.1.2	Minimum Requirements .....	1180
8.7.3.1.3	Test purpose .....	1180
8.7.3.1.4	Method of test.....	1180
8.7.3.1.5	Test requirements .....	1184
8.7.3.2	Relative measurement accuracy requirement.....	1185
8.7.3.2.1	Definition and applicability .....	1185
8.7.3.2.2	Minimum Requirements .....	1185
8.7.3.2.3	Test purpose .....	1186
8.7.3.2.4	Method of test.....	1186
8.7.3.2.5	Test requirements .....	1190
8.7.3A	GSM Carrier RSSI.....	1191
8.7.3A.1	Definition and applicability.....	1191
8.7.3A.2	Minimum Requirements.....	1191
8.7.3A.3	Test purpose .....	1193
8.7.3A.4	Method of test .....	1193
8.7.3A.4.1	Initial conditions .....	1193
8.7.3A.4.2	Procedure.....	1195
8.7.3A.5	Test requirements.....	1198
8.7.3B	Transport channel BLER .....	1200
8.7.3C	UE transmitted power (R99 and Rel-4 only) .....	1200
8.7.3C.1	Definition and applicability.....	1200
8.7.3C.2	Minimum requirements .....	1201
8.7.3C.3	Test purpose .....	1201
8.7.3C.4	Method of test .....	1201
8.7.3C.4.1	Initial conditions.....	1201
8.7.3C.4.2	Procedure.....	1202
8.7.3C.5	Test requirements.....	1204
8.7.3D	UE transmitted power (Rel-5 and later).....	1204
8.7.3D.1	Definition and applicability.....	1204
8.7.3D.2	Minimum requirements .....	1204
8.7.3D.3	Test purpose .....	1205
8.7.3D.4	Method of test .....	1205
8.7.3D.4.1	Initial conditions .....	1205
8.7.3D.4.2	Procedure.....	1206
8.7.3D.5	Test requirements .....	1209
8.7.4	SFN-CFN observed time difference .....	1209
8.7.4.1	Intra frequency measurement requirement.....	1209
8.7.4.1.1	Definition and applicability .....	1209
8.7.4.1.2	Minimum requirements .....	1210
8.7.4.1.3	Test Purpose .....	1210
8.7.4.1.4	Method of test.....	1210
8.7.4.1.5	Test requirements .....	1212
8.7.4.2	Inter frequency measurement requirement.....	1214
8.7.4.2.1	Definition and applicability .....	1214
8.7.4.2.2	Minimum requirements .....	1214
8.7.4.2.3	Test purpose .....	1214
8.7.4.2.4	Method of test.....	1214
8.7.4.2.5	Test requirements .....	1218
8.7.5	SFN-SFN observed time difference.....	1220
8.7.5.1	SFN-SFN observed time difference type 1 .....	1220
8.7.5.1.1	Definition and applicability .....	1220
8.7.5.1.2	Minimum requirements .....	1220

8.7.5.1.3	Test purpose .....	1220
8.7.5.1.4	Method of test.....	1221
8.7.5.1.5	Test requirements .....	1223
8.7.5.2	SFN-SFN observed time difference type 2 without IPDL period active.....	1225
8.7.5.2.1	Definition and applicability .....	1225
8.7.5.2.2	Minimum requirements .....	1225
8.7.5.2.3	Test purpose and Environment .....	1225
8.7.5.3	SFN-SFN observed time difference type 2 with IPDL period active.....	1226
8.7.5.3.1	Definition and applicability .....	1226
8.7.5.3.2	Minimum requirements .....	1226
8.7.5.3.3	Test purpose and Environment .....	1227
8.7.6	UE Rx-Tx time difference .....	1228
8.7.6.1	UE Rx-Tx time difference type 1 (Release 5 and earlier) .....	1228
8.7.6.1.1	Definition and applicability .....	1228
8.7.6.1.2	Minimum requirements .....	1228
8.7.6.1.3	Test purpose .....	1228
8.7.6.1.4	Method of test.....	1228
8.7.6.1.5	Test requirements .....	1230
8.7.6.1A	UE Rx-Tx time difference type 1 (Release 6 and later) .....	1232
8.7.6.1A.1	Definition and applicability .....	1232
8.7.6.1A.2	Minimum requirements .....	1232
8.7.6.1A.3	Test purpose .....	1232
8.7.6.1A.4	Method of test.....	1232
8.7.6.1A.5	Test requirements .....	1234
8.7.6.2	UE Rx-Tx time difference type 2.....	1236
8.7.6.2.1	Definition and applicability .....	1236
8.7.6.2.2	Minimum requirements .....	1236
8.7.6.2.3	Test purpose .....	1236
8.7.7	Observed time difference to GSM cell (R99 and Rel-4 only).....	1237
8.7.8	P-CCPCH RSCP.....	1237
8.7.8.1	Absolute measurement accuracy .....	1237
8.7.8.1.1	Definition and applicability .....	1237
8.7.8.1.2	Minimum Requirements .....	1237
8.7.8.1.3	Test purpose .....	1238
8.7.8.1.4	Method of test.....	1238
8.7.8.1.5	Test requirements .....	1242
8.7.9	UE Transmission Power Headroom.....	1242
8.7.9.1	Definition and applicability.....	1242
8.7.9.2	Minimum Requirements.....	1242
8.7.9.3	Test purpose .....	1243
8.7.9.4	Method of test .....	1243
8.7.9.4.1	Initial conditions .....	1243
8.7.9.4.2	Test procedure .....	1245
8.7.9.5	Test requirements .....	1246
8.7.10	E-UTRAN FDD RSRP absolute accuracy (CELL_DCH) .....	1246
8.7.10.1	Definition and applicability .....	1246
8.7.10.2	Minimum Requirements .....	1246
8.7.10.3	Test purpose .....	1247
8.7.10.4	Method of test.....	1247
8.7.10.5	Test requirements .....	1251
8.7.11	E-UTRAN TDD RSRP absolute accuracy (CELL_DCH).....	1253
8.7.11.1	Definition and applicability .....	1253
8.7.11.2	Minimum Requirements .....	1254
8.7.11.3	Test purpose .....	1254
8.7.11.4	Method of test.....	1254
8.7.11.5	Test requirements .....	1258
8.7.12	E-UTRAN FDD RSRQ absolute accuracy (CELL_DCH) .....	1260
8.7.12.1	Definition and applicability .....	1260
8.7.12.2	Minimum Requirements .....	1260
8.7.12.3	Test purpose .....	1261
8.7.12.4	Method of test.....	1261
8.7.12.5	Test requirements .....	1265

8.7.13	E-UTRAN TDD RSRQ absolute accuracy (CELL_DCH) .....	1267
8.7.13.1	Definition and applicability .....	1267
8.7.13.2	Minimum Requirements .....	1267
8.7.13.3	Test purpose .....	1268
8.7.13.4	Method of test.....	1268
8.7.13.5	Test requirements .....	1272
9	Performance requirements for HSDPA .....	1275
9.1	General .....	1275
9.2	Demodulation of HS-DSCH (Fixed Reference Channel).....	1275
9.2.1	Single Link Performance .....	1285
9.2.1A	Single Link Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3.....	1285
9.2.1A.1	Definition and applicability.....	1285
9.2.1A.2	Minimum requirements .....	1285
9.2.1A.3	Test purpose .....	1287
9.2.1A.4	Method of test .....	1287
9.2.1A.4.1	Initial conditions .....	1287
9.2.1A.4.2	Procedure.....	1287
9.2.1A.5	Test Requirements.....	1287
9.2.1B	Single Link Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5 .....	1289
9.2.1B.1	Definition and applicability.....	1289
9.2.1B.2	Minimum requirements .....	1289
9.2.1B.3	Test purpose .....	1290
9.2.1B.4	Method of test .....	1290
9.2.1B.4.1	Initial conditions .....	1290
9.2.1B.4.2	Procedure.....	1290
9.2.1B.5	Test Requirements.....	1291
9.2.1C	Single Link Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3.....	1292
9.2.1C.1	Definition and applicability.....	1292
9.2.1C.2	Minimum requirements .....	1292
9.2.1C.3	Test purpose .....	1294
9.2.1C.4	Method of test .....	1294
9.2.1C.4.1	Initial conditions .....	1294
9.2.1C.4.2	Procedure.....	1294
9.2.1C.5	Test Requirements.....	1295
9.2.1D	Single Link Performance - Enhanced Performance Requirements Type 1 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3 .....	1296
9.2.1D.1	Definition and applicability.....	1296
9.2.1D.2	Minimum requirements .....	1297
9.2.1D.3	Test purpose .....	1298
9.2.1D.4	Method of test .....	1298
9.2.1D.4.1	Initial conditions .....	1298
9.2.1D.4.2	Procedure.....	1299
9.2.1D.5	Test Requirements.....	1299
9.2.1E	Single Link Performance - Enhanced Performance Requirements Type 1- QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3 .....	1300
9.2.1E.1	Definition and applicability.....	1300
9.2.1E.2	Minimum requirements .....	1300
9.2.1E.3	Test purpose .....	1302
9.2.1E.4	Method of test .....	1303
9.2.1E.4.1	Initial conditions .....	1303
9.2.1E.4.2	Procedure.....	1303
9.2.1E.5	Test Requirements.....	1303
9.2.1F	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3 .....	1305
9.2.1F.1	Definition and applicability.....	1305
9.2.1F.2	Minimum requirements .....	1305
9.2.1F.3	Test purpose .....	1307
9.2.1F.4	Method of test .....	1307
9.2.1F.4.1	Initial conditions .....	1307
9.2.1F.4.2	Procedure.....	1308
9.2.1F.5	Test Requirements.....	1308

9.2.1FA	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A.....	1309
9.2.1FA.1	Definition and applicability.....	1309
9.2.1FA.2	Minimum requirements.....	1309
9.2.1FA.3	Test purpose.....	1311
9.2.1FA.4	Method of test.....	1311
9.2.1FA.4.1	Initial conditions.....	1311
9.2.1FA.4.2	Procedure.....	1312
9.2.1FA.5	Test Requirements.....	1312
9.2.1FB	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A for DB-DC-HSDPA.....	1314
9.2.1FB.1	Definition and applicability.....	1314
9.2.1FB.2	Minimum requirements.....	1314
9.2.1FB.3	Test purpose.....	1316
9.2.1FB.4	Method of test.....	1316
9.2.1FB.4.1	Initial conditions.....	1316
9.2.1FB.4.2	Procedure.....	1317
9.2.1FB.5	Test Requirements.....	1317
9.2.1FC	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6B/3B.....	1318
9.2.1FC.1	Definition and applicability.....	1318
9.2.1FC.2	Minimum requirements.....	1319
9.2.1FC.3	Test purpose.....	1320
9.2.1FC.4	Method of test.....	1321
9.2.1FC.4.1	Initial conditions.....	1321
9.2.1FC.4.2	Procedure.....	1321
9.2.1FC.5	Test Requirements.....	1321
9.2.1FD	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6C/3C.....	1323
9.2.1FD.1	Definition and applicability.....	1323
9.2.1FD.2	Minimum requirements.....	1323
9.2.1FD.3	Test purpose.....	1325
9.2.1FD.4	Method of test.....	1325
9.2.1FD.4.1	Initial conditions.....	1325
9.2.1FD.4.2	Procedure.....	1326
9.2.1FD.5	Test Requirements.....	1326
9.2.1G	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3.....	1328
9.2.1G.1	Definition and applicability.....	1328
9.2.1G.2	Minimum requirements.....	1328
9.2.1G.3	Test purpose.....	1330
9.2.1G.4	Method of test.....	1330
9.2.1G.4.1	Initial conditions.....	1330
9.2.1G.4.2	Procedure.....	1331
9.2.1G.5	Test Requirements.....	1331
9.2.1GA	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A.....	1333
9.2.1GA.1	Definition and applicability.....	1333
9.2.1GA.2	Minimum requirements.....	1333
9.2.1GA.3	Test purpose.....	1336
9.2.1GA.4	Method of test.....	1336
9.2.1GA.4.1	Initial conditions.....	1336
9.2.1GA.4.2	Procedure.....	1337
9.2.1GA.5	Test Requirements.....	1337
9.2.1GB	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6A/3A for DB-DC-HSDPA.....	1339
9.2.1GB.1	Definition and applicability.....	1339
9.2.1GB.2	Minimum requirements.....	1339
9.2.1GB.3	Test purpose.....	1342
9.2.1GB.4	Method of test.....	1342
9.2.1GB.4.1	Initial conditions.....	1342
9.2.1GB.4.2	Procedure.....	1343

9.2.1GB.5	Test Requirements .....	1343
9.2.1GC	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6B/3B .....	1345
9.2.1GC.1	Definition and applicability.....	1345
9.2.1GC.2	Minimum requirements .....	1345
9.2.1GC.3	Test purpose .....	1348
9.2.1GC.4	Method of test .....	1348
9.2.1GC.4.1	Initial conditions .....	1348
9.2.1GC.4.2	Procedure.....	1349
9.2.1GC.5	Test Requirements .....	1349
9.2.1GD	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6C/3C .....	1351
9.2.1GD.1	Definition and applicability.....	1351
9.2.1GD.2	Minimum requirements .....	1351
9.2.1GD.3	Test purpose .....	1354
9.2.1GD.4	Method of test .....	1354
9.2.1GD.4.1	Initial conditions .....	1354
9.2.1GD.4.2	Procedure.....	1355
9.2.1GD.5	Test Requirements .....	1355
9.2.1H	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8.....	1357
9.2.1H.1	Definition and applicability.....	1357
9.2.1H.2	Minimum requirements .....	1357
9.2.1H.3	Test purpose .....	1358
9.2.1H.4	Method of test .....	1358
9.2.1H.4.1	Initial conditions .....	1358
9.2.1H.4.2	Procedure.....	1360
9.2.1H.5	Test Requirements.....	1360
9.2.1HA	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8 A.....	1360
9.2.1HA.1	Definition and applicability.....	1360
9.2.1HA.2	Minimum requirements .....	1360
9.2.1HA.3	Test purpose .....	1361
9.2.1HA.4	Method of test .....	1361
9.2.1HA.4.1	Initial conditions .....	1361
9.2.1HA.4.2	Procedure.....	1362
9.2.1HA.5	Test Requirements .....	1362
9.2.1HB	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8 A for DB-DC-HSDPA .....	1363
9.2.1HB.1	Definition and applicability.....	1363
9.2.1HB.2	Minimum requirements .....	1363
9.2.1HB.3	Test purpose .....	1364
9.2.1HB.4	Method of test .....	1364
9.2.1HB.4.1	Initial conditions .....	1364
9.2.1HB.4.2	Procedure.....	1365
9.2.1HB.5	Test Requirements .....	1365
9.2.1HC	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8B .....	1366
9.2.1HC.1	Definition and applicability.....	1366
9.2.1HC.2	Minimum requirements .....	1366
9.2.1HC.3	Test purpose .....	1367
9.2.1HC.4	Method of test .....	1367
9.2.1HC.4.1	Initial conditions .....	1367
9.2.1HC.4.2	Procedure.....	1368
9.2.1HC.5	Test Requirements .....	1368
9.2.1HD	Single Link Performance - Enhanced Performance Requirements Type 2 - 64QAM, Fixed Reference Channel (FRC) H-Set 8C .....	1369
9.2.1HD.1	Definition and applicability.....	1369
9.2.1HD.2	Minimum requirements .....	1369
9.2.1HD.3	Test purpose .....	1370
9.2.1HD.4	Method of test .....	1370
9.2.1HD.4.1	Initial conditions .....	1370

9.2.1HD.4.2	Procedure.....	1371
9.2.1HD.5	Test Requirements .....	1371
9.2.1I	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8.....	1372
9.2.1I.1	Definition and applicability.....	1372
9.2.1I.2	Minimum requirements .....	1372
9.2.1I.3	Test purpose .....	1373
9.2.1I.4	Method of test .....	1373
9.2.1I.4.1	Initial conditions .....	1373
9.2.1I.4.2	Procedure.....	1374
9.2.1I.5	Test Requirements.....	1375
9.2.1IA	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8A.....	1375
9.2.1IA.1	Definition and applicability.....	1375
9.2.1IA.2	Minimum requirements .....	1375
9.2.1IA.3	Test purpose .....	1376
9.2.1IA.4	Method of test .....	1376
9.2.1IA.4.1	Initial conditions .....	1376
9.2.1IA.4.2	Procedure.....	1377
9.2.1IA.5	Test Requirements .....	1377
9.2.1IB	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8A for DB-DC-HSDPA .....	1378
9.2.1IB.1	Definition and applicability.....	1378
9.2.1IB.2	Minimum requirements .....	1378
9.2.1IB.3	Test purpose .....	1379
9.2.1IB.4	Method of test .....	1379
9.2.1IB.4.1	Initial conditions .....	1379
9.2.1IB.4.2	Procedure.....	1380
9.2.1IB.5	Test Requirements .....	1380
9.2.1IC	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8B .....	1381
9.2.1IC.1	Definition and applicability.....	1381
9.2.1IC.2	Minimum requirements .....	1381
9.2.1IC.3	Test purpose .....	1382
9.2.1IC.4	Method of test .....	1382
9.2.1IC.4.1	Initial conditions .....	1382
9.2.1IC.4.2	Procedure.....	1383
9.2.1IC.5	Test Requirements .....	1383
9.2.1ID	Single Link Performance - Enhanced Performance Requirements Type 3 - 64QAM, Fixed Reference Channel (FRC) H-Set 8C.....	1384
9.2.1ID.1	Definition and applicability.....	1384
9.2.1ID.2	Minimum requirements .....	1384
9.2.1ID.3	Test purpose .....	1385
9.2.1ID.4	Method of test .....	1385
9.2.1ID.4.1	Initial conditions .....	1385
9.2.1ID.4.2	Procedure.....	1386
9.2.1ID.5	Test Requirements .....	1386
9.2.1J	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10 .....	1387
9.2.1J.1	Definition and applicability.....	1387
9.2.1J.2	Minimum requirements .....	1387
9.2.1J.3	Test purpose .....	1388
9.2.1J.4	Method of test .....	1388
9.2.1J.4.1	Initial conditions .....	1388
9.2.1J.4.2	Procedure.....	1389
9.2.1J.5	Test Requirements.....	1390
9.2.1JA	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A.....	1390
9.2.1JA.1	Definition and applicability.....	1390
9.2.1JA.2	Minimum requirements .....	1390
9.2.1JA.3	Test purpose .....	1392
9.2.1JA.4	Method of test .....	1392



9.2.1JA.4.1	Initial conditions .....	1392
9.2.1JA.4.2	Procedure .....	1393
9.2.1JA.5	Test Requirements .....	1393
9.2.1JB	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A DB-DC-HSDPA .....	1394
9.2.1JB.1	Definition and applicability .....	1394
9.2.1JB.2	Minimum requirements .....	1394
9.2.1JB.3	Test purpose .....	1395
9.2.1JB.4	Method of test .....	1395
9.2.1JB.4.1	Initial conditions .....	1395
9.2.1JB.4.2	Procedure .....	1396
9.2.1JB.5	Test Requirements .....	1396
9.2.1JC	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10B .....	1397
9.2.1JC.1	Definition and applicability .....	1397
9.2.1JC.2	Minimum requirements .....	1397
9.2.1JC.3	Test purpose .....	1399
9.2.1JC.4	Method of test .....	1399
9.2.1JC.4.1	Initial conditions .....	1399
9.2.1JC.4.2	Procedure .....	1400
9.2.1JC.5	Test Requirements .....	1400
9.2.1JD	Single Link Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10C .....	1401
9.2.1JD.1	Definition and applicability .....	1401
9.2.1JD.2	Minimum requirements .....	1401
9.2.1JD.3	Test purpose .....	1402
9.2.1JD.4	Method of test .....	1402
9.2.1JD.4.1	Initial conditions .....	1402
9.2.1JD.4.2	Procedure .....	1403
9.2.1JD.5	Test Requirements .....	1403
9.2.1K	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10 .....	1404
9.2.1K.1	Definition and applicability .....	1404
9.2.1K.2	Minimum requirements .....	1404
9.2.1K.3	Test purpose .....	1406
9.2.1K.4	Method of test .....	1406
9.2.1K.4.1	Initial conditions .....	1406
9.2.1K.4.2	Procedure .....	1407
9.2.1K.5	Test Requirements .....	1407
9.2.1KA	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A .....	1408
9.2.1KA.1	Definition and applicability .....	1408
9.2.1KA.2	Minimum requirements .....	1408
9.2.1KA.3	Test purpose .....	1409
9.2.1KA.4	Method of test .....	1409
9.2.1KA.4.1	Initial conditions .....	1409
9.2.1KA.4.2	Procedure .....	1410
9.2.1KA.5	Test Requirements .....	1410
9.2.1KB	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10A for DB-DC-HSDPA .....	1411
9.2.1KB.1	Definition and applicability .....	1411
9.2.1KB.2	Minimum requirements .....	1411
9.2.1KB.3	Test purpose .....	1412
9.2.1KB.4	Method of test .....	1413
9.2.1KB.4.1	Initial conditions .....	1413
9.2.1KB.4.2	Procedure .....	1414
9.2.1KB.5	Test Requirements .....	1414
9.2.1KC	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10B .....	1415
9.2.1KC.1	Definition and applicability .....	1415
9.2.1KC.2	Minimum requirements .....	1415
9.2.1KC.3	Test purpose .....	1416

9.2.1KC.4	Method of test .....	1416
9.2.1KC.4.1	Initial conditions .....	1416
9.2.1KC.4.2	Procedure .....	1417
9.2.1KC.5	Test Requirements .....	1417
9.2.1KD	Single Link Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 10C .....	1418
9.2.1KD.1	Definition and applicability .....	1418
9.2.1KD.2	Minimum requirements .....	1418
9.2.1KD.3	Test purpose .....	1419
9.2.1KD.4	Method of test .....	1420
9.2.1KD.4.1	Initial conditions .....	1420
9.2.1KD.4.2	Procedure .....	1420
9.2.1KD.5	Test Requirements .....	1421
9.2.1L	Single Link Performance - Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6 .....	1421
9.2.1L.1	Definition and applicability .....	1421
9.2.1L.2	Minimum requirements .....	1422
9.2.1L.3	Test purpose .....	1422
9.2.1L.4	Method of test .....	1422
9.2.1L.5	Test Requirements .....	1424
9.2.1LA	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6A ....	1425
9.2.1LA.1	Definition and applicability .....	1425
9.2.1LA.2	Minimum requirements .....	1425
9.2.1LA.3	Test purpose .....	1426
9.2.1LA.4	Method of test .....	1426
9.2.1LA.5	Test Requirements .....	1427
9.2.1LB	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6A for DB-DC-HSDPA .....	1428
9.2.1LB.1	Definition and applicability .....	1428
9.2.1LB.2	Minimum requirements .....	1428
9.2.1LB.3	Test purpose .....	1429
9.2.1LB.4	Method of test .....	1429
9.2.1LB.5	Test Requirements .....	1430
9.2.1LC	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6B ....	1431
9.2.1LC.1	Definition and applicability .....	1431
9.2.1LC.2	Minimum requirements .....	1431
9.2.1LC.3	Test purpose .....	1432
9.2.1LC.4	Method of test .....	1432
9.2.1LC.5	Test Requirements .....	1433
9.2.1LD	Enhanced Performance Requirements Type 3i - QPSK, Fixed Reference Channel (FRC) H-Set 6C ....	1434
9.2.1LD.1	Definition and applicability .....	1434
9.2.1LD.2	Minimum requirements .....	1434
9.2.1LD.3	Test purpose .....	1435
9.2.1LD.4	Method of test .....	1435
9.2.1LD.5	Test Requirements .....	1436
9.2.1M	Single Link Performance - Enhanced Performance Requirements Type 3i – 16QAM/QPSK, Fixed Reference Channel (FRC) H-Set 6 for Multiflow HSDPA (2 cells) .....	1437
9.2.1M.1	Definition and applicability .....	1437
9.2.1M.2	Minimum requirements .....	1437
9.2.1M.3	Test purpose .....	1438
9.2.1M.4	Method of test .....	1438
9.2.1M.4.1	Initial conditions .....	1438
9.2.1M.4.2	Procedure .....	1439
9.2.1M.5	Test Requirements .....	1439
9.2.1MA	Single Link Performance - Enhanced Performance Requirements Type 3i – 16QAM/QPSK, Fixed Reference Channel (FRC) H-Set 6 for Multiflow HSDPA (3 cells) .....	1440
9.2.1MA.1	Definition and applicability .....	1440
9.2.1MA.2	Minimum requirements .....	1440
9.2.1MA.3	Test purpose .....	1441
9.2.1MA.4	Method of test .....	1441
9.2.1MA.4.1	Initial conditions .....	1441
9.2.1MA.4.2	Procedure .....	1442

9.2.1MA.5	Test Requirements.....	1442
9.2.2	Open Loop Diversity Performance .....	1443
9.2.2A	Open Loop Diversity Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3.....	1443
9.2.2A.1	Definition and applicability.....	1443
9.2.2A.2	Minimum requirements.....	1443
9.2.2A.3	Test purpose .....	1445
9.2.2A.4	Method of test .....	1445
9.2.2B	Open Loop Diversity Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5.....	1448
9.2.2B.1	Definition and applicability.....	1448
9.2.2B.2	Minimum requirements.....	1448
9.2.2B.3	Test purpose .....	1449
9.2.2B.4	Method of test .....	1449
9.2.2C	Open Loop Diversity Performance - Enhanced Performance Requirements Type 1 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3 .....	1451
9.2.2C.1	Definition and applicability.....	1451
9.2.2C.2	Minimum requirements.....	1452
9.2.2C.3	Test purpose .....	1453
9.2.2C.4	Method of test .....	1453
9.2.2D	Open Loop Diversity Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3 .....	1456
9.2.2D.1	Definition and applicability.....	1456
9.2.2D.2	Minimum requirements.....	1456
9.2.2D.3	Test purpose .....	1458
9.2.2D.4	Method of test .....	1458
9.2.2D.4.1	Initial conditions .....	1458
9.2.2D.4.2	Procedure.....	1459
9.2.2D.5	Test Requirements.....	1460
9.2.2E	Open Loop Diversity Performance - Enhanced Performance Requirements Type 3 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3 .....	1461
9.2.2E.1	Definition and applicability.....	1461
9.2.2E.2	Minimum requirements.....	1461
9.2.2E.3	Test purpose .....	1463
9.2.2E.4	Method of test .....	1463
9.2.2E.4.1	Initial conditions .....	1463
9.2.2E.4.2	Procedure.....	1464
9.2.2E.5	Test Requirements.....	1464
9.2.3	Closed Loop Diversity Performance.....	1465
9.2.3A	Closed Loop Diversity Performance - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3 ..	1465
9.2.3A.1	Definition and applicability.....	1465
9.2.3A.2	Minimum requirements.....	1466
9.2.3A.3	Test purpose .....	1467
9.2.3A.4	Method of test .....	1467
9.2.3A.4.1	Initial conditions .....	1467
9.2.3A.4.2	Procedure.....	1468
9.2.3A.5	Test Requirements.....	1469
9.2.3B	Closed Loop Diversity Performance - QPSK, Fixed Reference Channel (FRC) H-Set 4/5.....	1470
9.2.3B.1	Definition and applicability.....	1470
9.2.3B.2	Minimum requirements.....	1470
9.2.3B.3	Test purpose .....	1471
9.2.3B.4	Method of test .....	1471
9.2.3B.4.1	Initial conditions .....	1471
9.2.3B.4.2	Procedure.....	1473
9.2.3B.5	Test Requirements.....	1473
9.2.3C	Closed Loop Diversity Performance Enhanced Performance Requirements Type 1, QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 1/2/3 .....	1474
9.2.3C.1	Definition and applicability.....	1474
9.2.3C.2	Minimum requirements.....	1474
9.2.3C.3	Test purpose .....	1476
9.2.3C.4	Method of test .....	1476
9.2.3C.4.1	Initial conditions .....	1476
9.2.3C.4.2	Procedure.....	1477
9.2.3C.5	Test Requirements.....	1477

9.2.3D	Closed Loop Diversity Performance - Enhanced Performance Requirements Type 2 - QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 6/3 .....	1479
9.2.3D.1	Definition and applicability.....	1479
9.2.3D.2	Minimum requirements .....	1479
9.2.3D.3	Test purpose .....	1482
9.2.3D.4	Method of test .....	1482
9.2.3D.4.1	Initial conditions .....	1482
9.2.3D.4.2	Procedure.....	1483
9.2.3D.5	Test Requirements.....	1483
9.2.3E	Closed Loop Diversity Performance Enhanced Performance Requirements Type 3, QPSK/16QAM, Fixed Reference Channel (FRC) H-Set 3 .....	1485
9.2.3E.1	Definition and applicability.....	1485
9.2.3E.2	Minimum requirements .....	1485
9.2.3E.3	Test purpose .....	1487
9.2.3E.4	Method of test .....	1487
9.2.3E.4.1	Initial conditions.....	1487
9.2.3E.4.2	Procedure.....	1488
9.2.3E.5	Test Requirements.....	1489
9.2.4	MIMO Performance.....	1490
9.2.4A	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9.....	1490
9.2.4A.1	Definition and applicability.....	1490
9.2.4A.2	Minimum requirements .....	1490
9.2.4A.3	Test purpose .....	1491
9.2.4A.4	Method of test .....	1491
9.2.4A.4.1	Initial conditions .....	1491
9.2.4A.4.2	Procedure.....	1492
9.2.4A.5	Test Requirements .....	1493
9.2.4B	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11.....	1493
9.2.4B.1	Definition and applicability.....	1493
9.2.4B.2	Minimum requirements .....	1493
9.2.4B.3	Test purpose .....	1494
9.2.4B.4	Method of test .....	1494
9.2.4B.4.1	Initial conditions .....	1494
9.2.4B.4.2	Procedure.....	1495
9.2.4B.5	Test Requirements .....	1495
9.2.4C	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A.....	1496
9.2.4C.1	Definition and applicability.....	1496
9.2.4C.2	Minimum requirements .....	1496
9.2.4C.3	Test purpose .....	1497
9.2.4C.4	Method of test .....	1497
9.2.4C.4.1	Initial conditions .....	1497
9.2.4C.4.2	Procedure.....	1499
9.2.4C.5	Test Requirements.....	1499
9.2.4CA	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A for DB DC-HSDPA.....	1500
9.2.4CA.1	Definition and applicability.....	1500
9.2.4CA.2	Minimum requirements .....	1500
9.2.4CA.3	Test purpose .....	1501
9.2.4CA.4	Method of test .....	1501
9.2.4CA.4.1	Initial conditions .....	1501
9.2.4CA.4.2	Procedure.....	1502
9.2.4CA.5	Test Requirements.....	1502
9.2.4D	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A.....	1503
9.2.4D.1	Definition and applicability.....	1503
9.2.4D.2	Minimum requirements .....	1503
9.2.4D.3	Test purpose .....	1504
9.2.4D.4	Method of test .....	1504
9.2.4D.4.1	Initial conditions .....	1504
9.2.4D.4.2	Procedure.....	1505
9.2.4D.5	Test Requirements.....	1505
9.2.4DA	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A for DB DC-HSDPA.....	1506
9.2.4DA.1	Definition and applicability.....	1506
9.2.4DA.2	Minimum requirements .....	1506

9.2.4DA.3	Test purpose .....	1507
9.2.4DA.4	Method of test .....	1507
9.2.4DA.4.1	Initial conditions .....	1507
9.2.4DA.4.2	Procedure.....	1508
9.2.4DA.5	Test Requirements.....	1508
9.2.4E	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9 Asymmetric CPICHs.....	1509
9.2.4E.1	Definition and applicability.....	1509
9.2.4E.2	Minimum requirements .....	1509
9.2.4E.3	Test purpose .....	1510
9.2.4E.4	Method of test .....	1510
9.2.4E.4.1	Initial conditions .....	1510
9.2.4E.4.2	Procedure.....	1511
9.2.4E.5	Test Requirements .....	1512
9.2.4F	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11 Asymmetric CPICHs.....	1512
9.2.4F.1	Definition and applicability.....	1512
9.2.4F.2	Minimum requirements .....	1512
9.2.4F.3	Test purpose .....	1513
9.2.4F.4	Method of test .....	1513
9.2.4F.4.1	Initial conditions .....	1513
9.2.4F.4.2	Procedure.....	1514
9.2.4F.5	Test Requirements .....	1514
9.2.4G	MIMO Performance - Fixed Reference Channel (FRC) H-Set 9A Asymmetric CPICHs.....	1515
9.2.4G.1	Definition and applicability.....	1515
9.2.4G.2	Minimum requirements .....	1515
9.2.4G.3	Test purpose .....	1516
9.2.4G.4	Method of test .....	1516
9.2.4G.4.1	Initial conditions .....	1516
9.2.4G.4.2	Procedure.....	1518
9.2.4G.5	Test Requirements.....	1518
9.2.4H	MIMO Performance - Fixed Reference Channel (FRC) H-Set 11A Asymmetric CPICHs.....	1519
9.2.4H.1	Definition and applicability.....	1519
9.2.4H.2	Minimum requirements .....	1519
9.2.4H.3	Test purpose .....	1520
9.2.4H.4	Method of test .....	1520
9.2.4H.4.1	Initial conditions .....	1520
9.2.4H.4.2	Procedure.....	1521
9.2.4H.5	Test Requirements.....	1521
9.3	Reporting of Channel Quality Indicator .....	1522
9.3.1	Single Link Performance - AWGN Propagation Conditions .....	1522
9.3.1.1	Definition and applicability.....	1522
9.3.1.2	Minimum requirements .....	1523
9.3.1.3	Test purpose .....	1523
9.3.1.4	Method of test .....	1524
9.3.1.4.1	Initial conditions .....	1524
9.3.1.4.2	Procedure.....	1524
9.3.1.5	Test Requirements.....	1525
9.3.1A	Single Link Performance - AWGN Propagation Conditions, 64QAM.....	1525
9.3.1A.1	Definition and applicability.....	1525
9.3.1A.2	Minimum requirements .....	1525
9.3.1A.3	Test purpose .....	1526
9.3.1A.4	Method of test .....	1526
9.3.1A.4.1	Initial conditions .....	1526
9.3.1A.4.2	Procedure.....	1527
9.3.1A.5	Test Requirements.....	1529
9.3.1B	Single Link Performance - AWGN Propagation Conditions, DC-HSDPA requirements.....	1529
9.3.1B.1	Definition and applicability.....	1529
9.3.1B.2	Minimum requirements .....	1530
9.3.1B.3	Test purpose .....	1530
9.3.1B.4	Method of test .....	1531
9.3.1B.4.1	Initial conditions .....	1531
9.3.1B.4.2	Procedure.....	1531
9.3.1B.5	Test Requirements.....	1533

9.3.1BA	Single Link Performance - AWGN Propagation Conditions, DB-DC-HSDPA requirements.....	1533
9.3.1BA.1	Definition and applicability.....	1533
9.3.1BA.2	Minimum requirements.....	1533
9.3.1BA.4	Method of test.....	1534
9.3.1BA.4.1	Initial conditions.....	1534
9.3.1BA.4.2	Procedure.....	1535
9.3.1BA.5	Test Requirements.....	1536
9.3.1BB	Single Link Performance - AWGN Propagation Conditions, 4C-HSDPA requirements (3 Carriers)....	1537
9.3.1BB.1	Definition and applicability.....	1537
9.3.1BB.2	Minimum requirements.....	1537
9.3.1BB.4	Method of test.....	1538
9.3.1BB.4.1	Initial conditions.....	1538
9.3.1BB.4.2	Procedure.....	1538
9.3.1BB.5	Test Requirements.....	1539
9.3.1BC	Single Link Performance - AWGN Propagation Conditions, 4C-HSDPA requirements.....	1539
9.3.1BC.1	Definition and applicability.....	1539
9.3.1BC.2	Minimum requirements.....	1540
9.3.1BC.4	Method of test.....	1540
9.3.1BC.4.1	Initial conditions.....	1540
9.3.1BC.4.2	Procedure.....	1541
9.3.1BC.5	Test Requirements.....	1542
9.3.2AB	Single Link Performance - Fading Propagation Conditions, 4C-HSDPA requirements(3 Carriers).....	1542
9.3.2AB.1	Definition and applicability.....	1542
9.3.2AB.2	Minimum requirements.....	1542
9.3.2AB.3	Test purpose.....	1543
9.3.2AB.4	Method of test.....	1543
9.3.2AB.4.1	Initial conditions.....	1543
9.3.2AB.4.2	Procedure.....	1544
9.3.2AB.5	Test Requirements.....	1545
9.3.2AC	Single Link Performance - Fading Propagation Conditions, 4C-HSDPA requirements.....	1545
9.3.2AC.1	Definition and applicability.....	1545
9.3.2AC.2	Minimum requirements.....	1545
9.3.2AC.3	Test purpose.....	1546
9.3.2AC.4	Method of test.....	1546
9.3.2AC.4.1	Initial conditions.....	1546
9.3.2AC.4.2	Procedure.....	1547
9.3.2AC.5	Test Requirements.....	1548
9.3.1C	Single Link Performance - AWGN Propagation Conditions, Periodically Varying Radio Conditions..	1548
9.3.1C.1	Definition and applicability.....	1548
9.3.1C.2	Minimum requirements.....	1548
9.3.1C.3	Test purpose.....	1550
9.3.1C.4	Method of test.....	1551
9.3.1C.4.1	Initial conditions.....	1551
9.3.1C.4.2	Procedure.....	1551
9.3.1C.5	Test Requirements.....	1552
9.3.2	Single Link Performance - Fading Propagation Conditions.....	1552
9.3.2.1	Definition and applicability.....	1552
9.3.2.2	Minimum requirements.....	1552
9.3.2.3	Test purpose.....	1553
9.3.2.4	Method of test.....	1553
9.3.2.4.1	Initial conditions.....	1553
9.3.2.4.2	Procedure.....	1554
9.3.2.5	Test Requirements.....	1555
9.3.2A	Single Link Performance - Fading Propagation Conditions, DC-HSDPA requirements.....	1555
9.3.2A.1	Definition and applicability.....	1555
9.3.2A.2	Minimum requirements.....	1555
9.3.2A.3	Test purpose.....	1556
9.3.2A.4	Method of test.....	1556
9.3.2A.4.1	Initial conditions.....	1556
9.3.2A.4.2	Procedure.....	1557
9.3.2A.5	Test Requirements.....	1559
9.3.2AA	Single Link Performance - Fading Propagation Conditions, DB-DC-HSDPA requirements.....	1559

9.3.2AA.1	Definition and applicability.....	1559
9.3.2AA.2	Minimum requirements.....	1559
9.3.2AA.3	Test purpose.....	1560
9.3.2AA.4	Method of test.....	1560
9.3.2AA.4.1	Initial conditions.....	1560
9.3.2AA.4.2	Procedure.....	1561
9.3.2AA.5	Test Requirements.....	1563
9.3.2B	Single Link Performance - Fading Propagation Conditions, 64QAM.....	1563
9.3.2B.1	Definition and applicability.....	1563
9.3.2B.2	Minimum requirements.....	1563
9.3.2B.3	Test purpose.....	1564
9.3.2B.4	Method of test.....	1564
9.3.2B.4.1	Initial conditions.....	1564
9.3.2B.4.2	Procedure.....	1565
9.3.2B.5	Test Requirements.....	1567
9.3.2C	Single Link Performance - Fading Propagation Conditions, Multiflow HSDPA requirements (2 Cells).....	1567
9.3.2C.1	Definition and applicability.....	1568
9.3.2C.2	Minimum requirements.....	1568
9.3.2C.3	Test purpose.....	1569
9.3.2C.4	Method of test.....	1569
9.3.2C.4.1	Initial conditions.....	1569
9.3.2C.4.2	Procedure.....	1569
9.3.2C.5	Test Requirements.....	1571
9.3.2CA	Single Link Performance - Fading Propagation Conditions, Multiflow HSDPA requirements (3 Cells).....	1571
9.3.2CA.1	Definition and applicability.....	1571
9.3.2CA.2	Minimum requirements.....	1571
9.3.2CA.3	Test purpose.....	1573
9.3.2CA.4	Method of test.....	1573
9.3.2CA.4.1	Initial conditions.....	1573
9.3.2CA.4.2	Procedure.....	1573
9.3.2CA.5	Test Requirements.....	1575
9.3.3	Open Loop Diversity Performance - AWGN Propagation Conditions.....	1575
9.3.3.1	Definition and applicability.....	1575
9.3.3.2	Minimum requirements.....	1575
9.3.3.3	Test purpose.....	1576
9.3.3.4	Method of test.....	1576
9.3.3.4.1	Initial conditions.....	1576
9.3.3.4.2	Procedure.....	1576
9.3.3.5	Test Requirements.....	1579
9.3.4	Open Loop Diversity Performance - Fading Propagation Conditions.....	1579
9.3.4.1	Definition and applicability.....	1579
9.3.4.2	Minimum requirements.....	1579
9.3.4.3	Test purpose.....	1580
9.3.4.4	Method of test.....	1580
9.3.4.4.1	Initial conditions.....	1580
9.3.4.4.2	Procedure.....	1581
9.3.4.5	Test Requirements.....	1583
9.3.5	Closed Loop Diversity Performance - AWGN Propagation Conditions.....	1583
9.3.5.1	Definition and applicability.....	1583
9.3.5.2	Minimum requirements.....	1583
9.3.5.3	Test purpose.....	1584
9.3.5.4	Method of test.....	1584
9.3.5.4.1	Initial conditions.....	1584
9.3.5.4.2	Procedure.....	1585
9.3.5.5	Test Requirements.....	1587
9.3.6	Closed Loop Diversity Performance - Fading Propagation Conditions.....	1587
9.3.6.1	Definition and applicability.....	1587
9.3.6.2	Minimum requirements.....	1587
9.3.6.3	Test purpose.....	1588
9.3.6.4	Method of test.....	1588

9.3.6.4.1	Initial conditions .....	1588
9.3.6.4.2	Procedure .....	1589
9.3.6.5	Test Requirements .....	1591
9.3.7	MIMO Performance - Reporting of Channel Quality Indicator .....	1591
9.3.7A	MIMO Single Stream Fading Conditions .....	1591
9.3.7A.1	Definition and applicability .....	1591
9.3.7A.2	Minimum requirements .....	1592
9.3.7A.3	Test purpose .....	1593
9.3.7A.4	Method of test .....	1593
9.3.7A.4.1	Initial conditions .....	1593
9.3.7A.4.2	Procedure .....	1593
9.3.7A.5	Test Requirements .....	1594
9.3.7B	MIMO Dual Stream Fading Conditions .....	1594
9.3.7B.1	Definition and applicability .....	1594
9.3.7B.2	Minimum requirements .....	1595
9.3.7B.3	Test purpose .....	1596
9.3.7B.4	Method of test .....	1596
9.3.7B.4.1	Initial conditions .....	1596
9.3.7B.4.2	Procedure .....	1597
9.3.7B.5	Test Requirements .....	1598
9.3.7C	MIMO Dual Stream Fading Conditions - UE categories 19-20 .....	1598
9.3.7C.1	Definition and applicability .....	1598
9.3.7C.2	Minimum requirements .....	1599
9.3.7C.3	Test purpose .....	1600
9.3.7C.4	Method of test .....	1601
9.3.7C.4.1	Initial conditions .....	1601
9.3.7C.4.2	Procedure .....	1601
9.3.7C.5	Test Requirements .....	1602
9.3.7D	MIMO Dual Stream Static Orthogonal Conditions - UE categories 15-20 .....	1602
9.3.7D.1	Definition and applicability .....	1602
9.3.7D.2	Minimum requirements .....	1603
9.3.7D.3	Test purpose .....	1603
9.3.7D.4	Method of test .....	1603
9.3.7D.4.1	Initial conditions .....	1603
9.3.7D.4.2	Procedure .....	1604
9.3.7D.5	Test Requirements .....	1605
9.3.7E	MIMO Dual Stream Static Orthogonal Conditions - UE categories 19-20 .....	1605
9.3.7E.1	Definition and applicability .....	1605
9.3.7E.2	Minimum requirements .....	1605
9.3.7E.3	Test purpose .....	1606
9.3.7E.4	Method of test .....	1606
9.3.7E.4.1	Initial conditions .....	1606
9.3.7E.4.2	Procedure .....	1607
9.3.7E.5	Test Requirements .....	1608
9.3.7F	MIMO Single Stream Fading Conditions - Asymmetric CPICHs .....	1608
9.3.7F.1	Definition and applicability .....	1608
9.3.7F.2	Minimum requirements .....	1608
9.3.7F.3	Test purpose .....	1609
9.3.7F.4	Method of test .....	1609
9.3.7F.4.1	Initial conditions .....	1609
9.3.7F.4.2	Procedure .....	1610
9.3.7F.5	Test Requirements .....	1611
9.3.7G	MIMO Dual Stream Fading Conditions- Asymmetric CPICHs .....	1611
9.3.7G.1	Definition and applicability .....	1611
9.3.7G.2	Minimum requirements .....	1612
9.3.7G.3	Test purpose .....	1613
9.3.7G.4	Method of test .....	1613
9.3.7G.4.1	Initial conditions .....	1613
9.3.7G.4.2	Procedure .....	1614
9.3.7G.5	Test Requirements .....	1615
9.3.7H	MIMO Dual Stream Fading Conditions - UE categories 19-20 - Asymmetric CPICHs .....	1615
9.3.7H.1	Definition and applicability .....	1615



9.3.7H.2	Minimum requirements .....	1616
9.3.7H.3	Test purpose .....	1617
9.3.7H.4	Method of test .....	1618
9.3.7H.4.1	Initial conditions .....	1618
9.3.7H.4.2	Procedure.....	1618
9.3.7H.5	Test Requirements.....	1619
9.3.7I	MIMO Dual Stream Static Orthogonal Conditions - UE categories 15-20 - Asymmetric CPICHs .....	1619
9.3.7I.1	Definition and applicability.....	1619
9.3.7I.2	Minimum requirements .....	1620
9.3.7I.3	Test purpose .....	1620
9.3.7I.4	Method of test .....	1620
9.3.7I.4.1	Initial conditions.....	1620
9.3.7I.4.2	Procedure.....	1621
9.3.7I.5	Test Requirements.....	1622
9.3.7J	MIMO Dual Stream Static Orthogonal Conditions - UE categories 19-20- Asymmetric CPICHs .....	1622
9.3.7J.1	Definition and applicability.....	1622
9.3.7J.2	Minimum requirements .....	1622
9.3.7J.3	Test purpose .....	1623
9.3.7J.4	Method of test .....	1623
9.3.7J.4.1	Initial conditions .....	1623
9.3.7J.4.2	Procedure.....	1624
9.3.7J.5	Test Requirements.....	1625
9.4	HS-SCCH Detection Performance .....	1625
9.4.1	Single Link Performance .....	1625
9.4.1.1	Definition and applicability.....	1625
9.4.1.2	Minimum requirements .....	1625
9.4.1.3	Test purpose .....	1626
9.4.1.4	Method of test .....	1626
9.4.1.4.1	Initial conditions.....	1626
9.4.1.4.2	Procedure.....	1626
9.4.1.5	Test Requirements.....	1626
9.4.1A	Single Link Performance - Enhanced Performance Requirements Type 1 .....	1627
9.4.1A.1	Definition and applicability.....	1627
9.4.1A.2	Minimum requirements .....	1628
9.4.1A.3	Test purpose .....	1628
9.4.1A.4	Method of test .....	1628
9.4.1A.4.1	Initial conditions .....	1628
9.4.1A.4.2	Procedure.....	1629
9.4.1A.5	Test Requirements.....	1629
9.4.2	Open Loop Diversity Performance .....	1630
9.4.2.1	Definition and applicability.....	1630
9.4.2.2	Minimum requirements .....	1630
9.4.2.3	Test purpose .....	1630
9.4.2.4	Method of test .....	1630
9.4.2.4.1	Initial conditions .....	1630
9.4.2.4.2	Procedure.....	1631
9.4.2.5	Test Requirements.....	1632
9.4.2A	Open Loop Diversity Performance - Enhanced Performance Requirements Type 1 .....	1632
9.4.2A.1	Definition and applicability.....	1632
9.4.2A.2	Minimum requirements .....	1633
9.4.2A.3	Test purpose .....	1633
9.4.2A.4	Method of test .....	1633
9.4.2A.4.1	Initial conditions .....	1633
9.4.2A.4.2	Procedure.....	1633
9.4.2A.5	Test Requirements.....	1634
9.4.3	HS-SCCH Type 3 Performance .....	1635
9.4.3.1	Definition and applicability.....	1635
9.4.3.2	Minimum requirements .....	1635
9.4.3.3	Test purpose .....	1636
9.4.3.4	Method of test .....	1636
9.4.3.4.1	Initial conditions .....	1636
9.4.3.4.2	Procedure.....	1637

9.4.3.5	Test Requirements.....	1637
9.4.3A	HS-SCCH Type 3 Performance -STTD disabled- Asymmetric CPICHs .....	1638
9.4.3A.1	Definition and applicability.....	1638
9.4.3A.2	Minimum requirements .....	1639
9.4.3A.3	Test purpose .....	1640
9.4.3A.4	Method of test .....	1640
9.4.3A.4.1	Initial conditions .....	1640
9.4.3A.5	Test Requirements.....	1641
9.4.3B	HS-SCCH Type 3 Performance -STTD enabled- Asymmetric CPICHs .....	1642
9.4.3B.1	Definition and applicability.....	1642
9.4.3B.2	Minimum requirements .....	1642
9.4.3B.3	Test purpose .....	1643
9.4.3B.4	Method of test .....	1643
9.4.3B.4.1	Initial conditions .....	1643
9.4.3B.4.2	Procedure .....	1644
9.4.3B.5	Test Requirements.....	1644
9.4.4	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction.....	1646
9.4.4.1	Definition and applicability.....	1646
9.4.4.2	Minimum requirements .....	1646
9.4.4.3	Test purpose .....	1647
9.4.4.4	Method of test .....	1647
9.4.4.4.1	Initial conditions .....	1647
9.4.4.4.2	Procedure.....	1647
9.4.4.5	Test Requirements.....	1647
9.4.4A	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction- Enhanced Performance Requirements Type 1.....	1648
9.4.4A.1	Definition and applicability.....	1648
9.4.4A.2	Minimum requirements .....	1648
9.4.4A.3	Test purpose .....	1649
9.4.4A.4	Method of test .....	1649
9.4.4A.4.1	Initial conditions .....	1649
9.4.4A.4.2	Procedure.....	1649
9.4.4A.5	Test Requirements.....	1650
9.4.4B	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD disabled- asymmetric CPICHs .....	1651
9.4.4B.1	Definition and applicability.....	1651
9.4.4B.2	Minimum requirements .....	1651
9.4.4B.3	Test purpose .....	1652
9.4.4B.4	Method of test .....	1652
9.4.4B.4.1	Initial conditions .....	1652
9.4.4B.4.2	Procedure.....	1652
9.4.4B.5	Test Requirements.....	1653
9.4.4C	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD disabled- asymmetric CPICHs- Enhanced Performance Requirements Type 1 .....	1653
9.4.4C.1	Definition and applicability.....	1653
9.4.4C.2	Minimum requirements .....	1654
9.4.4C.3	Test purpose .....	1654
9.4.4C.4	Method of test .....	1654
9.4.4C.4.1	Initial conditions .....	1654
9.4.4C.4.2	Procedure.....	1655
9.4.4C.5	Test Requirements.....	1655
9.4.4D	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD enabled- asymmetric CPICHs .....	1656
9.4.4D.1	Definition and applicability.....	1656
9.4.4D.2	Minimum requirements .....	1656
9.4.4D.3	Test purpose .....	1657
9.4.4D.4	Method of test .....	1657
9.4.4D.4.1	Initial conditions .....	1657
9.4.4D.4.2	Procedure.....	1657
9.4.4D.5	Test Requirements.....	1658
9.4.4E	HS-SCCH Type 3 Performance for MIMO only with single-stream restriction-STTD enabled- asymmetric CPICHs- Enhanced Performance Requirements Type 1 .....	1658

9.4.4E.1	Definition and applicability.....	1658
9.4.4E.2	Minimum requirements.....	1659
9.4.4E.3	Test purpose.....	1659
9.4.4E.4	Method of test.....	1659
9.4.4E.4.1	Initial conditions.....	1659
9.4.4E.4.2	Procedure.....	1660
9.4.4E.5	Test Requirements.....	1660
9.5	HS-SCCH-less demodulation of HS-DSCH (Fixed Reference Channel).....	1661
9.5.1	Requirement QPSK, Fixed Reference Channel (FRC) H-Set 7.....	1661
9.5.1.1	Definition and applicability.....	1661
9.5.1.2	Minimum requirements.....	1661
9.5.1.3	Test purpose.....	1662
9.5.1.4	Method of test.....	1662
9.5.1.5	Test Requirements.....	1663
9.5.1A	Requirement QPSK, Fixed Reference Channel (FRC) H-Set 7 - Enhanced Performance Requirements Type 1.....	1663
9.5.1A.1	Definition and applicability.....	1663
9.5.1A.2	Minimum requirements.....	1664
9.5.1A.3	Test purpose.....	1664
9.5.1A.4	Method of test.....	1664
9.5.1A.5	Test Requirements.....	1665
9.6	HS-DSCH and HS-SCCH reception in CELL-FACH state.....	1666
9.6.1	Single link HS-DSCH Demodulation performance in CELL_FACH state.....	1666
9.6.1.1	Definition and applicability.....	1666
9.6.1.2	Minimum requirement QPSK, Fixed Reference Channel (FRC) H-Set 3.....	1666
9.6.1.3	Test purpose.....	1667
9.6.1.4	Method of test.....	1667
9.6.1.5	Test Requirements.....	1668
9.6.2	Single link HS-SCCH Detection performance in CELL_FACH state.....	1668
9.6.2.1	Definition and applicability.....	1668
9.6.2.2	Minimum requirement.....	1668
9.6.2.3	Test purpose.....	1669
9.6.2.4	Method of test.....	1669
9.6.2.5	Test Requirements.....	1669
10	Performance requirement (E-DCH).....	1671
10.1	General.....	1671
10.2	Detection of E-DCH HARQ ACK Indicator Channel (E-HICH).....	1671
10.2.1	Single link performance.....	1671
10.2.1.1	Single link performance (10ms TTI).....	1671
10.2.1.1.1	Definition and applicability.....	1671
10.2.1.1.2	Minimum requirement.....	1671
10.2.1.1.3	Test purpose.....	1672
10.2.1.1.4	Method of test.....	1672
10.2.1.1.4.1	Initial conditions.....	1672
10.2.1.1.4.2	Procedure.....	1673
10.2.1.1.5.	Test requirements.....	1674
10.2.1.1A	Single link performance (10ms TTI, Type 1).....	1674
10.2.1.1A.1	Definition and applicability.....	1674
10.2.1.1A.2	Minimum requirement.....	1674
10.2.1.1A.3	Test purpose.....	1675
10.2.1.1A.4	Method of test.....	1675
10.2.1.1A.4.1	Initial conditions.....	1675
10.2.1.1A.4.2	Procedure.....	1675
10.2.1.1A.5.	Test requirements.....	1676
10.2.1.2	Single link performance (2ms TTI).....	1676
10.2.1.2.1	Definition and applicability.....	1676
10.2.1.2.2	Minimum requirement.....	1676
10.2.1.2.3	Test purpose.....	1677
10.2.1.2.4	Method of test.....	1677
10.2.1.2.4.1	Initial conditions.....	1677
10.2.1.2.4.2	Procedure.....	1678

10.2.1.2.5.	Test requirements .....	1679
10.2.1.2A	Single link performance (2ms TTI, Type 1).....	1679
10.2.1.2A.1	Definition and applicability .....	1679
10.2.1.2A.2	Minimum requirement.....	1679
10.2.1.2A.3	Test purpose .....	1680
10.2.1.2A.4	Method of test.....	1680
10.2.1.2A.4.1	Initial conditions .....	1680
10.2.1.2A.4.2	Procedure .....	1680
10.2.1.2A.5.	Test requirements .....	1681
10.2.2	Detection in Inter-Cell Handover conditions .....	1681
10.2.2.1	RLS not containing the Serving E-DCH cell .....	1681
10.2.2.1.1	RLS not containing the Serving E-DCH cell (10ms TTI) .....	1681
10.2.2.1.1.1	Definition and applicability .....	1681
10.2.2.1.1.2	Minimum requirement .....	1682
10.2.2.1.1.3	Test Purpose.....	1682
10.2.2.1.1.4	Method of test .....	1683
10.2.2.1.1.5	Test Requirements .....	1685
10.2.2.1.1A	RLS not containing the Serving E-DCH cell (10ms TTI, Type 1) .....	1686
10.2.2.1.1A.1	Definition and applicability .....	1686
10.2.2.1.1A.2	Minimum requirement .....	1686
10.2.2.1.1A.3	Test Purpose.....	1687
10.2.2.1.1A.4	Method of test .....	1687
10.2.2.1.1A.5	Test Requirements .....	1689
10.2.2.1.2	RLS not containing the Serving E-DCH cell (2ms TTI) .....	1690
10.2.2.1.2.1	Definition and applicability .....	1690
10.2.2.1.2.2	Minimum requirement .....	1690
10.2.2.1.2.3	Test Purpose.....	1691
10.2.2.1.2.4	Method of test .....	1691
10.2.2.1.2.4.1	Initial conditions.....	1691
10.2.2.1.2.4.2	Procedure.....	1692
10.2.2.1.2.5	Test Requirements .....	1694
10.2.2.1.2A	RLS not containing the Serving E-DCH cell (2ms TTI, Type 1) .....	1695
10.2.2.1.2A.1	Definition and applicability .....	1695
10.2.2.1.2A.2	Minimum requirement .....	1695
10.2.2.1.2A.3	Test Purpose.....	1696
10.2.2.1.2A.4	Method of test .....	1696
10.2.2.1.2A.4.1	Initial conditions.....	1696
10.2.2.1.2A.4.2	Procedure.....	1697
10.2.2.1.2A.5	Test Requirements .....	1698
10.2.2.2	RLS containing the Serving E-DCH cell .....	1699
10.2.2.2.1	RLS containing the Serving E-DCH cell (10ms TTI) .....	1699
10.2.2.2.1.1	Definition and applicability .....	1699
10.2.2.2.1.2	Minimum requirement .....	1699
10.2.2.2.1.3	Test purpose.....	1700
10.2.2.2.1.4	Method of test .....	1700
10.2.2.2.1.4.1	Initial conditions.....	1700
10.2.2.2.1.4.2	Procedure.....	1701
10.2.2.2.1.5	Test requirements.....	1703
10.2.2.2.1A	RLS containing the Serving E-DCH cell (10ms TTI, Type 1) .....	1704
10.2.2.2.1A.1	Definition and applicability .....	1704
10.2.2.2.1A.2	Minimum requirement .....	1705
10.2.2.2.1A.3	Test purpose.....	1705
10.2.2.2.1A.4	Method of test .....	1705
10.2.2.2.1A.4.1	Initial conditions.....	1705
10.2.2.2.1A.4.2	Procedure.....	1706
10.2.2.2.1A.5	Test requirements.....	1707
10.2.2.2.2	RLS containing the Serving E-DCH cell (2ms TTI) .....	1708
10.2.2.2.2.1	Definition and applicability .....	1708
10.2.2.2.2.2	Minimum requirement .....	1708
10.2.2.2.2.3	Test purpose.....	1709
10.2.2.2.2.4	Method of test .....	1709
10.2.2.2.2.4.1	Initial conditions.....	1709

10.2.2.2.2.4.2	Procedure.....	1710
10.2.2.2.2.5	Test requirements.....	1712
10.2.2.2.2A	RLS containing the Serving E-DCH cell (2ms TTI, Type 1) .....	1713
10.2.2.2.2A.1	Definition and applicability .....	1713
10.2.2.2.2A.2	Minimum requirement .....	1713
10.2.2.2.2A.3	Test purpose.....	1714
10.2.2.2.2A.4	Method of test .....	1714
10.2.2.2.2A.4.1	Initial conditions.....	1714
10.2.2.2.2A.4.2	Procedure.....	1715
10.2.2.2.2A.5	Test requirements.....	1716
10.3	Detection of E-DCH Relative Grant Channel (E-RGCH).....	1717
10.3.1	Single link performance.....	1717
10.3.1.1	Single link performance (10ms TTI).....	1717
10.3.1.1.1	Definition and applicability .....	1717
10.3.1.1.2	Minimum requirement.....	1717
10.3.1.1.3	Test purpose .....	1718
10.3.1.1.4	Method of test.....	1718
10.3.1.1.4.1	Initial conditions .....	1718
10.3.1.1.4.2	Procedure .....	1719
10.3.1.1.5	Test requirements .....	1720
10.3.1.1A	Single link performance (10ms TTI, Type 1).....	1721
10.3.1.1A.1	Definition and applicability .....	1721
10.3.1.1A.2	Minimum requirement.....	1721
10.3.1.1A.3	Test purpose .....	1721
10.3.1.1A.4	Method of test.....	1722
10.3.1.1A.4.1	Initial conditions .....	1722
10.3.1.1A.4.2	Procedure .....	1722
10.3.1.1A.5	Test requirements .....	1723
10.3.1.2	Single link performance (2ms TTI).....	1724
10.3.1.2.1	Definition and applicability .....	1724
10.3.1.2.2	Minimum requirement.....	1724
10.3.1.2.3	Test purpose .....	1725
10.3.1.2.4	Method of test.....	1725
10.3.1.2.4.1	Initial conditions .....	1725
10.3.1.2.4.2	Procedure .....	1725
10.3.1.2.5	Test requirements .....	1727
10.3.1.2A	Single link performance (2ms TTI, Type 1).....	1728
10.3.1.2A.1	Definition and applicability .....	1728
10.3.1.2A.2	Minimum requirement.....	1728
10.3.1.2A.3	Test purpose .....	1728
10.3.1.2A.4	Method of test.....	1728
10.3.1.2A.4.1	Initial conditions .....	1728
10.3.1.2A.4.2	Procedure .....	1729
10.3.1.2A.5	Test requirements .....	1730
10.3.2	Detection in Inter-Cell Handover conditions .....	1731
10.3.2.1	Definition and applicability.....	1731
10.3.2.2	Minimum requirement for Non-serving E-DCH RL.....	1731
10.3.2.3	Test Purpose.....	1731
10.3.2.4	Method of test .....	1732
10.3.2.4.1	Initial conditions.....	1732
10.3.2.4.2	Procedure.....	1732
10.3.2.5	Test Requirements.....	1735
10.3.2A	Detection in Inter-Cell Handover conditions (Type 1) .....	1736
10.3.2A.1	Definition and applicability.....	1736
10.3.2A.2	Minimum requirement for Non-serving E-DCH RL.....	1737
10.3.2A.3	Test Purpose.....	1737
10.3.2A.4	Method of test .....	1737
10.3.2A.4.1	Initial conditions.....	1737
10.3.2A.4.2	Procedure.....	1738
10.3.2A.5	Test Requirements.....	1740
10.4	Demodulation of E-DCH Absolute Grant Channel (E-AGCH) .....	1741
10.4.1	Single link performance.....	1741

10.4.1.1	Definition and applicability.....	1741
10.4.1.2	Minimum requirement .....	1741
10.4.1.3	Test Purpose.....	1742
10.4.1.4	Method of test .....	1742
10.4.1.4.1	Initial conditions.....	1742
10.4.1.4.2	Procedure.....	1742
10.4.1.5	Test Requirements.....	1743
10.4.1A	Single link performance (Type 1).....	1744
10.4.1A.1	Definition and applicability.....	1744
10.4.1A.2	Minimum requirement .....	1744
10.4.1A.3	Test Purpose.....	1744
10.4.1A.4	Method of test .....	1744
10.4.1A.4.1	Initial conditions.....	1744
10.4.1A.4.2	Procedure.....	1745
10.4.1A.5	Test Requirements.....	1745
11	Performance requirement (MBMS).....	1746
11.1	General .....	1746
11.2	Demodulation of MTCH.....	1746
11.2.1	Definition and applicability .....	1746
11.2.2	Minimum requirement .....	1746
11.2.3	Test Purpose.....	1747
11.2.4	Method of test .....	1747
11.2.4.1	Initial conditions .....	1747
11.2.4.2	Procedure .....	1748
11.2.5	Test Requirements .....	1749
11.2A	Demodulation of MTCH - Enhanced Performance Requirements Type 1 .....	1750
11.2A.1	Definition and applicability .....	1750
11.2A.2	Minimum requirement .....	1750
11.2A.3	Test Purpose.....	1750
11.2A.4	Method of test .....	1750
11.2A.4.1	Initial conditions .....	1750
11.2A.4.2	Procedure .....	1751
11.2A.5	Test Requirements .....	1752
11.3	Demodulation of MTCH and cell identification.....	1753
11.3.1	Definition and applicability .....	1753
11.3.2	Minimum requirements.....	1753
11.3.3	Test purpose.....	1754
11.3.4	Method of test .....	1754
11.3.5	Test requirements.....	1756
<b>Annex A (informative):</b>	<b>    Connection Diagrams .....</b>	<b>1757</b>
<b>Annex B (normative):</b>	<b>    Global In-Channel TX-Test .....</b>	<b>1796</b>
B.1	General .....	1796
B.2	Definition of the process .....	1796
B.2.1	Basic principle.....	1796
B.2.2	Output signal of the TX under test .....	1796
B.2.3	Reference signal .....	1796
B.2.4	void.....	1797
B.2.5	Classification of measurement results .....	1797
B.2.6	Process definition to achieve results $f$ , $t$ , $\phi$ , $g_1$ , $g_2$ , and $O$ .....	1797
B.2.6.1	Decision Point Power.....	1798
B.2.6.2	Measured total power of all active codes.....	1798
B.2.6.3	Code-Domain Power.....	1798
B.2.6.4	Code-Domain Power of the varied reference signal .....	1799
B.2.7	Process definition to achieve results EVM, PCDE, RCDE .....	1799
B.2.7.1	Error Vector Magnitude (EVM) .....	1799
B.2.7.2	Code Domain Error Power .....	1800
B.2.7.3	Relative Code Domain Error (RCDE) .....	1800

B.3	Notes.....	1801
<b>Annex C (normative): Measurement channels .....</b>		<b>1804</b>
C.1	General .....	1804
C.2	UL reference measurement channel .....	1804
C.2.1	UL reference measurement channel (12,2 kbps) .....	1804
C.2.2	UL reference measurement channel (64 kbps) .....	1805
C.2.3	UL reference measurement channel (144 kbps) .....	1807
C.2.4	UL reference measurement channel (384 kbps) .....	1809
C.2.5	UL reference measurement channel (768 kbps) .....	1811
C.2.6	UL E-DCH reference measurement channel for DC-HSUPA using BPSK modulation .....	1813
C.2.7	UL E-DCH reference measurement channel for DC-HSUPA using 16QAM modulation.....	1814
C.2.8	Combinations of UL E-DCH reference measurement channel for DC-HSUPA tests .....	1815
C.3	DL reference measurement channel .....	1815
C.3.1	DL reference measurement channel (12.2 kbps) .....	1815
C.3.1A	DL reference measurement channel (0 kbps and 12.2 kbps).....	1817
C.3.2	DL reference measurement channel (64 kbps) .....	1819
C.3.3	DL reference measurement channel (144 kbps) .....	1821
C.3.4	DL reference measurement channel (384 kbps) .....	1823
C.3.5	DL reference measurement channel 2 (64 kbps) .....	1825
C.4	Reference measurement channel for BTFD performance requirements .....	1826
C.4.1	UL reference measurement channel for BTFD performance requirements.....	1826
C.4.2	DL reference measurement channel for BTFD performance requirements.....	1829
C.4.3	Reference parameters for discontinuous UL DPCCH transmission .....	1832
C.5	DL reference compressed mode parameters.....	1832
C.6	Auxiliary measurement channels .....	1835
C.6.1	Introduction .....	1835
C.6.2	Channel combinations for BLER measurements.....	1836
C.6.3	UL auxiliary reference measurement channel (TM, 12.2 kbps, no CRC) .....	1837
C.6.3A	UL auxiliary reference measurement channel (TM, 0 kbps and 12.2 kbps, no CRC) .....	1837
C.6.4	Void.....	1838
C.6.5	Void.....	1838
C.6.6	Void.....	1838
C.6.7	UL AUXMC AM 12.2 kbps.....	1839
C.6.8	UL AUXMC AM 12.2 kbps(DCCH with TB size of 148bit) .....	1839
C.7	DL reference parameters for PCH tests.....	1840
C.8	DL reference channel parameters for HSDPA tests.....	1840
C.8.1	Fixed Reference Channel (FRC) .....	1840
C.8.1.1	Fixed Reference Channel Definition H-Set 1/1A/1B/1C.....	1840
C.8.1.2	Fixed Reference Channel Definition H-Set 2 .....	1841
C.8.1.3	Fixed Reference Channel Definition H-Set 3/3A/3B/3C.....	1842
C.8.1.4	Fixed Reference Channel Definition H-Set 4 .....	1843
C.8.1.5	Fixed Reference Channel Definition H-Set 5 .....	1844
C.8.1.6	Fixed Reference Channel Definition H-Set 6/6A/6B/6C.....	1845
C.8.1.7	Fixed Reference Channel Definition H-Set 7 .....	1846
C.8.1.8	Fixed Reference Channel Definition H-Set 8/8A/8B/8C.....	1847
C.8.1.9	Fixed Reference Channel Definition H-Set 9/9A/9B/9C.....	1848
C.8.1.10	Fixed Reference Channel Definition H-Set 10/10A/10B/10C.....	1849
C.8.1.11	Fixed Reference Channel Definition H-Set 11/11A/11B/11C.....	1851
C.8.1.12	Fixed Reference Channel Definition H-Set 12 .....	1852
C.9	Downlink reference channel dummy DCCH transmission on DCH.....	1853
C.9A	MAC header transmission on HS-DSCH.....	1853
C.10	UL reference channel parameters for HSDPA tests.....	1853
C.10.1	UL reference measurement channel for HSDPA tests.....	1853
C.10.2	UL reference measurement channel for HSDPA tests with UL OLTD/CLTD .....	1854

C.11	Reference channel parameters for E-DCH tests .....	1856
C.11.1	UL reference measurement channel for E-DCH tests .....	1856
C.11.1A	UL reference measurement channel for E-DCH tests with UL OLTD/CLTD .....	1857
C.11.2	DL reference measurement channel for E-DCH tests .....	1859
C.11.3	RLC SDU size for E-DCH tests .....	1859
C.11A	..... Reference channel parameters for DC-HSUPA tests.....	1861
C.11A.1	UL reference measurement channel for DC-HSUPA tests.....	1861
C.11A.2	DL reference measurement channel for DC-HSUPA tests.....	1862
C.11A.3	RLC SDU size for DC-HSUPA tests .....	1862
C.12	DL reference parameters for MBMS tests.....	1863
C.12.1	MTCH .....	1863
C.12.2	Combined MTCH demodulation and cell identification .....	1863
<b>Annex D (normative):</b>	<b>Propagation Conditions.....</b>	<b>1864</b>
D.1	General .....	1864
D.1.1	Definition of Additive White Gaussian Noise (AWGN) Interferer.....	1864
D.2	Propagation Conditions .....	1864
D.2.1	Static propagation condition.....	1864
D.2.2	Multi-path fading propagation conditions .....	1864
D.2.3	Moving propagation conditions.....	1866
D.2.4	Birth-Death propagation conditions .....	1866
D.2.4A	High speed train conditions .....	1867
D.2.5	Conditions for HSDPA enhanced performance requirements type 1 with UE receiver diversity .....	1868
D.2.6	Conditions for HSDPA enhanced performance requirements type 3 with UE receiver diversity .....	1868
D.2.7	Conditions for open and closed loop diversity performance .....	1868
D.2.8	Conditions for MBMS enhanced performance requirements type 1 with UE receiver diversity .....	1868
D.2.9	MIMO propagation conditions .....	1869
D.2.9.1	MIMO Single Stream Fading Conditions .....	1869
D.2.9.2	MIMO Dual Stream Fading Conditions.....	1870
D.2.9.3	MIMO Dual Stream Static Orthogonal Conditions .....	1871
<b>Annex E (normative):</b>	<b>Downlink Physical Channels.....</b>	<b>1872</b>
E.1	General .....	1872
E.2	Connection Set-up for non-HSDPA test cases .....	1872
E.2.1	Measurement without dedicated connection .....	1872
E.3	During connection for non-HSDPA test cases .....	1872
E.3.1	Measurement of Tx Characteristics.....	1873
E.3.2	Measurement of Rx Characteristics.....	1873
E.3.3	Measurement of Performance requirements .....	1873
E.3.4	Connection with open-loop transmit diversity mode.....	1875
E.3.5	Connection with closed loop transmit diversity mode.....	1876
E.3.6	OCNS Definition.....	1876
E.4	W-CDMA Modulated Interferer for non-HSDPA test cases.....	1877
E.5	HSDPA DL Physical channels .....	1877
E.5.0	Downlink Physical Channels for connection set-up.....	1877
E.5.1	Downlink Physical Channels for measurement.....	1877
E.5.2	HSDPA OCNS Definition.....	1886
E.5.3	Downlink Physical Channels for measurement including test tolerances .....	1887
E.5.4	Downlink Physical Channels for Transmitter Characteristics with HS-DPCCH .....	1889
E.5A	E-DCH with HSDPA DL Physical channels.....	1890
E.5A.0	Downlink Physical Channels for connection set-up.....	1890
E.5A.1	Downlink Physical Channels for measurement.....	1890
E.5A.2	E-DCH OCNS Definition.....	1892
E.5B	MBMS DL Physical channels .....	1893



E.5B.1	Downlink Physical Channels for connection set-up .....	1893
E.5C	F-DPCH with HSDPA DL Physical channels .....	1893
E.5C.0	Downlink Physical Channels for connection set-up .....	1893
E.5C.1	Downlink Physical Channels for measurement .....	1893
E.5D	HSDPA and E-DCH DL Physical channels with discontinuous UL DPCCCH transmission .....	1895
E.5D.0	Downlink Physical Channels for connection set-up .....	1895
E.5D.1	Downlink Physical Channels for measurement .....	1895
E.5E	Test Definition for Enhanced Performance Type 3i .....	1896
E.5E.1	Transmitted code and power characteristics for serving cell .....	1897
E.5E.2	Transmitted code and power characteristics for interfering cells .....	1899
E.5E.3	Model for power control sequence generation .....	1899
E.5F	Test Definition for MultiFlow HSDPA .....	1900
E.5F.1	Test configuration when 2 cells are configured in Multiflow mode .....	1900
E.5F.2	Test configuration when 3 cells are configured in Multiflow mode .....	1902
E.5F.3	Test configuration when 4 cells are configured in Multiflow mode .....	1902
E.6	Downlink Physical Channels Code Allocation (This clause is informative) .....	1902
E.6.1	Downlink Physical Channels Code Allocation for non-HSDPA test cases .....	1902
E.6.2	Downlink Physical Channels Code Allocation for HSDPA test cases .....	1905
E.6.3	Downlink Physical Channels Code Allocation for E-DCH test cases .....	1909
E.6.4	Downlink Physical Channels Code Allocation for MBMS test cases .....	1911
<b>Annex F (normative): General test conditions and declarations .....</b>		<b>1913</b>
F.1	Acceptable uncertainty of Test System .....	1913
F.1.1	Measurement of test environments .....	1913
F.1.2	Measurement of transmitter .....	1914
F.1.3	Measurement of receiver .....	1921
F.1.4	Performance requirement .....	1926
F.1.5	Requirements for support of RRM .....	1934
F.1.6	Performance requirement (HSDPA) .....	1960
F.1.7	Performance requirement (E-DCH) .....	1966
F.1.8	Performance requirement (MBMS) .....	1969
F.2	Test Tolerances (This clause is informative) .....	1970
F.2.1	Transmitter .....	1970
F.2.2	Receiver .....	1975
F.2.3	Performance requirements .....	1977
F.2.4	Requirements for support of RRM .....	1981
F.2.5	Performance requirements (HSDPA) .....	1990
F.2.6	Performance requirements (E-DCH) .....	1993
F.2.7	Performance requirements (MBMS) .....	1994
F.3	Interpretation of measurement results .....	1994
F.4	Derivation of Test Requirements (This clause is informative) .....	1994
F.4.1	Transmitter .....	1995
F.4.2	Receiver .....	2019
F.4.3	Performance requirements .....	2025
F.4.4	Requirements for support of RRM .....	2039
F.4.5	Performance requirements (HSDPA) .....	2074
F.4.6	Performance requirements (E-DCH) .....	2082
F.4.7	Performance requirements (MBMS) .....	2085
F.5	Acceptable uncertainty of Test Equipment (This clause is informative) .....	2085
F.5.1	Transmitter measurements .....	2086
F.5.2	Receiver measurements .....	2088
F.5.3	Performance measurements .....	2089
F.5.4	Requirements for support of RRM .....	2089
F.5.5	Performance measurements (HSDPA) .....	2090
F.5.6	Performance measurements (E-DCH) .....	2092
F.5.7	Performance measurements (MBMS) .....	2093

F.6	General rules for statistical testing .....	2093
F.6.1	Statistical testing of receiver BER/BLER performance .....	2093
F.6.1.1	Error Definition .....	2093
F.6.1.2	Test Method .....	2093
F.6.1.3	Test Criteria .....	2093
F.6.1.4	Calculation assumptions .....	2094
F.6.1.4.1	Statistical independence .....	2094
F.6.1.4.2	Applied formulas .....	2094
F.6.1.4.3	Approximation of the distribution .....	2094
F.6.1.5	Definition of good pass fail decision. ....	2094
F.6.1.6	Good balance between test time and statistical significance .....	2095
F.6.1.7	Pass fail decision rules .....	2096
F.6.1.8	Test conditions for BER, BLER, RLC SDU Error Rate tests .....	2097
F.6.1.9	Practical Use (informative) .....	2100
F.6.1.10	Dual limit BLER tests .....	2102
F.6.1.10.1	Description of the parameters for dual limit BLER tests .....	2103
F.6.1.10.2	Pass fail decision rules .....	2105
F.6.1.10.3	Test conditions for dual limit BLER tests .....	2106
F.6.1.10.4	Test conditions for dual limit TPC Command Error Rate tests .....	2107
F.6.2	Statistical testing of RRM delay performance .....	2107
F.6.2.1	Test Method .....	2107
F.6.2.2	Bad Delay Ratio (ER) .....	2107
F.6.2.3	Test Criteria .....	2107
F.6.2.4	Calculation assumptions .....	2107
F.6.2.4.1	Statistical independence .....	2107
F.6.2.4.2	Applied formulas .....	2108
F.6.2.4.3	Approximation of the distribution .....	2108
F.6.2.5	Definition of good pass fail decision .....	2108
F.6.2.6	Good balance between test-time and statistical significance .....	2109
F.6.2.7	Pass fail decision rules .....	2109
F.6.2.8	Test conditions for RRM delay tests, Combining of TPC commands test 1, Demodulation of Paging channel and Detection of acquisition indicator tests and UE measurement performance tests .....	2109
F.6.2.9	Practical Use (informative) .....	2113
F.6.3	Statistical Testing of HSDPA Receiver Performance .....	2114
F.6.3.1	Definition .....	2114
F.6.3.2	Mapping throughput to block error ratio .....	2115
F.6.3.3	Bad DUT factor .....	2115
F.6.3.3.1	Bad DUT factor, range of applicability .....	2116
F.6.3.4	Minimum Test time .....	2117
F.6.3.5	Test conditions for HSDPA Receiver Performance .....	2119
F.6.4	Statistical testing of performance requirement (E-DCH and MBMS) .....	2140
F.6.4.1	Test Method .....	2140
F.6.4.2	Bad Result Ratio (ER) .....	2140
F.6.4.3	Mapping of E-DCH and MBMS tests to RRM tests (F.6.2) and HSDPA tests (F.6.3) .....	2140
F.6.4.4	Test conditions for E-DCH tests and MBMS .....	2141
<b>Annex G (normative):</b>	<b>Environmental conditions .....</b>	<b>2142</b>
G.1	General .....	2142
G.2	Environmental requirements .....	2142
G.2.1	Temperature .....	2142
G.2.2	Voltage .....	2142
G.2.3	Vibration .....	2143
G.2.4	Specified frequency range .....	2143
<b>Annex H (normative):</b>	<b>UE Capabilities (FDD) .....</b>	<b>2144</b>
H.1	Void .....	2144
H.2	Void .....	2144
<b>Annex I (normative):</b>	<b>Default Message Contents .....</b>	<b>2145</b>

Contents of MEASUREMENT REPORT message for Intra frequency test cases.....	2145
Contents of MEASUREMENT REPORT message for Inter frequency test cases.....	2146
Contents of MEASUREMENT REPORT message for inter – RAT test cases.....	2147
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH) .....	2147
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA).....	2147
Contents of Master Information Block PLMN type is the case of GSM-MAP.....	2148
Contents of Scheduling Block 1 (FDD) .....	2148
Contents of Scheduling Block 1 (FDD) .....	2149
Contents of Scheduling Block 1 (FDD) .....	2149
Contents of System Information Block type 11 (FDD).....	2150
Contents of System Information Block type 11 (FDD).....	2151
Contents of System Information Block type 11 (FDD).....	2151
Contents of System Information Block type 11 (FDD).....	2152
Contents of Scheduling Block 1 (FDD) .....	2152
Contents of System Information Block type 11 (FDD).....	2153
Contents of System Information Block type 11 (FDD).....	2154
Contents of Scheduling Block 1 (FDD) .....	2155
Contents of System Information Block type 11 (FDD).....	2155
Contents of System Information Block type 11 (FDD).....	2156
Contents of ACTIVE SET UPDATE message for test cases with SHO in clauses 7.7.1, 7.7.1A, 7.7.2, and 7.7.3. ....	2160
<b>Annex J (informative): Information about special regional application of test cases and requirements.....</b>	<b>2163</b>
J.1 Japan.....	2163
<b>Annex K (normative): Cell configuration mapping .....</b>	<b>2164</b>
<b>Annex L (normative): Conditions for RRM requirements applicability for operating bands .</b>	<b>2169</b>
L.1 Conditions for Idle mode tasks.....	2169
L.1.1 Conditions for measurements of inter-RAT E-UTRA cells .....	2169
L.2 Conditions for UE Measurements Procedures .....	2169
L.2.1 Conditions for E-UTRAN measurements.....	2169
L.3 Conditions for Measurement Performance for UE.....	2170
L.3.1 Conditions for intra frequency CPICH RSCP measurements accuracy .....	2170
L.3.2 Conditions for intra frequency CPICH RSCP relative measurements accuracy.....	2170
L.3.3 Conditions for inter frequency CPICH RSCP relative measurements accuracy.....	2171
L.3.4 Conditions for intra frequency CPICH Ec/Io measurements accuracy.....	2171
L.3.5 Conditions for intra frequency CPICH Ec/Io relative measurements accuracy.....	2171
L.3.6 Conditions for inter frequency CPICH Ec/Io measurements accuracy.....	2171
L.3.7 Conditions for inter frequency CPICH Ec/Io relative measurements accuracy.....	2171
L.3.8 Conditions for intra frequency SFN-SFN observed time difference .....	2171
L.3.9 Conditions for inter frequency SFN-SFN observed time difference .....	2172
L.3.10 Conditions for SFN-SFN observed time difference type 1.....	2172
L.3.11 Conditions for intra frequency SFN-SFN observed time difference type 2 without or with IPDL period active .....	2172
L.3.12 Conditions for inter frequency SFN-SFN observed time difference type 2 .....	2172
L.4 Conditions for UTRAN Connected mode mobility.....	2172
L.4.1 Conditions for identification of a new CGI of inter-RAT E-UTRA cell with autonomous gaps .....	2172
<b>Annex M (informative): Change history .....</b>	<b>2174</b>
History .....	2217

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

## Introduction

The present document is part 1 of a multi-parts TS:

**3GPP TS 34.121-1: User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 1: Conformance specification.**

3GPP TS 34.121-2 [32]: User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 2: Implementation Conformance Statement (ICS).

NOTE: TS 34.121 has been converted to multipart TS with version 7.0.0. Previous versions are a single part standard 34.121.

---

# 1 Scope

The present document specifies the UTRA measurement procedures for the conformance test of the user equipment (UE) that contain transmitting characteristics, receiving characteristics and performance requirements in addition to requirements for support of RRM (Radio Resource Management) in FDD mode. In addition it specifies conformance testing of RRM requirements for support of E-UTRA when the UE operates in UTRA mode.

NOTE: Conformance testing of RRM requirements for support of UTRA when the UE operates in E-UTRA mode are specified in TS 36.521-3 [38].

The requirements are listed in different clauses only if the corresponding parameters deviate. More generally, tests are only applicable to those mobiles that are intended to support the appropriate functionality. To indicate the circumstances in which tests apply, this is noted in the "*definition and applicability*" part of the test.

For example only Release 5 and later UE declared to support HSDPA shall be tested for this functionality. In the event that for some tests different conditions apply for different releases, this is indicated within the text of the test itself.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).
  - For a Release 1999 UE, references to 3GPP documents are to version 3.x.y.
  - For a Release 4 UE, references to 3GPP documents are to version 4.x.y.
  - For a Release 5 UE, references to 3GPP documents are to version 5.x.y.
  - For a Release 6 UE, references to 3GPP documents are to version 6.x.y.
  - For a Release 7 UE, references to 3GPP documents are to version 7.x.y.
  - For a Release 8 UE, references to 3GPP documents are to version 8.x.y.
  - For a Release 9 UE, references to 3GPP documents are to version 9.x.y.

- [1] 3GPP TS 25.101: "UE Radio transmission and reception (FDD)".
- [2] 3GPP TS 25.133: "Requirements for Support of Radio Resource Management (FDD)".
- [3] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".
- [5] 3GPP TS 25.214: "Physical layer procedures (FDD)".
- [6] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [7] 3GPP TR 25.990: "Vocabulary".
- [8] 3GPP TS 25.331: "Radio Resource Control (RRC); Protocol Specification".
- [9] 3GPP TS 25.433: "UTRAN Iub Interface NBAP Signalling".