

ETSI TS 129 333 V14.0.0 (2017-03)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
Multimedia Resource Function Controller (MRFC)
- Multimedia Resource Function Processor (MRFP)
Mp interface;
Stage 3
(3GPP TS 29.333 version 14.0.0 Release 14)**



Reference

RTS/TSGC-0429333ve00

Keywords

GSM,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	7
1 Scope	8
2 References	8
3 Definitions and symbols.....	11
3.1 Definitions.....	11
3.2 Symbols.....	12
4. Abbreviations	12
5. Profile Description	13
5.1 Profile Identification.....	13
5.2 Summary	13
5.3 Gateway Control Protocol Version	13
5.4 Connection Model	13
5.5 Context Attributes	14
5.6 Terminations.....	14
5.6.1 Termination Names.....	14
5.6.1.1 General	14
5.6.1.2 ASN.1 encoding	14
5.6.1.3 ABNF encoding	15
5.6.2 Multiplexed Terminations.....	15
5.7 Descriptors	15
5.7.1 Stream Descriptor	15
5.7.1.1 LocalControl Descriptor.....	15
5.7.2 Events Descriptor.....	16
5.7.3 EventBuffer Descriptor.....	17
5.7.4 Signals Descriptor.....	17
5.7.5 DigitMap Descriptor.....	19
5.7.6 Statistics Descriptor	19
5.7.7 ObservedEvents Descriptor	19
5.7.8 Topology Descriptor	19
5.7.9 Error Descriptor	20
5.8 Command API.....	20
5.8.1 Add	20
5.8.2 Modify	20
5.8.3 Subtract.....	21
5.8.4 Move	21
5.8.5 AuditValue.....	22
5.8.6 AuditCapabilities	22
5.8.7 Notify	22
5.8.8 ServiceChange	23
5.8.9 Manipulating and Auditing Context Attributes.....	24
5.9 Generic Command Syntax and Encoding.....	24
5.10 Transactions	24
5.11 Messages	25
5.12 Transport	26
5.13 Security	26
5.14 Packages	27
5.14.1 Mandatory Packages	27
5.14.2 Optional Packages	28
5.14.3 Package Usage Information	31
5.14.3.1 Generic Package.....	31

5.14.3.2	Base Root Package	32
5.14.3.3	Overload Control Package	33
5.14.3.4	Network Package	33
5.14.3.5	RTP Package	34
5.14.3.6	DTMF Detection Package	35
5.14.3.7	Call Progress Tones Generator Package	35
5.14.3.8	Basic Services Tones Generator Package	36
5.14.3.9	Expanded Call Progress Tones Generator Package	37
5.14.3.10	Basic Announcement Syntax Package	37
5.14.3.11	Voice Variable Syntax Package	38
5.14.3.12	Announcement Set Syntax Package	38
5.14.3.13	General Text Variable Type Package	39
5.14.3.14	Advanced Audio Server Base Package	39
5.14.3.15	Basic Call Progress Tones Generator with Directionality	40
5.14.3.16	AAS Recording Package	41
5.14.3.17	Multimedia Play Package	42
5.14.3.18	Generic Announcement Package	42
5.14.3.19	Intrusion Tones Generator Package	43
5.14.3.20	Business Tones Generation Package	44
5.14.3.21	Conferencing Tones Generation Package	44
5.14.3.22	Inactivity Timer Package	45
5.14.3.23	MGC Information Package	45
5.14.3.24	Advanced audio server base package for TTS enhancement	46
5.14.3.25	ASR Package	47
5.14.3.26	Multimedia Recording Package	48
5.14.3.27	Tone Generator Package	48
5.14.3.28	Hanging Termination Detection Package	49
5.14.3.29	MSRP Statistics Package	49
5.14.3.30	Play Message Package	50
5.14.3.31	Message Filtering Package	51
5.14.3.32	Record Message Package	52
5.14.3.33	Floor Control Package	53
5.14.3.34	Floor Control Policy Package	53
5.14.3.35	Floor Status Change Handling Package	54
5.14.3.36	Floor Control Signalling Package	54
5.14.3.37	Explicit Congestion Notification for RTP-over-UDP Support (ecnrouos)	56
5.14.3.38	Differentiated Services (ds)	58
5.14.3.39	MG Act-as STUN Server (mgastuns)	58
5.14.3.40	Originate STUN Continuity Check (ostuncc)	59
5.14.3.41	TCP basic connection control (tcpbcc)	60
5.14.3.42	TLS basic session control (tlsbsc)	61
5.14.3.45	Remote Pause and Resume (rempr)	63
5.15	Mandatory Support of SDP and Annex C Information Elements	64
5.16	Optional support of SDP and Annex C information elements	69
5.17	Procedures	69
5.17.1	Formats and Codes	69
5.17.2	Call Related Procedures	75
5.17.2.1	General	75
5.17.2.2	Reserve IMS Resources	78
5.17.2.3	Configure IMS Resources	82
5.17.2.4	Reserve and Configure IMS Resources	91
5.17.2.5	Release IMS Termination	100
5.17.2.6	Send Tone	101
5.17.2.7	Stop Tone	102
5.17.2.8	Tone Completed	102
5.17.2.9	Start Announcement	102
5.17.2.10	Stop Announcement	104
5.17.2.11	Announcement Completed	104
5.17.2.12	Start TTS	104
5.17.2.13	Stop TTS	105
5.17.2.14	TTS Completed	105
5.17.2.15	Start Audio Record	106

5.17.2.16	Stop Audio Record.....	108
5.17.2.17	Audio Record Complete.....	108
5.17.2.18	Detect DTMF.....	108
5.17.2.19	Report DTMF.....	109
5.17.2.20	Stop DTMF Detection.....	110
5.17.2.21	ASR Request	110
5.17.2.22	ASR Completed	111
5.17.2.23	Stop ASR	112
5.17.2.24	Start Playing Multimedia	112
5.17.2.25	Stop Playing Multimedia.....	114
5.17.2.26	Playing Multimedia Completed	114
5.17.2.27	Start Multimedia Record	114
5.17.2.28	Stop Multimedia Record	116
5.17.2.29	Multimedia Record Completed.....	116
5.17.2.30	Adhoc Audio Conference.....	117
5.17.2.31	Multi-Media Conferencing.....	117
5.17.2.32	Termination heartbeat indication	117
5.17.2.33	Configure BFCP Termination	118
5.17.2.34	Configure Conference	120
5.17.2.35	Designate Floor Chair	120
5.17.2.36	Floor Request Decision	121
5.17.2.37	Report Floor Request Decision	122
5.17.2.38	Modify Media	122
5.17.2.39	Confirm Media Update	123
5.17.2.40	Start Playing Message	123
5.17.2.41	Stop Playing Message	124
5.17.2.42	Playing Message Completed	124
5.17.2.43	Start Message Record.....	125
5.17.2.44	Stop Message Record.....	126
5.17.2.45	Message Record Completed.....	126
5.17.2.46	Configure Granted Quota	127
5.17.2.47	Report Message Statistics	128
5.17.2.48	Configure Filtering Rules.....	129
5.17.2.49	ECN Failure Indication	130
5.17.2.50	ICE Connectivity Check Result Notification	131
5.17.2.51	ICE New Peer Reflexive Candidate Notification.....	131
5.17.2.52	Notify TCP connection establishment Failure Indication	131
5.17.2.53	Notify TLS session establishment Failure Indication	132
5.17.3	Non-Call Related Procedures.....	133
5.17.3.1	General.....	133
5.17.3.2	MRFP Out Of Service	134
5.17.3.3	MRFP Communication Up	134
5.17.3.4	MRFP Register.....	135
5.17.3.5	MRFC Restoration	135
5.17.3.6	MRFP Re-Register	136
5.17.3.7	MRFC Ordered Re-register	136
5.17.3.8	Audit Value	137
5.17.3.9	Audit Capabilities	138
5.17.3.10	Capability Update	138
5.17.3.11	MRFC Out of Service	139
5.17.3.12	MRFP Resource Congestion Handling – Activate	139
5.17.3.13	MRFP Resource Congestion Handling – Indication	140
5.17.3.14	Command Rejected	140
5.17.3.15	MRFP Restoration.....	140
Annex A (normative):	The W3C SSML Profile for TTS function.....	142
A.1	Introduction	142
A.2	TTS Profile	142
Annex B (normative):	The W3C SRGS Profile for ASR function.....	146

B.1	Introduction	146
B.2	SRGS Profile	146
Annex C (informative):	Change history	149
History		151

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document describes the protocol to be used on the Multimedia Resource Function Controller (MRFC) – Multimedia Resource Function Processor (MRFP) interface (Mp interface). The IMS architecture is described in 3GPP TS 23.228 [1], the functional requirements are described in 3G TS 23.333 [25]

This specification defines a profile of the Gateway Control Protocol (H.248.1), for controlling Multimedia Resource Function Processor supporting in-band user interaction, conferencing and transcoding for multimedia-services.

The present document is valid for a 3rd generation PLMN (UMTS) complying with Release 7 and later.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [2] 3GPP TS 23.002: "Network architecture".
- [3] ITU-T Recommendation H.248.1 (05/2002), Gateway control protocol: Version 2 + Corrigendum 1 (03/2004) and ITU-T Recommendation H.248.1 (09/2005), Gateway control protocol: Version 3 for Floor Control requirements.
- [4] ITU-T Recommendation H.248.4 (11/2000), Gateway control protocol: Transport over Stream Control Transmission Protocol (SCTP) + Corrigendum 1 (03/2004).
- [5] ITU-T Recommendation H.248.7 (03/2004), Gateway control protocol: Generic announcement package.
- [6] ITU-T Recommendation H.248.9 (03/2002), Gateway control protocol: Advanced media server package.
- [7] ITU-T Recommendation H.248.11 (11/2002), Gateway control protocol: Media gateway overload control package.
- [8] IETF RFC 2960: "Stream Control Transmission Protocol".
- [9] ITU-T Recommendation H.248.14 (03/2002), Gateway control protocol: Inactivity timer package.
- [10] ITU-T Recommendation H.248.16 (11/2002), Gateway control protocol: Enhanced digit collection packages and procedures + Corrigendum 1 (03/2004).
- [11] ITU-T Recommendation H.248.19 (03/2004) Gateway control protocol: Decomposed Multipoint Control Unit, Audio, Video and Data Conferencing package
- [12] ITU-T Recommendation H.248.27 (07/2003), Gateway control protocol: Supplemental Tones package
- [13] ITU-T Recommendation Q.1950 (12/2002), Bearer independent call bearer control protocol.
- [14] ITU-T Recommendation G.711 (11/1988), Pulse code modulation (PCM) of voice frequencies.