



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
Multimedia Broadcast/Multicast Service (MBMS)
user service guidelines
(3GPP TR 26.946 version 14.0.0 Release 14)**



Reference

RTR/TSGS-0426946ve00

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	5
Introduction	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	8
4 Overview	9
4.1 Phasing model	9
4.2 System overview	9
5 Description of User Service procedures	11
5.1 User Service Discovery / Announcement.....	11
5.2 User Service Initiation / termination procedure.....	11
5.3 Session Start / Stop.....	12
5.4 Data transmission	12
5.5 Associated-Delivery procedures.....	12
5.5.1 File Repair service	12
5.5.2 Content reception reporting	12
6 Delivery methods	12
6.1 Download delivery method	12
6.1.1 SDL diagram of the download delivery method for the MBMS UE	14
6.1.2 Transport of MBMS download data	16
6.1.3 Repair Symbol Request	18
6.1.3.1 Option 1: Determination of a minimum set of source symbols for repair.....	18
6.1.3.2 Option 2: Determination of a sufficient set of consecutive encoding symbols for repair	19
6.1.3.3 Maximum Gaussian elimination	20
6.1.4 On choosing the SDU size	20
6.1.4.1 Analysis.....	21
6.2 Streaming delivery method.....	21
7 Usage scenarios	22
7.1 Service Discovery/Announcement	22
7.2 MBMS download delivery method	23
7.2.1 Example: Video clip download service use-case	23
7.2.1.1 Use-case description.....	23
7.2.1.2 Announced Metadata Fragments.....	24
7.2.1.3 Reception of a video clip.....	25
7.2.1.4 File Repair procedure	26
7.2.2 The usage of the MBMS session Identity in file download delivery	28
7.2.2.1 Introduction	28
7.2.2.2 Example 1: Usage of the Session ID to detect repetition	29
7.2.2.3 Example 2: Declaration of files of a different MBMS bearer session in the FDT	30
7.2.2.4 Example 3: Declaration of files of an MBMS bearer session in several FDT Instances.....	31
7.2.3 Partial File Delivery from MBMS Receiver to DASH Client	31
7.2.4 Communication between MBMS Client and DASH Client.....	31
7.2.4.1 Introduction	31
7.2.4.2 SAND Message for MBMS Operations	31
7.2.4.2.1 Common Message	31
7.2.4.2.2 Resource Status	33

7.2.4.2.3	Bitrate Characteristics	33
7.2.4.2.4	Availability Time Offset.....	34
7.2.4.3	Message Channel	35
7.2.4.3.1	General	35
7.2.4.3.2	Assistance	35
7.2.4.3.3	Enforcement	35
7.2.4.3.4	Error Case.....	35
7.2.5	Proxy-Based Interaction Between MBMS Receiver and DASH Client	36
7.2.5.1	Introduction.....	36
7.2.5.2	Usage Guidelines Example	37
7.2.5.2.1	Assumptions	37
7.2.5.2.2	Same Resource	38
7.2.5.2.3	Alternative Content	38
7.2.5.2.4	Outside MBMS coverage	38
7.2.5.2.5	Persistence of the 300 Redirection	39
7.3	MBMS streaming delivery method	39
8	Codecs and formats	39
Annex A: MBMS Forward Error Correction performance.....		41
A.1	Theoretical performance.....	41
A.2	Simulation results.....	41
A.2.1	Simulation conditions and assumptions (UTRAN)	42
A.2.2	Simulation conditions and assumptions (GERAN)	43
A.2.3	Simulation results: UTRAN download.....	44
A.2.4	Simulation results UTRAN streaming	45
A.2.5	Simulation results GERAN download	45
A.2.6	Simulation results GERAN streaming	46
Annex B: Change history		47
	History	48

Foreword

This Technical Report has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

MBMS user services can be built on top of the MBMS bearer service. The present document describes the usage of the two delivery methods, which are defined in [6]. The two delivery methods are streaming and download. Examples of applications using the download delivery method are news and software upgrades. Delivery of live music is an example of an application using the streaming delivery method.

The objective of the present document is to provide an overview of the MBMS System, and describes how the MBMS User Services use the MBMS Bearer Services.

1 Scope

The present document is only informative. In case there are any contradiction between the present document and 26.346, then the 3GPP TS 26.346 takes precedence.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.146: "Multimedia Broadcast/Multicast Service (MBMS); Stage 1".
- [3] 3GPP TS 22.246: "Multimedia Broadcast/Multicast Service (MBMS) user services; Stage 1".
- [4] 3GPP TS 23.246: "Multimedia Broadcast/Multicast Service (MBMS); Architecture and functional description".
- [5] 3GPP TS 25.346: "Introduction of the Multimedia Broadcast/Multicast Service (MBMS) in the Radio Access Network (RAN); Stage 2".
- [6] 3GPP TS 26.346: "Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs".
- [7] 3GPP TS 33.220: "Generic Authentication Architecture (GAA); Generic bootstrapping architecture".
- [8] 3GPP TS 33.246: "3G Security; Security of Multimedia Broadcast/Multicast Service (MBMS)".
- [9] IETF RFC 3926 (October 2004): "FLUTE - File Delivery over Unidirectional Transport", T. Paila, M. Luby, R. Lehtonen, V. Roca and R. Walsh.
- [10] IETF RFC 3450 (December 2002): "Asynchronous Layered Coding (ALC) Protocol Instantiation", M. Luby, J. Gemmell, L. Vicisano, L. Rizzo and J. Crowcroft.
- [11] IETF RFC 3451 (December 2002): "Layered Coding Transport (LCT) Building Block", M. Luby, J. Gemmell, L. Vicisano, L. Rizzo, M. Handley and J. Crowcroft.
- [12] IETF RFC 3452 (December 2002): "Forward Error Correction (FEC) Building Block", M. Luby, L. Vicisano, J. Gemmell, L. Rizzo, M. Handley and J. Crowcroft.
- [13] IETF RFC 3695 (February 2004): "Compact Forward Error Correction (FEC) Schemes", M. Luby and L. Vicisano.
- [14] IETF RFC 2327 (April 1998): "SDP: Session Description Protocol", M. Handley and V. Jacobson.
- [15] IETF RFC 2357 (June 1998): "IETF Criteria for Evaluating Reliable Multicast Transport and Application Protocols", A. Mankin, A. Romanow, S. Bradner and V. Paxson.
- [16] IETF RFC 3550 (July 2003): "RTP: A Transport Protocol for Real-Time Applications", H. Schulzrinne, S. Casner, P. Frederick and V. Jacobson.