



**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA);
Radio Frequency (RF) requirements for LTE Pico Node B
(3GPP TR 36.931 version 14.0.0 Release 14)**



Reference

RTR/TSGR-0436931ve00

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 3 Definitions, symbols and abbreviations | 6 |
| 3.1 Definitions | 6 |
| 3.2 Symbols..... | 6 |
| 3.3 Abbreviations | 7 |
| 4 General | 7 |
| 4.1 Work item objective | 7 |
| 5 System scenarios | 7 |
| 5.1 Pico NodeB class..... | 7 |
| 5.2 Radio scenario | 7 |
| 5.3 Simulation assumptions..... | 7 |
| 5.3.1 Deployment modelling | 7 |
| 5.3.1.1 Pico deployment..... | 7 |
| 5.3.1.2 Macro-Pico deployment..... | 8 |
| 5.3.2 Channel models | 8 |
| 5.3.2.1 Antenna patterns | 8 |
| 5.3.2.2 Propagation model | 9 |
| 5.3.2.2.1 Indoor path loss model | 9 |
| 5.3.2.2.2 Macro cell propagation model..... | 10 |
| 5.3.3 Macro cell parameters..... | 10 |
| 5.3.4 Pico cell parameters | 10 |
| 5.3.5 Scheduler | 11 |
| 5.3.6 Power control modelling..... | 11 |
| 6 Changes for the Release 9 in addition to Release 8..... | 11 |
| 6.1 Changes in 36.104 | 11 |
| 6.1.1 Changes to transmitter characteristics..... | 11 |
| 6.1.1.1 Frequency error | 11 |
| 6.1.1.2 Base station maximum output power | 11 |
| 6.1.1.3 Adjacent Channel Leakage power Ratio (ACLR)..... | 12 |
| 6.1.1.3.1 Relative value | 12 |
| 6.1.1.3.2 Absolute value | 12 |
| 6.1.1.4 Operating band unwanted emissions..... | 13 |
| 6.1.1.5 Transmitter spurious..... | 13 |
| 6.1.1.5.1 Mandatory requirement | 13 |
| 6.1.1.5.2 Protection of the BS receiver of own or different BS | 13 |
| 6.1.1.5.3 Additional spurious emissions requirements | 14 |
| 6.1.1.5.4 Co-location with other base stations..... | 14 |
| 6.1.2 Changes to receiver characteristics | 17 |
| 6.1.2.1 Receiver reference sensitivity | 17 |
| 6.1.2.1.1 Discussion | 17 |
| 6.1.2.1.2 Minimum requirement..... | 17 |
| 6.1.2.2 Blocking characteristics | 18 |
| 6.1.2.2.1 General blocking requirement | 18 |
| 6.1.2.2.1.1 Minimum requirement | 19 |
| 6.1.2.2.2 Collocation with other base stations | 20 |
| 6.1.2.2.2.1 Minimum requirement | 20 |
| 6.1.2.3 Dynamic range | 22 |

6.1.2.3.1 Analysis22

6.1.2.3.2 Minimum requirement23

6.1.2.4 In-channel selectivity23

6.1.2.4.1 Analysis24

6.1.2.4.2 Minimum requirement24

6.1.2.5 Adjacent Channel Selectivity (ACS) and narrow-band blocking24

6.1.2.5.1 Analysis24

6.1.2.5.2 Minimum requirement24

6.1.2.6 Receiver Intermodulation25

6.1.2.6.1 Analysis25

6.1.2.6.2 Minimum requirement26

6.1.3 Clarification on performance requirements27

6.2 Changes in 36.14127

7 Impacts to other WGs27

Annex A: Change history28

History29

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

This document is a Technical Report on Release 9 work item "RF requirements for LTE Pico NodeB".

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.104: "Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception".
- [3] 3GPP TS 36.141: "Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing".
- [4] 3GPP TR 25.951: "FDD Base Station (BS) classification".
- [5] 3GPP TR 36.942: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Frequency (RF) system scenarios".
- [6] 3GPP TS 36.101: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception".
- [7] ITU-R Recommendation P.1238: "Propagation data and prediction methods for the planning of indoor radiocommunication systems and radio local area networks in the frequency range 900 MHz to 100 GHz".
- [8] ITU-R Recommendation SM.329: "Unwanted emissions in the spurious domain".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

(Void)

3.2 Symbols

For the purposes of the present document, the following symbols apply:

(void)