

ETSI TS 132 299 V14.3.0 (2017-04)



TECHNICAL SPECIFICATION

**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Charging management;
Diameter charging applications
(3GPP TS 32.299 version 14.3.0 Release 14)**



Reference

RTS/TSGS-0532299ve30

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	14
3 Definitions, symbols and abbreviations	16
3.1 Definitions	16
3.2 Symbols.....	17
3.3 Abbreviations	17
4 Architecture considerations	19
4.1 High level architecture	19
4.1.0 General.....	19
4.1.1 Charging related transfer requirements.....	20
5 3GPP charging applications requirements.....	21
5.1 Offline charging scenarios.....	21
5.1.1 Basic principles.....	21
5.1.1.0 Introduction.....	21
5.1.1.1 Event based charging	22
5.1.1.2 Session based charging	23
5.1.2 Basic operation	25
5.2 Online charging scenarios	26
5.2.0 Introduction.....	26
5.2.1 Basic principles.....	26
5.2.2 Charging scenarios.....	27
5.2.2.0 Introduction	27
5.2.2.1 Immediate Event Charging (IEC)	28
5.2.2.1.1 Decentralized Unit Determination and Centralized Rating	28
5.2.2.1.2 Centralized Unit Determination and Centralized Rating	30
5.2.2.1.3 Decentralized Unit Determination and Decentralized Rating.....	32
5.2.2.1.4 Further options	33
5.2.2.2 Event Charging with Unit Reservation (ECUR)	34
5.2.2.2.1 Decentralized Unit Determination and Centralized Rating	34
5.2.2.2.2 Centralized Unit Determination and Centralized Rating	36
5.2.2.2.3 Decentralized Unit Determination and Decentralized Rating.....	38
5.2.2.3 Session charging with Reservation	40
5.2.2.3.1 Decentralized Unit Determination and Centralized Rating	40
5.2.2.3.2 Centralized Unit Determination and Centralized Rating	42
5.2.2.3.3 Decentralized Unit Determination and Decentralized Rating.....	44
5.2.3 Basic operations.....	46
5.3 Other requirements	49
5.3.1 Re-authorization	49
5.3.2 Threshold based re-authorization triggers.....	49
5.3.3 Termination action.....	49
5.3.4 Account expiration.....	49
6 3GPP charging applications – Protocol aspects	50
6.1 Basic principles for Diameter offline charging	50
6.1.0 Introduction.....	50
6.1.1 Event based charging	51
6.1.2 Session based charging	52
6.1.3 Offline charging error cases - Diameter procedures	54
6.1.3.1 CDF connection failure	54

6.1.3.2	No reply from CDF	54
6.1.3.3	Duplicate detection.....	54
6.1.3.4	CDF detected failure	54
6.2	Message contents for offline charging.....	55
6.2.1	Summary of offline charging message formats	55
6.2.1.1	General	55
6.2.1.2	Structure for the Accounting message formats	55
6.2.2	Accounting-Request message	56
6.2.3	Accounting-Answer (ACA) message	58
6.3	Basic principles for Diameter online charging	60
6.3.1	Online Specific Credit-Control application requirements.....	60
6.3.2	Diameter description on the Ro reference point	60
6.3.2.1	Basic principles	60
6.3.3	Immediate Event Charging (IEC)	61
6.3.4	Event Charging with Unit Reservation (ECUR).....	63
6.3.5	Session Charging with Unit Reservation (SCUR)	65
6.3.6	Error cases and scenarios	67
6.3.6.0	Introduction	67
6.3.6.1	Duplicate detection.....	67
6.3.6.2	Reserve Units / Debit Units operation failure	67
6.3.7	Support of tariff changes during an active user session.....	67
6.3.7.1	Support of tariff changes using the tariff switch mechanism	67
6.3.7.2	Support of tariff changes using Validity-Time AVP.....	67
6.3.8	Support of re-authorization	68
6.3.9	Support of failure handling	68
6.3.10	Support of failover	68
6.3.11	Credit pooling	68
6.4	Message formats for online charging	69
6.4.1	Summary of online charging message formats	69
6.4.1.1	General	69
6.4.1.2	Structure for the Credit-Control message formats.....	69
6.4.2	Credit-Control-Request message	70
6.4.3	Credit-Control-Answer message.....	76
6.4.4	Re-Auth-Request message	81
6.4.5	Re-Auth-Answer message	82
6.4.6	Capabilities-Exchange-Request message.....	82
6.4.7	Capabilities-Exchange-Answer message	83
6.4.8	Device-Watchdog-Request message.....	83
6.4.9	Device-Watchdog-Answer message	83
6.4.10	Disconnect-Peer-Request message	83
6.4.11	Disconnect-Peer-Answer message	83
6.4.12	Abort-Session-Request message.....	83
6.4.13	Abort-Session -Answer message	83
6.5	Other procedural description of the 3GPP charging applications.....	84
6.5.1	Re-Authorization	84
6.5.1.1	Idle timeout	84
6.5.1.2	Change of charging conditions.....	84
6.5.1.3	Reporting quota usage.....	84
6.5.1.4	Quota consumption	85
6.5.2	Threshold based Re-Authorization triggers	85
6.5.3	Termination action.....	85
6.5.4	Quota consumption time	86
6.5.5	Service termination	86
6.5.6	Envelope reporting.....	86
6.5.7	Combinational quota.....	87
6.5.8	Online control of offline charging information.....	87
6.5.9	Support of multiple service.....	87
6.6	Bindings of the operation to protocol application	88
6.6.0	General.....	88
6.6.1	Bindings of Charging Data Transfer to Accounting	88
6.6.2	Bindings of Debit / Reserve Units to Credit-Control.....	89
6.7	Securing Diameter messages	89

7	Summary of used Attribute Value Pairs.....	90
7.1	Diameter AVPs	90
7.1.0	General.....	90
7.1.1	Accounting-Input-Octets AVP.....	93
7.1.2	Void	93
7.1.3	Accounting-Output-Octets AVP.....	93
7.1.4	Void	93
7.1.5	Acct-Application-Id AVP.....	93
7.1.6	Auth-Application-Id AVP.....	93
7.1.7	Called-Station-Id AVP.....	93
7.1.8	Event-Timestamp AVP.....	93
7.1.9	Multiple-Services-Credit-Control AVP	94
7.1.10	Rating-Group AVP	94
7.1.11	Result-Code AVP	94
7.1.12	Service-Context-Id AVP.....	96
7.1.13	Service-Identifier AVP	96
7.1.14	Used-Service-Unit AVP	96
7.1.15	User-Name AVP.....	97
7.1.16	Vendor-Id AVP.....	97
7.1.17	User-Equipment-Info AVP	97
7.2	3GPP specific AVPs.....	98
7.2.0	General.....	98
7.2.0A	Access-Network-Info-Change AVP	107
7.2.0aA	3GPP-PS-Data-Off-Status AVP.....	108
7.2.1	Access-Network-Information AVP	108
7.2.1A	Access-Transfer-Information AVP	108
7.2.1B	Access-Transfer-Type AVP.....	108
7.2.2	Account-Expiration AVP.....	108
7.2.3	Accumulated-Cost AVP	108
7.2.4	Adaptations AVP.....	109
7.2.5	Additional-Content-Information AVP.....	109
7.2.5A	Additional-Exception-Reports AVP	109
7.2.6	Additional-Type-Information AVP	109
7.2.7	Address-Data AVP	109
7.2.8	Address-Domain AVP	109
7.2.9	Address-Type AVP.....	110
7.2.10	Addressee-Type AVP	110
7.2.11	AF-Correlation-Information AVP	110
7.2.12	Alternate-Charged-Party-Address AVP.....	110
7.2.12aA	Announcement-Identifier AVP.....	110
7.2.12aB	Announcement-Information AVP.....	110
7.2.12aC	Announcement-Order AVP	111
7.2.12A	Announcing-UE-HPLMN-Identifier AVP.....	111
7.2.12B	Announcing-UE-VPLMN-Identifier AVP.....	111
7.2.13	AoC-Cost-Information AVP	111
7.2.14	AoC-Format AVP.....	111
7.2.15	AoC-Information AVP	111
7.2.16	AoC-Request-Type AVP	112
7.2.17	AoC-Service AVP	112
7.2.18	AoC-Service-Obligatory-Type AVP	112
7.2.19	AoC-Service-Type AVP.....	113
7.2.20	AoC-Subscription-Information AVP.....	113
7.2.20A	APN-Rate-Control AVP	113
7.2.20B	APN-Rate-Control-Downlink AVP.....	113
7.2.20C	APN-Rate-Control-Uplink AVP.....	113
7.2.21	Applic-ID AVP	114
7.2.22	Application-Provided-Called-Party-Address AVP.....	114
7.2.23	Application-Server AVP.....	114
7.2.24	Application-Server-Information AVP.....	114
7.2.24A	Application-Specific-Data AVP	114
7.2.25	Associated-Party-Address AVP.....	115
7.2.26	Associated-URI AVP.....	115

7.2.27	Authorised-QoS AVP	115
7.2.28	Aux-Applic-Info AVP	115
7.2.29	Base-Time-Interval AVP	115
7.2.29A	Basic-Service-Code AVP	115
7.2.29B	Bearer-Capability AVP	115
7.2.30	Bearer-Service AVP	115
7.2.30A	BSSID AVP	115
7.2.31	Called-Asserted-Identity AVP	116
7.2.31A	Called-Identity AVP	116
7.2.31B	Called-Identity-Change AVP	116
7.2.32	Called-Party-Address AVP	116
7.2.33	Calling-Party-Address AVP	116
7.2.34	Carrier-Select-Routing-Information AVP	117
7.2.35	Cause-Code AVP	118
7.2.35A	Cellular-Network-Information AVP	119
7.2.36	CG-Address AVP	119
7.2.37	Change-Condition AVP	119
7.2.38	Change-Time AVP	120
7.2.38A	Charge-Reason-Code AVP	120
7.2.39	Charged-Party AVP	120
7.2.39A	Charging-Characteristics-Selection-Mode AVP	121
7.2.39B	Charging-Per-IP-CAN-Session-Indicator AVP	121
7.2.40	Class-Identifier AVP	121
7.2.41	Client-Address AVP	121
7.2.41A	CN-Operator-Selection-Entity AVP	121
7.2.42	Content-Class AVP	121
7.2.43	Content-Disposition AVP	122
7.2.44	Content-Length AVP	122
7.2.45	Content-Size AVP	122
7.2.46	Content-Type AVP	122
7.2.46aA	Coverage-Status AVP	122
7.2.46aaA	Coverage-Info AVP	122
7.2.46abA	CP-CIoT-EPS-Optimisation-Indicator AVP	122
7.2.46acA	CPDT-Information AVP	123
7.2.46A	CSG-Access-Mode AVP	123
7.2.46B	CSG-Membership-Indication AVP	123
7.2.47	Current-Tariff AVP	124
7.2.48	CUG-Information AVP	124
7.2.49	Data-Coding-Scheme AVP	124
7.2.50	DCD-Information AVP	124
7.2.51	Deferred-Location-Event-Type AVP	124
7.2.52	Delivery-Report-Requested AVP	124
7.2.53	Destination-Interface AVP	124
7.2.54	Diagnostics AVP	125
7.2.54A	Discoveree-UE-HPLMN-Identifier AVP	125
7.2.54B	Discoveree-UE-VPLMN-Identifier AVP	125
7.2.54C	Discoverer-UE-HPLMN-Identifier AVP	125
7.2.54D	Discoverer-UE-VPLMN-Identifier AVP	125
7.2.55	Domain-Name AVP	125
7.2.56	DRM-Content AVP	125
7.2.57	Dynamic-Address-Flag AVP	125
7.2.57A	Dynamic-Address-Flag-Extension AVP	125
7.2.58	Early-Media-Description AVP	126
7.2.58A	Enhanced-Diagnostics AVP	126
7.2.59	Envelope AVP	126
7.2.60	Envelope-End-Time AVP	127
7.2.61	Envelope-Reporting AVP	128
7.2.62	Envelope-Start-Time AVP	128
7.2.62A	EPDG-Address AVP	128
7.2.63	Event AVP	128
7.2.64	Event-Charging-TimeStamp AVP	128
7.2.65	Event-Type AVP	128

7.2.66	Expires AVP	128
7.2.67	File-Repair-Supported AVP	129
7.2.67aA	Forwarding-Pending AVP	129
7.2.67A	From-Address AVP	129
7.2.68	GGSN-Address AVP	129
7.2.69	IM-Information AVP	129
7.2.70	Incremental-Cost AVP	129
7.2.70A	Instance-Id AVP	129
7.2.71	Interface-Id AVP	129
7.2.72	Interface-Port AVP	130
7.2.73	Interface-Text AVP	130
7.2.74	Interface-Type AVP	130
7.2.74aA	Inter-UE-Transfer AVP	130
7.2.74A	IMS-Application-Reference-Identifier AVP	130
7.2.75	IMS-Charging-Identifier AVP	130
7.2.76	IMS-Communication-Service-Identifier AVP	130
7.2.76A	IMS-Emergency-Indicator AVP	130
7.2.77	IMS-Information AVP	131
7.2.77A	IMS-Visited-Network-Identifier AVP	132
7.2.78	IMSI-Unauthenticated-Flag AVP	132
7.2.79	Incoming-Trunk-Group-ID AVP	132
7.2.79A	Initial-IMS-Charging-Identifier AVP	132
7.2.80	Inter-Operator-Identifier AVP	132
7.2.80A	IP-Realm-Default-Indication AVP	132
7.2.80B	ISUP-Cause AVP	132
7.2.80C	ISUP-Cause-Diagnostics AVP	133
7.2.80D	ISUP-Cause-Location AVP	133
7.2.80E	ISUP-Cause-Value AVP	133
7.2.80F	ISUP-Location-Number AVP	133
7.2.80Fa	Language AVP	133
7.2.80G	Layer-2-Group-ID AVP	133
7.2.81	LCS-APN AVP	133
7.2.82	LCS-Client-Dialed-By-MS AVP	133
7.2.83	LCS-Client-External-ID AVP	133
7.2.84	LCS-Client-ID AVP	133
7.2.85	LCS-Client-Name AVP	135
7.2.86	LCS-Client-Type AVP	135
7.2.87	LCS-Data-Coding-Scheme AVP	135
7.2.88	LCS-Format-Indicator AVP	135
7.2.89	LCS-Information AVP	135
7.2.90	LCS-Name-String AVP	135
7.2.91	LCS-Requestor-ID AVP	136
7.2.92	LCS-Requestor-ID-String AVP	136
7.2.92A	Local-GW-Inserted-Indication AVP	136
7.2.93	Local-Sequence-Number AVP	136
7.2.94	Location-Estimate AVP	136
7.2.95	Location-Estimate-Type AVP	136
7.2.95A	Location-Info AVP	136
7.2.96	Location-Type AVP	137
7.2.97	Low-Balance-Indication AVP	137
7.2.97A	Low-Priority-Indicator AVP	137
7.2.97B	MBMS-Charged-Party AVP	137
7.2.98	MBMS-GW-Address AVP	137
7.2.99	MBMS-Information AVP	137
7.2.100	MBMS-User-Service-Type AVP	138
7.2.101	Media-Initiator-Flag AVP	139
7.2.102	Media-Initiator-Party AVP	139
7.2.103	Message-Body AVP	139
7.2.104	Message-Class AVP	139
7.2.105	Message-ID AVP	139
7.2.106	Message-Size AVP	139
7.2.107	Message-Type AVP	140

7.2.108	MM-Content-Type AVP	140
7.2.109	MMBox-Storage-Requested AVP	140
7.2.110	MMS-Information AVP	141
7.2.111	MMTel-Information AVP	141
7.2.111A	MMTel-SService-Type AVP	141
7.2.111Aa	Monitored-PLMN-Identifier AVP	142
7.2.111AaA	Monitoring-Event-Configuration-Activity AVP	142
7.2.111AaB	Monitoring-Event-Functionality AVP	142
7.2.111AaC	Monitoring-Event-Information AVP	142
7.2.111AaD	Monitoring-Event-Report-Data AVP	143
7.2.111AaE	Monitoring-Event-Report-Number AVP	143
7.2.111Ab	Monitoring-UE-HPLMN-Identifier AVP	143
7.2.111Ac	Monitoring-UE-Identifier AVP	143
7.2.111Ad	Monitoring-UE-VPLMN-Identifier AVP	143
7.2.111B	MSC-Address AVP	143
7.2.111C	MTC-IWF-Address AVP	143
7.2.111D	Neighbour-Node-Address AVP	143
7.2.111E	Network-Call-Reference-Number AVP	144
7.2.112	Next-Tariff AVP	144
7.2.112aA	NIDD-Submission AVP	144
7.2.112A	NNI-Information AVP	144
7.2.112B	NNI-Type AVP	145
7.2.113	Node-Functionality AVP	145
7.2.114	Node-Id AVP	145
7.2.115	Number-Of-Diversions AVP	145
7.2.116	Number-Of-Messages-Sent AVP	145
7.2.117	Number-Of-Participants AVP	145
7.2.118	Number-Of-Received-Talk-Bursts AVP	146
7.2.119	Number-Of-Talk-Bursts AVP	146
7.2.120	Number-Portability-Routing-Information AVP	146
7.2.121	Offline-Charging AVP	146
7.2.122	Online-Charging-Flag AVP	146
7.2.123	Originating-IOI AVP	147
7.2.124	Originator AVP	147
7.2.125	Originator-Address AVP	147
7.2.126	Originator-Interface AVP	148
7.2.127	Originator-Received-Address AVP	148
7.2.128	Originator-SCCP-Address	148
7.2.128A	Outgoing-Session-Id AVP	148
7.2.129	Outgoing-Trunk-Group-ID AVP	148
7.2.130	Participants-Involved AVP	148
7.2.131	Participant-Group AVP	149
7.2.132	Participant-Access-Priority AVP	149
7.2.133	Participant-Action-Type AVP	149
7.2.134	Void	149
7.2.135	Void	149
7.2.135A	PC3-Control-Protocol-Cause AVP	149
7.2.135B	PC3-EPC-Control-Protocol-Cause AVP	149
7.2.136	PDN-Connection-Charging-ID AVP	150
7.2.137	PDP-Address AVP	150
7.2.137A	PDP-Address-Prefix-Length AVP	150
7.2.138	PDP-Context-Type AVP	150
7.2.138A	Play-Alternative AVP	150
7.2.139	PoC-Change-Condition AVP	150
7.2.140	PoC-Change-Time AVP	150
7.2.141	PoC-Controlling-Address AVP	151
7.2.142	PoC-Event-Type AVP	152
7.2.143	PoC-Group-Name AVP	152
7.2.144	PoC-Information AVP	152
7.2.145	PoC-Server-Role AVP	152
7.2.146	PoC-Session-Id AVP	152
7.2.147	PoC-Session-Initiation-Type AVP	153

7.2.148	PoC-Session-Type AVP	153
7.2.149	PoC-User-Role AVP	153
7.2.150	PoC-User-Role-IDs AVP	153
7.2.151	PoC-User-Role-Info-Units AVP	153
7.2.152	Positioning-Data AVP	153
7.2.153	Preferred-AoC-Currency AVP	153
7.2.154	Priority AVP	154
7.2.154aA	Privacy-Indicator AVP	154
7.2.154A	ProSe-3rd-Party-Application-ID AVP	154
7.2.154Aa	ProSe-Direct-Communication-Reception-Data-Container AVP	154
7.2.154B	ProSe-Direct-Communication-Transmission-Data-Container AVP	154
7.2.154C	ProSe-Direct-Discovery-Model AVP	155
7.2.154D	ProSe-Event-Type AVP	155
7.2.154E	ProSe-Function-IP-Address AVP	155
7.2.154F	ProSe-Function-PLMN-Identifier AVP	155
7.2.154G	ProSe-Functionality AVP	155
7.2.154H	ProSe-Group-IP-Multicast-Address AVP	155
7.2.154I	ProSe-Information AVP	155
7.2.154J	ProSe-Range-Class AVP	156
7.2.154K	ProSe-Reason-For-Cancellation AVP	157
7.2.154L	ProSe-Request-Timestamp AVP	157
7.2.154M	ProSe-Role-Of-UE AVP	157
7.2.154N	ProSe-Source-IP-Address AVP	157
7.2.154O	ProSe-UE-ID AVP	157
7.2.154P	Proximity-Alert-Indication AVP	157
7.2.154Q	Proximity-Alert-Timestamp AVP	157
7.2.154R	Proximity-Cancellation-Timestamp AVP	157
7.2.155	PS-Append-Free-Format-Data AVP	158
7.2.156	PS-Free-Format-Data AVP	158
7.2.157	PS-Furnish-Charging-Information AVP	158
7.2.158	PS-Information AVP	158
7.2.159	Quota-Consumption-Time AVP	159
7.2.160	Quota-Holding-Time AVP	160
7.2.160aA	Quota-Indicator AVP	160
7.2.160A	Radio-Frequency AVP	160
7.2.160B	Radio-Parameter-Set-Info AVP	160
7.2.160C	Radio-Parameter-Set-Values AVP	160
7.2.160D	Radio-Resources-Indicator AVP	160
7.2.160E	Rate-Control-Max-Message-Size AVP	161
7.2.160F	Rate-Control-Max-Rate AVP	161
7.2.160G	Rate-Control-Time-Unit AVP	161
7.2.161	Rate-Element AVP	161
7.2.162	Read-Reply-Report-Requested AVP	161
7.2.163	Void	161
7.2.164	Real-Time-Tariff-Information AVP	162
7.2.164A	Reason-Header AVP	162
7.2.165	Received-Talk-Burst-Time AVP	162
7.2.166	Received-Talk-Burst-Volume AVP	162
7.2.167	Recipient-Address AVP	162
7.2.168	Recipient-Info AVP	163
7.2.169	Recipient-Received-Address AVP	163
7.2.170	Recipient-SCCP-Address	163
7.2.171	Refund-Information AVP	163
7.2.171A	Relationship-Mode AVP	163
7.2.171Aa	Related-Change-Condition-Information AVP	164
7.2.171Ab	Related-Trigger AVP	164
7.2.171B	Related-IMS-Charging-Identifier AVP	164
7.2.171C	Related-IMS-Charging-Identifier-Node AVP	164
7.2.172	Remaining-Balance AVP	164
7.2.173	Reply-Applic-ID AVP	165
7.2.174	Reply-Path-Requested AVP	165
7.2.175	Reporting-Reason AVP	166

7.2.176	Requested-Party-Address AVP	167
7.2.176A	Requested-PLMN-Identifier AVP	167
7.2.176B	Requestor-PLMN-Identifier AVP	167
7.2.177	Role-Of-Node AVP	167
7.2.177aA	Role-Of-ProSe-Function AVP	167
7.2.177A	Route-Header-Received AVP	167
7.2.177B	Route-Header-Transmitted AVP	167
7.2.178	Scale-Factor AVP	168
7.2.178A	SCS-Address AVP	168
7.2.178B	SCS-AS-Address AVP	168
7.2.178C	SCS-Realm AVP	168
7.2.179	SDP-Answer-Timestamp AVP	168
7.2.180	SDP-Media-Component AVP	168
7.2.181	SDP-Media-Description AVP	169
7.2.182	SDP-Media-Name AVP	169
7.2.183	SDP-Offer-Timestamp AVP	169
7.2.184	SDP-Session-Description AVP	169
7.2.185	SDP-TimeStamps AVP	169
7.2.186	SDP-Type AVP	169
7.2.186A	Session-Direction AVP	169
7.2.187	Served-Party-IP-Address AVP	169
7.2.188	Void	170
7.2.189	Service-Data-Container AVP	170
7.2.190	Service-ID AVP	170
7.2.191	Service-Generic-Information AVP	170
7.2.192	Service-Information AVP	171
7.2.193	Service-Mode AVP	172
7.2.194	Service-Specific-Data AVP	172
7.2.195	Service-Specific-Info AVP	172
7.2.196	Service-Specific-Type AVP	172
7.2.197	Void	172
7.2.197a	Serving-Node-Identity	172
7.2.198	Serving-Node-Type AVP	173
7.2.198A	SGi-PtP-Tunnelling-Method AVP	173
7.2.199	SGSN-Address AVP	173
7.2.199A	SGW-Address AVP	173
7.2.200	SGW-Change AVP	173
7.2.201	SIP-Method AVP	173
7.2.202	SIP-Request-Timestamp AVP	173
7.2.203	SIP-Request-Timestamp-Fraction AVP	173
7.2.204	SIP-Response-Timestamp AVP	174
7.2.205	SIP-Response-Timestamp-Fraction AVP	174
7.2.205A	SM-Device-Trigger-Indicator AVP	174
7.2.205B	SM-Device-Trigger-Information AVP	174
7.2.206	SM-Discharge-Time AVP	174
7.2.207	SM-Message-Type AVP	174
7.2.208	SM-Protocol-Id AVP	175
7.2.208A	SM-Sequence-Number AVP	175
7.2.209	SM-Status AVP	175
7.2.210	SM-User-Data-Header AVP	175
7.2.211	SMS-Information AVP	175
7.2.212	SMS-Node AVP	175
7.2.212A	SMS-Result AVP	176
7.2.213	SM-Service-Type AVP	177
7.2.214	SMSC-Address AVP	177
7.2.214A	Start-of-Charging AVP	177
7.2.215	Start-Time AVP	177
7.2.215A	Status-AS-Code AVP	177
7.2.216	Stop-Time AVP	177
7.2.217	Submission-Time AVP	177
7.2.218	Subscriber-Role AVP	178
7.2.219	Supplementary-Service AVP	178

7.2.219A	TAD-Identifier AVP	178
7.2.220	Talk-Burst-Exchange AVP	178
7.2.221	Talk-Burst-Time AVP	179
7.2.222	Talk-Burst-Volume AVP	179
7.2.223	Tariff-Information AVP	179
7.2.224	Tariff-XML AVP	179
7.2.224A	Teleservice AVP	179
7.2.225	Terminating-IOI AVP	179
7.2.225A	Time-First-Reception AVP	180
7.2.225B	Time-First-Transmission AVP	180
7.2.226	Time-First-Usage AVP	180
7.2.226A	Time-Indicator AVP	180
7.2.227	Time-Last-Usage AVP	180
7.2.228	Time-Quota-Mechanism	180
7.2.229	Time-Quota-Threshold AVP	180
7.2.230	Time-Quota-Type AVP	181
7.2.231	Time-Stamps AVP	181
7.2.232	Time-Usage AVP	181
7.2.233	Traffic-Data-Volumes AVP	181
7.2.233A	Transcoder-Inserted-Indication AVP	181
7.2.233B	Transit-IOI-List AVP	182
7.2.233C	Transmitter-Info AVP	182
7.2.234	Token-Text AVP	182
7.2.235	Trigger AVP	182
7.2.236	Trigger-Type AVP	182
7.2.237	Trunk-Group-ID AVP	185
7.2.237A	Void	186
7.2.237B	Void	186
7.2.237Ba	TWAG-Address AVP	186
7.2.237C	TWAN-User-Location-Info AVP	187
7.2.238	Type-Number AVP	187
7.2.238A	UNI-PDU-CP-Only-Flag AVP	187
7.2.239	Unit-Cost AVP	187
7.2.240	Unit-Quota-Threshold AVP	187
7.2.240A	User-CSG-Information AVP	187
7.2.240B	Usage-Information-Report-Sequence-Number AVP	188
7.2.241	User-Participating-Type AVP	188
7.2.242	User-Session-Id AVP	188
7.2.242aaA	UWAN-User-Location-Info AVP	188
7.2.242aA	Variable-Part AVP	188
7.2.242aB	Variable-Part-Order AVP	189
7.2.242aC	Variable-Part-Type AVP	189
7.2.242aD	Variable-Part-Value AVP	189
7.2.242A	VCS-Information AVP	189
7.2.242B	VLR-Number AVP	190
7.2.243	Volume-Quota-Threshold AVP	190
7.2.244	Void	190
7.2.245	Void	190
7.2.246	Void	190
7.2.247	Void	190
7.2.248	Void	190
7.2.249	Void	190
7.2.250	Void	190
7.3	3GPP2 specific AVPs	191
7.4	ETSI specific AVPs	191
7.5	oneM2M specific AVPs	191
Annex A (informative):	Bibliography	192
Annex B (informative):	Change history	194
History		201

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document is part of a series of Technical Specifications (TSs) that specify charging functionality and charging management in GSM/UMTS networks. The GSM/UMTS core network-charging architecture and principles are specified in TS 32.240 [1], which provides an umbrella for other charging management documents that specify.

- The content of the CDRs' per domain and subsystem (offline charging);
- The content of real-time charging messages per domain / subsystem (online charging);
- The functionality of online and offline charging for those domains and subsystems;
- The interfaces that are used in the charging framework to transfer the charging information (i.e. CDRs or charging events).

The complete document structure for these TSs is defined in TS 32.240 [1].

The present document specifies in detail the Diameter based offline and online charging applications for 3GPP networks. It includes all charging parameters, scenarios and message flows..

All terms, definitions and, abbreviations used in the present document, that are common across 3GPP TSs, are defined in TR 21.905 [100]. Those that are common across charging management in GSM/UMTS domains, services or subsystems are provided in the umbrella document TS 32.240 [1] and are copied into clause 3 of the present document for ease of reading. Finally, those items that are specific to the present document are defined exclusively in the present document.

Furthermore, requirements that govern the charging work are specified in TS 22.115 [101].