



**Universal Mobile Telecommunications System (UMTS);
LTE;
General Packet Radio System (GPRS)
Tunnelling Protocol User Plane (GTPv1-U)
(3GPP TS 29.281 version 14.1.0 Release 14)**



Reference

RTS/TSGC-0429281ve10

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	7
4 General	8
4.1 GTP Path	8
4.2 GTP-U Tunnels	8
4.2.1 GTP-U Tunnel description.....	8
4.2.2 IP transport.....	9
4.2.3 GTP-U Tunnel IP transport.....	9
4.2.4 Ingress GTP tunnel (GTPv1-U sending endpoint).....	9
4.2.5 Egress GTP tunnel (GTPv1-U receiving endpoint)	10
4.2.6 MBMS IP Multicast Distribution of the User Plane Data.....	10
4.3 GTP-U Protocol Entity	10
4.3.0 General.....	10
4.3.1 Handling of Sequence Numbers	10
4.4 Protocol stack	11
4.4.0 GTP-PDU Stacks	11
4.4.1 UDP/IP.....	12
4.4.2 UDP header and port numbers	12
4.4.2.0 General.....	12
4.4.2.1 Echo Request Message.....	12
4.4.2.2 Echo Response Message	12
4.4.2.3 Encapsulated T-PDUs	12
4.4.2.4 Error Indication	12
4.4.2.5 Supported Extension Headers Notification	13
4.4.2.6 End Marker	13
4.4.3 IP header and IP addresses.....	13
4.4.3.1 Echo Request Message.....	13
4.4.3.2 Echo Response Message	13
4.4.3.3 Encapsulated T-PDUs	13
4.4.3.4 Error Indication	13
4.4.3.5 Supported Extension Headers Notification	13
4.4.3.6 End Marker	13
4.5 Transmission Order and Bit Definitions.....	14
4.6 New Functionality	14
5 GTP-U header	14
5.1 General format.....	14
5.2 GTP-U Extension Header.....	16
5.2.1 General format of the GTP-U Extension Header	16
5.2.2 Extension Header types	17
5.2.2.1 UDP Port.....	17
5.2.2.2 PDCP PDU Number	17
5.2.2.2A Long PDCP PDU Number	18
5.2.2.3 Service Class Indicator.....	18
5.2.2.4 RAN Container	19
5.2.2.5 Xw RAN Container.....	20

6	GTP-U Message Formats	20
6.1	General	20
6.2	Presence requirements of Information Elements	21
7	GTP-U Messages.....	21
7.1	General	21
7.2	Path Management Messages.....	21
7.2.1	Echo Request	21
7.2.2	Echo Response	22
7.2.3	Supported Extension Headers Notification.....	22
7.3	Tunnel Management Messages	22
7.3.1	Error Indication.....	22
7.3.2	End Marker	23
8	Information Elements	23
8.1	Information Element Types.....	23
8.2	Recovery.....	24
8.3	Tunnel Endpoint Identifier Data I	24
8.4	GTP-U Peer Address	25
8.5	Extension Header Type List	25
8.6	Private Extension.....	25
9	Error Handling.....	26
9.1	Protocol Errors	26
9.2	Path Failure	26
10	Security.....	26
11	Reliable Delivery of Signalling Messages	26
12	GTP Parameters.....	27
12.1	General	27
12.2	Timers	27
12.3	Others	27
13	Tunnelling Scenarios.....	27
13.1	General	27
13.2	Tunnelling between SGWs.....	27
13.3	Transfer of the user plane data between PDN GWs	27
13.4	Tunnelling between SGSNs	27
13.5	Tunnelling between Source RNC and Target RNC.....	28
13.6	Transfer of the user plane data between GGSNs.....	28
13.7	Tunnelling between RNC and eNodeB	28
13.8	Tunnelling between SGSN and eNodeB	28
13.9	Tunnelling between Source eNodeB and Target eNodeB	28
13.10	Tunnelling between SGSN and RNC	28
13.11	Tunnelling between SGSN and SGW	28
13.12	Tunnelling between SGW and eNodeB.....	28
13.13	Tunnelling between SGW and RNC	29
13.14	Tunnelling between SGW and SGSN	29
	Annex A (informative): Change history	30
	History	31

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document defines the user plane of GTP used on:

- the Gn and Gp interfaces of the General Packet Radio Service (GPRS);
- the Iu, Gn and Gp interfaces of the UMTS system;
- the S1-U, S11-U, S2a, S2b, X2, S4, S5, S8, S12, M1 and Sn interfaces of the Evolved Packet System (EPS);

This definition ensures full backwards compatibility with RNC, SGSN and GGSN implementations according to release 7 of 3GPP TS 29.060 [6].

NOTE: Releases previous to Release-8 have used 3GPP TS 29.060 [6] as normative definition of the user plane of GTP. This shall be considered when essential corrections are included in the present document or in pre-release-8 version of 3GPP TS 29.060 [6].

Fallback from GTPv1-U to GTPv0-U shall not be supported. Therefore, 3GPP Rel-8 and onwards GTPv1-U entity should not listen to the well-known GTPv0 port 3386. If GTPv1 entity listens to the GTPv0 port, the entity shall silently discard any received GTPv0-U message.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.003: "Numbering, addressing and identification".
- [3] 3GPP TS 23.007: "Restoration procedures".
- [4] 3GPP TS 23.060: "General Packet Radio Service (GPRS); Service description; Stage 2".
- [5] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [6] 3GPP TS 29.060: "General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface".
- [7] 3GPP TS 29.274: "3GPP Evolved Packet System; Evolved GPRS Tunnelling Protocol for EPS (GTPv2)".
- [8] 3GPP TS 32.295: "Telecommunication management; Charging management; Charging Data Record (CDR) transfer".
- [9] IETF RFC 768 (STD 0006): "User Datagram Protocol", J. Postel.
- [10] IETF RFC 791 (STD 0005): "Internet Protocol", J. Postel.
- [11] IETF RFC 4291: "IP Version 6 Addressing Architecture".
- [12] 3GPP TS 33.210: "3G security; Network Domain Security (NDS); IP network layer security".
- [13] 3GPP TS 23.121: "Architectural requirements for Release 1999".