ETSI TS 137 571-1 V14.2.0 (2017-08)

Universal Mobile Telecommunications System (UMTS);
LTE;
Universal Terrestrial Radio Access (UTRA)
and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification
for UE positioning;
Part 1: Conformance test specification
(3GPP TS 37.571-1 version 14.2.0 Release 14)

Reference
RTS/TSGR-0537571-1ve20

Keywords
LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.
All rights reserved.

DECT™, **PLUGTESTS**™, **UMTS**™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE**™ are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights 2
Foreword 2
Modal verbs terminology 2
Foreword 16
Introduction 16
1 Scope 17
2 References 17
3 Definitions, symbols and abbreviations 19
3.1 Definitions 19
3.2 Symbols 19
3.3 Abbreviations 20
4 General test conditions 21
4.1 Introduction 21
4.2 GNSS test conditions 21
4.2.1 GNSS signals 21
4.2.2 GNSS frequency 21
4.2.3 GNSS static propagation conditions 21
4.2.4 GNSS multi-path conditions 21
4.2.5 UEs supporting multiple satellite signals 22
4.2.6 GNSS multi System Time Offsets 23
4.3 UTRA test conditions 23
4.3.1 UTRA frequency band and frequency range 23
4.3.2 UTRA frequency 23
4.3.3 Sensors 23
4.4 E-UTRA test conditions 23
4.4.1 E-UTRA frequency band and frequency range 23
4.4.2 Groups of bands 24
4.4.3 Sensors 24
4.5 A-GNSS test conditions 24
4.5.1 General 24
4.5.2 UTRAN measurement parameters 25
4.5.2.1 UE based A-GNSS measurement parameters 25
4.5.2.2 UE assisted A-GNSS measurement parameters 25
4.5.2.3 2D position error 25
4.5.2.4 Response time 25
4.5.3 E-UTRAN measurement parameters 25
4.5.3.1 UE based A-GNSS measurement parameters 25
4.5.3.2 UE assisted A-GNSS measurement parameters 25
4.5.3.3 2D Error definition 25
4.5.3.4 Response time 26
4.5.4 Converting A-GNSS UE-assisted measurement reports into position estimates 26
4.6 ECID test conditions 26
4.6.1 Simulated cells 26
4.6.2 Propagation conditions 26
4.6.2.1 Static 26
4.6.2.2 Multi-path fading 26
4.6.3 UE Rx - Tx time difference reporting range 26
4.7 OTDOA test conditions 27
4.7.1 Simulated cells 27
4.7.2 Propagation conditions 28
4.7.2.1 Static 28
4.7.2.2 Multi-path fading 28
4.7.3 Response time 28

4.7.4 RSTD reporting range 28
4.7.5 RSTD Carrier Aggregation Test Cases with Different Channel Bandwidth Combinations 29
4.8 MBS test conditions 29
4.8.1 MBS signals 29
4.8.2 Propagation conditions 29
4.8.2.1 Static 29
4.8.2.2 Multi-path fading 30
4.8.3 Response time 30
5 UTRA A-GPS Minimum Performance requirements 31
5.1 General 31
5.2 Sensitivity 31
5.2.1 Sensitivity Coarse Time Assistance 31
5.2.1.1 Definition and applicability 31
5.2.1.2 Minimum requirements 31
5.2.1.3 Test purpose 31
5.2.1.4 Method of test 32
5.2.1.4.1 Initial conditions 32
5.2.1.4.2 Procedure 32
5.2.1.5 Test Requirements 32
5.2.2 Sensitivity Fine Time Assistance 33
5.2.2.1 Definition and applicability 33
5.2.2.2 Minimum requirements 33
5.2.2.3 Test purpose 34
5.2.2.4 Method of test 34
5.2.2.4.1 Initial conditions 34
5.2.2.4.2 Procedure 34
5.2.2.5 Test Requirements 34
5.3 Nominal Accuracy 35
5.3.1 Definition and applicability 35
5.3.2 Minimum requirements 35
5.3.3 Test purpose 35
5.3.4 Method of test 36
5.3.4.1 Initial conditions 36
5.3.4.2 Procedure 36
5.3.5 Test Requirements 37
5.4 Dynamic Range 37
5.4.1 Definition and applicability 37
5.4.2 Minimum requirements 37
5.4.3 Test purpose 38
5.4.4 Method of test 38
5.4.4.1 Initial conditions 38
5.4.4.2 Procedure 38
5.4.5 Test Requirements 39
5.5 Multi-path Performance 39
5.5.1 Definition and applicability 39
5.5.2 Minimum requirements 39
5.5.3 Test purpose 40
5.5.4 Method of test 40
5.5.4.1 Initial conditions 40
5.5.4.2 Procedure 40
5.5.5 Test Requirements 41
5.6 Moving Scenario and Periodic Update Performance 41
5.6.1 Definition and applicability 41
5.6.2 Minimum requirements 41
5.6.3 Test purpose 42
5.6.4 Method of test 42
5.6.4.1 Initial conditions 42
5.6.4.2 Procedure 43
5.6.5 Test Requirements 44
6 UTRA A-GNSS Minimum Performance requirements 45

6.1 General 45
6.2 Sensitivity 45
6.2.1 Sensitivity Coarse Time Assistance 45
6.2.1.1 Definition and applicability 45
6.2.1.2 Minimum requirements 45
6.2.1.3 Test purpose 46
6.2.1.4 Method of test 46
6.2.1.4.1 Initial conditions 46
6.2.1.4.2 Procedure 47
6.2.1.5 Test Requirements 47
6.2.2 Sensitivity Fine Time Assistance 48
6.2.2.1 Definition and applicability 48
6.2.2.2 Minimum requirements 49
6.2.2.3 Test purpose 49
6.2.2.4 Method of test 50
6.2.2.4.1 Initial conditions 50
6.2.2.4.2 Procedure 50
6.2.2.5 Test Requirements 50
6.3 Nominal Accuracy 51
6.3.1 Definition and applicability 51
6.3.2 Minimum requirements 52
6.3.3 Test purpose 52
6.3.4 Method of test 52
6.3.4.1 Initial conditions 52
6.3.4.2 Procedure 53
6.3.5 Test Requirements 53
6.4 Dynamic Range 54
6.4.1 Definition and applicability 54
6.4.2 Minimum requirements 55
6.4.3 Test purpose 56
6.4.4 Method of test 56
6.4.4.1 Initial conditions 56
6.4.4.2 Procedure 56
6.4.5 Test Requirements 57
6.5 Multi-path Performance 57
6.5.1 Definition and applicability 57
6.5.2 Minimum requirements 58
6.5.3 Test purpose 58
6.5.4 Method of test 59
6.5.4.1 Initial conditions 59
6.5.4.2 Procedure 59
6.5.5 Test Requirements 60
6.6 Moving Scenario and Periodic Update Performance 61
6.6.1 Definition and applicability 61
6.6.2 Minimum requirements 61
6.6.3 Test purpose 62
6.6.4 Method of test 62
6.6.4.1 Initial conditions 62
6.6.4.2 Procedure 63
6.6.5 Test Requirements 63
7 E-UTRA A-GNSS minimum performance requirements 65
7.0 General 65
7.1 Sensitivity 65
7.1.1 Sensitivity Coarse time assistance 65
7.1.1.1 Sub-tests 65
7.1.1.2 Test purpose 65
7.1.1.3 Test applicability 65
7.1.1.4 Minimum conformance requirements 65
7.1.1.5 Test description 66
7.1.1.5.1 Initial conditions 66
7.1.1.5.2 Test procedure 67

7.1.1.5.3 Message contents 68
7.1.1.6 Test requirement 68
7.1.2 Sensitivity Fine time assistance 69
7.1.2.1 Sub-tests 69
7.1.2.2 Test purpose 70
7.1.2.3 Test applicability 70
7.1.2.4 Minimum conformance requirements 70
7.1.2.5 Test description 71
7.1.2.5.1 Initial conditions 71
7.1.2.5.2 Test procedure 71
7.1.2.5.3 Message contents 72
7.1.2.6 Test requirement 73
7.2 Nominal Accuracy 74
7.2.1 Sub-tests 74
7.2.2 Test purpose 74
7.2.3 Test applicability 75
7.2.4 Minimum conformance requirements 75
7.2.5 Test description 76
7.2.5.1 Initial conditions 76
7.2.5.2 Test procedure 76
7.2.5.3 Message contents 77
7.2.6 Test requirement 78
7.3 Dynamic Range 79
7.3.1 Sub-tests 79
7.3.2 Test purpose 80
7.3.3 Test applicability 80
7.3.4 Minimum conformance requirements 80
7.3.5 Test description 81
7.3.5.1 Initial conditions 81
7.3.5.2 Test procedure 82
7.3.5.3 Message contents 82
7.3.6 Test requirement 83
7.4 Multi-Path scenario 84
7.4.1 Sub-tests 84
7.4.2 Test purpose 85
7.4.3 Test applicability 85
7.4.4 Minimum conformance requirements 85
7.4.5 Test description 86
7.4.5.1 Initial conditions 86
7.4.5.2 Test procedure 86
7.4.5.3 Message contents 87
7.4.6 Test requirement 88
7.5 Moving scenario and periodic update (Rel-9 to Rel-13) 89
7.5.1 Sub-tests 89
7.5.2 Test purpose 89
7.5.3 Test applicability 89
7.5.4 Minimum conformance requirements 90
7.5.5 Test description 91
7.5.5.1 Initial conditions 91
7.5.5.2 Test procedure 91
7.5.5.3 Message contents 92
7.5.6 Test requirement 93
7.5A Moving scenario and periodic update (Rel-14 onwards) 94
7.5A.1 Sub-tests 94
7.5A.2 Test purpose 94
7.5A.3 Test applicability 95
7.5A.4 Minimum conformance requirements 95
7.5A.5 Test description 95
7.5A.6 Test requirement 95

8 E-UTRA ECID measurement requirements 95
8.1 UE Rx – Tx Time Difference 95

8.1.1 E-UTRAN FDD UE Rx – Tx time difference case (Rel-9 to Rel-11) 95
8.1.1.1 Test purpose 95
8.1.1.2 Test applicability 95
8.1.1.3 Minimum conformance requirements 95
8.1.1.4 Test description 96
8.1.1.4.1 Initial conditions 96
8.1.1.4.2 Test procedure 97
8.1.1.4.3 Message contents 97
8.1.1.5 Test requirement 101
8.1.1A E-UTRAN FDD UE Rx – Tx time difference case (Rel-12 onwards) 102
8.1.1A.1 Test purpose 102
8.1.1A.2 Test applicability 102
8.1.1A.3 Minimum conformance requirements 102
8.1.1A.4 Test description 103
8.1.1A.4.1 Initial conditions 103
8.1.1A.4.2 Test procedure 103
8.1.1A.4.3 Message contents 103
8.1.1A.5 Test requirement 103
8.1.2 E-UTRAN TDD UE Rx – Tx time difference case (Rel-9 to Rel-11) 104
8.1.2.1 Test purpose 104
8.1.2.2 Test applicability 104
8.1.2.3 Minimum conformance requirements 104
8.1.2.4 Test description 104
8.1.2.4.1 Initial conditions 104
8.1.2.4.2 Test procedure 104
8.1.2.4.3 Message contents 105
8.1.2.5 Test requirement 109
8.1.2A E-UTRAN TDD UE Rx – Tx time difference case (Rel-12 onwards) 110
8.1.2A.1 Test purpose 110
8.1.2A.2 Test applicability 110
8.1.2A.3 Minimum conformance requirements 110
8.1.2A.4 Test description 110
8.1.2A.4.1 Initial conditions 111
8.1.2A.4.2 Test procedure 111
8.1.2A.4.3 Message contents 111
8.1.2A.5 Test requirement 111
8.1.3 E-UTRAN FDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC) 111
8.1.3.1 Test purpose 111
8.1.3.2 Test applicability 111
8.1.3.3 Minimum conformance requirements 111
8.1.3.4 Test description 112
8.1.3.4.1 Initial conditions 112
8.1.3.4.2 Test procedure 113
8.1.3.4.3 Message contents 114
8.1.3.5 Test requirement 117
8.1.4 E-UTRAN TDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC) 119
8.1.4.1 Test purpose 119
8.1.4.2 Test applicability 119
8.1.4.3 Minimum conformance requirements 119
8.1.4.4 Test description 120
8.1.4.4.1 Initial conditions 121
8.1.4.4.2 Test procedure 121
8.1.4.4.3 Message contents 122
8.1.4.5 Test requirement 126
8.1.5 E-UTRAN FDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC) 128
8.1.5.1 Test purpose 128
8.1.5.2 Test applicability 128
8.1.5.3 Minimum conformance requirements 128
8.1.5.4 Test description 130

8.1.5.4.1 Initial conditions 130
8.1.5.4.2 Test procedure 131
8.1.5.4.3 Message contents 132
8.1.5.5 Test requirement 137
8.1.6 E-UTRAN TDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC) 139
8.1.6.1 Test purpose 139
8.1.6.2 Test applicability 139
8.1.6.3 Minimum conformance requirements 139
8.1.6.4 Test description 141
8.1.6.4.1 Initial conditions 141
8.1.6.4.2 Test procedure 142
8.1.6.4.3 Message contents 143
8.1.6.5 Test requirement 148

9 E-UTRA OTDOA measurement requirements 150
9.1 RSTD Intra-Frequency Measurements 150
9.1.1 FDD RSTD Measurement Reporting Delay 150
9.1.1.1 Test purpose 150
9.1.1.2 Test applicability 150
9.1.1.3 Minimum conformance requirements 150
9.1.1.4 Test description 152
9.1.1.4.1 Initial conditions 152
9.1.1.4.2 Test procedure 155
9.1.1.4.3 Message contents 156
9.1.1.5 Test requirement 159
9.1.2 TDD RSTD Measurement Reporting Delay 162
9.1.2.1 Test purpose 162
9.1.2.2 Test applicability 162
9.1.2.3 Minimum conformance requirements 162
9.1.2.4 Test description 163
9.1.2.4.1 Initial conditions 163
9.1.2.4.2 Test procedure 166
9.1.2.4.3 Message contents 167
9.1.2.5 Test requirement 170
9.1.3 FDD RSTD Measurement Accuracy 173
9.1.3.1 Test purpose 173
9.1.3.2 Test applicability 173
9.1.3.3 Minimum conformance requirements 173
9.1.3.4 Test description 175
9.1.3.4.1 Initial conditions 175
9.1.3.4.2 Test procedure 178
9.1.3.4.3 Message contents 179
9.1.3.5 Test requirement 183
9.1.4 TDD RSTD Measurement Accuracy 185
9.1.4.1 Test purpose 185
9.1.4.2 Test applicability 185
9.1.4.3 Minimum conformance requirements 185
9.1.4.4 Test description 185
9.1.4.4.1 Initial conditions 185
9.1.4.4.2 Test procedure 187
9.1.4.4.3 Message contents 188
9.1.4.5 Test requirement 192
9.2 RSTD Inter-Frequency Measurements 193
9.2.1 FDD-FDD inter-frequency RSTD measurement reporting delay 193
9.2.1.1 Test purpose 193
9.2.1.2 Test applicability 193
9.2.1.3 Minimum conformance requirements 193
9.2.1.4 Test description 194
9.2.1.4.1 Initial conditions 194
9.2.1.4.2 Test procedure 198
9.2.1.4.3 Message contents 199

9.2.1.5 Test requirement 203
9.2.2 TDD-TDD inter-frequency RSTD measurement reporting delay 206
9.2.2.1 Test purpose 206
9.2.2.2 Test applicability 206
9.2.2.3 Minimum conformance requirements 206
9.2.2.4 Test description 207
9.2.2.4.1 Initial conditions 207
9.2.2.4.2 Test procedure 210
9.2.2.4.3 Message contents 211
9.2.2.5 Test requirement 215
9.2.3 Void 218
9.2.4 FDD-FDD inter-frequency RSTD Accuracy 218
9.2.4.1 Test purpose 218
9.2.4.2 Test applicability 218
9.2.4.3 Minimum conformance requirements 218
9.2.4.4 Test description 220
9.2.4.4.1 Initial conditions 220
9.2.4.4.2 Test procedure 222
9.2.4.4.3 Message contents 222
9.2.4.5 Test requirement 227
9.2.5 TDD-TDD inter-frequency RSTD Accuracy 228
9.2.5.1 Test purpose 228
9.2.5.2 Test applicability 228
9.2.5.3 Minimum conformance requirements 228
9.2.5.4 Test description 228
9.2.5.4.1 Initial conditions 228
9.2.5.4.2 Test procedure 231
9.2.5.4.3 Message contents 231
9.2.5.5 Test requirement 236

10 E-UTRA OTDOA measurement requirements for Carrier Aggregation 238
10.1 FDD RSTD Measurement Reporting Delay for Carrier Aggregation 238
10.1.1 Test purpose 238
10.1.2 Test applicability 238
10.1.3 Minimum conformance requirements 238
10.1.3.1 Measurements on the secondary component carrier 238
10.1.3.2 Measurements on both primary component carrier and secondary component carrier 238
10.1.4 Test description 238
10.1.4.1 Initial conditions 238
10.1.4.2 Test procedure 242
10.1.4.3 Message contents 244
10.1.5 Test requirement 248
10.1A FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz Bandwidth 250
10.1A.1 Test purpose 250
10.1A.2 Test applicability 250
10.1A.3 Minimum conformance requirements 250
10.1A.4 Test description 250
10.1A.4.1 Initial conditions 250
10.1A.4.2 Test procedure 251
10.1A.4.3 Message contents 251
10.1A.5 Test requirement 251
10.1B FDD RSTD Measurement Reporting Delay Carrier Aggregation for 5 MHz + 5 MHz Bandwidth 252
10.1B.1 Test purpose 252
10.1B.2 Test applicability 252
10.1B.3 Minimum conformance requirements 252
10.1B.4 Test description 252
10.1B.4.1 Initial conditions 252
10.1B.4.2 Test procedure 252
10.1B.4.3 Message contents 252
10.1B.5 Test requirement 252
10.1C FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10 MHz+5 MHz Bandwidth 253
10.1C.1 Test purpose 253

10.1C.2 Test applicability 253
10.1C.3 Minimum conformance requirements 253
10.1C.4 Test description 254
10.1C.4.1 Initial conditions 254
10.1C.4.2 Test procedure 254
10.1C.4.3 Message contents 254
10.1C.5 Test requirement 254
10.2 TDD RSTD Measurement Reporting Delay for Carrier Aggregation 255
10.2.1 Test purpose 255
10.2.2 Test applicability 255
10.2.3 Minimum conformance requirements 255
10.2.3.1 Measurements on the secondary component carrier 255
10.2.3.2 Measurements on both primary component carrier and secondary component carrier 255
10.2.4 Test description 256
10.2.4.1 Initial conditions 256
10.2.4.2 Test procedure 259
10.2.4.3 Message contents 261
10.2.5 Test requirement 265
10.2A TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz Bandwidth 267
10.2A.1 Test purpose 267
10.2A.2 Test applicability 267
10.2A.3 Minimum conformance requirements 267
10.2A.4 Test description 267
10.2A.4.1 Initial conditions 267
10.2A.4.2 Test procedure 268
10.2A.4.3 Message contents 268
10.2A.5 Test requirement 268
10.2B TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 5 MHz + 5 MHz Bandwidth 269
10.2B.1 Test purpose 269
10.2B.2 Test applicability 269
10.2B.3 Minimum conformance requirements 269
10.2B.4 Test description 269
10.2B.4.1 Initial conditions 269
10.2B.4.2 Test procedure 269
10.2B.4.3 Message contents 269
10.2B.5 Test requirement 269
10.2C TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth 270
10.2C.1 Test purpose 270
10.2C.2 Test applicability 270
10.2C.3 Minimum conformance requirements 270
10.2C.4 Test description 271
10.2C.4.1 Initial conditions 271
10.2C.4.2 Test procedure 271
10.2C.4.3 Message contents 271
10.2C.5 Test requirement 271
10.2D TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz +10 MHz Bandwidth 272
10.2D.1 Test purpose 272
10.2D.2 Test applicability 272
10.2D.3 Minimum conformance requirements 272
10.2D.4 Test description 272
10.2D.4.1 Initial conditions 272
10.2D.4.2 Test procedure 273
10.2D.4.3 Message contents 273
10.2D.5 Test requirement 273
10.3 FDD RSTD Measurement Accuracy for Carrier Aggregation 274
10.3.1 Test purpose 274
10.3.2 Test applicability 274
10.3.3 Minimum conformance requirements 274
10.3.4 Test description 274
10.3.4.1 Initial conditions 274
10.3.4.2 Test procedure 275
10.3.4.3 Message contents 276

10.3.5 Test requirement 279
10.3A FDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-10 and Rel-11) 280
10.3A.1 Test purpose 280
10.3A.2 Test applicability 280
10.3A.3 Minimum conformance requirements 281
10.3A.4 Test description 281
10.3A.4.1 Initial conditions 281
10.3A.4.2 Test procedure 281
10.3A.4.3 Message contents 281
10.3A.5 Test requirement 281
10.3A_1 FDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-12 onwards) 282
10.3A_1.1 Test purpose 282
10.3A_1.2 Test applicability 282
10.3A_1.3 Minimum conformance requirements 282
10.3A_1.4 Test description 282
10.3A_1.4.1 Initial conditions 282
10.3A_1.4.2 Test procedure 282
10.3A_1.4.3 Message contents 282
10.3A_1.5 Test requirement 282
10.3B FDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz + 5 MHz Bandwidth 282
10.3B.1 Test purpose 282
10.3B.2 Test applicability 282
10.3B.3 Minimum conformance requirements 283
10.3B.4 Test description 283
10.3B.4.1 Initial conditions 283
10.3B.4.2 Test procedure 283
10.3B.4.3 Message contents 283
10.3B.5 Test requirement 283
10.3C FDD RSTD Measurement Accuracy for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth 284
10.3C.1 Test purpose 284
10.3C.2 Test applicability 284
10.3C.3 Minimum conformance requirements 284
10.3C.4 Test description 284
10.3C.4.1 Initial conditions 284
10.3C.4.2 Test procedure 285
10.3C.4.3 Message contents 285
10.3C.5 Test requirement 285
10.4 TDD RSTD Measurement Accuracy for Carrier Aggregation 286
10.4.1 Test purpose 286
10.4.2 Test applicability 286
10.4.3 Minimum conformance requirements 286
10.4.4 Test description 286
10.4.4.1 Initial conditions 286
10.4.4.2 Test procedure 288
10.4.4.3 Message contents 289
10.4.5 Test requirement 292
10.4A TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-10 and Rel-11) 293
10.4A.1 Test purpose 293
10.4A.2 Test applicability 293
10.4A.3 Minimum conformance requirements 294
10.4A.4 Test description 294
10.4A.4.1 Initial conditions 294
10.4A.4.2 Test procedure 294
10.4A.4.3 Message contents 294
10.4A.5 Test requirement 294
10.4A_1 TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-12 onwards) 295
10.4A_1.1 Test purpose 295
10.4A_1.2 Test applicability 295
10.4A_1.3 Minimum conformance requirements 295
10.4A_1.4 Test description 295

10.4A_1.4.1 Initial conditions 295
10.4A_1.4.2 Test procedure 295
10.4A_1.4.3 Message contents 295
10.4A_1.5 Test requirement 295
10.4B TDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz + 5 MHz bandwidth 295
10.4B.1 Test purpose 295
10.4B.2 Test applicability 295
10.4B.3 Minimum conformance requirements 296
10.4B.4 Test description 296
10.4B.4.1 Initial conditions 296
10.4B.4.2 Test procedure 296
10.4B.4.3 Message contents 296
10.4B.5 Test requirement 296
10.4C TDD RSTD Measurement Accuracy for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth 297
10.4C.1 Test purpose 297
10.4C.2 Test applicability 297
10.4C.3 Minimum conformance requirements 297
10.4C.4 Test description 297
10.4C.4.1 Initial conditions 297
10.4C.4.2 Test procedure 298
10.4C.4.3 Message contents 298
10.4C.5 Test requirement 298
10.4D TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz+10 MHz Bandwidth 299
10.4D.1 Test purpose 299
10.4D.2 Test applicability 299
10.4D.3 Minimum conformance requirements 299
10.4D.4 Test description 299
10.4D.4.1 Initial conditions 299
10.4D.4.2 Test procedure 299
10.4D.4.3 Message contents 299
10.4D.5 Test requirement 300
10.5 FDD 3 DL CA RSTD Measurement Reporting Delay 300
10.5.1 Test Purpose 300
10.5.2 Test applicability 300
10.5.3 Minimum conformance requirements 300
10.5.3.1 Measurements on the secondary component carrier 300
10.5.3.2 Measurements on both primary component carrier and secondary component carrier 300
10.5.3.3 Measurements on different secondary component carriers 301
10.5.4 Test description 301
10.5.4.1 Initial conditions 301
10.5.4.2 Test procedure 306
10.5.4.3 Message contents 307
10.5.5 Test Requirements 312
10.6 TDD 3 DL CA RSTD Measurement Reporting Delay 314
10.6.1 Test Purpose 314
10.6.2 Test applicability 314
10.6.3 Minimum conformance requirements 314
10.6.3.1 Measurements on the secondary component carrier 314
10.6.3.2 Measurements on both primary component carrier and secondary component carrier 314
10.6.3.3 Measurements on different secondary component carriers 315
10.6.4 Test description 315
10.6.4.1 Initial conditions 315
10.6.4.2 Test procedure 320
10.6.4.3 Message contents 321
10.6.5 Test Requirements 327
10.7 FDD RSTD Measurement Accuracy for 3DL Carrier Aggregation 330
10.7.1 Test purpose 330
10.7.2 Test applicability 330
10.7.3 Minimum conformance requirements 330
10.7.4 Test description 331
10.7.4.1 Initial conditions 331
10.7.4.2 Test procedure 334

10.7.4.3 Message contents 335
10.7.5 Test requirement 340
10.8 TDD RSTD Measurement Accuracy for 3DL Carrier Aggregation 341
10.8.1 Test purpose 341
10.8.2 Test applicability 341
10.8.3 Minimum conformance requirements 341
10.8.4 Test description 341
10.8.4.1 Initial conditions 341
10.8.4.2 Test procedure 345
10.8.4.3 Message contents 346
10.8.5 Test requirement 351

11 E-UTRA MBS measurement requirements 352
11.1 MBS Measurement Reporting Delay (Release 13 only) 352
11.1.1 Test purpose 352
11.1.2 Test applicability 352
11.1.3 Minimum conformance requirements 352
11.1.4 Test description 352
11.1.4.1 Initial conditions 352
11.1.4.2 Test procedure 352
11.1.4.3 Message contents 353
11.1.5 Test requirement 355
11.1A MBS Measurement Reporting Delay (Release 14 Onwards) 356
11.1A.1 Test purpose 356
11.1A.2 Test applicability 356
11.1A.3 Minimum conformance requirements 356
11.1A.4 Test description 356
11.1A.4.1 Initial conditions 356
11.1A.4.2 Test procedure 357
11.1A.4.3 Message contents 357
11.1A.5 Test requirement 358
11.2 MBS Sensitivity Measurement Accuracy (Release 13 only) 359
11.2.1 Test purpose 359
11.2.2 Test applicability 359
11.2.3 Minimum conformance requirements 359
11.2.4 Test description 359
11.2.4.1 Initial conditions 359
11.2.4.2 Test procedure 359
11.2.4.3 Message contents 360
11.2.5 Test requirement 362
11.2A MBS Sensitivity Measurement Accuracy (Release 14 Onwards) 363
11.2A.1 Test purpose 363
11.2A.2 Test applicability 363
11.2A.3 Minimum conformance requirements 364
11.2A.4 Test description 364
11.2A.4.1 Initial conditions 364
11.2A.4.2 Test procedure 364
11.2A.4.3 Message contents 364
11.2A.5 Test requirement 366
11.3 MBS Nominal Measurement Accuracy (Release 13 only) 366
11.3.1 Test purpose 366
11.3.2 Test applicability 366
11.3.3 Minimum conformance requirements 366
11.3.4 Test description 366
11.3.4.1 Initial conditions 366
11.3.4.2 Test procedure 367
11.3.4.3 Message contents 367
11.3.5 Test requirement 369
11.3A MBS Nominal Measurement Accuracy (Release 14 Onwards) 370
11.3A.1 Test purpose 370
11.3A.2 Test applicability 370
11.3A.3 Minimum conformance requirements 371

11.3A.4 Test description 371
11.3A.4.1 Initial conditions 371
11.3A.4.2 Test procedure 371
11.3A.4.3 Message contents 371
11.3A.5 Test requirement 373
11.4 MBS Dynamic Range Measurement Accuracy (Release 13 only) 373
11.4.1 Test purpose 373
11.4.2 Test applicability 373
11.4.3 Minimum conformance requirements 373
11.4.4 Test description 373
11.4.4.1 Initial conditions 373
11.4.4.2 Test procedure 374
11.4.4.3 Message contents 374
11.4.5 Test requirement 378
11.4A MBS Dynamic Range Measurement Accuracy (Release 14 Onwards) 379
11.4A.1 Test purpose 379
11.4A.2 Test applicability 379
11.4A.3 Minimum conformance requirements 379
11.4A.4 Test description 379
11.4A.4.1 Initial conditions 379
11.4A.4.2 Test procedure 379
11.4A.4.3 Message contents 379
11.4A.5 Test requirement 382
11.5 MBS Measurement Accuracy in Multipath (Release 13 only) 382
11.5.1 Test purpose 382
11.5.2 Test applicability 382
11.5.3 Minimum conformance requirements 382
11.5.4 Test description 383
11.5.4.1 Initial conditions 383
11.5.4.2 Test procedure 383
11.5.4.3 Message contents 384
11.5.5 Test requirement 386
11.5A MBS Measurement Accuracy in Multipath (Release 14 Onwards) 387
11.5A.1 Test purpose 387
11.5A.2 Test applicability 387
11.5A.3 Minimum conformance requirements 388
11.5A.4 Test description 388
11.5A.4.1 Initial conditions 388
11.5A.4.2 Test procedure 388
11.5A.4.3 Message contents 388
11.5A.5 Test requirement 390

Annex A (informative): Connection Diagrams 391

Annex B (normative): Converting A-GNSS UE-assisted measurement reports into position estimates 396
B.1 Introduction 396
B.2 UTRAN UE measurement reports for A-GPS L1 C/A only 396
B.3 UTRAN UE measurement reports for A-GNSS 396
B.4 E-UTRAN UE measurement reports 398
B.5 WLS position solution 398

Annex C (normative): General test conditions and declarations 401
C.1 Acceptable uncertainty of Test System 401
C.1.1 Measurement of test environments 401
C.1.2 A-GNSS Minimum Performance requirements 402
C.1.3 ECID and OTDOA Measurement requirements 403
C.1.4 MBS Minimum Performance requirements 409
C.2 Test Parameter Relaxations (This clause is informative) 409
C.2.1 A-GNSS Minimum Performance requirements 410
C.2.2 ECID and OTDOA Measurement requirements 411
C.2.3 MBS Minimum Performance requirements 414

C.3 Interpretation of measurement results 414
C.4 Derivation of Test Requirements (This clause is informative) 414

Annex D (normative): Rules for statistical testing 426
D.1 Test Method 426
D.2 Error Ratio (ER) 426
D.3 Test Design 426
D.3.1 Confidence level 426
D.3.2 Introduction: Supplier Risk versus Customer Risk 426
D.3.3 Supplier Risk versus Customer Risk 427
D.3.4 Introduction: Standard test versus early decision concept 427
D.3.5 Standard test versus early decision concept 428
D.3.6 Selectivity 428
D.3.7 Design of the test 429
D.4 Pass fail decisions 431
D.4.1 Numerical definition of the pass fail limits for A-GNSS test cases 431
D.4.2 Pass fail decision rules for A-GNSS test cases 431
D.4.3 Numerical definition of the pass fail limits for ECID and OTDOA test cases 432
D.4.4 Pass fail decision rules for ECID and OTDOA and MBS test cases 433
D.4.5 Background information to the pass fail limits 433

Annex E (normative): Conditions for ECID and OTDOA requirements 435
E.1 Conditions for E-CID UE Rx – Tx time difference Measurements 435
E.2 Conditions for OTDOA intra-frequency RSTD Measurements 435
E.3 Conditions for OTDOA inter-frequency RSTD Measurements 436
E.4 Conditions for UE Rx-Tx Time Difference Measurement under Time Domain Measurement Resource Restriction with CRS Assistance Information 436

Annex F (normative): UTRAN Generic procedures 437
F.1 General 437
F.2 UTRAN connection set up 437
F.2.1 Initial conditions 437
F.2.2 Procedures 437
F.2.3 Specific message contents 438
F.3 UTRAN connection release 438
F.3.1 Procedure 438
F.3.2 Specific message contents 438

Annex G (normative): Environmental conditions 439
G.1 General 439
G.2 Environmental requirements 439
G.2.1 Temperature 439
G.2.2 Voltage 439

Annex H (informative): MBS Beacon parameters 440
H.1 General 440
H.2 Beacon parameters 440

Annex I (informative): Change history 441

History 447

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

x the first digit:

1 presented to TSG for information;

2 presented to TSG for approval;

3 or greater indicates TSG approved document under change control.

y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.

z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 1 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

1 Scope

The present document specifies the procedures for the conformance test of the measurement requirements for FDD or TDD mode of UTRA and FDD or TDD mode of E-UTRA for the User Equipment (UE) that supports one or more of the defined positioning methods. These positioning methods are for UTRA: Assisted Global Positioning System (A-GPS), Assisted Global Navigation Satellite Systems (A-GNSS) and for E-UTRA: Assisted Global Navigation Satellite System (A-GNSS), Observed Time Difference of Arrival (OTDOA), Enhanced Cell ID (ECID), Metropolitan Beacon System (MBS).

Tests are only applicable to those mobiles that are intended to support the appropriate functionality. To indicate the circumstances in which tests apply, this is noted in the “Test applicability " part of the test.

The Implementation Conformance Statement (ICS) pro-forma could be found in the 3rd part of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TS 36.101: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception".

[3] 3GPP TS 36.171: "Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for Support of Assisted Global Navigation Satellite System (A-GNSS)".

[4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".

[5] 3GPP TS 36.302: "Evolved Universal Terrestrial Radio Access (E-UTRA); Services provided by the physical layer".

[6] 3GPP TS 36.214: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer; Measurements".

[7] ETSI TR 102 273-1-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 1: Uncertainties in the measurement of mobile radio equipment characteristics; Sub-part 2: Examples and annexes".

[8] IS-GPS-200, Revision D, Navstar GPS Space Segment/Navigation User Interfaces, March 7th, 2006.

[9] P. Axelrad, R.G. Brown, "GPS Navigation Algorithms", in Chapter 9 of "Global Positioning System: Theory and Applications", Volume 1, B.W. Parkinson, J.J. Spilker (Ed.), Am. Inst. of Aeronautics and Astronautics Inc., 1996.

[10] S.K. Gupta, "Test and Evaluation Procedures for the GPS User Equipment", ION-GPS Red Book, Volume 1, p.119.