

ETSI TS 151 010-4 v14.2.0 (2018-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Mobile Station (MS) conformance specification;
Part 4: Subscriber Identity Module (SIM)
application toolkit conformance test specification
(3GPP TS 51.010-4 version 14.2.0 Release 14)**



Reference

RTS/TSGC-0651010-4ve20

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	12
3.1 Mobile station definition and configurations.....	12
3.2 Applicability.....	12
3.2.1 Applicability of the present document	12
3.2.2 Applicability of the individual tests	12
3.2.3 Applicability to terminal equipment	12
3.2.4 Definitions	12
3.2.4.1 Format of the table of optional features	12
3.2.4.2 Format of the applicability table	13
3.2.4.3 Status and notations.....	13
3.3 Table of optional features.....	14
3.4 Applicability table	20
3.5 Conventions for mathematical notations	55
3.6 Conventions on electrical terms	55
3.7 Terms on test conditions.....	55
4 Test equipment	55
5 Testing methodology in general	55
5.1 Testing of optional functions and procedures.....	55
5.2 Test interfaces and facilities	55
5.3 Different protocol layers	55
5.4 Information to be provided by the apparatus supplier	55
5.5 Definitions of transmit and receive times	56
6 Reference test methods.....	56
7 Implicit testing.....	56
8 Measurement uncertainty	56
9 Format of tests.....	56
10 Generic call set up procedures.....	59
11 - 26	Not used.....
	59
27 Testing of the SIM/ME interface.....	59
27.1 -7.21 Void.....	60
27.22 SIM Application Toolkit	60
27.22.1A General Test purpose	60
27.22.2A Definition of default values for SIM Application Toolkit testing	60
27.22.1 Initialization of SIM Application Toolkit Enabled SIM by SIM Application Toolkit Enabled ME (Profile Download)	66
27.22.1.1 Definition and applicability.....	66
27.22.1.2 Conformance requirement.....	66
27.22.1.3 Test purpose	66
27.22.1.4 Method of test	66
27.22.1.4.1 Initial conditions.....	66
27.22.1.4.2 Procedure.....	67
27.22.1.5 Test requirement	68

27.22.2	Contents of the TERMINAL PROFILE command.....	68
27.22.2.1	Definition and applicability.....	68
27.22.2.2	Conformance requirement.....	68
27.22.2.3	Test purpose	69
27.22.2.4	Method of test	69
27.22.2.4.1	Initial conditions.....	69
27.22.2.4.2	Procedure.....	69
27.22.2.5	Test requirement	69
27.22.3	Servicing of proactive SIM commands.....	69
27.22.3.1	Definition and applicability.....	69
27.22.3.2	Conformance requirement.....	69
27.22.3.3	Test purpose	70
27.22.3.4	Method of test	70
27.22.3.4.1	Initial conditions.....	70
27.22.3.4.2	Procedure.....	70
27.22.3.5	Test requirement	70
27.22.4	Proactive SIM commands.....	70
27.22.4.1	DISPLAY TEXT.....	70
27.22.4.1.1	DISPLAY TEXT (Normal)	70
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user")	79
27.22.4.1.3	DISPLAY TEXT (Display of extension text).....	80
27.22.4.1.4	DISPLAY TEXT (Sustained text).....	82
27.22.4.1.5	DISPLAY TEXT (Display of icons)	87
27.22.4.1.6	DISPLAY TEXT (UCS2 display supported).....	92
27.22.4.2	GET INKEY	93
27.22.4.2.1	GET INKEY(normal)	93
27.22.4.2.2	GET INKEY (No response from User)	100
27.22.4.2.3	GET INKEY (UCS2 format display)	102
27.22.4.2.4	GET INKEY (UCS2 format of entry)	104
27.22.4.2.5	GET INKEY ("Yes/No" Response).....	106
27.22.4.2.6	GET INKEY (display of Icon)	108
27.22.4.2.7	GET INKEY (Help Information).....	115
27.22.4.3	GET INPUT	118
27.22.4.3.1	GET INPUT (normal).....	118
27.22.4.3.2	GET INPUT (No response from User)	130
27.22.4.3.3	GET INPUT (UCS2 format display)	132
27.22.4.3.4	GET INPUT (UCS2 format of entry)	135
27.22.4.3.5	GET INPUT (default text)	138
27.22.4.3.6	GET INPUT (display of Icon)	142
27.22.4.3.7	GET INPUT (Help Information)	149
27.22.4.4	MORE TIME	151
27.22.4.4.1	Definition and applicability.....	151
27.22.4.4.2	Conformance requirement	151
27.22.4.4.3	Test purpose	151
27.22.4.4.4	Method of test.....	151
27.22.4.4.5	Test requirement	152
27.22.4.5	PLAY TONE.....	152
27.22.4.5.1	Definition and applicability	152
27.22.4.5.2	Conformance requirement	152
27.22.4.5.3	Test purpose	152
27.22.4.5.4	Method of test.....	153
27.22.4.6	POLL INTERVAL.....	166
27.22.4.6.1	Definition and applicability	166
27.22.4.6.2	Conformance requirement	166
27.22.4.6.3	Test purpose	166
27.22.4.6.4	Method of test.....	166
27.22.4.6.5	Test requirement	167
27.22.4.7	REFRESH	167
27.22.4.7.1	REFRESH (normal).....	167
27.22.4.7.2	REFRESH (IMSI changing procedure).....	175
27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION	179
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION.....	179

27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION	191
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION	193
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION	196
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION	201
27.22.4.9	SELECT ITEM	203
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM).....	203
27.22.4.9.2	SELECT ITEM (next action support).....	216
27.22.4.9.3	SELECT ITEM (default item support)	217
27.22.4.9.4	SELECT ITEM (help request support).....	219
27.22.4.9.5	SELECT ITEM (icons support).....	220
27.22.4.9.6	SELECT ITEM (presentation style)	225
27.22.4.9.7	SELECT ITEM (soft keys support).....	227
27.22.4.9.8	SELECT ITEM (Support of "No response from user").....	229
27.22.4.10	SEND SHORT MESSAGE.....	230
27.22.4.10.1	SEND SHORT MESSAGE (normal)	230
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 support).....	247
27.22.4.10.3	SEND SHORT MESSAGE (icon support).....	249
27.22.4.11	SEND SS	255
27.22.4.11.1	SEND SS (normal)	255
27.22.4.11.2	SEND SS (Icon support).....	266
27.22.4.11.3	SEND SS (UCS2 support)	273
27.22.4.12	SEND USSD	274
27.22.4.12.1	SEND USSD (normal)	274
27.22.4.12.2	SEND USSD (Icon support).....	284
27.22.4.12.3	SEND USSD (UCS2 support)	290
27.22.4.13	SET UP CALL	292
27.22.4.13.1	SET UP CALL (normal).....	292
27.22.4.13.2	SET UP CALL (second alpha identifier).....	304
27.22.4.13.3	SET UP CALL (display of icons).....	306
27.22.4.14	POLLING OFF	315
27.22.4.14.1	Definition and applicability	315
27.22.4.14.2	Conformance requirement	315
27.22.4.14.3	Test purpose	315
27.22.4.14.4	Method of test.....	315
27.22.4.14.5	Test requirement	317
27.22.4.15	PROVIDE LOCAL INFORMATION	317
27.22.4.15.1	Definition and applicability	317
27.22.4.15.2	Conformance requirement	317
27.22.4.15.3	Test purpose	317
27.22.4.15.4	Method of tests	318
27.22.4.15.5	Test requirement	324
27.22.4.16	SET UP EVENT LIST	324
27.22.4.16.1	SET UP EVENT LIST (normal)	324
27.22.4.17	PERFORM CARD APDU	333
27.22.4.17.1	PERFORM CARD APDU (normal).....	333
27.22.4.17.2	PERFORM CARD APDU (detachable card reader)	351
27.22.4.18	POWER OFF CARD	352
27.22.4.18.1	POWER OFF CARD (normal)	352
27.22.4.18.2	POWER OFF CARD (detachable card reader)	354
27.22.4.19	POWER ON CARD	355
27.22.4.19.1	POWER ON CARD (normal)	355
27.22.4.19.2	POWER ON CARD (detachable card reader)	359
27.22.4.20	GET READER STATUS	360
27.22.4.20.1	GET READER STATUS (normal)	360
27.22.4.20.2	GET CARD READER STATUS (detachable card reader)	369
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION	371
27.22.4.21.1	TIMER MANAGEMENT (normal)	371
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal)	410
27.22.4.22	SET UP IDLE MODE TEXT.....	416
27.22.4.22.1	SET UP IDLE MODE TEXT (normal)	416
27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support)	425
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	432

27.22.4.23	RUN AT COMMAND.....	433
27.22.4.23.1	RUN AT COMMAND (normal)	433
27.22.4.23.2	RUN AT COMMAND (Icon support)	436
27.22.4.24	SEND DTMF	442
27.22.4.24.1	SEND DTMF (Normal).....	442
27.22.4.24.2	SEND DTMF (Display of icons).....	447
27.22.4.24.3	SEND DTMF (UCS2 support)	452
27.22.4.25	LANGUAGE NOTIFICATION	454
27.22.4.25.1	Definition and applicability	454
27.22.4.25.2	Conformance Requirement	454
27.22.4.25.3	Test purpose	454
27.22.4.25.4	Method of Test	454
27.22.4.25.5	Test requirement	456
27.22.4.26	LAUNCH BROWSER.....	457
27.22.4.26.1	LAUNCH BROWSER (No session already launched)	457
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	463
27.22.4.26.3	LAUNCH BROWSER (UCS2 support).....	468
27.22.4.26.4	LAUNCH BROWSER (icons support)	470
27.22.4.27	OPEN CHANNEL	476
27.22.4.27.1	Void.....	476
27.22.4.27.2	Open Channel (related to GPRS).....	476
27.22.4.28	CLOSE CHANNEL	491
27.22.4.28.1	Definition and applicability	491
27.22.4.28.2	Conformance requirements.....	491
27.22.4.28.3	Test purpose	491
27.22.4.28.4	Method of Test	491
27.22.4.29	RECEIVE DATA.....	497
27.22.4.29.1	Definition and applicability	497
27.22.4.29.2	Conformance requirements.....	497
27.22.4.29.3	Test purpose	497
27.22.4.29.4	Method of test.....	498
27.22.4.30	SEND DATA	506
27.22.4.30.1	Definition and applicability	506
27.22.4.30.2	Conformance requirements.....	506
27.22.4.30.3	Test purpose	506
27.22.4.30.4	Method of test.....	507
27.22.4.31	GET CHANNEL STATUS.....	520
27.22.4.31.1	Definition and applicability	520
27.22.4.31.2	Conformance requirements.....	520
27.22.4.31.3	Test purpose	520
27.22.4.31.4	Method of test.....	520
27.22.5	Data Download to SIM	529
27.22.5.1	SMS-PP Data Download.....	529
27.22.5.1.1	Definition and applicability	529
27.22.5.1.2	Conformance requirement	529
27.22.5.1.3	Test purpose	529
27.22.5.1.4	Method of Test	529
27.22.5.1.5	Test requirement	534
27.22.5.2	SMS-CB Data Download	535
27.22.5.2.1	Definition and applicability	535
27.22.5.2.2	Conformance requirement	535
27.22.5.2.3	Test purpose	535
27.22.5.2.4	Method of Test	535
27.22.5.2.5	Test requirement	538
27.22.6	CALL CONTROL BY SIM	538
27.22.6.1	Procedure for Mobile Originated calls	538
27.22.6.1.1	Definition and applicability	538
27.22.6.1.2	Conformance requirement	538
27.22.6.1.3	Test purpose	538
27.22.6.1.4	Method of tests	538
27.22.6.1.5	Test requirement	561
27.22.6.2	Procedure for Supplementary (SS) Services	561

27.22.6.2.1	Definition and applicability	561
27.22.6.2.2	Conformance requirement	561
27.22.6.2.3	Test purpose	561
27.22.6.2.4	Method of tests	562
27.22.6.2.5	Test requirement	569
27.22.6.3	Interaction with Fixed Dialling Number (FDN).....	569
27.22.6.3.1	Definition and applicability	569
27.22.6.3.2	Conformance requirement	569
27.22.6.3.3	Test purpose	569
27.22.6.3.4	Method of tests	569
27.22.6.3.5	Test requirement	575
27.22.6.4	Support of Barred Dialling Number (BDN) service.....	576
27.22.6.4.1	Definition and applicability	576
27.22.6.4.2	Conformance requirement	576
27.22.6.4.3	Test purpose	576
27.22.6.4.4	Method of tests	576
27.22.6.4.5	Test requirement	583
27.22.7	EVENT DOWNLOAD	583
27.22.7.1	MT Call Event.....	583
27.22.7.1.1	MT Call Event (normal)	583
27.22.7.2	Call Connected Event.....	585
27.22.7.2.1	Call Connected Event (MT and MO call).....	585
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL)	587
27.22.7.3	Call Disconnected Event	590
27.22.7.3.1	Call Disconnected Event	590
27.22.7.4	Location Status Event	594
27.22.7.4.1	Location Status Event (normal)	594
27.22.7.5	User Activity Event.....	598
27.22.7.5.1	User Activity Event (normal)	598
27.22.7.6	Idle screen available event	600
27.22.7.6.1	Idle Screen Available (normal).....	600
27.22.7.7	Card reader status event	602
27.22.7.7.1	Card Reader Status (normal)	602
27.22.7.7.2	Card Reader Status(detachable card reader).....	607
27.22.7.8	Language selection event	609
27.22.7.8.1	Language selection event (normal)	609
27.22.7.9	Browser termination event	611
27.22.7.9.1	Browser termination (normal)	611
27.22.7.10	Data available event	613
27.22.7.10.1	Definition and applicability	613
27.22.7.10.2	Conformance requirements	613
27.22.7.10.3	Test purpose	613
27.22.7.10.4	Method of test	613
27.22.7.11	Channel Status event	617
27.22.7.11.1	Definition and applicability	617
27.22.7.11.2	Conformance requirements	617
27.22.7.11.3	Test purpose	617
27.22.7.11.4	Method of test	617
27.22.8	MO SHORT MESSAGE CONTROL BY SIM	621
27.22.8.1	Definition and applicability	621
27.22.8.2	Conformance requirement	621
27.22.8.3	Test purpose	621
27.22.8.4	Method of tests	621
27.22.8.4.1	Initial conditions	621
27.22.8.4.2	Procedure	622
27.22.8.5	Test requirement	630
Annex A:	Void	631
Annex B:	Void	632
Annex C:	Void	633

Annex D (normative):	Details of Test-SIM (TestSIM).....	634
Annex E (normative):	Details of terminal profile support	636
Annex F (informative):	Change History	642
History		648

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document describes the technical characteristics and methods of test for testing the SIM Application Toolkit implemented in Mobile Stations (MS) for the Pan European digital cellular communications system and Personal Communication Systems (PCS) operating in the 450 MHz, 480 MHz, 700 MHz, 750 MHz, 850 MHz, 900 MHz, 1 800 MHz and 1 900 MHz frequency band (GSM 400, GSM 700, GSM 750, GSM 850, GSM 900, DCS 1 800 and PCS 1 900) within the European digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETS 300 406 [20].

The present document is valid for MS implemented according to GSM Phase2+ R96, or R97, or R98, or R99.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the GSM-series of technical specifications. The present document neither replaces any of the other GSM technical specifications or GSM related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the GSM 400, GSM 700, GSM 850, GSM 900, DCS1800 and PCS1900 systems . The present document lists the requirements, and provides the methods of test for testing the SIM Application Toolkit implemented in a MS for conformance to the GSM standard.

For a full description of the system, reference should be made to all the GSM technical specifications or GSM related ETSs or ENs. Clause 2 provides a complete list of the GSM technical specifications, GSM related ETSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other GSM technical specification or GSM related ETS or EN, or 3GPP TS, then the other GSM technical specification or GSM related ETS or EN or 3GPP TS shall prevail.

Normative requirements for the SIM and SIM Application Toolkit are only specified up to Rel-4. The present document is only available in this release for allowing maintenance of test cases. The core features related to those test cases remain applicable only to the releases in which they have been specified.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the relevant Release*.
 - For a GSM Phase 2+ Release 1999 MS, references to GSM documents are to version 8.x.y (for 01.-series to 12.-series) or (3.x.y for 21.-series to 35.-series), when available.
 - For a GSM Phase 2+ Release 1998 MS, references to GSM documents are to version 7.x.y, when available.
 - For a GSM Phase 2+ Release 1997 MS, references to GSM documents are to version 6.x.y, when available.
 - For a GSM Phase 2+ Release 1996 MS, references to GSM documents are to version 5.x.y., when available.

Note: References to 3GPP Technical Specifications and Technical Reports throughout the present document shall be interpreted according to the Release shown in the formal reference in this clause, based upon the Release of the implementation under test.