

Edition 1.0 2018-04

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Electric vehicle conductive charging system -

Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply – EMC requirements for off-board electric vehicle charging systems

Système de charge par conduction pour véhicules électriques –
Partie 21-2: Exigences applicables aux véhicules électriques pour connexion par
conduction à une alimentation en courant alternatif ou courant continu –
Exigences CEM concernant les systèmes de charge non embarqués pour
véhicules électriques





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

### Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

#### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 1.0 2018-04

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Electric vehicle conductive charging system –

Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply – EMC requirements for off-board electric vehicle charging systems

Système de charge par conduction pour véhicules électriques – Partie 21-2: Exigences applicables aux véhicules électriques pour connexion par conduction à une alimentation en courant alternatif ou courant continu – Exigences CEM concernant les systèmes de charge non embarqués pour véhicules électriques

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.100.10; 43.120 ISBN 978-2-8322-6521-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FC	DREWO	RD	5
1	Scop	e	7
2	Norm	ative references	7
3	Term	s and definitions	9
4		plan	
4			
	4.1	General Configuration of CLIT	
	4.2	Configuration of EUT	
	4.3	Termination of the EUT during testing	
	4.4	Operating and test conditions	
	4.4.1		
	4.4.2	,	
	4.4.3		
_	4.4.4		
5		ınity requirements	
	5.1	General	
	5.2	Performance criteria	
	5.2.1	General	
	5.2.2		
	5.2.3		
	5.2.4		
6	Emis	sion requirements	
	6.1	General	
	6.2	Limits and test conditions for disturbances in the low frequency (LF) range	
	6.2.1		
	6.2.2		
	6.2.3	9	
	6.3	Limits and test conditions for disturbances in the radio frequency (RF) range $\dots$	
	6.3.1	Overview	
	6.3.2	,	
	6.3.3	,	
	6.3.4	Wired network port or signal/control port (150 kHz to 30 MHz)	
	6.3.5	,	
7	Test	results and test report	31
Ar	nex A (	normative) Example test setups	32
Ar	nex B (	informative) Radiated disturbance test for keyless entry	35
	B.1	General	35
	B.2	Test setup	35
	B.3	Test method	35
	B.4	Limits for radiated disturbances keyless entry (2 kHz to 185 kHz)	36
Ar	nex C (	normative) Termination of ports	37
	C.1	General	37
	C.2	Termination of communication lines – Impedance stabilization networks	
		(ISN)	37
	C.2.1	General	37

C.2.2 Symmetric communication lines (e.g. CAN)	37			
C.2.3 Coupling devices for PLC on power lines	39			
C.2.4 PLC (technology) on control pilot	40			
C.3 Coupling and termination devices for other communication and signalling lines	41			
Annex D (normative) Voltage transient disturbances from DC charging equipment				
Annex E (normative) Voltage surge test setup for DC charging EUT	44			
Annex F (informative) Transient immunity test for DC charging EUT				
Bibliography	47			
Figure 1 – Examples of ports of off- board charging equipment	10			
Figure A.1 – Example test setup for floor standing equipment for radiated and				
conducted emission and immunity	33			
Figure A.2 – Example test setup for table top and wall mounted equipment for emission and immunity	34			
Figure B.1 – Example of a test setup for measurement of radiated disturbances to keyless entry (layout and spacing for the loop sensor)	36			
Figure C.1 – Example of an impedance stabilization network for symmetric communication lines				
Figure C.2 – Example of a circuit for emission tests of PLC on AC or DC power lines	39			
Figure C.3 – Example of a circuit for immunity tests of PLC on AC or DC power lines				
Figure C.4 – Example of a circuit for emission tests of PLC on control pilot line				
Figure C.5 – Example of a circuit for immunity tests of PLC on control pilot line				
Figure C.6 – Example of a termination circuit for testing of system A				
Figure D.1 – Voltage transient of DC charging EUT				
Figure D.2 – Voltage transient measurement equipment				
Figure E.1 – Example of transient test setup				
Table 1 – AC charging immunity requirements – Environments other than residential	14			
Table 2 – AC charging immunity requirements – Residential environments	16			
Table 3 – DC charging immunity requirements – Environments other than residential	18			
Table 4 – DC charging immunity requirements – Residential environments	20			
Table 5 – References for evaluation of low frequency (LF) phenomena	23			
Table 6 – References for evaluation of disturbances appearing in the radio frequency (RF) range	24			
Table 7 – Disturbance voltage limits for class A equipment for AC power input port	25			
Table 8 – Disturbance voltage limits for class B equipment for AC power input port	25			
Table 9 – Disturbance voltage limits for DC power input port	26			
Table 10 – Disturbance voltage limits for class A equipment for AC CPT port				
Table 11 – Disturbance voltage limits for class B equipment for AC CPT port	26			
Table 12 – Disturbance voltage limits for DC CPT port				
Table 13 – Requirements for asymmetric mode conducted emissions from Class A equipment				
Table 14 – Requirements for asymmetric mode conducted emissions from Class B equipment				
Table 15 – Required highest frequency for radiated measurement	20			

Table 16 – Requirements for radiated emissions at frequencies up to 1 GHz for Class  A equipment	30
Table 17 – Requirements for radiated emissions at frequencies above 1 GHz for Class A equipment	30
Table 18 – Requirements for radiated emissions at frequencies up to 1 GHz for Class B equipment	31
Table 19 – Requirements for radiated emissions at frequencies above 1 GHz for Class B equipment	31
Table B.1 – Limit values of radiated disturbances (2 kHz to 185 kHz)	36
Table C.1 – Termination of ports	37
Table D.1 – Voltage transient limit of EUT	42
Table E.1 – Maximum voltage to be measured on the CPT	44

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM -**

# Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply – EMC requirements for off-board electric vehicle charging systems

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61851-21-2 has been prepared by IEC technical committee 69: Electric road vehicles and electric industrial trucks.

This bilingual version (2019-01) corresponds to the monolingual English version, published in 2018-04.

This first edition, together with IEC 61851-21-1, cancels and replaces IEC 61851-21:2001. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61851-21:2001:

- a) this document addresses now only EMC related tests instead of other electrical tests;
- b) Clauses 2 and 3 have been updated;

- c) the port definition, the test-setups and their corresponding limits as well as the operation modes are defined more precisely;
- d) Annexes A to F have been added.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
69/531/FDIS	69/545/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61851 series, published under the general title *Electric vehicle conductive charging system*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

#### **ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM –**

# Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply – EMC requirements for off-board electric vehicle charging systems

#### 1 Scope

This part of IEC 61851 defines the EMC requirements for any off-board components or equipment of such systems used to supply or charge electric vehicles with electric power by conductive power transfer (CPT), with a rated input voltage, according to IEC 60038:2009, up to 1 000 V AC or 1 500 V DC and an output voltage up to 1 000 V AC or 1 500 V DC.

This document covers off-board charging equipment for mode 1, mode 2, mode 3 and mode 4 charging as defined in IEC 61851-1:2017.

Cables where there is no electronics or no electric/electronic switching are considered as passive (benign) and are deemed to comply with the emission and immunity requirements of this document without any need for testing.

This document does not apply to any on-board components or equipment of charging or power supply systems being part of the vehicles. The EMC requirements for such equipment are covered by IEC 61851-21-1: 2017.

Compliance with the emission and immunity requirements of this document is verified where it can be demonstrated that the equipment under test (EUT) meets the respective limits, during type tests in the measuring arrangement of this document.

Requirements for electric vehicle wireless power transfer (WPT) systems are covered in IEC 61980 (all parts).

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61851-1:2017, Electric vehicle conductive charging system – Part 1: General requirements

IEC 61851-23:2014, Electric vehicle conductive charging system – Part 23: DC electric vehicle charging station

IEC 60038:2009, IEC standard voltages

IEC 62053-21:2003, Electricity metering equipment (a.c.) – Particular requirements – Part 21: Static meters for active energy (classes 1 and 2)

IEC 61000-3-2:2014, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current  $\leq$  16 A per phase)