

BSI Standards Publication

Railway applications — Electric equipment for rolling stock

Part 3: Electrotechnical components — Rules for DC circuit-breakers



National foreword

This British Standard is the UK implementation of EN IEC 60077-3:2019. It is identical to IEC 60077-3:2019. It supersedes BS EN 60077-3:2002, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/9, Railway Electrotechnical Applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020 Published by BSI Standards Limited 2020

ISBN 978 0 580 99185 1

ICS 29.280; 45.060.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2020.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60077-3

December 2019

ICS 45.060.01

Supersedes EN 60077-3:2002 and all of its amendments and corrigenda (if any)

English Version

Railway applications - Electric equipment for rolling stock - Part 3: Electrotechnical components - Rules for DC circuit-breakers (IEC 60077-3:2019)

Applications ferroviaires - Équipements électriques du matériel roulant - Partie 3: Composants électrotechniques - Règles pour disjoncteurs à courant continu (IEC 60077-3:2019)

Bahnanwendungen - Elektrische Betriebsmittel auf Fahrzeugen - Teil 3: Elektrotechnische Bauteile - Regeln für DC-Leistungsschalter (IEC 60077-3:2019)

This European Standard was approved by CENELEC on 2019-11-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 9/2537/FDIS, future edition 2 of IEC 60077-3, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60077-3:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn

This document supersedes EN 60077-3:2002 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60077-3:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60947-2 NOTE Harmonized as EN 60947-2

CONTENTS

FC	DREWO	RD	4	
1	Scop	e	6	
2	Norm	native references	7	
3	Terms, definitions and abbreviated terms			
	3.1	Components		
	3.2	Component parts		
	3.3	Operational features		
	3.4	Breaking characteristics		
	3.5	Abbreviated terms		
4	Class	sification	12	
5	Char	acteristics	12	
	5.1	List of characteristics	12	
	5.2	Type of circuit-breaker		
	5.3	Rated values and limiting values for the main circuit		
	5.3.1			
	5.3.2	Rated voltages	13	
	5.3.3	Rated currents	13	
	5.3.4	Rated time constants	13	
	5.3.5	Rated short-circuit making and breaking capacity	14	
	5.4	Operational frequencies	14	
	5.5	Electric and pneumatic control circuits	14	
	5.6	Electric and pneumatic auxiliary circuits		
	5.7	Overcurrent release		
	5.8	Peak arc voltages		
6	Prod	uct information		
	6.1	Component documentation		
	6.2	Marking		
7	Norm	al service conditions	15	
8	Cons	tructional and performance requirements	15	
	8.1	Constructional requirements	15	
	8.2	Performance requirements	15	
	8.2.1	Operating conditions	15	
	8.2.2	·		
	8.2.3	1 9 7		
	8.2.4	3 1 7 (- 7		
	8.2.5			
	8.2.6			
	8.2.7			
	8.2.8	5 5		
	8.2.9	, , ,		
	8.2.1	,		
0	8.2.1	•		
9	Tests			
	9.1	Kinds of tests		
	9.1.1	General	17	

9.1.2	Type tests	17			
9.1.3	Routine tests	17			
9.1.4	Investigation tests	17			
9.2 Ve	erification of constructional requirements	18			
9.2.1	General	18			
9.2.2	Type tests	18			
9.2.3	Routine tests	18			
9.3 Ty	pe tests for verification of performance requirements	18			
9.3.1	Test sequences	18			
9.3.2	General test conditions	19			
9.3.3	Test sequence I: General performance characteristics	20			
9.3.4	Test sequence II: Rated short-circuit making and breaking capacities	21			
9.3.5	Test sequence III: Ability to withstand vibration and shock	23			
9.3.6	Test sequence IV: Searching for critical currents	24			
9.3.7	Test sequence V: Climatic conditions	24			
9.3.8	Test sequence VI: Other tests	24			
9.4 Ro	outine tests for verification of performance requirements	25			
9.4.1	General	25			
9.4.2	Functional test	25			
9.4.3	Measurement of resistance				
9.4.4	Calibration of releases	25			
9.4.5	Air-tightness (for pneumatic circuit-breaker)	25			
9.4.6	Dielectric withstand	25			
Annex A (no	rmative) Test circuit to verify the making and breaking capacities	26			
Annex B (inf	ormative) Verification of short-circuit making and breaking capacities	27			
Bibliography		29			
0 1 7					
Figure Δ 1 _	Diagram of the test circuit	26			
•					
_	Calibration of the circuit to obtain the prospective peak making current	21			
	Oscillogram corresponding to a break after the current has passed its lue	28			
igure B.3 –	Oscillogram corresponding to a break before the current has reached its				
	lue (current-limiting circuit-breaker)	28			
Гable 1 – Ra	ted time constants	13			
Table 2 – Operational performance capability					
Fable 3 – List of type test sequences for performance requirements					
ı abie 4 – 10	lerances on test values	18			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RAILWAY APPLICATIONS – ELECTRIC EQUIPMENT FOR ROLLING STOCK –

Part 3: Electrotechnical components – Rules for DC circuit-breakers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60077-3 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition, issued in 2001. It constitutes a technical revision.

This edition includes the following main technical changes with regard to the previous edition:

- a) procedure of verification of temperature rise is changed;
- b) air-tightness test as type test, insulation resistance measurement are added.

IEC 60077-3:2019 © IEC 2019

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/2537/FDIS	9/2553/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document should be read in conjunction with IEC 60077-1 and IEC 60077-2.

A list of all parts in the IEC 60077 series, published under the general title *Railway applications – Electric equipment for rolling stock*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

RAILWAY APPLICATIONS – ELECTRIC EQUIPMENT FOR ROLLING STOCK –

Part 3: Electrotechnical components – Rules for DC circuit-breakers

1 Scope

In addition to the general requirements of IEC 60077-2, this part of IEC 60077 gives the rules for circuit-breakers, the main contacts of which are connected to DC power and/or auxiliary circuits. The nominal voltage of these circuits does not exceed 3 000 V DC according to IEC 60850.

This part of IEC 60077, together with IEC 60077-2, states specifically:

- a) the characteristics of the circuit-breakers;
- b) the service conditions with which circuit-breakers complies with reference to:
 - operation and behaviour in normal service;
 - operation and behaviour in the case of short circuit;
 - dielectric properties;
- c) the tests for confirming the compliance of the components with the characteristics under the service conditions and the methods to be adopted for these tests;
- d) the information to be marked on, or given with, the circuit breaker.

NOTE 1 Circuit-breakers which are dealt with in this document can be provided with devices for automatic opening under predetermined conditions other than those of overcurrent, for example, under-voltage and reversal of power flow direction. This document does not deal with the verification of operation under such predetermined conditions.

NOTE 2 The incorporation of electronic components or electronic sub-assemblies into electrotechnical components is now common practice.

Although this document is not applicable to electronic equipment, the presence of electronic components does not provide a reason to exclude such electrotechnical components from the scope.

Electronic sub-assemblies included in circuit-breakers comply with the relevant document for electronics (IEC 60571).

NOTE 3 Certain of these rules, after agreement between the user and the manufacturer, are used for electrotechnical components installed on vehicles other than rail rolling stock such as mine locomotives, trolleybuses, etc. In this case, particular additional requirements can be necessary.

This document does not cover:

- e) multi-connection of electro-technical components to achieve a particular duty;
- f) industrial circuit-breakers which complies with IEC 60947-2;
- g) DC circuit-breakers for fixed installations which complies with IEC 61992-2.

For f) and g), in order to ensure satisfactory operation, this document is used to specify only the particular requirements for rolling stock. In such cases, a specific document states the additional requirements with which the industrial or fixed installations circuits breakers comply, for example:

- either to be adapted (for example, for control voltage, environmental conditions, etc.);
- or to be installed and used in such a way that they do not have to endure specific rolling stock conditions;