## ASME Boiler Pressure Ve

ASME Boiler and Pressure Vessel Code An International Code

> **Part C** Specifications for Welding Rods, Electrodes, and Filler Metals



Markings such as "ASME," "ASME Standard," or any other marking including "ASME," ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see https://www.asme.org/certification-accreditation.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

## AN INTERNATIONAL CODE 2021 ASME Boiler & Pressure Vessel Code

2021 Edition

July 1, 2021

# **MATERIALS**

## Part C

## Specifications for Welding Rods, Electrodes, and Filler Metals

ASME Boiler and Pressure Vessel Committee on Materials



The American Society of Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

#### Date of Issuance: July 1, 2021

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

ASME Single Certification Mark

"ASME" and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers.

The Specifications published and copyrighted by the American Welding Society are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934 Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2021.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2021 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved

### **TABLE OF CONTENTS**

List of Sections		v
		vii
Statement of Policy on the	Use of the ASME Single Certification Mark and Code Authorization in Advertising	ix
	Use of ASME Marking to Identify Manufactured Items	ix
Submittal of Technical Inq	uiries to the Boiler and Pressure Vessel Standards Committees	Х
Personnel		xiii
AWS Personnel		xxxiv
		xxxvi
	of New Welding and Brazing Material Classifications Under the ASME Boiler and	
		xxxvii
		xxxix
	Number Order	xl
• •	listic Changes in the Boiler and Pressure Vessel Code	xli
SFA-5.01M/SFA-5.01	Welding and Brazing Consumables — Procurement of Filler Materials and Fluxes	1
SFA-5.02/SFA-5.02M	Specification for Filler Metal Standard Sizes, Packaging, and Physical Attributes .	23
SFA-5.1/SFA-5.1M	Specification for Carbon Steel Electrodes for Shielded Metal Arc Welding	35
SFA-5.2/SFA-5.2M	Specification for Carbon and Low-Alloy Steel Rods for Oxyfuel Gas Welding	79
SFA-5.3/SFA-5.3M	Specification for Aluminum and Aluminum-Alloy Electrodes for Shielded Metal Arc	
	Welding	95
SFA-5.4/SFA-5.4M	Specification for Stainless Steel Electrodes for Shielded Metal Arc Welding	109
SFA-5.5/SFA-5.5M	Specification for Low-Alloy Steel Electrodes for Shielded Metal Arc Welding	147
SFA-5.6/SFA-5.6M	Specification for Copper and Copper-Alloy Electrodes for Shielded Metal Arc	
	Welding	201
SFA-5.7/SFA-5.7M	Specification for Copper and Copper-Alloy Bare Welding Rods and Electrodes	221
SFA-5.8/SFA-5.8M	Specification for Filler Metals for Brazing and Braze Welding	235
SFA-5.9/SFA-5.9M	Specification for Bare Stainless Steel Welding Electrodes and Rods	277
SFA-5.10/SFA-5.10M	Welding Consumables — Wire Electrodes, Wires and Rods for Welding of Alumi-	205
	num and Aluminum Alloys — Classification	305
SFA-5.11/SFA-5.11M	Specification for Nickel and Nickel-Alloy Welding Electrodes for Shielded Metal	244
	Arc Welding	341
SFA-5.12/SFA-5.12M	Specification for Tungsten and Oxide Dispersed Tungsten Electrodes for Arc	201
	Welding and Cutting	381 393
SFA-5.13	Specification for Surfacing Electrodes for Shielded Metal Arc Welding	
SFA-5.14/SFA-5.14M	Specification for Nickel and Nickel-Alloy Bare Welding Electrodes and Rods	415
SFA-5.15	Specification for Welding Electrodes and Rods for Cast Iron	445 463
SFA-5.16/SFA-5.16M	Specification for Titanium and Titanium-Alloy Welding Electrodes and Rods Specification for Carbon Steel Electrodes and Fluxes for Submerged Arc Welding	403
SFA-5.17/SFA-5.17M		505
SFA-5.18/SFA-5.18M SFA-5.20/SFA-5.20M	Specification for Carbon Steel Electrodes and Rods for Gas Shielded Arc Welding Specification for Carbon Steel Electrodes for Flux Cored Arc Welding	505
SFA-5.21	Specification for Bare Electrodes and Rods for Surfacing	573
SFA-5.22/SFA-5.22M	Specification for Stainless Steel Flux Cored and Metal Cored Welding Electrodes	373
3FA-5.22/3FA-5.22M	and Rods	597
SFA-5.23/SFA-5.23M	Specification for Low-Alloy Steel Electrodes and Fluxes for Submerged Arc	397
51 M-5.25/ 51 M-5.25M	Welding	647
SFA-5.24/SFA-5.24M	Specification for Zirconium and Zirconium-Alloy Welding Electrodes and Rods	687
SFA-5.25/SFA-5.25M	Specification for Carbon and Low-Alloy Steel Electrodes and Fluxes for Electroslag	007
0111 0.20/0111 0.2011	Welding	697
SFA-5.26/SFA-5.26M	Specification for Carbon and Low-Alloy Steel Electrodes for Electrogas Welding	721
· / · · · · -		

Specification for Low-Alloy Steel Electrodes and Rods for Gas Shielded Arc	
Welding	745
Specification for Low-Alloy Steel Electrodes for Flux Cored Arc Welding	793
Specification for Consumable Inserts	833
Specification for Fluxes for Brazing and Braze Welding	853
Specification for Welding Shielding Gases	871
Specification for Nickel-Alloy Flux Cored and Metal Cored Welding Electrodes	885
Specification for Covered Electrodes for Underwater Wet Shielded Metal Arc	
Welding	915
Specification for Carbon and Low-Alloy Steel Flux Cored Electrodes for Flux Cored	
Arc Welding and Metal Cored Electrodes for Gas Metal Arc Welding	931
Specification for Flux and Electrode Combinations for Submerged Arc and Elec-	
troslag Joining and Surfacing of Stainless Steel and Nickel Alloys	933
Standard Units for Use in Equations	972
*	
	Specification for Low-Alloy Steel Electrodes for Flux Cored Arc Welding   Specification for Consumable Inserts   Specification for Fluxes for Brazing and Braze Welding   Specification for Welding Shielding Gases   Specification for Nickel-Alloy Flux Cored and Metal Cored Welding Electrodes   Specification for Covered Electrodes for Underwater Wet Shielded Metal Arc   Welding   Specification for Carbon and Low-Alloy Steel Flux Cored Electrodes for Flux Cored   Arc Welding and Metal Cored Electrodes for Gas Metal Arc Welding   Specification for Flux and Electrode Combinations for Submerged Arc and Electrodes

#### LIST OF SECTIONS

#### SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
  - Part A Ferrous Material Specifications
  - Part B Nonferrous Material Specifications
  - Part C Specifications for Welding Rods, Electrodes, and Filler Metals
  - Part D Properties (Customary)
  - Part D Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
  - Subsection NCA General Requirements for Division 1 and Division 2
  - Appendices
  - Division 1
  - Subsection NB Class 1 Components
  - Subsection NCD Class 2 and Class 3 Components\*
  - Subsection NE Class MC Components
  - Subsection NF Supports
  - Subsection NG Core Support Structures
  - Division 2 Code for Concrete Containments
  - Division 3 Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
  - Division 5 High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
  - Division 1
  - Division 2 Alternative Rules
  - Division 3 Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components
  - Division 1 Rules for Inspection and Testing of Components of Light-Water-Cooled Plants
  - Division 2 Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Power Plants
- XII Rules for Construction and Continued Service of Transport Tanks
- XIII Rules for Overpressure Protection

<sup>\*</sup> In the 2021 Edition, Subsections NC and ND have been incorporated into one publication, Subsection NCD (BPVC.III.1.NCD), Class 2 and Class 3 Components.

#### **INTERPRETATIONS**

Interpretations are issued in real time in ASME's Interpretations Database at http://go.asme.org/Interpretations. Historical BPVC interpretations may also be found in the Database.

#### **CODE CASES**

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2021 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Each Code Cases book is updated with seven Supplements. Supplements will be sent or made available automatically to the purchasers of the Code Cases books up to the publication of the 2023 Code. Annulments of Code Cases become effective six months after the first announcement of the annulment in a Code Case Supplement or Edition of the appropriate Code Case book. Code Case users can check the current status of any Code Case at http://go.asme.org/BPVCCDatabase. Code Cases at http://go.asme.org/BPVCC.

#### **FOREWORD**<sup>\*</sup>

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

(a) Committee on Power Boilers (I)

(b) Committee on Materials (II)

(c) Committee on Construction of Nuclear Facility Components (III)

(d) Committee on Heating Boilers (IV)

(e) Committee on Nondestructive Examination (V)

(f) Committee on Pressure Vessels (VIII)

(g) Committee on Welding, Brazing, and Fusing (IX)

(h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)

(i) Committee on Nuclear Inservice Inspection (XI)

(*j*) Committee on Transport Tanks (XII)

(k) Committee on Overpressure Protection (XIII)

(1) Technical Oversight Management Committee (TOMC)

Where reference is made to "the Committee" in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction<sup>\*\*</sup> of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the

(**21**)

<sup>&</sup>lt;sup>\*</sup> The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

<sup>\*\*</sup> *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and overpressure protection.

requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at http://go.asme.org/BPVCPublicReview to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of the ASME Single Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

The words "shall," "should," and "may" are used in this Standard as follows:

- Shall is used to denote a requirement.
- *Should* is used to denote a recommendation.
- May is used to denote permission, neither a requirement nor a recommendation.

#### STATEMENT OF POLICY ON THE USE OF THE ASME SINGLE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the ASME Single Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the ASME Single Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the ASME Single Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the ASME Single Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the ASME Single Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code." An ASME corporate logo shall not be used by any organization other than ASME.

The ASME Single Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the ASME Single Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the ASME Single Certification Mark.

#### STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the ASME Single Certification Mark described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

#### (21) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

#### **1 INTRODUCTION**

(*a*) The following information provides guidance to Code users for submitting technical inquiries to the applicable Boiler and Pressure Vessel (BPV) Standards Committee (hereinafter referred to as the Committee). See the guidelines on approval of new materials under the ASME Boiler and Pressure Vessel Code in Section II, Part D for requirements for requests that involve adding new materials to the Code. See the guidelines on approval of new welding and brazing materials in Section II, Part C for requirements for requests that involve adding new welding and brazing materials ("consumables") to the Code.

Technical inquiries can include requests for revisions or additions to the Code requirements, requests for Code Cases, or requests for Code Interpretations, as described below:

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, to address administrative requirements, to incorporate Code Cases, or to clarify Code intent.

(2) Code Cases. Code Cases represent alternatives or additions to existing Code requirements. Code Cases are written as a Question and Reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all regulators, jurisdictions, or Owners automatically accept Code Cases. The most common applications for Code Cases are as follows:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit use of a new material for Code construction

(-c) to gain experience with new materials or alternative requirements prior to incorporation directly into the Code

#### (3) Code Interpretations

(-a) Code Interpretations provide clarification of the meaning of existing requirements in the Code and are presented in Inquiry and Reply format. Interpretations do not introduce new requirements.

(-b) Interpretations will be issued only if existing Code text is ambiguous or conveys conflicting requirements. If a revision of the requirements is required to support the Interpretation, an Intent Interpretation will be issued in parallel with a revision to the Code.

(*b*) Code requirements, Code Cases, and Code Interpretations established by the Committee are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or Owners to choose any method of design or any form of construction that conforms to the Code requirements.

(c) Inquiries that do not comply with the following guidance or that do not provide sufficient information for the Committee's full understanding may result in the request being returned to the Inquirer with no action.

#### 2 INQUIRY FORMAT

Submittals to the Committee should include the following information:

(a) Purpose. Specify one of the following:

- (1) request for revision of present Code requirements
- (2) request for new or additional Code requirements
- (3) request for Code Case
- (4) request for Code Interpretation

(b) Background. The Inquirer should provide the information needed for the Committee's understanding of the Inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. This information should include a statement indicating why the included paragraphs, figures, or tables are ambiguous or convey conflicting requirements. Preferably, the Inquirer should provide a copy of, or relevant extracts from, the specific referenced portions of the Code.