

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Medical electrical equipment –**

**Part 2-2: Particular requirements for the basic safety and essential performance  
of high frequency surgical equipment and high frequency surgical accessories**

**Appareils électromédicaux –**

**Partie 2-2: Exigences particulières pour la sécurité de base et les performances  
essentiels des appareils d'électrochirurgie à courant haute fréquence et des  
accessoires d'électrochirurgie à courant haute fréquence**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

---

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 60601-2-2

Edition 6.1 2023-02  
CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



---

**Medical electrical equipment –**

**Part 2-2: Particular requirements for the basic safety and essential performance  
of high frequency surgical equipment and high frequency surgical accessories**

**Appareils électromédicaux –**

**Partie 2-2: Exigences particulières pour la sécurité de base et les performances  
essentiels des appareils d'électrochirurgie à courant haute fréquence et des  
accessoires d'électrochirurgie à courant haute fréquence**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 11.040.30

ISBN 978-2-8322-6542-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



# REDLINE VERSION

## VERSION REDLINE



---

### Medical electrical equipment –

**Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories**

### Appareils électromédicaux –

**Partie 2-2: Exigences particulières pour la sécurité de base et les performances essentielles des appareils d'électrochirurgie à courant haute fréquence et des accessoires d'électrochirurgie à courant haute fréquence**

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 4  |
| INTRODUCTION.....  | 7  |
| INTRODUCTION to Amendment 1 .....  | 7  |
| 201.1 Scope, object and related standards .....  | 8  |
| 201.2 Normative references .....   | 9  |
| 201.3 Terms and definitions.....   | 10 |
| 201.4 General requirements.....  | 14 |
| 201.5 General requirements for testing of ME EQUIPMENT.....  | 15 |
| 201.6 Classification of ME EQUIPMENT and ME SYSTEMS .....  | 16 |
| 201.7 ME EQUIPMENT identification, marking and documents.....  | 16 |
| 201.8 Protection against electrical HAZARDS from ME EQUIPMENT.....   | 21 |
| 201.9 Protection against MECHANICAL HAZARDS of ME EQUIPMENT and ME SYSTEMS.....  | 37 |
| 201.10 Protection against unwanted and excessive radiation HAZARDS.....  | 37 |
| 201.11 Protection against excessive temperatures and other HAZARDS.....  | 38 |
| 201.12 Accuracy of controls and instruments and protection against hazardous outputs .....   | 39 |
| 201.13 HAZARDOUS SITUATIONS and fault conditions for ME EQUIPMENT .....  | 45 |
| 201.14 PROGRAMMABLE ELECTRICAL MEDICAL SYSTEMS (PEMS) .....  | 46 |
| 201.15 Construction of ME EQUIPMENT .....  | 46 |
| 201.16 ME SYSTEMS .....  | 51 |
| 201.17 Electromagnetic compatibility of ME EQUIPMENT and ME SYSTEMS.....   | 51 |
| 202 * ELECTROMAGNETIC DISTURBANCES – Requirements and tests .....  | 51 |
| 208 General requirements, tests and guidance for alarm systems in medical electrical<br>equipment and medical electrical systems .....                 | 52 |
| Annexes .....  | 53 |
| Annex AA (informative) Particular guidance and rationale .....   | 54 |
| Annex BB (informative) ELECTROMAGNETIC DISTURBANCES created by HF SURGICAL<br>EQUIPMENT .....  | 80 |
| Bibliography.....  | 89 |
| Index of defined terms used in this particular standard.....   | 91 |
| Figure 201.101 – Symbol used with an EARTH REFERENCED PATIENT CIRCUIT.....   | 16 |
| Figure 201.102 – Symbol used with a HF ISOLATED PATIENT CIRCUIT .....  | 16 |
| Figure 201.103 – Circuit suitable for testing compliance to 201.8.4.101 .....  | 23 |
| Figure 201.104 – Measurement of HF LEAKAGE CURRENT for EARTH REFERENCED PATIENT<br>CIRCUITS and load between electrodes .....                          | 26 |
| Figure 201.105 – Measurement of HF LEAKAGE CURRENT for EARTH REFERENCED PATIENT<br>CIRCUITS and a load resistance from ACTIVE ELECTRODE to earth ..... | 27 |
| Figure 201.106 – Measurement of HF LEAKAGE CURRENT for HF ISOLATED PATIENT<br>CIRCUITS.....  | 28 |
| Figure 201.107 – Measurement of HF LEAKAGE CURRENT from a BIPOLAR ACCESSORY .....  | 29 |
| Figure 201.108 – Test apparatus for anchorages of cords of ACTIVE ACCESSORY .....  | 36 |
| Figure 201.109 – Measurement of output power – MONOPOLAR output .....  | 41 |
| Figure 201.110 – Measurement of output power – BIPOLAR output.....   | 42 |

|  |    |
|--|----|
| Figure 201.111 – Method of testing feedback from one active output to another in simultaneous activation.....      | 45 |
| Figure AA.1 – Examples of various parts of an HF surgical ME SYSTEM.....   | 56 |
| Figure AA.2 – Example of MONOPOLAR method of HF surgery using a NEUTRAL ELECTRODE.....                             | 56 |
| Figure AA.3 – Example of BIPOLAR method of HF surgery .....  | 57 |
| Figure AA.4 – CREST FACTOR vs. peak voltage .....  | 62 |
| Figure AA.5 – Example of PATIENT circuit with NEUTRAL ELECTRODE referenced to earth at operating frequencies ..... | 66 |
| Figure BB.1 – E-FIELD EMISSIONS test setup.....  | 83 |
| Figure BB.2 – H-FIELD EMISSIONS test setup .....   | 84 |
| Figure BB.3 – Conducted EMISSIONS test setup .....   | 85 |
| Figure BB.4 – Unit ad hoc test .....   | 87 |
| Figure BB.5 – Power cord ad hoc test.....  | 88 |
| Figure BB.6 – ACCESSORY cord ad hoc test .....   | 88 |
| Table 201.101 – Colours of indicator lights and their meaning for HF SURGICAL EQUIPMENT .....                      | 17 |
| Table 201.102 – Maximum output powers in SINGLE FAULT CONDITIONS .....   | 44 |
| Table 201.103 – Test currents by weight range.....   | 48 |
| Table AA.1 – Summary of measured current and durations for 25 TUR procedures.....                                  | 75 |
| Table AA.2 – Summary of measured currents and durations for general surgical procedures.....                       | 76 |
| Table BB.1 – Worst case EMISSIONS of spark gap type HF SURGICAL EQUIPMENT .....                                    | 86 |
| Table BB.2 – Worst case EMISSIONS of non-spark gap (modern) HF SURGICAL EQUIPMENT .....                            | 86 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

MEDICAL ELECTRICAL EQUIPMENT –**Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.**

**IEC 60601-2-2 edition 6.1 contains the sixth edition (2017-03) [documents 62D/1427/FDIS and 62D/1442/RVD] and its amendment 1 (2023-02) [documents 62D/2010/FDIS and 62D/2021/RVD].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**



International standard IEC 60601-2-2 has been prepared by IEC subcommittee 62D: Electromedical equipment, of IEC technical committee 62: Electrical equipment in medical practice.

This sixth edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- refinement and additions to the defined terms;
- additional separation of the requirements for HF surgical equipment and HF surgical accessories;
- a new requirement for adult neutral electrodes to be contact quality monitoring neutral electrodes;
- new requirements for devices that have or use a high current mode.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements and definitions: roman type;
- *test specifications: italic type*;
- informative material appearing outside of tables, such as notes, examples and references: in smaller type. Normative text of tables is also in a smaller type;
- TERMS DEFINED IN CLAUSE 3 OF THE GENERAL STANDARD, IN THIS PARTICULAR STANDARD OR AS NOTED: SMALL CAPITALS.

In referring to the structure of this standard, the term

- “clause” means one of the seventeen numbered divisions within the table of contents, inclusive of all subdivisions (e.g. Clause 7 includes subclauses 7.1, 7.2, etc.);
- “subclause” means a numbered subdivision of a clause (e.g. 7.1, 7.2 and 7.2.1 are all subclauses of Clause 7).

References to clauses within this standard are preceded by the term “Clause” followed by the clause number. References to subclauses within this standard are by number only.

In this standard, the conjunctive “or” is used as an “inclusive or” so a statement is true if any combination of the conditions is true.

The verbal forms used in this standard conform to usage described in Clause 7 of the ISO/IEC Directives, Part 2. For the purposes of this standard, the auxiliary verb:

- “shall” means that compliance with a requirement or a test is mandatory for compliance with this standard;
- “should” means that compliance with a requirement or a test is recommended but is not mandatory for compliance with this standard;
- “may” is used to describe a permissible way to achieve compliance with a requirement or test.

An asterisk (\*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in Annex AA.

A list of all parts of the IEC 60601 series, published under the general title *Medical electrical equipment*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The minimum safety requirements specified in this particular standard are considered to provide for a practical degree of safety in the operation of HIGH FREQUENCY SURGICAL EQUIPMENT.

This particular standard amends and supplements IEC 60601-1:2005 and Amendment 1:2012, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*, hereinafter referred to as the general standard (see 201.1.4).

The requirements are followed by specifications for the relevant tests.

A "Particular guidance and rationale" section giving some explanatory notes, where appropriate, about the more important requirements is included in Annex AA.

Clauses or subclauses for which there are explanatory notes in Annex AA are marked with an asterisk (\*).

It is considered that a knowledge of the reasons for these requirements will not only facilitate the proper application of the standard but will, in due course, expedite any revision necessitated by changes in clinical practice or as a result of developments in technology. However, this annex does not form part of the requirements of this document.

## INTRODUCTION to Amendment 1

The 6<sup>th</sup> Edition of IEC 60601-2-2 was published in 2017. This amendment is intended to align the standard to IEC 60601-1:2005/AMD2:2020. Additionally, this amendment is intended to address several issues reported from the national committees, including but not limited to:

- requirement for including the length of an accessory in the instructions for use;
- clarification of test setup for HF LEAKAGE CURRENTS;
- considering modes with high DUTY CYCLES above 45 % in the risk management;
- including text of the interpretation sheet 62D/1703/INF regarding the HIGH CURRENT MODE to Annex AA.

## MEDICAL ELECTRICAL EQUIPMENT –

### Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories

#### 201.1 Scope, object and related standards

Clause 1 of the general standard<sup>1</sup> applies, except as follows:

##### 201.1.1 \* Scope

*Replacement:*

This part of IEC 60601 applies to the BASIC SAFETY and ESSENTIAL PERFORMANCE of HF SURGICAL EQUIPMENT and HF SURGICAL ACCESSORIES as defined in 201.3.224 and 201.3.223.

HF SURGICAL EQUIPMENT having a RATED OUTPUT POWER not exceeding 50 W (for example for micro-COAGULATION, or for use in dentistry or ophthalmology) is exempt from certain of the requirements of this particular standard. These exemptions are indicated in the relevant requirements.

##### 201.1.2 Object

*Replacement:*

The object of this particular standard is to establish particular BASIC SAFETY and ESSENTIAL PERFORMANCE requirements for HF SURGICAL EQUIPMENT and HF SURGICAL ACCESSORIES as defined in 201.3.224 and 201.3.223.

##### 201.1.3 Collateral standards

*Addition:*

This particular standard refers to those applicable collateral standards that are listed in Clause 2 of the general standard and Clause 201.2 of this particular standard.

IEC 60601-1-2:2014 and IEC 60601-1-2:2014/AMD1:2020 and IEC 60601-1-8:2006, IEC 60601-1-8:2006/AMD1:2012 and IEC 60601-1-8:2006/AMD2:2020, apply as modified in Clauses 202 and 208 respectively. IEC 60601-1-3, IEC 60601-1-10, IEC 60601-1-11 and IEC 60601-1-12 do not apply. All other published collateral standards in the IEC 60601-1 series apply as published.

##### 201.1.4 Particular standards

*Replacement:*

In the IEC 60601 series, particular standards may modify, replace or delete requirements contained in the general standard and collateral standards as appropriate for the particular

<sup>1</sup> The general standard is IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012 and IEC 60601-1:2005/AMD2:2020, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*.