

2013

ASME Boiler and
Pressure Vessel Code
AN INTERNATIONAL CODE

III

Rules for Construction of Nuclear Facility Components

Appendices



INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013



RULES FOR CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS

Appendices

ASME Boiler and Pressure Vessel Committee
on Nuclear Power



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



The above ASME symbol is registered in the U.S. Patent Office.

"ASME" is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xiv	
Foreword	xvi	
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xviii	
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xviii	
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xix	
Personnel	xxi	
Introduction	xxxvi	
Organization of Section III	xxxix	
Summary of Changes	xlii	
List of Changes in Record Number Order	xliv	
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xlv	
Mandatory Appendices	1	
Mandatory Appendix I	Design Fatigue Curves	1
Mandatory Appendix II	26
II-1100	Introduction	26
II-1200	Permissible Types of Noncyclic Tests and Calculation of Stresses	26
II-1300	Test Procedures	27
II-1400	Interpretation of Results	27
II-1500	Cyclic Tests	28
II-1600	Determination of Fatigue Strength Reduction Factors	32
II-1700	Experimental Stress Analysis of Openings	32
II-1800	Experimental Determination of Stress Indices for Piping	33
II-1900	Experimental Determination of Flexibility Factors	33
II-2100	Introduction	34
II-2200	Definitions	34
II-2300	Test Procedure	34
II-2400	Stress Intensification Factor	35
II-2500	Variations in Materials and Geometry	36
II-2600	Test Report	36
Mandatory Appendix III	Basis for Establishing Design Stress Intensity Values and Allowable Stress Values	38
III-1100	Derivation of Values and Their Tabular Organization	38
III-2100	Mechanical Property Criteria	39
III-2200	Fatigue Strength Criteria for all Materials	39
Mandatory Appendix IV	Approval of New Materials Under the ASME Boiler and Pressure Vessel Code	40
Mandatory Appendix V	Certificate Holder's Data Report Forms, Instructions, and Application Forms for Certificates of Authorization for Use of Certification Mark	41
Mandatory Appendix VI	72
VI-1100	Acceptance Standards for Radiographically Determined Rounded Indications in Welds	72

Mandatory Appendix XI	Rules for Bolted Flange Connections for Class 2 and 3 Components and Class MC Vessels	81
XI-1100	General Requirements	81
XI-2100	Material Requirements	83
XI-3100	General Requirements	84
XI-3200	Class RF Flange Design	88
Mandatory Appendix XII	100
XII-1100	Considerations	100
Mandatory Appendix XIII	102
XIII-1100	General Requirements	102
XIII-2100	Methods of Evaluation	112
Mandatory Appendix XIV	115
XIV-1100	Introduction	115
XIV-1200	Analysis for Cyclic Service of Vessels	115
XIV-1300	Analysis for Cyclic Service of Bolts	117
XIV-1400	Analysis for Thermal Stress Ratchet	117
Mandatory Appendix XVIII	119
XVIII-1100	Procedure for Conversion	119
Mandatory Appendix XIX	127
XIX-1100	General Requirements	127
XIX-1200	Design Procedure	128
Mandatory Appendix XX	130
Mandatory Appendix XXI	131
XXI-1100	Introduction	131
Mandatory Appendix XXII	132
XXII-1100	Introduction	132
XXII-1200	Nomenclature	132
XXII-1300	Design Pressure	133
Mandatory Appendix XXIII	136
XXIII-1100	Scope	136
XXIII-1200	Qualifications	136
XXIII-1300	Duties	137
Guide A	Nonmandatory Sample Statements	139
Guide B	Nonmandatory Guidelines For Establishing ASME Code Knowledge	142
Guide C	Nonmandatory Guidelines for Demonstrating PE Qualifications	145
Mandatory Appendix XXIV	Standard Units for Use in Equations	146
Mandatory Appendix XXV	ASME-Provided Material Stress-Strain Data	147
XXV-1100	Stress-Strain Data	147
Nonmandatory Appendices	148
Nonmandatory Appendix A	148
A-1100	Introduction	148
A-2100	Introduction	149
A-2200	Stress Intensities, Displacements, Bending Moments, and Limiting Values	150
A-3100	Introduction	152
A-3200	Stress Intensities, Bending Analysis, Displacements, and Edge Loads	153
A-4100	Introduction	158
A-5100	Introduction	160
A-5200	Loads, Displacements, and Geometry Constants	160
A-6100	Introduction	164
A-6200	Method of Procedure for Discontinuity Analysis	164

A-7100	Introduction	171
A-8100	Introduction	172
A-9100	Introduction	185
A-9200	Interaction Equations	185
A-9300	Allowable Loads and Stresses	186
A-9400	New Interaction Equations	187
A-9500	Determination of Allowable Bending Strength of Beams by the Apparent Stress Method	187
Nonmandatory Appendix B	Owner's Design Specifications	196
B-1100	Introduction	196
B-1200	Scope of Certified Design Specification	196
B-2100	Certified Design Specification Requirements	197
B-2200	Operability	201
B-2300	Regulatory Requirements	201
B-3100	Certified Design Specification Requirements	202
B-4100	Certified Design Specification Requirements	203
B-4200	Operability Requirements for Pumps	203
B-4300	Regulatory Requirements	203
B-5100	Certified Design Specification Requirements	204
B-5200	Operability Requirements for Valves	204
B-5300	Regulatory Requirements	205
B-6100	Certified Design Specification Requirements	206
B-7100	Certified Design Specification Requirements	207
B-8100	Certified Design Specification Requirements	208
B-8300	Regulatory Requirements	208
B-9100	Certified Design Specification Requirements	209
B-10100	Certified Design Specification Requirements	211
Nonmandatory Appendix C	212
C-1100	Introduction	212
C-1200	Thermal Analysis	213
C-1300	Structural Analysis	213
C-1400	Fatigue Evaluation	214
Nonmandatory Appendix D	215
D-1100	Introduction	215
D-1200	Ferrous Materials	215
Nonmandatory Appendix E	218
E-1100	Introduction	218
E-1200	Design Cross-Sectional Area	218
Nonmandatory Appendix F	224
F-1100	Introduction	224
F-1200	Intent of Level D Service Limits	224
F-1300	Level D Service Limits and Design Rules	224
F-1400	Vessels	232
Nonmandatory Appendix G	Fracture Toughness Criteria for Protection Against Failure	233
G-2100	General Requirements	234
G-2200	Level A and Level B Service Limits	234
G-2300	Level C and Level D Service Limits	240
G-2400	Hydrostatic Test Temperature	240
G-3100	General Requirements	242
G-4100	General Requirements	243

Nonmandatory Appendix L	Class FF Flange Design for Class 2 and 3 Components and Class MC Vessels	244
L-1100	General Requirements	244
L-2100	Material Requirements	245
L-3100	General Requirements	246
L-3200	Design of Flanges and Bolting	250
	259
Nonmandatory Appendix M		
M-1100	Introduction	259
M-1200	Welding Procedure Specifications	259
M-1300	Welding Performance Qualification and Assignment	260
M-1400	Control of Welding	260
M-1500	Nondestructive Examination of Welds	260
M-1600	Postweld Heat Treatment	260
M-1700	Examination and Dimensional Inspection	260
	261
Nonmandatory Appendix N		
N-1100	Introduction and Scope	261
N-1200	Seismic Analysis	262
N-1300	Flow-Induced Vibration of Tubes and Tube Banks	289
N-1400	Dynamics of Coupled Fluid-Shells	306
N-1500	Fluid Transient Dynamics	315
N-1600	Miscellaneous Impulsive and Impactive Loads	315
N-1700	Combined Responses	315
	326
Nonmandatory Appendix O		
O-1100	Scope and Definitions	326
O-1200	Method of and Procedure for Load Computation	327
O-1300	Stress Evaluation Open System	328
O-1400	Closed Discharge Systems — Open Discharge Systems with Long Discharge Pipes — Systems with Slug Flow	328
O-1500	Design Considerations	329
	330
Nonmandatory Appendix P		
P-1100	Introduction	330
P-1200	General Required Information	330
P-1300	Information Required Under Specific Circumstances	330
P-1400	Execution	331
	332
Nonmandatory Appendix Q		
Q-1100	Introduction	332
	339
Nonmandatory Appendix R		
R-1100	Introduction	339
R-1200	Determination of Permissible Lowest Service Metal Temperature	339
	341
Nonmandatory Appendix S		
S-1100	Introduction	341
S-1200	Scope	341
S-1300	Design Requirements	341
S-1400	Responsibility	341
S-1500	Operating Loads	341
S-1600	Shaft Failure Modes	342
S-2100	Critical Speeds	344
S-2200	Maximum Torsional Load	344
S-2300	Shaft Evaluation	344
S-2400	Other Considerations	344

Nonmandatory Appendix T	346
T-1100	Introduction	346
T-1200	Total Tolerances	347
Nonmandatory Appendix U	353
U-1100	Introduction	353
U-1200	General Requirements	353
U-1300	Materials	353
U-1400	Fabrication Requirements	366
Nonmandatory Appendix W	369
W-1100	Introduction	369
W-1200	Section XI and Plex Applications	369
W-2100	Stress Corrosion Cracking	370
W-2200	General Corrosion and Wastage	372
W-2300	Pitting Corrosion	374
W-2400	Crevice Corrosion and Denting	375
W-2500	Intergranular Corrosion Attack	376
W-2600	Microbiologically-Induced Corrosion and Fouling	378
W-2700	Corrosion Fatigue and Crack Growth	380
W-2800	Flow Accelerated Corrosion	381
W-2900	Erosion and Erosion-Corrosion	383
W-3100	Irradiation-Assisted Stress Corrosion Cracking (IASCC)	385
W-3200	Thermal Aging Embrittlement	386
W-3300	Radiation Embrittlement	387
W-3400	Hydrogen Damage Embrittlement and Delayed Cracking	387
W-4100	Fretting and Wear	390
W-4200	Thermal Fatigue	391
W-4300	Dynamic Loading — Vibration, Water Hammer and Unstable Fluid Flow	391
W-4400	Creep	391
Nonmandatory Appendix Y	394
Y-1100	Introduction	394
Y-2100	Introduction	395
Y-2200	Limitations to Applicability	395
Y-2300	Nomenclature and Definitions (see Figure Y-2300-1)	395
Y-2400	Evaluation Procedure	396
Y-2500	Analysis Documentation	397
Y-3100	Introduction	398
Y-3200	Limitations to Applicability	398
Y-3300	Nomenclature and Definitions (see Figure Y-3300-1)	398
Y-3400	Evaluation Procedure	399
Y-3500	Analysis Documentation	400
Y-4100	Introduction	401
Y-4200	Limitations to Applicability	401
Y-4300	Nomenclature and Definitions (see Figure Y-4300-1)	401
Y-4400	Evaluation Procedure	402
Y-4500	Analysis Documentation	403
Y-5100	Introduction	404
Y-5200	Limitations to Applicability	404
Y-5300	Nomenclature and Definitions (see Figure Y-5300-1)	404
Y-5400	Evaluation Procedure	405
Y-5500	Analysis Documentation	406

Nonmandatory Appendix Z	407
Z-1100	Introduction	407
Z-1200	Definitions	407
Z-1300	Documentation	407
Z-1400	Other Considerations	407
Z-1500	Resumption of Code Activities	408
Nonmandatory Appendix AA	Guidance for the use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	409
Nonmandatory Appendix BB	Metallic Braided Flexible Hose for Class 2 and 3 Service	412
BB-1100	Rules	412
BB-2100	Sheaths, end Pieces, and Braids	413
BB-3100	Design Factors	414
BB-3200	General Design Requirements	414
BB-3300	Special Design Requirements	414
BB-4100	Requirements	416
BB-5100	Procedures	417
BB-6100	Hydrostatic and Pneumatic Testing	418
BB-7100	Provisions	419
Nonmandatory Appendix CC	Alternative Rules for Linear Piping Supports	420
CC-1100	Introduction	420
CC-2100	Material Requirements	421
CC-3100	Design Requirements	422
CC-4100	Fabrication Requirements	423
CC-5100	Examination Requirements	424
CC-8100	General Requirements	425
Nonmandatory Appendix DD	Polyethylene Material Organization Responsibilities Diagram	426
DD-1100	Scope	426
Nonmandatory Appendix EE	Strain-Based Acceptance Criteria Definitions and Background Information	428
EE-1100	Definitions	428
EE-1200	Background Information	431
Nonmandatory Appendix FF	Strain-Based Acceptance Criteria for Energy-Limited Events	438
FF-1100	Strain-Based Acceptance Criteria	438

FIGURES

I-9.1	Design Fatigue Curves for Carbon, Low Alloy, and High Tensile Steels for Metal Temperatures Not Exceeding 700°F	4
I-9.1M	Design Fatigue Curves for Carbon, Low Alloy, and High Tensile Steels for Metal Temperatures Not Exceeding 370°C	5
I-9.2	Design Fatigue Curves for Austenitic Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for Temperatures Not Exceeding 800°F	7
I-9.2M	Design Fatigue Curves for Austenitic Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for Temperatures Not Exceeding 425°C	8
I-9.3	Design Fatigue Curves for Wrought 70 Copper-30 Nickel Alloy for Temperatures Not Exceeding 800°F	10
I-9.3M	Design Fatigue Curves for Wrought 70 Copper-30 Nickel Alloy for Temperatures Not Exceeding 425°C	11
I-9.4	Design Fatigue Curves for High Strength Steel Bolting for Temperatures Not Exceeding 700°F	12
I-9.4M	Design Fatigue Curves for High Strength Steel Bolting for Temperatures Not Exceeding 370°C	13
I-9.5	Design Fatigue Curves for Nickel-Chromium-Molybdenum-Iron Alloys (UNS N06003, N06007, N06455, and N10276) for Temperatures Not Exceeding 800°F	14

I-9.5M	Design Fatigue Curves for Nickel-Chromium-Molybdenum-Iron Alloys (UNS N06003, N06007, N06455, and N10276) for Temperatures Not Exceeding 425°C	15
I-9.6	Design Fatigue Curves for Grade 9 Titanium for Temperatures Not Exceeding 600°F	17
I-9.6M	Design Fatigue Curves for Grade 9 Titanium for Temperatures Not Exceeding 315°C	18
I-9.7	Design Fatigue Curves for Nickel-Chromium Alloy 718 (SB-637 UNS N07718) for Design of 2 in. (50 mm) and Smaller Diameter Bolting for Temperatures Not Exceeding 800°F (427°C)	20
I-9.8	Design Fatigue Curves (ksi) for Ductile Cast Iron	22
I-9.8M	Design Fatigue Curves (MPa) for Ductile Cast Iron	23
II-1430-1	Construction for II-1430	29
II-1520(c)-1	Construction of the Testing Parameters Ratio Diagram	30
II-1520(c)-2	Construction of the Testing Parameters Ratio Diagram for Accelerated Tests	31
II-2310-1	Schematic of Test Assembly	34
II-2330-1	Displacement D and Force F Recorded During Loading and Unloading of Test Specimen, With Linear Displacement	35
VI-1134-1	Aligned Rounded Indications	74
VI-1134-2	Groups of Aligned Rounded Indications	75
VI-1136-1	Charts for t Equal to $\frac{1}{8}$ in. to $\frac{1}{4}$ in. (3 mm to 6 mm), Inclusive	76
VI-1136-2	Charts for t Over $\frac{1}{4}$ in. to $\frac{3}{8}$ in. (6 mm to 10 mm), Inclusive	76
VI-1136-3	Charts for t Over $\frac{3}{8}$ in. to $\frac{3}{4}$ in. (10 mm to 19 mm), Inclusive	77
VI-1136-4	Charts for t Over $\frac{3}{4}$ in. to 2 in. (19 mm to 50 mm), Inclusive	78
VI-1136-5	Charts for t Over 2 in. to 4 in. (50 mm to 100 mm), Inclusive	79
VI-1136-6	Charts for t Over 4 in. (100 mm)	80
XI-3120-1	Types of Flanges	85
XI-3240-1	Values of T , U , Y , and Z (Terms Involving K)	95
XI-3240-2	Values of F (Integral Flange Factors)	96
XI-3240-3	Values of V (Integral Flange Factors)	97
XI-3240-4	Values of F_L (Loose Hub Flange Factors)	98
XI-3240-5	Values of V_L (Loose Hub Flange Factors)	98
XI-3240-6	Values of f (Hub Stress Correction Factor)	99
XIII-1141-1	Stress Categories and Limits of Stress Intensity	108
XIII-2122-1	Direction of Stress Components	112
XIII-2124(e)-1	Nozzle Nomenclature and Dimensions	114
XVIII-1110-1	Constant C for Gas or Vapor Related to Ratio of Specific Heats ($k = c_p/c_v$)	124
XVIII-1110-1M	Constant C for Gas or Vapor Related to Ratio of Specific Heats ($k = c_p/c_v$)	125
XVIII-1140-1	Flow Capacity Curve for Rating Nozzle Type Safety Valves on Saturated Water (Based on 10% Overpressure)	125
XVIII-1140-1M	Flow Capacity Curve for Rating Nozzle Type Safety Valves on Saturated Water (Based on 10% Overpressure)	126
XIX-1110-1	Applicable Configurations of Flat Heads	127
XIX-1110-2	Integral Flat Head With Large Central Opening	128
A-2120-1	149
A-3120-1	154
A-5120-1	160
A-5212-1	161
A-5213-1	161
A-5221-1	161
A-5222-1	162
A-6230-1	165
A-6230-2	166
A-6230-3	167
A-6230-4	167
A-6230-5	167
A-8120-1	173
A-8131-1	174
A-8132.1-1	175

A-8132.2-1	175
A-8132.3-1	175
A-8132.4-1	175
A-8142-1	176
A-8142-2	177
A-8142-3	178
A-8142-4	180
A-8142-5	181
A-8142-6	182
A-8143.2-1	183
A-8153-1	184
A-9210(d)-1	Interaction Curve for Beams Subject to Bending and Shear or to Bending, Shear, and Direct Loads	186
A-9523.1-1	Sign Convention and Nomenclature	189
A-9531-1	Bending and Shear Stresses	189
A-9532(c)(3)-1	Interaction Exponent	191
A-9533(b)-1	Interaction Curve for Bending and Tension	192
A-9541-1	Trapezoidal stress-Strain Relationship	192
A-9541-2	Ultimate and Yield Trapezoidal Intercept Stresses	193
A-9541-3	Linearized Ultimate and Yield Bending Stresses for Rectangular Section	193
A-9541-4	Proportional Limit as a Function of Yield Stress	194
A-9542-1	Linearized Bending Stress Versus Allowable Stress for SA-672 A50 Material at 600°F (316°C)	195
B-2123-1	Time-Dependent Load Information	199
G-2210-1	235
G-2210-1M	236
G-2214-1	237
G-2214-1M	238
G-2214-2	239
L-3191-1	Bolt Hole Flexibility Factor	250
L-3191-2	Flange Dimensions and Forces	251
L-3230-1	Group 1 Flange Assembly (Identical Flange Pairs)	253
L-3230-2	Group 2 Flange Assembly	254
L-3230-3	Group 3 Flange Assembly	254
N-1211(a)-1	Horizontal Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	263
N-1211(b)-1	Vertical Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	265
N-1211(a)-1M	Horizontal Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	267
N-1211(b)-1M	Vertical Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	268
N-1226-1	Response Spectrum Peak Broadening and Peak Amplitude	278
N-1226-2	Use of Floor Spectra When Several Equipment Frequencies Are Within the Widened Spectral Peak	280
N-1228.3-1	Coefficients for a Component of Shear for a Unit Displacement of a Nondatum Support	284
N-1321-1	Vortices Shed From a Circular Cylinder	293
N-1321-2	Some Typical Cross Sections of Bluff Bodies That Can Experience Vortex Shedding	293
N-1323-1	Synchronization of the Vortex Shedding Frequency and the Tube Natural Frequency for a Single, Flexibly-Mounted Circular Cylinder	295
N-1331-1	Response of a Tube Bank to Cross Flow (Ref. [115])	298
N-1331-2	Tube Vibration Patterns at Fluidelastic Instability for a Four-Tube Row (Ref. [118])	299
N-1331-3	Tube Arrangements	300
N-1331-4	Stability Diagram	301
N-1343-1	Random Excitation Coefficient for Arrays in Cross Flow (Ref. [100])	305
N-1430-1	Vibration Forms for Circular Cylindrical Shells	308
N-1451-1	Comparison of Fritz and Kiss Solution With Exact Solution	311
N-1470-1	Imaginary Part of Z as a Function of b/a for Selected Value of S (Ref. [146])	314
N-1722.2-1	Definition of Notation	316
N-1723.1-1	318

N-1723.1-2	318
N-1723.1-3	319
N-1723.1-4	319
O-1120(e)-1	Application Point of Venting Force F	327
O-1120(e)-2	Limiting Safety Valve Arrangements and Dimensions	327
Q-1130-1	Typical Hub and Clamp	335
Q-1130-2	Typical Clamp Lug Configurations	336
R-1200-1	Determination of Permissible Lowest Service Metal Temperature	340
S-1600-1	Typical Centrifugal Pump Shaft Failure Locations	343
S-2300-1	Steps in the Design of a Pump Shaft	345
T-1213-1	Illustrations of Angular Dimensions — Pipe Legs, Valves, Supports, Bends	349
T-1213-2	Illustrations of Linear Dimensions	350
U-1500-1	Typical for Type A, C, E, F, and/or Some J (NB-3400) Pumps	355
U-1500-2	Typical for Type B and D Pumps (NC-3400 and ND-3400)	356
U-1500-3	Typical for Type G and H Pumps (NC-3400 and ND-3400)	357
U-1500-4	Typical for Type K Pumps (NC-3400 and ND-3400)	358
U-1500-5	Typical for Type L Pumps (NC-3400 and ND-3400)	359
U-1500-6	Reciprocating Plunger Pump (NC-3400 and ND-3400)	360
U-1500-7	Typical for Type A and C Pumps (NC-3400 and ND-3400)	362
W-2100-1	Environmental Conditions Required for SCC	370
Y-2300-1	Nomenclature Illustration	395
Y-3300-1	Nomenclature Illustration	398
Y-4200-1	Weld Type Illustration	401
Y-4300-1	Nomenclature Illustration	401
Y-5300-1	Nomenclature Illustration	404
BB-3300-1	Bellows Configuration and Wrap Angle, α	415
DD-1100-1	Polyethylene Material Organization Responsibilities Per NCA-3970	427
EE-1120-1	Typical Engineering Tensile Stress–Strain Curve [1]	429
EE-1120-2	Comparison of Engineering and True Stress–Strain Curves (Ref. [1])	430
EE-1230-1	Quasi-static Tensile Test Results for 304/304L Base and Welded Material at 300°F (149°C)	434
EE-1230-2	Quasi-static Tensile Test Results for 316/316L Base and Welded Material at 300°F (149°C)	435
EE-1230-3	Comparison of Base and Welded 304/304L Material to Identical Impact Tests at -20°F (-29°C)	435
EE-1230-4	Comparison of Base and Welded 316/316L Material to Identical Impact Tests at -20°F (-29°C)	436

TABLES

1	Section III Appendices Reference Table	xxxvi
I-9.0	Tabulated Values of S_a , ksi, From Figures I-9.1 through I-9.4	2
I-9.0M	Tabulated Values of S_a , MPa, From Figures I-9.1M through I-9.4M	3
I-9.1	Tabulated Values of S_a , ksi (MPa), From Figures I-9.1 and I-9.1M	6
I-9.2	Tabulated Values of S_a , ksi (MPa), From Figures I-9.2 and I-9.2M	9
I-9.5	Tabulated Values of S_a , ksi (MPa), From Figures I-9.5 and I-9.5M	16
I-9.6	Tabulated Values of S_a , ksi (MPa), for Grade 9 Titanium From Figures I-9.6 and I-9.6M	19
I-9.7	Tabulated Values of S_a , ksi (MPa), From Figure I-9.7	21
I-9.8	Tabulated Values of S_a , ksi, From Figure I-9.8	24
I-9.8M	Tabulated Values of S_a , MPa, From Figure I-9.8M	25
II-2440-1	Stress Intensification Increase Factor	36
V-1000	Guide for Preparation of Data Report Forms	67
VI-1132-1	Maximum Size of Nonrelevant Indications and Acceptable Rounded Indications — Examples Only	73
XI-3221.1-1	Gasket Materials and Contact Facings	89
XI-3221.1-2	Effective Gasket Width	91
XI-3230-1	Moment Arms for Flange Loads	92
XI-3240-1	Flange Factors in Formula Form	93
XIII-1130-1	Classification of Stress Intensity in Vessels for Some Typical Cases	106

XIII-1153(a)-1	Values of m , n , and T_{\max} for Various Classes of Permitted Materials	110
XIII-2123-1	Nozzles in Spherical Shells and Formed Heads	113
XIII-2123-2	Nozzles in Cylindrical Shells	113
XVIII-1110-1	Superheat Correction Factor K_{sh}	120
XVIII-1110-1M	Superheat Correction Factor K_{sh}	122
XVIII-1110(a)-1	Molecular Weights of Gases and Vapors	124
XXII-1200-1	Values of Δ for Junctions at the Large Cylinder for $\alpha \leq 60$ deg	133
B1	Design Specification — Divisions 1 and 2	142
B2	Design Report — Division 1	143
B3	Overpressure Protection Report — Divisions 1 and 2	143
B4	Load Capacity Data Sheet — Division 1	143
B5	Construction Specification, Design Drawings, and Design Report — Division 2	144
B6	Design Specification — Division 3	144
B7	Design Report — Division 3	144
B8	Fabrication Specification — Division 3	144
XXIV-1000	Standard Units for Use in Equations	146
A-5240-1	163
A-9210(d)-1	Interaction Equations for Common Beam Shapes	187
A-9521(b)-1	188
D-1210-1	Suggested Minimum Preheat Temperatures	216
E-1210-1	Gasket Materials and Contact Facings	220
E-1210-2	Effective Gasket Width	222
F-1200-1	Level D Service Limits — Components and Supports Elastic System Analysis Acceptance Criteria	225
L-3212-1	Trial Flange Thickness and Area of Bolting for Various Groups of Assemblies and Flange Categories	252
L-3240-1	Summary of Applicable Equations for Different Groups of Assemblies and Different Categories of Flanges	255
N-1211(a)-1	Horizontal Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points	264
N-1211(b)-1	Vertical Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points	266
N-1225.1.1(b)-1	Minimum Support Load Factor	275
N-1226-1	Suggested Frequencies, Hz, for Calculation of Ground and Floor Response Spectra	277
N-1230-1	Damping Values	285
N-1311-1	Added Mass for Lateral Acceleration of Structures in a Fluid Reservoir	291
N-1311-2	Guidelines for Damping of Flow-Induced Vibration	292
N-1324.2(a)-1	Semiempirical Correlations for Predicting Resonant Vortex-Induced Vibration Amplitude	296
Q-1180-1	Allowable Design Stress for Clamp Connections	338
T-1222-1	Branch/Run Size Combinations	351
U-1600-1	Summary of Requirements	354
U-1610-1	Materials for Pump Internal Items for Class 1, 2, and 3 Pumps	363
CC-3120-1	Correlation of Service Loadings and Stress Limit Coefficients	422
EE-1150-1	Examples of Triaxiality Factor Calculations	431
EE-1250-1	Factors for Specified Strain Rates	436
FF-1122-1	Permitted Material Specifications and Products	439

FORMS

N-1	Certificate Holder's Data Report for Nuclear Vessels*	42
N-1A	Certificate Holder's Data Report for Nuclear Vessels*	44
N-2	Certificate Holder's Data Report for Identical Nuclear Parts and Appurtenances	45
N-3	Owner's Data Report for Nuclear Power Plant Components*	47
N-5	Certificate Holder's Data Report for Installation or Shop Assembly or Nuclear Power Plant Components, Supports, and Appurtenances	49
N-6	Certificate Holders' Data Report for Storage Tanks*	51
NPP-1	Certificate Holder's Data Report For Fabricated Nuclear Piping Subassemblies	53

NPV-1	Certificate Holder's Data Report for Nuclear Pumps or Valves*	55
NV-1	Certificate Holder's Data Report for Pressure or Vacuum Relief Valves*	57
NCS-1	Certificate Holder's Data Report for Core Support Structures*	59
NF-1	Certificate Holder's Data Report for Supports*	60
NM-1	Certificate Holder's Data Report for Tubular Products and Fittings Welded with Filler Metal*	62
NS-1	Certificate Holder's Certificate of Conformance for Welded Supports*	63
C-1	Certificate Holder's Data Report for Concrete Reactor Vessels and Containments*	65
A-1	Design Specification (Div. 1 and 2)	139
A-2	Design Report	140
A-3	Overpressure Protection Report (Div. 1 and 2)	141
A-4	Design Specification (Div. 3)	141
A-5	Fabrication Specification (Div. 3)	142
ENDNOTES		443

(13)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components
- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to "the Committee" in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code." An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer's items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) **SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES**

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

- (-a) to permit early implementation of an approved Code revision based on an urgent need
- (-b) to permit the use of a new material for Code construction
- (-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

- (1) revision of present Code rules
- (2) new or additional Code rules
- (3) Code Case
- (4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.