INTERNATIONAL STANDARD

ISO 11119-4

First edition 2016-02-15

Gas cylinders — Refillable composite gas cylinders — Design, construction and testing —

Part 4:

Fully wrapped fibre reinforced composite gas cylinders up to 150 l with load-sharing welded metallic liners

Bouteilles à gaz — Bouteilles à gaz rechargeables en matériau composite et tubes — Conception, construction et essais —

Partie 4: Bouteilles à gaz composites entièrement bobinées renforcées par des fibres et tubes d'une contenance allant jusqu'à 150 l avec liners métalliques transmettant la charge



ISO 11119-4:2016(E)



COPYRIGHT PROTECTED DOCUMENT

$\, @ \,$ ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			
Fore	word		v
Intro	oduction.		vi
1	Scope		1
2	•	tive references	
3		and definitions	
4	•	ls	
5	-	tion and testing	
6		als	
		Liner materialsComposite materials	
7		and manufacture	
	_	General	
		Design submission	
	7.3	Manufacturing	7
8	Type a	pproval procedure	9
		General requirements	
		Prototype tests	
		New design	
		Design variants	
		Type approval test procedures and criteria	
		8.5.1 Proof pressure test	
		8.5.2 Hydraulic volumetric expansion test	
		8.5.4 Liner integrity test	
		8.5.5 Cylinder burst test	
		8.5.6 Ambient cycle test	
		8.5.7 Environmental cycle test	
		8.5.8 Flaw test	
		8.5.9 Drop test	
		8.5.10 High velocity impact (gunfire) test	23
		8.5.11 Fire resistance test	
		8.5.12 Salt water immersion test	
		8.5.14 Environmentally assisted stress rupture test	
		8.5.15 Leak test	
		8.5.16 Composite material mechanical properties tests	
		8.5.17 Failure of type approval tests	27
9	Batch i	28	
		General	
		Liner	
		Failure of liner batch tests	
		Overwrap materials	
		Composite cylinderCylinder failure during type approval or batch testing	
10		31	
		General Additional marking	
		G	
	•	rmative) Examples of design approval certificate	
Ann	ex B (info	rmative) Specimen test reports	35

ISO 11119-4:2016(E)

Annex C (normative) Prototype, design variant, and production testing	38
Bibliography	40

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, *Cylinder design*.

ISO 11119 consists of the following parts, under the general title *Gas cylinders* — *Refillable composite gas cylinders and tubes* — *Design, construction and testing*:

- Part 1: Hoop wrapped fibre reinforced composite gas cylinders and tubes up to 450 l
- Part 2: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450 l with loadsharing metal liners
- Part 3: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450L with non-load-sharing metallic or non-metallic liners
- Part 4: Fully wrapped fibre reinforced composite gas cylinders up to 150 l with load-sharing welded metallic liners

Introduction

The purpose of this part of ISO 11119 is to provide a specification for the design, manufacture, inspection, and testing of a cylinder for worldwide usage. The objective is to balance design and economic efficiency against international acceptance and universal utility.

This part of ISO 11119 aims to eliminate the concern about climate, duplicate inspection, and restrictions currently existing because of a lack of definitive International Standards and is not to be construed as reflecting on the suitability of the practice of any nation or region.

It is possible that some procedures and tests will require precautions to be taken for the health and/or safety of the operator(s). Safety, health, and environmental concerns are not addressed and is to be addressed by those who wish to implement this International Standard.

This part of ISO 11119 is intended to be used under a variety of national and international regulatory regimes. Where there is any conflict between this part of ISO 11119 and any applicable regulation, the regulation always takes precedence.

This part of ISO 11119 has been written so that it is suitable to be referenced in the UN Model Regulations. [1]

Annexes A and B of this part of ISO 11119 are for information only.

Annex C of this part of ISO 11119 is normative.

Gas cylinders — Refillable composite gas cylinders — Design, construction and testing —

Part 4:

Fully wrapped fibre reinforced composite gas cylinders up to 150 l with load-sharing welded metallic liners

1 Scope

This part of ISO 11119 specifies requirements for composite gas cylinders with load-sharing welded liners between 0,5 l and 150 l water capacity and a maximum test pressure of 450 bar for the storage and conveyance of compressed or liquefied gases.

NOTE 1 1 bar = 10^5 Pa = 10^5 N/m².

The cylinders are constructed in the form of a welded stainless steel liner or welded ferritic steel liner or welded aluminium alloy liner and overwrapped with carbon fibre or aramid fibre or glass fibre (or a mixture thereof) in a matrix to provide longitudinal and circumferential reinforcement.

The cylinders in this part of ISO 11119 are type 3 fully wrapped cylinders with a load-sharing metal liner and composite reinforcement on both the cylindrical portion and the dome ends.

Cylinders produced in accordance with this part of ISO 11119 have a minimum design life of 15 years. Cylinders with test pressure of up to 60 bar have an unlimited design life.

This part of ISO 11119 does not address the design, fitting, and performance of removable protective sleeves.

This part of ISO 11119 does not apply to cylinders with seamless liners. For seamless liners, ISO 11119-2 applies.

NOTE 2 ISO 11623 covers periodic inspection and re-testing of composite cylinders.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3341, Textile glass — Yarns — Determination of breaking force and breaking elongation

ISO 4706:2008, Gas cylinders — Refillable welded steel cylinders — Test pressure 60 bar and below

ISO 5817:2014, Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections

ISO 6506-1, Metallic materials — Brinell hardness test — Part 1: Test method

ISO 6508-1, Metallic materials — Rockwell hardness test — Part 1: Test method

ISO 8521, Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Test methods for the determination of the apparent initial circumferential tensile strength

ISO 10042:2005, Welding — Arc-welded joints in aluminium and its alloys — Quality levels for imperfections