



**Satellite Earth Stations and Systems (SES);
GNSS based location systems;
Part 5: Performance Test Specification**

Reference
RTS/SES-00410

Keywords
GNSS, location, MSS, navigation, performance,
receiver, satellite, system, terminal

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols	10
3.3 Abbreviations	10
4 General	11
4.1 GBLS Performance Features.....	11
4.2 Conformance Test Statistics	11
4.3 GBLS Performance Class Determination.....	11
5 General test conditions	11
5.1 Introduction	11
5.2 Environmental conditions.....	12
5.3 GNSS signal conditions.....	12
5.3.1 Applicable GNSS constellations.....	12
5.3.2 GNSS signal level.....	12
5.3.3 GNSS frequency	12
5.3.4 GNSS Multi-system Time Offsets.....	12
5.4 Operational Environments.....	12
5.5 Assistance Data	12
5.6 Differential Data.....	13
5.7 Test Configurations	13
5.7.1 General Set-Up	13
5.7.2 GNSS Signal Generator.....	13
5.7.3 Sensor Simulators/Stimulators.....	14
5.7.4 Telecoms RF Simulators.....	14
5.7.5 GBLS output measurement data	14
6 Horizontal and Vertical Position Accuracy.....	15
6.1 Test Objectives & Case definitions	15
6.2 Method of Test	15
6.2.1 Introduction.....	15
6.2.2 Initial conditions	15
6.2.3 Measurement Procedures.....	15
6.2.3.1 Test cases T-HVA-01/02/03: Moving location target	15
6.2.3.2 Test cases T-HVA-04/05/06: Static location target.....	16
6.2.4 Measurement Data Analysis	16
6.2.4.1 General	16
6.2.4.2 Horizontal Position Error	16
6.2.4.2.1 Moving location target	16
6.2.4.2.2 Static location target.....	17
6.2.4.3 Vertical Position Error	17
6.2.4.4 Confidence Intervals	18
6.2.5 Pass/fail criteria	18
6.2.6 GBLS Class Allocation.....	18
7 Time-to-First-Fix (TTFF).....	18
7.1 Test Objectives & Case definitions	18

7.2	Method of Test	19
7.2.1	Introduction.....	19
7.2.2	Initial conditions	19
7.2.3	Measurement Procedures	19
7.2.3.1	Test cases T-TTF-01 to -05: Moving location target	19
7.2.3.2	Test cases T-TTF-05 to -08: Static location target.....	20
7.3	Pass/fail criteria	20
7.4	GBLS Class Allocation	20
8	Position Authenticity.....	20
8.1	Test Objectives & Case definitions	20
8.2	Method of test.....	21
8.2.1	Introduction.....	21
8.2.2	Initial conditions	21
8.2.3	Measurement procedures	21
8.2.3.1	Test cases T-PA-01 and T-PA-02: Moving location target.....	21
8.2.3.2	Test cases T-PA-03 and T-PA-04: Static location target	22
8.2.4	Measurement Data Analysis	22
8.2.4.1	Probability of False Alarm (Test cases T-PA-01 and T-PA-03)	22
8.2.4.2	Probability of Detection (Test cases T-PA-02 and T-PA-04)	22
8.3	Pass/Fail Criteria	22
8.3.1	T-PA-01 and T-PA-03	22
8.3.2	T-PA-02 and T-PA-04	23
8.4	GBLS Class allocation	23
9	Robustness to Interference	23
9.1	Test Objectives & Case definitions	23
9.2	Method of Test	23
9.2.1	Initial conditions	23
9.2.2	Measurement Procedures.....	23
9.3	Pass/fail criteria	24
9.4	GBLS Class Allocation	24
10	GNSS sensitivity	24
10.1	Test Objectives & Case definitions	24
10.2	Method of Test	25
10.2.1	Initial conditions	25
10.2.2	Measurement Procedures.....	25
10.3	Pass/fail criteria	26
10.4	GBLS Class Allocation	26
11	Position Integrity	27
11.1	Test Objectives & Case definitions	27
11.2	Method of Test	27
11.2.1	Initial conditions	27
11.2.2	Measurement Procedures.....	28
11.3	Pass/fail criteria	28
11.4	GBLS Class Allocation	28
12	Position day-to-day repeatability (Horizontal or Vertical plane)	28
12.1	Test Objectives & Case definitions	28
12.2	Method of Test	29
12.2.1	Introduction.....	29
12.2.2	Initial conditions	29
12.2.3	Measurement Procedures	29
12.2.3.1	Test cases T-DDR-01/02/03: Moving location target	29
12.2.3.2	Test cases T-DDR-04/05/06: Static location target.....	30
12.2.4	Measurement Data Analysis	30
12.2.4.1	General.....	30
12.2.4.2	Horizontal performance	31
12.2.4.3	Vertical performance	31
12.2.4.4	Confidence Intervals	32
12.2.5	Pass/fail criteria	32
12.2.6	GBLS Class Allocation	32

13	Time to Fix Ambiguities (TTFA).....	32
13.1	Test Objectives & Case definitions	32
13.2	Method of Test	33
13.2.1	Introduction.....	33
13.2.2	Initial conditions	33
13.2.3	Measurement Procedures.....	33
13.2.3.1	Test cases T-TTFA-01/02/03: Moving location target.....	33
13.2.3.2	Test cases T-TTFA-04/05/06: Static location target	34
13.2.4	Measurement Data Analysis	34
13.2.4.1	General	34
13.2.4.2	Time to Fix Ambiguities	34
13.2.5	Pass/fail criteria and GBLS Class Allocation	35
Annex A (normative):	Test Configurations	36
A.1	Anechoic Chamber Test Configuration.....	36
A.2	Wired Connections Test Configuration.....	36
Annex B (normative):	Scenarios for tests	37
B.1	GNSS Scenario.....	37
B.1.1	General Scenario	37
B.1.2	GNSS Scenario for the <i>Position day-to-day repeatability</i> Test Case	37
B.2	Telecoms Scenarios.....	37
B.3	Sensor Scenarios	38
Annex C (normative):	Formulae to convert East and North coordinates to Along- and Cross-Track coordinates	39
C.1	Coordinates conversion formulae.....	39
Annex D (normative):	Rules for statistical testing	40
D.1	For 95 % success rate, 95 % Confidence Level	40
D.2	For 90 % success rate, 95 % CL.....	42
D.3	Formulae to compute the confidence interval for the mean value of one-dimensional errors	43
D.4	Formulae to compute the confidence level for percentile values of one-dimensional errors	44
Annex E (informative):	GBLS Implementation profiles.....	45
E.1	Overview	45
E.2	Implementation Profile #1	46
E.3	Implementation Profile #2.....	47
E.4	Implementation Profile #3.....	48
E.5	Implementation Profile #4.....	49
E.6	Implementation Profile #5.....	50
E.7	Implementation Profile #6.....	51
E.8	Implementation Profile #7	52
Annex F (informative):	Bibliography.....	53
	History	54

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document is part 5 of a multi-part deliverable covering GNSS-based Location Systems (GBLS), as identified in part 1 [1].

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The increasing expansion of location-based applications aims to satisfy more and more complex and diversified user requirements: this is highlighted for example by the widespread adoption of multi-functional smart-phones or by the ever wider adoption of tracking devices (e.g. in transport), etc. This requirement for new and innovative location-based applications is generating a requirement for increasingly complex location systems.

The wide spectrum of location-based applications identified in ETSI TR 103 183 [i.1] calls for a new and broader concept for location systems, taking into account solutions in which GNSS technologies are complemented with other technologies to improve robustness and performance. The notion of **GNSS-based location systems** is introduced and defined in the present document.

Additional clauses and information related to the implementation in **GNSS-based location systems** of the various differential GNSS technologies, namely D-GNSS, RTK and PPP are also included in order to facilitate the use of this set of standards by manufacturers and service providers.

1 Scope

This multi-part deliverable addresses integrated GNSS based location systems (GBLS) that combine Global Navigation Satellite Systems (GNSS), with other navigation technologies, as well as with telecommunication networks in order to deliver location-based services to users. As a consequence the present document is not applicable to GNSS only receivers.

The present document specifies the procedures for testing conformance of complex GNSS based Location System (GBLS) with the performance requirements specified in ETSI TS 103 246-3 [3].

This multi-part deliverable proposes a list of functional and performance requirements and related test procedures. For each performance requirement, different classes are defined allowing the benchmark of different GNSS Based Location Systems (GBLS) addressing the same applications.

The tests specified are of a complete GBLS, considered as "Black Box" i.e. the tests are made at outputs of the system in response to stimuli applied at the inputs. The tests are defined for laboratory testing only, and not in the "field".

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 103 246-1: "Satellite Earth Stations and Systems (SES); GNSS based location systems; Part 1: Functional requirements".
- [2] ETSI TS 103 246-2: "Satellite Earth Stations and Systems (SES); GNSS based location systems; Part 2: Reference Architecture".
- [3] ETSI TS 103 246-3: "Satellite Earth Stations and Systems (SES); GNSS based location systems; Part 3: Performance requirements".
- [4] ETSI TS 103 246-4: "Satellite Earth Stations and Systems (SES); GNSS based location systems; Part 4: Requirements for location data exchange protocols".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 103 183: "Satellite Earth Stations and Systems (SES); Global Navigation Satellite Systems (GNSS) based applications and standardisation needs".