

# ETSI TS 126 905 V14.0.0 (2017-04)



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
Mobile stereoscopic 3D video  
(3GPP TR 26.905 version 14.0.0 Release 14)**



---

Reference

RTR/TSGS-0426905ve00

---

Keywords

LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology .....	2
Foreword.....	6
1 Scope .....	7
2 References .....	7
3 Definitions and abbreviations.....	8
3.1 Definitions .....	8
3.2 Abbreviations.....	9
4 General .....	10
4.1 Introduction.....	10
5 Technology description.....	10
5.1 Mobile 3D rendering technologies.....	10
5.1.1 Introduction .....	10
5.1.2 Glasses-free 3D video rendering technologies .....	10
5.1.1.1 Parallax barrier .....	10
5.1.1.2 Lenticular lens sheet .....	11
5.1.3 Glasses-based 3D video rendering technologies .....	12
5.1.3.1 Active-shutter glasses .....	12
5.1.3.2 Passive glasses.....	12
5.1.4 Potential impacts on a 3D service implementation .....	13
5.2 Stereoscopic 3D frame packing formats .....	13
5.2.1 Frame-compatible packing formats.....	13
5.2.2 Full resolution per view packing formats.....	14
5.3 Video codecs for stereoscopic 3D.....	15
5.3.1 H.264/AVC for frame compatible packing formats .....	15
5.3.2 H.264/AVC for temporal interleaving packing format .....	15
5.3.3 MVC (Multiview Video Coding) .....	15
5.3.4 Performance evaluation of the compression efficiency .....	16
5.3.4.1 Simulation setup .....	16
5.3.4.2 Simulation results .....	17
5.4 3D signalling.....	24
5.4.1 SIP/SDP codec and format signalling .....	24
5.4.2 File format signalling .....	25
5.4.2.1 Introduction .....	25
5.4.2.2 Frame compatible H.264/AVC.....	25
5.4.2.3 Temporally interleaved H.264/AVC .....	25
5.4.2.4 Multiview Video Coding MVC.....	26
5.4.2.5 Mixed 2D/3D video .....	26
5.4.2.6 MIME type signalling for 3D stereoscopic video files .....	26
5.4.3 Device capability exchange signalling of supported 3D video codecs and formats.....	26
5.4.4 Inclusion of 3D video information in the DASH MPD .....	27
6 Streaming use cases.....	27
6.1 PSS and MBMS-based 3D video services .....	27
6.1.1 Use case description.....	27
6.1.2 Working assumptions and operation points .....	27
6.1.3 Technical analysis .....	28
6.2 DASH-based streaming of 3D content.....	28
6.2.1 Use case description.....	28
6.2.2 Working assumptions and operation points .....	28
6.2.3 Evaluation of DASH-based streaming with HTTP-caching.....	28
6.2.3.1 Introduction .....	28

6.2.3.2	Coding of VoD content items .....	29
6.2.3.3	Simulation model .....	30
6.2.3.4	<i>Simulation results</i> .....	31
6.3	Common provisioning of 2D and 3D content for download and streaming .....	32
6.3.1	Use case description .....	32
6.3.2	Working assumptions and operation points .....	33
6.3.3	Technical analysis .....	34
6.4	3D Timed Text and Graphics .....	34
6.4.1	Use case description .....	34
6.4.2	Working assumptions and operation points .....	35
6.4.3	Possible solution .....	35
6.5	2D/3D mixed contents service .....	36
6.5.1	Use case description .....	36
6.5.2	Working assumptions and operation points .....	37
6.5.3	Technical analysis .....	37
6.6	Service provisioning based on depth range of the 3D content .....	37
6.6.1	Use case description .....	37
6.6.2	Working assumptions and operation points .....	37
6.6.3	Possible solution .....	37
7	Download use cases .....	38
7.1	Download of 3D video .....	38
7.1.1	Use case description .....	38
7.1.2	Working assumptions and operation points .....	38
7.1.3	Technical analysis .....	38
7.2	Progressive download of 3D video .....	38
7.2.1	Use case description .....	38
7.2.2	Working assumptions and operation points .....	39
7.2.3	Technical analysis .....	39
7.3	Correct rendering of downloaded 3D video .....	39
7.3.1	Use case description .....	39
7.3.2	Working assumptions and operation points .....	39
7.3.3	Technical analysis .....	39
8	Use cases for further study .....	39
8.1	Introduction .....	39
8.2	3D video delivering based on 2D video warehouse .....	39
8.2.1	Use case description .....	39
8.2.2	Working assumptions and operation points .....	40
8.3	3D video conversational services .....	40
8.3.1	Use case description .....	40
8.3.2	Working assumptions and operation points .....	41
8.4	Multiple-party 3D video conference .....	41
8.4.1	Use case description .....	41
8.4.2	Working assumptions and operation points .....	42
8.5	3D video call fall back to legacy phone .....	42
8.5.1	Use case description .....	42
8.5.2	Working assumptions and operation points .....	43
8.5.3	Gap analysis on supporting 3D video call fallback between 3D video phones .....	43
8.6	3D video call fall back between 3D capable phones .....	43
8.6.1	Use case description .....	43
8.6.2	Working assumptions and operation points .....	43
8.6.3	Gap analysis on supporting 3D video call fallback between 3D video phones .....	43
8.7	3D content in messaging .....	44
8.7.1	Use case description .....	44
8.7.2	Working assumptions and operation points .....	44
8.8	3D service in the converged environment .....	44
8.8.1	Use case description .....	44
8.8.2	Working assumptions and operation points .....	45
8.9	Bitrate adaptation .....	45
8.9.1	Introduction .....	45
8.9.2	Restricted access bandwidth .....	45

8.9.3	Rate adaptation in PSS and DASH.....	45
8.9.4	Rate adaptation in MTSI .....	46
8.9.5	Rate adaptation due to shared radio resources .....	46
8.10	View scalability for graceful degradation .....	46
8.10.1	Introduction .....	46
8.10.2	Graceful degradation in MBMS when entering bad reception conditions .....	46
8.10.3	Graceful degradation in MTSI .....	46
8.10.4	Combined support of heterogeneous devices and graceful degradation.....	46
9	Mobile 3D subjective tests .....	47
9.1	Introduction.....	47
9.2	Test description.....	47
9.2.1	Video sources .....	47
9.2.2	Content preparation.....	47
9.2.2.1	Frame rate evaluation .....	47
9.2.2.2	Resolution evaluation .....	47
9.2.3	Encoding profiles .....	47
9.2.4	Subjective test conditions.....	48
9.2.4.1	Methodology.....	48
9.2.4.2	Implementation.....	48
9.2.4.3	Observers.....	48
9.3	Test results.....	49
9.3.1	Frame rate evaluation.....	49
9.3.2	Resolution evaluation.....	50
9.4	Conclusion of the test .....	50
10	Content re-targeting.....	50
10.1	Introduction.....	50
10.2	Down-sampling/Up-sampling.....	51
10.3	Extraction of depth map.....	51
10.4	Occlusion handling .....	52
10.5	Depth adjustment .....	52
10.6	Creation of the second view.....	53
11	Conclusions .....	53
11.1	Introduction.....	53
11.2	Frame Compatible Format for Stereoscopic Video Coding.....	53
11.3	Stereoscopic Multi-view Video Coding.....	54
<b>Annex A:</b>	<b>Change history .....</b>	<b>56</b>
History .....		57

---

# Foreword

This Technical Report has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document provides a study of stereoscopic 3D video services over 3GPP networks and terminals. Technical definitions, use case descriptions, working assumptions, subjective tests results and technical studies are presented.

This document identifies the gaps within the Release 10 3GPP specifications in order to enable the implementation of the mobile 3D video use cases.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 26.114: "IP multimedia subsystem (IMS); Multimedia telephony, Media handling and interaction".
- [3] 3GPP TS 26.234: "Transparent end-to-end packet switched streaming service (PSS); Protocols and codecs".
- [4] 3GPP TS 26.346: "Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs".
- [5] 3GPP TS 26.247: "Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)".
- [6] 3GPP TS 26.140: "Multimedia Messaging Service (MMS); Media formats and codecs".
- [7] 3GPP TS 26.245: "Transparent end-to-end Packet-switched Streaming Service (PSS); Timed Text Format".
- [8] 3GPP TS 26.430: "Timed Graphics".
- [9] 3GPP TR 26.904: "Improved Video Coding Support".
- [10] IETF [RFC 3261](#): "SIP: Session Initiation Protocol".
- [11] IETF [RFC 3264](#): "An Offer/Answer Model with the Session Description Protocol (SDP)".
- [12] IETF draft [draft-ietf-payload-rtp-mvc-01](#): "RTP Payload Format for MVC Video".
- [13] IETF personal draft [draft-greevenbosch-mmusic-sdp-3d-format-002](#): "Signal 3D format".
- [14] ITU-R Recommendation BT 1788: "Methodology for the subjective assessment of video quality in multimedia applications".
- [15] 3GPP TS 26.244: "Transparent end-to-end packet switched streaming service (PSS); 3GPP file format".
- [16] ISO/IEC 14496-15: 2010: "Information technology – Coding of audio-visual objects – Part 15: Advanced Video Coding (AVC) file format".