

ETSI TS 123 057 V14.0.0 (2017-05)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
Mobile Execution Environment (MExE);
Functional description;
Stage 2
(3GPP TS 23.057 version 14.0.0 Release 14)**



Reference

RTS/TSGS-0223057ve00

Keywords

GSM,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	7
1 Scope	8
2 References	8
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	12
4 MExE basic principles.....	14
4.1 Generic MExE aspects	14
4.2 High level architecture	14
4.3 Multiple classmark support	15
4.3.1 Classmark 1 service support in non-Classmark 1 MExE devices	15
4.3.2 Classmark 2 service support in non-Classmark 2 MExE devices	16
4.3.3 Classmark 3 service support in non-Classmark 3 MExE devices	16
4.3.4 Classmark 4 service support in non-Classmark 4 MExE devices	16
5 Generic MExE functions (excluding security).....	16
5.1 User profile.....	16
5.1.1 Location of, access to, and security of, the user profile	16
5.1.2 Support of the user profile	17
5.1.3 User interface personalisation.....	18
5.1.3.1 MExE user interface personalisation.....	18
5.1.3.2 Support of MExE user interface personalisation.....	18
5.1.4 Virtual home environment	19
5.2 Capability and content negotiation.....	19
5.2.1 User profile and capability negotiation relationship	20
5.2.2 Capability negotiation characteristics	20
5.2.3 Client content capability report.....	22
5.2.4 Server role in capability negotiation	22
5.2.5 Client-driven negotiation	22
5.3 Provisioning and management of services	22
5.3.1 Service discovery	22
5.3.2 Service transfer	23
5.3.3 Service installation and configuration.....	23
5.3.4 Service management	23
5.3.5 Service termination	23
5.3.6 Service deletion	23
5.4 User control of application connections	24
5.4.1 Journaling of network events.....	24
5.4.2 User notification	24
5.5 Quality of service	24
5.5.1 Introduction.....	26
5.5.2 MExE QoS support.....	26
5.5.3 MExE QoS manager	27
5.5.4 Network control API.....	27
5.5.5 MExE QoS API	27
5.5.6 Sources of bearer service parameters.....	28
5.5.7 QoS streams	28
5.5.8 QoS security.....	28
5.6 Charging.....	28
5.6.1 Generic charging support.....	29

6	Generic MExE Security.....	29
6.1	Introduction	29
6.2	MExE executable integrity	29
6.2.1	Full signature verification.....	30
6.2.2	Optimised pre-launch signature verification.....	30
6.3	MExE executable permissions	30
6.3.1	MExE executable permissions for operator, manufacturer and third party security domains.....	30
6.3.2	MExE executable permissions for untrusted MExE executables.....	34
6.4	Handling of MExE executables when their valid root public key is not available.....	35
6.4.1	Launching of MExE executables when their valid RPK is not available	36
6.4.2	Currently executing secure MExE executables when their valid RPK is no longer available	36
6.5	User permission types	36
6.6	Root Public keys.....	37
6.6.1	Operator root public key	37
6.6.1.1	Caching of root public keys	38
6.6.1.2	MExE device actions on detection of valid (U)SIM application and/or power up.....	38
6.6.2	Manufacturer root public key.....	40
6.6.3	Third party root public key	40
6.7	Certification and authorisation architecture.....	41
6.7.1	Certification requirements	41
6.7.1.1	MExE terminal requirements for certificate processing.....	41
6.7.2	Certification administration requirements	42
6.7.3	Example certification process	42
6.7.4	Certificate Chain Verification.....	43
6.8	Usage of Signed Content.....	45
6.8.1	Signed packages used for installation	45
6.8.2	Installation of root certificates in a signed data package	46
6.8.3	Installation of other signed data.....	46
6.9	Certificate Format.....	47
6.9.1	Certificate extension for removal of network access	47
6.9.1.1	X.509 version 3	47
6.10	Certificate management.....	47
6.10.1	Certificate configuration message (CCM)	48
6.10.1.1	CCM numbering convention.....	51
6.10.1.2	CCM order of transmission.....	51
6.10.1.3	CCM field mapping convention.....	51
6.10.1.4	Authorised CCM download mechanisms.....	51
6.11	Separation of I/O streams	51
6.12	Core software download.....	52
6.13	Administrator Concept	52
6.13.1	Administrator root public key.....	52
6.13.2	Provisioned mechanism for designating administrative responsibilities and adding third parties in a MExE device	53
6.13.3	MExE administrator determination mechanism.....	53
6.13.3.1	Determining the administrator of the MExE device.....	53
6.13.3.2	Determining the administrator of the MExE device, for MExE-(U)SIM supporting third party certificates	54
6.13.3.2.1	Administrator of the MExE device is the user.....	54
6.13.3.2.2	Administrator of the MExE device is not the user.....	55
6.13.4	Administrator root certificate download mechanism	56
7	MExE Classmark 1 (WAP environment).....	57
7.1	Introduction	57
7.1.1	WAP MExE devices	57
7.1.2	High level architecture.....	57
7.2	Non Security.....	57
7.2.1	WAP components	57
7.2.2	Services.....	58
7.2.2.1	User interface	58
7.2.2.2	Access points.....	58
7.2.2.3	Transferring.....	59
7.2.2.3.1	WSP and HTTP/1.1 Proxy Function	59

7.2.3	WAP charging support.....	60
7.2.4	CC/PP over WSP (Classmark 1).....	60
7.3	Security	60
7.3.1	Call control	60
7.3.2	Local phonebook	60
8	MExE Classmark 2 (PersonalJava environment).....	60
8.1	Introduction	60
8.1.1	Classmark 2 MExE devices	61
8.1.2	High level architecture.....	61
8.2	Non Security.....	61
8.2.1	High level functions.....	61
8.2.1.1	Optional Java packages	61
8.2.1.2	Required and optional PersonalJava APIs.....	62
8.2.1.3	Required and optional JavaPhone APIs	62
8.2.1.3.1	Application installation	63
8.2.1.3.2	Power.....	63
8.2.1.3.3	Datagram recipient addressing	63
8.2.1.4	Required and optional MExE PersonalJava APIs	63
8.2.1.5	Mandated services and applications.....	64
8.2.1.5.1	Network protocol support.....	64
8.2.2	CC/PP over HTTP (Classmark 2).....	64
8.2.3	Java charging support	64
8.3	Security	64
8.3.1	PersonalJava security.....	64
8.3.1.1	Java applet certification in PersonalJava.....	64
8.3.1.2	Java application signature verification in PersonalJava	64
8.3.1.3	Java loading native libraries in PersonalJava	65
8.3.2	Installing MExE native libraries	65
9	MExE Classmark 3 (J2ME CLDC environment).....	65
9.1	Introduction	65
9.1.1	Classmark 3 MExE devices	65
9.1.2	High level architecture.....	65
9.1.3	High level functionality	66
9.2	Non Security.....	66
9.2.1	Connected Limited Device Configuration (CLDC).....	66
9.2.2	Mobile Information Device Profile (MIDP).....	66
9.2.2.1	Networking.....	67
9.2.2.2	MID Applications (MIDlet)	67
9.2.2.3	MIDlet Suites	67
9.2.2.4	Record Storage	67
9.2.3	Required and optional MExE APIs.....	67
9.2.4	Service discovery and management.....	67
9.2.5	Transfer of capability negotiation information in Classmark 3	68
9.3	Security	68
9.3.1	CLDC security	68
10	MExE classmark 4 (CLI Compact environment).....	68
10.1	Introduction	68
10.1.1	High level architecture.....	69
10.2	Non security	69
10.2.1	High level functionality	69
10.2.2	Network protocol support	70
10.2.3	Power Management	70
10.2.4	CLI charging support.....	70
10.2.5	CC/PP over HTTP or WSP (Classmark 4).....	70
10.3	Security	71
10.3.1	CLI Security.....	71
Annex A (normative):	MExE profile of PKCS#15	72
A.1	PKCS#15 certificate object attributes presentation.....	72

A.1.1	Object common attributes	72
A.1.2	Certificate common attributes	72
A.1.3	Certificate attributes	72
A.1.4	Specific X.509 certificate attributes	72
A.2	MExE profile of PKCS#15.....	72
A.3	Coding and storage in MExE-(U)SIM	73
Annex B (informative):	PKCS#15 certificate objects ASN1 expanded syntax extract	74
Annex C (normative):	Access restriction certificate extension	76
Annex D (informative):	MExE executable life cycle.....	77
D.1	State of a MExE executable	77
D.2	Released state	79
D.3	Uninstalled Execution state	80
D.4	Verification.....	81
Annex E (informative):	MExE conformance requirements	82
Annex F (informative):	Change history	86
History		87

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document defines the stage 2 and stage 3 description of the Mobile Execution Environment (MExE). Stage 2 identifies the functional capabilities and information flows needed to support the service described in stage 1.

The present document includes information applicable to network operators, service providers and terminal, switch and database manufacturers.

The present document contains the core functions for a Mobile Execution Environment (MExE) which are sufficient to provide a complete service.

MExE uses a number of technologies to realise the requirements of the stage 1 description (3GPP TS 22.057). The present document describes how the service requirements are realised with the selected technologies. The TS is devised into clauses each covering the aspects relating to particular MExE technologies, it is intended that this specification will evolve along with the MExE technologies. A generic clause of the specification covers areas of MExE common to all technologies.

Implementation of this specification outside the UE (User Equipment) is outside the scope of this specification.

2 References

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] Void.
- [2] 3GPP TS 22.057: "Mobile Execution Environment (MExE); Stage 1".
- [3] Personal Java 1.1.1 or higher: Sun Microsystems <http://www.javasoft.com/products/personaljava/>.
- [4] JavaPhone API version 1.0: <http://java.sun.com/products/javaphone/>.
- [5] Void.
- [6] Wireless Application Protocol (WAP) June 2000 Conformance Release: <http://www.wapforum.org>.
- [7] Void.
- [8] Void.
- [9] IETF RFC 2616: Hypertext Transfer Protocol – HTTP/1.1: <http://www.w3.org/Protocols/rfc2616/rfc2616>.
- [10] Void.
- [11] 3GPP TR 22.170: "Universal Mobile Telecommunications System (UMTS); Service aspects; Provision of Services in UMTS - The Virtual Home Environment".
- [12] 3GPP TS 22.121: "The Virtual Home Environment; Stage 1".
- [13] Void.
- [14] 3GPP TS 22.101: "Service Aspects; Service Principles".
- [15] CC/PP Exchange Protocol based on HTTP Extension Framework; W3C <http://www.w3.org/Mobile/CCPP>.