

# ETSI TS 133 203 V14.1.0 (2017-07)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
3G security;  
Access security for IP-based services  
(3GPP TS 33.203 version 14.1.0 Release 14)**



---

Reference

RTS/TSGS-0333203ve10

---

Keywords

GSM,LTE,SECURITY,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope .....	10
2 References .....	10
3 Definitions, symbols and abbreviations .....	13
3.1 Definitions .....	13
3.2 Symbols.....	13
3.3 Abbreviations .....	13
4 Overview of the security architecture.....	14
5 Security features.....	17
5.1 Secure access to IMS.....	17
5.1.1 Authentication of the subscriber and the network.....	17
5.1.2 Re-Authentication of the subscriber .....	17
5.1.3 Confidentiality protection .....	17
5.1.4 Integrity protection .....	18
5.2 Network topology hiding.....	18
5.3 SIP Privacy handling in IMS Networks .....	18
5.4 SIP Privacy handling when interworking with non-IMS Networks .....	19
6 Security mechanisms.....	19
6.1 Authentication and key agreement .....	19
6.1.0 General.....	19
6.1.1 Authentication of an IM-subscriber .....	19
6.1.2 Authentication failures.....	22
6.1.2.1 User authentication failure .....	22
6.1.2.2 Network authentication failure.....	22
6.1.2.3 Incomplete authentication .....	23
6.1.3 Synchronization failure.....	23
6.1.4 Network Initiated authentications.....	24
6.1.5 Integrity protection indicator .....	25
6.2 Confidentiality mechanisms .....	25
6.3 Integrity mechanisms .....	26
6.4 Hiding mechanisms .....	26
6.5 CSCF interoperating with proxy located in a non-IMS network.....	26
7 Security association set-up procedure .....	27
7.0 General .....	27
7.1 Security association parameters .....	27
7.2 Set-up of security associations (successful case).....	30
7.3 Error cases in the set-up of security associations .....	33
7.3.1 Error cases related to IMS AKA .....	33
7.3.1.0 General .....	33
7.3.1.1 User authentication failure .....	33
7.3.1.2 Network authentication failure.....	33
7.3.1.3 Synchronisation failure .....	33
7.3.1.4 Incomplete authentication .....	33
7.3.2 Error cases related to the Security-Set-up.....	33
7.3.2.1 Proposal unacceptable to P-CSCF.....	33
7.3.2.2 Proposal unacceptable to UE.....	33
7.3.2.3 Failed consistency check of Security-Set-up lines at the P-CSCF .....	34
7.4 Authenticated re-registration .....	34
7.4.0 General.....	34

7.4.1	Void .....	34
7.4.1a	Management of security associations in the UE .....	34
7.4.2	Void .....	35
7.4.2a	Management of security associations in the P-CSCF .....	35
7.5	Rules for security association handling when the UE changes IP address .....	36
8	ISIM .....	36
8.0	General .....	36
8.1	Requirements on the ISIM application .....	37
8.2	Sharing security functions and data with the USIM .....	37
9	IMC .....	38
<b>Annex A:</b>	<b>Void .....</b>	<b>39</b>
<b>Annex B:</b>	<b>Void .....</b>	<b>40</b>
<b>Annex C:</b>	<b>Void .....</b>	<b>41</b>
<b>Annex D:</b>	<b>Void .....</b>	<b>42</b>
<b>Annex E:</b>	<b>Void .....</b>	<b>43</b>
<b>Annex F:</b>	<b>Void .....</b>	<b>44</b>
<b>Annex G (informative):</b>	<b>Management of sequence numbers .....</b>	<b>45</b>
<b>Annex H (normative):</b>	<b>The use of "Security Mechanism Agreement for SIP Sessions" [21] for security mode set-up .....</b>	<b>46</b>
<b>Annex I (normative):</b>	<b>Key expansion functions for IPsec ESP .....</b>	<b>48</b>
<b>Annex J (informative):</b>	<b>Recommendations to protect the IMS from UEs bypassing the P-CSCF .....</b>	<b>49</b>
<b>Annex K:</b>	<b>Void .....</b>	<b>50</b>
<b>Annex L (Normative):</b>	<b>Application to fixed broadband access .....</b>	<b>51</b>
L.1	Introduction .....	51
L.2	Application of clause 4 .....	51
<b>Annex M (normative):</b>	<b>Enhancements to the access security for IP based services to enable NAT traversal for signaling messages .....</b>	<b>53</b>
M.0	General .....	53
M.1	Scope .....	53
M.2	References .....	53
M.3	Definitions, symbols and abbreviations .....	53
M.4	Overview of the security architecture .....	53
M.5	Security features .....	53
M.6	Security mechanisms .....	54
M.6.1	Authentication and key agreement .....	54
M.6.2	Confidentiality mechanisms .....	54
M.6.3	Integrity mechanisms .....	54
M.6.4	Hiding mechanisms .....	54
M.6.5	CSCF interoperating with proxy located in a non-IMS network .....	55
M.7	Security association set-up procedure .....	55
M.7.0	General .....	55

M.7.1	Security association parameters .....	55
M.7.2	Set-up of security associations (successful case).....	59
M.7.3	Error cases in the set-up of security associations .....	64
M.7.3.1	Error cases related to IMS AKA .....	64
M.7.3.2	Error cases related to the Security-Set-up.....	64
M.7.3.2.1	Proposal unacceptable to P-CSCF.....	64
M.7.3.2.2	Proposal unacceptable to UE.....	64
M.7.3.2.3	Failed consistency check of Security-Set-up lines at the P-CSCF .....	64
M.7.3.2.4	Missing NAT traversal capabilities in the presence of a NAT .....	64
M.7.4	Authenticated re-registration .....	64
M.7.4.0	General.....	64
M.7.4.1	Void .....	65
M.7.4.1a	Management of security associations in the UE .....	65
M.7.4.2	Void .....	65
M.7.4.2a	Management of security associations in the P-CSCF .....	65
M.7.5	Rules for security association handling when the UE changes IP address .....	66
M.8	ISIM .....	67
M.9	IMC .....	67
<b>Annex N (normative):    Enhancements to the access security to enable SIP Digest.....</b>		<b>68</b>
N.1	SIP Digest.....	68
N.2	Authentication .....	68
N.2.1	Authentication Requirements .....	68
N.2.1.1	Authentication Requirements for Registrations .....	68
N.2.1.2	Authentication Requirements for Non-registration Messages .....	71
N.2.2	Authentication failures .....	73
N.2.2.1	User Authentication failure.....	73
N.2.2.2	Network authentication failure .....	73
N.2.2.3	Incomplete Authentication.....	73
N.2.3	SIP Digest synchronization failure.....	73
N.2.4	Network Initiated authentications.....	74
N.2.5	Support for dynamic password change.....	74
<b>Annex O (normative):    Enhancements to the access security to enable TLS.....</b>		<b>76</b>
O.1	TLS.....	76
O.1.1	TLS Access Security .....	76
O.1.2	Confidentiality protection.....	76
O.1.3	Integrity protection .....	76
O.1.4	TLS integrity protection indicator .....	77
O.2	TLS Session set-up procedure.....	77
O.2.1	TLS Profile for TLS based access security.....	77
O.2.2	TLS session set-up during registration .....	78
O.2.3	TLS session set-up prior to Initial registration .....	79
O.3	Error cases in the set-up of TLS sessions.....	79
O.3.1	Error cases related to TLS .....	79
O.3.1.0	General.....	79
O.3.1.1	User authentication failure.....	79
O.3.1.2	Network authentication failure .....	80
O.3.1.3	Synchronisation failure .....	80
O.3.1.4	Incomplete authentication.....	80
O.3.2	Error cases related to the Security-Set-Up .....	80
O.4	Management of TLS sessions.....	80
O.4.1	Management of TLS sessions at the UE.....	80
O.4.2	Management of TLS sessions at the P-CSCF.....	80
O.4.3	Authenticated re-registration .....	80
O.5	TLS Certificate Profile and Validation.....	81

O.5.1	TLS Certificate .....	81
O.5.2	Certificate validation .....	81
O.5.3	Certificate Revocation .....	82
<b>Annex P (normative):</b>	<b>Co-existence of authentication schemes IMS AKA, GPRS-IMS-Bundled Authentication, NASS-IMS-bundled authentication, SIP Digest and Trusted Node Authentication .....</b>	<b>83</b>
P.1	Scope of this Annex .....	83
P.2	Requirements on co-existence of authentication schemes .....	83
P.3	P-CSCF procedure selection .....	83
P.4	Determination of requested authentication scheme in S-CSCF .....	85
P.4.1	Stepwise approach .....	85
P.4.2	Mechanisms for performing steps 1 to 3 in P.4.1 .....	86
P.5	Co-existence of PANI-aware and other P-CSCFs .....	87
P.6	Considerations on the Cx interface .....	87
<b>Annex Q (informative):</b>	<b>Usage of the authentication mechanisms for non-registration messages in Annexes N and O .....</b>	<b>88</b>
Q.1	General .....	88
Q.2	Assertion of identities by the P-CSCF .....	88
Q.3	Strengths and boundary conditions for the use of authentication mechanisms for non-registration messages .....	89
<b>Annex R (normative):</b>	<b>NASS-IMS-bundled authentication .....</b>	<b>91</b>
R.1	Overview .....	91
R.2	Use Cases and Limitations .....	91
R.3	Detailed description .....	91
<b>Annex S (Normative):</b>	<b>Application to 3GPP2 Access .....</b>	<b>94</b>
S.1	Introduction .....	94
S.2	Application of clause 4 .....	94
S.3	Application of clauses 5 through 9 .....	95
S.4	3GPP2 AKA Credentials .....	96
S.4.1	Realisations of 3GPP2 AKA Credentials .....	96
S.5	Network Domain Security for IMS .....	96
S.5.1	General .....	96
S.5.2	Inter-domain Domain Security .....	96
S.5.3	Intra-domain Domain Security .....	97
S.5.4	Profiles of Network Domain Security Methods .....	97
S.5.4.1	General .....	97
S.5.4.2	Support of IPsec ESP .....	97
S.5.4.2.1	General .....	97
S.5.4.2.2	Support of ESP authentication and encryption .....	97
S.5.4.3	Support of TLS .....	98
<b>Annex T (normative):</b>	<b>GPRS-IMS-Bundled Authentication (GIBA) for Gm interface .....</b>	<b>99</b>
T.1	Introduction .....	99
T.2	Requirements .....	99
T.3	Threat Scenarios .....	100

T.3.0	General .....	100
T.3.1	Impersonation on IMS level using the identity of an innocent user .....	100
T.3.2	IP spoofing .....	100
T.3.3	Combined threat scenario .....	100
T.4	GIBA Security Mechanism .....	101
T.5	Restrictions imposed by GIBA.....	101
T.6	Protection against IP address spoofing in GGSN.....	102
T.7	Interworking cases.....	102
T.8	Message Flows .....	105
T.8.1	Successful registration.....	105
T.8.2	Unsuccessful registration .....	106
T.8.3	Successful registration for a selected interworking case .....	108
<b>Annex U (normative): Trusted Node Authentication (TNA) .....</b>		<b>111</b>
U.1	Overview .....	111
U.2	Use case and detailed description.....	111
<b>Annex V (informative): NAT deployment considerations for GIBA .....</b>		<b>114</b>
<b>Annex W (normative): Tunnelling of IMS Services over Restrictive Access Networks .....</b>		<b>115</b>
W.1	Overview .....	115
W.2	Service and Media Reachability for Users over Restrictive Firewalls – Tunneled Firewall Traversal for IMS traffic .....	115
W.2.0	General .....	115
W.2.1	Firewall detection procedure .....	116
W.3	Service and Media Reachability for Users over Restrictive Firewalls – Extensions to STUN/TURN/ICE .....	117
W.3.1	Introduction .....	118
W.3.1.1	General.....	118
W.3.1.2	Firewall traversal for IMS control plane using SIP over TLS/TCP .....	118
W.3.1.3	Firewall traversal for IMS media plane using ICE and TURN .....	118
W.3.2	Reference model.....	119
W.3.3	Required functions of the UE.....	119
W.3.4	Required functions of the P-CSCF.....	120
W.3.5	Required functions of the TURN server.....	120
W.3.6	Required functions of the IMS-ALG and IMS-AGW .....	120
<b>Annex X (Normative): Security for WebRTC IMS Client access to IMS .....</b>		<b>121</b>
X.1	Introduction .....	121
X.2	Authentication of WebRTC IMS Client with IMS subscription re-using existing IMS authentication mechanisms.....	121
X.2.0	General .....	121
X.2.1	General requirements .....	121
X.2.2	Solution 1.1: Use of SIP Digest credentials.....	121
X.2.2.1	General.....	121
X.2.2.2	Requirements .....	122
X.2.2.3	Procedures.....	122
X.2.3	Solution 1.2: Use of IMS AKA .....	123
X.2.3.1	General.....	123
X.2.3.2	Requirements .....	124
X.2.3.3	Procedures.....	124
X.3	Authentication of WebRTC IMS Client with IMS subscription using web credentials.....	125
X.3.0	General .....	125
X.3.1	General requirements .....	126



X.3.2	Solution 2.1 .....	126
X.3.2.1	General.....	126
X.3.2.2	Requirements .....	126
X.3.2.3	Procedures.....	127
X.4	Assignment of IMS identities to WebRTC IMS Client from pool of IMS subscriptions held by WWSF.....	131
X.4.0	General .....	131
X.4.1	General requirements .....	131
X.4.2	Solution 3.1 .....	132
X.4.2.1	General.....	132
X.4.2.2	Requirements .....	132
X.4.2.3	Procedures.....	132
X.5	TURN credential provisioning and authentication (informative).....	136
X.5.1	Introduction .....	136
X.5.2	Solution 1: TURN credential provisioning and authentication using <a href="#">eP-CSCF</a> .....	137
X.5.2.1	Overview .....	137
X.5.2.2	Procedures.....	137
X.5.3	Solution 2: TURN credential provisioning and authentication using OAuth Access token .....	138
X.5.3.1	Overview .....	138
X.5.3.2	Procedures.....	139
<b>Annex Y (informative):</b> <b>Change history .....</b>		<b>142</b>
History .....		147

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The scope for this technical specification is to specify the security features and mechanisms for secure access to the IM subsystem (IMS) for the 3G mobile telecommunication system.

Since the scope also encompasses the use of these security features and mechanisms for secure access to IMS in the context of fixed broadband networks and 3GPP2 networks, Annex L and Annex S specify how the material in the main body and other normative Annexes of this document apply to the fixed broadband networks and 3GPP2 networks respectively.

The IMS supports IP Multimedia applications such as video, audio and multimedia conferences. SIP, Session Initiation Protocol, was chosen as the signalling protocol for creating and terminating Multimedia sessions, cf. RFC 3261 [6]. This specification only deals with how the SIP signalling is protected between the subscriber and the IMS, how the subscriber is authenticated and how the subscriber authenticates the IMS.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 33.102: "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; 3G Security; Security Architecture".
- [2] Void.
- [3] 3GPP TS 23.228: "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; IP Multimedia (IM) Subsystem".
- [4] Void.
- [5] 3GPP TS 33.210: "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; 3G Security; Network domain security; IP network layer security".
- [6] IETF RFC 3261 "SIP: Session Initiation Protocol".
- [7] 3GPP TS 21.905: "3rd Generation Partnership Project: Technical Specification Group Services and System Aspects; Vocabulary for 3GPP specifications".
- [8] 3GPP TS 24.229: "3rd Generation Partnership Project: Technical Specification Group Core Network; IP Multimedia Call Control Protocol based on SIP and SDP".
- [9] 3GPP TS 23.002: "3rd Generation Partnership Project: Technical Specification Group Services and System Aspects, Network Architecture".
- [10] 3GPP TS 23.060: "3rd Generation Partnership Project: Technical Specification Group Services and System Aspects, General Packet Radio Service (GPRS); Service Description".
- [11] 3GPP TS 24.228: "3rd Generation Partnership Project: Technical Specification Group Core Network; Signalling flows for the IP multimedia call control based on SIP and SDP".
- [12] IETF RFC 2617 (1999) "HTTP Authentication: Basic and Digest Access Authentication".
- [13]-[16] Void.