

BS 8006-2:2011+A1:2017



BSI Standards Publication

Code of practice for strengthened/ reinforced soils

Part 2: Soil nail design

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2017

Published by BSI Standards Limited 2017

ISBN 978 0 580 98317 7

ICS 93.020

The following BSI references relate to the work on this document:

Committee reference B/526

Draft for comment 11/30161659 DC; 17/30359664 DC

Amendments/corrigenda issued since publication

Date	Text affected
30 November 2017	A1: see foreword

Contents

	Page
Foreword	iv
Section 1: General	1
1.1 Scope	1
1.2 Normative references	1
1.3 Terms, definitions and symbols	2
<i>Figure 1 — Terms used in this standard</i>	2
Section 2: Soil nailing applications and construction considerations	8
2.1 General	8
2.2 Description of typical soil nail element components	8
<i>Figure 2 — Possible components of soil nail system, pre-bored and grouted, shown with rigid facing</i>	9
2.3 Typical applications	9
<i>Figure 3 — Typical soil nailing applications (new cut and vertical cutting)</i>	10
<i>Figure 4 — Soil nail placement to preserve existing vegetation</i>	10
<i>Figure 5 — Example of soil nailing of an existing retaining structure</i>	11
<i>Figure 6 — Example of soil nailing of an embankment</i>	12
2.4 Construction design considerations	12
<i>Figure 7 — Bulk excavation and requirement to check overall stability</i>	13
<i>Figure 8 — Excavation tolerances</i>	14
Section 3: Suitability of ground and groundwater conditions	17
3.1 General	17
3.2 Understanding the site geology	17
3.3 General requirements for suitability of soils and rocks for soil nailing	18
3.4 Suitability of cohesive soils for soil nailing	18
<i>Table 1 — Summary of ground conditions best suited and less well suited to soil nailing</i>	19
<i>Figure 9 — Examples of the effect of pre-existing shear surfaces on soil-nailed structures</i>	21
<i>Figure 10 — Problems caused by granular material in glacial till</i>	22
3.5 Suitability of granular soils for soil nailing	23
3.6 Suitability of weak rocks for soil nailing	24
3.7 Suitability of fill for soil nailing	24
<i>Figure 11 — Adverse effects of jointing and bedding on cut slopes in weak or weathered rock</i>	25
3.8 Effects of groundwater on soil nailing	27
<i>Table 2 — Principal types and suitability for soil nailing of non-engineered fill</i>	28
<i>Figure 12 — Effect of groundwater on wall facing</i>	30
3.9 Effects of underlying geological features on soil nailing	30
3.10 Site investigation	31
3.11 Soil-nailing related site investigation — Field trials	31
3.12 Soil-nailing related site investigation — Chemical testing	31
3.13 Preliminary assessment of degradation risk	32
<i>Table 3 — Typical corrosion rates for uncoated steel in undisturbed ground conditions</i>	33
3.14 Detailed assessment of degradation risk for buried components	33
3.15 Detailed assessment of degradation risk for exposed components and surfaces	33
<i>Table 4 — Description of typical atmospheric environments related to the estimation of corrosivity categories (Copy of Table C.1 from BS EN ISO 9223:2012)</i>	34
Section 4: Basis for design	36
4.1 Design method	36
<i>Figure 13 — Typical dimensions of soil nailing applications based on slope</i>	37
<i>Figure 14 — Relevant modes of ultimate and serviceability limit states</i>	38
<i>Figure 15 — Geometry and dimensions of a soil nailed slope</i>	39

	<i>Table 5 — Partial factors for soil nail design</i>	40
4.2	Analysis of stability	41
	<i>Figure 16 — Ultimate limit state modes of failure</i>	42
	<i>Figure 17 — Slip circle method of slices</i>	43
	<i>Figure 18 — Methods of resolving nail force and degree of conservatism</i>	45
	<i>Figure 19 — Two-part wedge</i>	46
4.3	Soil nail pullout resistance	49
	<i>Figure 20 — Mobilization of bond stress as a function of relative soil-nail movement</i>	49
	<i>Figure 21 — Limiting nail strength envelope</i>	50
	<i>Figure 22 — Effect of far field stress on mobilized bond stress</i>	52
	<i>Figure 23 — Modification of interface stresses due to far field stress changes</i>	52
	<i>Figure 24 — Relationships between radial friction normalized by vertical effective stress for a range of characteristic friction angle</i>	53
	<i>Figure 25 — Modification of local interface stresses due to nail installation effects</i>	54
	<i>Figure 26 — Effect of test length and axial stiffness on measured average bond</i>	55
	<i>Table 6 — Ultimate limit state approach to deriving design values</i>	58
4.5	Soil nail element design	58
4.6	Influence of durability and degradation on the choice of nail tendon	59
	<i>Table 7 — Types of stainless steel</i>	62
	<i>Table 8 — Types of glass fibre (after Littlejohn [30])</i>	62
	<i>Figure 27 — A 25 mm diameter steel tendon with a 40 mm diameter impermeable duct</i>	66
	<i>Figure 28 — A centralizer to provide cover to a coated nail to reduce the risk of damage to the coating during installation</i>	67
	<i>Figure 29 — A stainless steel self-drilling tendon complete with drill bit, hollow tendon, coupler and head plate</i>	67
	<i>Table 9 — Summary of recommendations for different soil nailing systems in relation to different categories of risk</i>	70
4.7	Design of facing	70
	<i>Figure 30 — Calculation of required nail plate size for a given design nail force</i>	75
	<i>Figure 31 — Calculation of design loading acting on the rear of hard facing</i>	76
	<i>Figure 32 — Calculation of design loading acting on a simple flexible facing</i>	78
	<i>Figure 33 — Calculation of tension and deformation in flexible facing for a given design loading</i>	79
	<i>Figure 34 — Requirements of a complex flexible facing</i>	81
4.8	Drainage	81
	<i>Figure 35 — Typical types of drainage for soil nailing</i>	82
	<i>Figure 36 — Typical surface water interceptor detail above a steep soil-nailed slope</i>	83
	<i>Figure 37 — Example of a raking drain in a steep soil-nailed slope</i>	83
	<i>Figure 38 — Typical detail for a weep hole in a steep soil-nailed wall</i>	84
	Section 5: Serviceability and movements	85
5.1	Serviceability limit state	85
5.2	Serviceability limit state analysis	86
5.3	Estimation of movement — General	86
5.4	Use of empirical relationships	86
	<i>Table 10 — Displacements at the top of steep soil nailed structures</i>	87
5.5	Numerical modelling	88
5.6	Case studies	88
	Section 6: Design verification	89
6.1	Testing	89
	<i>Table 11 — Type of soil nail test (from BS EN 14490:2010)</i>	90
	<i>Table 12 — Recommended test frequency (from BS EN 14490:2010)</i>	90

6.2	Nail pullout resistance	91
	<i>Table 13 — Criteria for static loading of soil nails</i>	92
	<i>Figure 39 — Schematic layout of the nail load test system</i>	93
	<i>Table 14 — Values of correlation factor</i>	94
6.3	Materials testing	95
6.4	Other tests	95
6.5	Monitoring	95
6.6	Monitoring during construction	95
6.7	Long-term or post-construction monitoring	95
	Section 7: Maintenance	96
	Bibliography	97

Summary of pages

This document comprises a front cover, and inside front cover, pages i to vi, pages 1 to 99, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 8006 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 December 2011. It was prepared by Subcommittee B/526/4, *Strengthened/reinforced soils and other fills*, under the authority of Technical Committee B/526, *Geotechnics*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

Together with BS 8006-1:2010, BS 8006-2:2011 superseded BS 8006:1995, which was withdrawn. BS 8006-2:2011+A1:2017 supersedes BS 8006-2:2011, which is withdrawn.

Relationship with other publications

This standard is published in two parts:

- *Code of practice for strengthened/reinforced soils and other fills*
- *Code of practice for strengthened/reinforced soils – Part 2: Soil nail design*

This part has been drafted following the principles of BS EN 1997-1:2004.

Information about this document

This part of BS 8006 was drafted to meet the specific needs of designers and installers of soil nails for strengthening and/or reinforcing soil slopes.

Text introduced by or altered by Amendment No. 1 is indicated in the text by tags A1 A1. Minor editorial corrections are not tagged.

Use of this document

As a code of practice, this part of BS 8006 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 8006 is expected to be able to justify any course of action that deviates from its recommendations.

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

The recommendations in this British Standard are based on typical UK practice and therefore might not be wholly valid in other territorial or regional environments. Design checks in accordance with other British or international Standards might be necessary.

This standard is likely to be used under a variety of contractual arrangements and forms of contract. In many cases multiple designers might be involved. Therefore, irrespective of the contract form it is essential that the design of the soil nailing element of a project is properly integrated into whole scheme and contractual interfaces are clearly and appropriately specified within contract documents.

Presentational conventions

The provisions in this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Section 1: General

1.1 Scope

This part of BS 8006 gives recommendations and guidance for stabilizing soil slopes and faces using soil nails. Other methods of stabilization using reinforced soil methods are given in BS 8006-1:2010 and both parts might be needed for complex structures.

Additional considerations might be required for unusually loaded or high soil nailed slopes, or where they interface with other structures.

Whilst BS EN 1997-1:2004 specifically excludes soil nailing, this standard is intended to harmonize the design approach of soil nailing with other geotechnical structures designed using BS EN 1997-1:2004.

The principal purpose of this standard is to provide design guidance, however, where knowledge of construction methodology is required for design purposes then appropriate paragraphs have been included. Construction guidance is given in execution standard BS EN 14490:2010. At the time of preparation of this standard, CEN Technical Committee TC341 is drafting a standard covering the testing of soil nails.

Structures and processes that are similar to soil nailing but not addressed in the standard are described in [2.3.6](#).

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 8006-1:2010, *Code of practice for strengthened/reinforced soils and other fills*

BS 8081, *Code of practice for grouted anchors*¹⁾

BS EN 196 (all parts), *Methods of testing concrete*

BS EN 197-1:2000, *Cement — Part 1: Composition, specifications and conformity criteria for common cements*

BS EN 206-1, *Concrete — Part 1: Specification, performance, production and conformity*

BS EN 1537, *Execution of special geotechnical work— Ground anchors*

BS EN 1990, *Eurocode — Basis of structural design*

BS EN 1992-1-1, *Eurocode 2 — Design of concrete structures — Part 1-1: General rules and rules for buildings*

BS EN 1997-1:2004, *Eurocode 7 — Geotechnical design — Part 1: General rules*

BS EN 1997-2, *Eurocode 7 — Geotechnical design — Part 2: Ground investigation and testing*

BS EN 10080, *Steel for the reinforcement of concrete — Weldable reinforcing steel — General*

BS EN 14487, *(both parts), Sprayed concrete*

BS EN 14490:2010, *Execution of special geotechnical works — Soil nailing*

¹⁾  This standard also gives an informative reference(s) to BS 8081:2015:A1:2017. 