

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Low-voltage switchgear and controlgear –  
Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination  
units**

**Appareillage à basse tension –  
Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

---

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60947-3

Edition 4.0 2020-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Low-voltage switchgear and controlgear –  
Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination  
units**

**Appareillage à basse tension –  
Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.120.40; 29.130.20

ISBN 978-2-8322-8153-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	7
INTRODUCTION .....	9
1 Scope .....	10
2 Normative references .....	11
3 Terms, definitions and index of terms .....	12
3.1 General .....	12
3.2 Alphabetical index of terms .....	12
3.3 General terms .....	13
4 Classification .....	15
4.1 According to the utilization category .....	15
4.2 According to the method of operation .....	15
4.2.1 Manually operated equipment .....	15
4.2.2 Remotely operated equipment .....	15
4.3 According to suitability for isolation .....	16
4.4 According to the degree of protection provided .....	16
4.5 Summary of symbols for equipment types .....	16
5 Characteristics .....	16
5.1 Summary of characteristics .....	16
5.2 Type of equipment .....	17
5.3 Rated and limiting values for the main circuit .....	17
5.3.1 General .....	17
5.3.2 Rated voltages .....	17
5.3.3 Currents .....	17
5.3.4 Rated frequency .....	17
5.3.5 Rated duty .....	18
5.3.6 Normal load and overload characteristics .....	18
5.3.7 Short-circuit characteristics .....	18
5.4 Utilization category .....	19
5.5 Control circuits .....	20
5.6 Auxiliary circuits .....	20
5.7 Relays and releases .....	20
5.8 Co-ordination with short-circuit protective devices (SCPD) .....	20
6 Product information .....	20
6.1 Nature of information .....	20
6.2 Marking .....	20
6.3 Instructions for installation, operation and maintenance, decommissioning and dismantling .....	22
7 Normal service, mounting and transport conditions .....	22
8 Constructional and performance requirements .....	22
8.1 Constructional requirements .....	22
8.1.1 General .....	22
8.2 Performance requirements .....	23
8.2.1 Operating conditions .....	23
8.2.2 Temperature-rise .....	24
8.2.3 Dielectric properties .....	24

8.2.4	Ability to make and break under no-load, normal load and overload conditions.....	24
8.2.5	Ability to make, break or withstand short-circuit currents .....	27
8.2.6	Void.....	27
8.2.7	Additional performance requirements for equipment suitable for isolation.....	27
8.2.8	Critical load current performance: DC equipment.....	27
8.2.9	Overload requirements for equipment incorporating fuses.....	27
8.3	Electromagnetic compatibility (EMC).....	27
8.3.1	General .....	27
8.3.2	Immunity.....	27
8.3.3	Emission.....	28
9	Tests .....	29
9.1	Kinds of test.....	29
9.1.1	General .....	29
9.1.2	Type tests.....	29
9.1.3	Routine tests .....	29
9.1.4	Sampling tests.....	30
9.1.5	Special tests.....	30
9.2	Compliance with constructional requirements.....	30
9.2.1	General .....	30
9.3	Performance .....	31
9.3.1	General .....	31
9.3.2	Test sequences .....	31
9.3.3	General test conditions .....	32
9.3.4	Test sequence I: general performance characteristics .....	35
9.3.5	Test sequence II: operational performance capability .....	39
9.3.6	Test sequence III: short-circuit performance capability.....	41
9.3.7	Test sequence IV: conditional short-circuit current.....	45
9.3.8	Test sequence V: overload performance capability .....	48
9.3.9	Test sequence VI: critical load current performance of equipment with a DC rating .....	49
9.4	Electromagnetic compatibility tests .....	51
9.4.1	General .....	51
9.4.2	Immunity.....	52
9.4.3	Emission.....	52
9.5	Special tests .....	52
9.5.1	Mechanical and electrical durability .....	52
9.5.2	Mechanical durability .....	52
9.5.3	Electrical durability .....	52
9.5.4	Damp heat, salt mist, vibration and shock.....	53
Annex A (normative)	Equipment for direct switching of a single motor.....	54
A.1	General.....	54
A.2	Rated.....	54
A.2.1	Intermittent periodic duty or intermittent duty .....	54
A.2.2	Temporary duty .....	54
A.3	Making and breaking capacities .....	54
A.4	Utilization category .....	54
A.5	Operational performance .....	57

A.6	Mechanical durability .....	58
A.7	Electrical durability .....	58
A.8	Verification of making and breaking capacities .....	58
A.9	Operational performance test .....	58
A.10	Special tests .....	58
A.10.1	General .....	58
A.10.2	Mechanical durability test .....	59
A.10.3	Electrical durability test .....	59
A.11	Critical load current performance for DC equipment .....	60
Annex B (informative)	Items subject to agreement between manufacturer and user .....	61
Annex C (normative)	Single pole operated three-pole switches .....	62
C.1	General .....	62
C.2	Tests .....	63
C.3	Test set-up and sequence .....	63
C.3.1	Making and breaking capacities (9.3.4.4) and operational performance (9.3.5.2) .....	63
C.3.2	Fuse protected short-circuit test (9.3.7.3) .....	63
C.4	Condition of equipment after tests .....	63
C.5	Instructions for use .....	63
Annex D (normative)	Switches, disconnectors, switch-disconnectors and fuse- combination units for use in photovoltaic (PV) DC applications .....	64
D.1	General .....	64
D.1.1	Background .....	64
D.1.2	Object .....	64
D.2	Normative references .....	64
D.3	Terms and definitions .....	64
D.4	Classification .....	65
D.4.1	According to the utilization category .....	65
D.5	Characteristics .....	65
D.6	Product information .....	66
D.7	Normal service, mounting and transport conditions .....	66
D.8	Constructional and performance requirements .....	66
D.9	Tests .....	70
Annex E (normative)	Additional requirements for LV switchgear intended for connection of aluminium conductors .....	76
E.1	Object .....	76
E.2	Normative references .....	76
E.3	Terms, definitions and index of terms .....	76
E.4	Classification .....	77
E.5	Characteristics .....	77
E.6	Product information .....	77
E.6.1	Nature of information .....	77
E.6.2	Marking .....	77
E.6.3	Instructions for installation, operation and maintenance, decommissioning and dismantling .....	77
E.7	Normal service, mounting and transport conditions .....	78
E.8	Constructional and performance requirements .....	78
E.9	Tests .....	78
E.9.1	General .....	78

E.9.2	Current cycling test.....	79
E.9.3	Mechanical properties of terminals .....	84
E.9.4	Test for insertability of unprepared round aluminium conductors having the maximum cross-section .....	85
Annex F (informative)	Power loss.....	88
F.1	General.....	88
F.2	Test methods .....	88
F.2.1	General .....	88
F.2.2	General case for AC switches and/or disconnectors .....	88
F.2.3	General case for AC fused combination units and fuse disconnectors.....	88
F.2.4	Switches and/or disconnectors of rated current not exceeding 400 A.....	89
F.2.5	Fused combination units and fuse disconnectors of rated current not exceeding 400 A.....	89
F.3	Test procedure.....	90
Bibliography	.....	93
Figure C.1	– Typical arrangements .....	62
Figure E.1	– General test arrangement .....	80
Figure E.2	– Mounting of terminals for the current cycling test .....	80
Figure F.1	– Example of power loss measurement according to F.2.2 .....	90
Figure F.2	– Example of power loss measurement according to F.2.3 .....	91
Figure F.3	– Example of power loss measurement according to F.2.4 .....	91
Figure F.4	– Example of power loss measurement according to F.2.5 .....	92
Table 1	– Summary of equipment definitions.....	16
Table 2	– Utilization categories .....	19
Table 3	– Product information .....	21
Table 4	– Verification of rated making and breaking capacities (see 9.3.4.4) – Conditions for making and breaking corresponding to the various utilization categories .....	25
Table 5	– Verification of operational performance – Number of operating cycles corresponding to the rated operational current.....	26
Table 6	– Test circuit parameters for Table 5.....	26
Table 7	– Immunity tests .....	28
Table 8	– Emission limits .....	28
Table 9	– List of type tests applicable to a given equipment.....	31
Table 10	– Overall scheme of test sequences .....	32
Table 11	– Test sequence I: general performance characteristics .....	36
Table 12	– Temperature-rise limits for terminals and accessible parts.....	39
Table 13	– Test sequence II: operational performance capability .....	40
Table 14	– Test sequence III: short-circuit performance capability .....	42
Table 15	– Test sequence IV: conditional short-circuit current – circuit-breaker protected .....	46
Table 16	– Test sequence IV: conditional short-circuit current – fuse protected .....	47
Table 17	– Test sequence V: overload performance capability .....	49
Table 18	– Number of operating cycles corresponding to the critical load current.....	51
Table 19	– Test circuit parameters for Table 18 .....	51

Table 20 – Test sequence VI: critical load current performance of equipment with a DC rating .....	51
Table A.1 – Utilization categories.....	55
Table A.2 – Rated making and breaking capacity conditions corresponding to several utilization categories .....	56
Table A.3 – Relationship between current broken $I_C$ and off-time for the verification of the rated making and breaking capacities .....	57
Table A.4 – Operational performance – Conditions for making and breaking corresponding to several utilization categories.....	57
Table A.5 – Verification of the number of on-load operating cycles – Conditions for making and breaking corresponding to several utilization categories.....	60
Table D.1 – Utilization categories .....	65
Table D.2 – Service arrangements .....	66
Table D.3 – Environmental conditions .....	66
Table D.4 – Rated impulse withstand levels for PV switches, PV disconnectors, PV switch-disconnectors or PV fuse-combination units .....	67
Table D.5 – Verification of rated making and breaking capacities (see 9.3.4.4) – Conditions for making and breaking corresponding to the DC-PV category .....	68
Table D.6 – Number of operating cycles .....	69
Table D.7 – Test circuit parameters for Table D.6 .....	69
Table D.8 – Overall scheme of test sequences .....	71
Table D.9 – Number of operating cycles corresponding to the critical load current .....	73
Table D.10 – Test circuit parameters for Table D.9 .....	73
Table E.1 – List of tests for terminal connections with aluminium cables .....	78
Table E.2 – Conductor length for current cycling test as per conductor cross-section.....	81
Table E.3 – Equalizer dimensions.....	81
Table E.4 – Starting test current for the current cycling test.....	83
Table E.5 – Example of stability factor calculation .....	84
Table E.6 – Test values for flexion and pull-out test for cables.....	85
Table E.7 – Test aluminium cable for test currents up to 800 A .....	86
Table E.8 – Test aluminium bars for test currents above 150 A and up to 3 150 A .....	87



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 3: Switches, disconnectors, switch-disconnectors  
and fuse-combination units**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-3 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2008, Amendment 1:2012 and Amendment 2:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- addition of critical load current tests for DC switches (see 9.3.9);
- addition of requirements for a conditional short-circuit rating for disconnectors, switches, and switch-disconnectors protected by circuit-breakers (see 9.3.7.2);
- addition of new categories for high-efficiency motors switching (see Annex A);

- addition of new Annex E for connection to aluminium conductors;
- addition of new Annex F for power losses measurement.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/340/FDIS	121A/354/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60947 series, published under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

This part is to be used in conjunction with the sixth edition of IEC 60947-1:2020. The numbering of the subclauses is sometimes not continuous because it is based on IEC 60947-1:2020.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

The provisions of the general rules dealt with in IEC 60947-1 are applicable to this document, where specifically called for. Clauses and subclauses, tables, figures and annexes of the general rules thus applicable are identified by reference to the sixth edition of IEC 60947-1:2020, for example, 5.3.4.1 of IEC 60947-1:2020, Table 4 of IEC 60947-1:2020, or Annex A of IEC 60947-1:2020.

## LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units

#### 1 Scope

This part of IEC 60947 applies to switches, disconnectors, switch-disconnectors and fuse-combination units and their dedicated accessories to be used in distribution circuits and motor circuits of which the rated voltage does not exceed 1 000 V AC or 1 500 V DC.

NOTE 1 Accessories are interconnecting units, extended terminals, internal coils, auxiliary contacts, motor operator, etc. offered as options with the basic unit.

This document does not apply to equipment coming within the scope of IEC 60947-2, IEC 60947-4-1 and IEC 60947-5-1.

Particular requirements for switches, disconnectors, switch-disconnectors and fuse-combination units for use in photovoltaic (PV) DC applications are given in Annex D.

Specific requirements for LV switchgear intended for the connections of aluminium conductors are given in Annex E.

Guidance on measurement of power loss is provided in Annex F.

This document does not include the additional requirements necessary for electrical apparatus for explosive gas atmospheres.

NOTE 2 Depending on its design, a switch (or disconnector) can be referred to as "a rotary switch (disconnector)", "cam-operated switch (disconnector)", "knife-switch (disconnector)", etc.

NOTE 3 In this document, the word "switch" also applies to the apparatus referred to in French as "commutateurs", intended to modify the connections between several circuits and *inter alia* to substitute a part of a circuit for another.

NOTE 4 In general, throughout this document, switches, disconnectors, switch-disconnectors and fuse-combination units will be referred to as "equipment".

The object of this document is to state:

- a) the characteristics of the equipment;
- b) the conditions that apply to the equipment with reference to:
  - 1) operation and behaviour in normal service;
  - 2) operation and behaviour in case of specified abnormal conditions, e.g. short-circuit;
  - 3) dielectric properties;
- c) the tests for confirming that these conditions have been met and the methods that are adopted for these tests;
- d) the information relevant to the marking of the equipment or made available by the manufacturer, e.g. in the catalogue.

Specific items requiring agreement between the user and the manufacturer are identified in Annex B.