

11073-10472<sup>TM</sup>



Health informatics—Personal health device communication

## **Part 10472: Device specialization— Medication monitor**

---

**IEEE Engineering in Medicine and Biology Society**

Sponsored by the  
11073<sup>TM</sup> Standard Committee

IEEE  
3 Park Avenue  
New York, NY 10016-5997, USA

5 March 2010

**IEEE Std 11073-10472<sup>TM</sup>-2010**



**Health informatics—Personal health device communication—**

# **Part 10472: Device specialization— Medication monitor**

Sponsor

**IEEE 11073™ Standards Committee**  
of the  
**IEEE Engineering in Medicine and Biology Society**

Approved 2 February 2010

**IEEE-SA Standards Board**

**Abstract:** Within the context of the ISO/IEEE 11073 family of standards for device communication, this standard establishes a normative definition of communication between personal telehealth medication monitor devices and compute engines (e.g., cell phones, personal computers, personal health appliances, set top boxes) in a manner that enables plug-and-play interoperability. It leverages appropriate portions of existing standards including ISO/IEEE 11073 terminology, information models, application profile standards, and transport standards. It specifies the use of specific term codes, formats, and behaviors in telehealth environments restricting optionality in base frameworks in favor of interoperability. This standard defines a common core of communication functionality for personal telehealth medication monitor devices.

**Keywords:** device communication, medication monitor, personal health devices

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 5 March 2010. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

**PDF:** ISBN 978-0-7381-6211-9      **STD96041**  
**Print:** ISBN 978-0-7381-6212-6      **STDPD96041**

*IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “**AS IS.**”

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854  
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Introduction

This introduction is not part of IEEE Std 11073-10472-2010, Health Informatics—Personal health device communication—Part 10472: Device specialization—Medication monitor.

ISO/IEEE 11073 standards enable communication between medical devices and external computer systems. Within the context of the ISO/IEEE 11073 family of standards for device communication, this standard establishes a normative definition of the communication between medication monitoring devices and managers (e.g., cell phones, personal computers, personal health appliances, set top boxes) in a manner that enables plug-and-play interoperability. It leverages appropriate portions of existing standards including ISO/IEEE 11073 terminology and information models. It specifies the use of specific term codes, formats, and behaviors in telehealth environments restricting ambiguity in base frameworks in favor of interoperability. This standard defines a common core of communication functionality for medication monitors. In this context, medication monitors are defined as devices that have the ability to determine and communicate (to a manager) measures of a user's adherence to a medication regime.

## Notice to users

## Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

## Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

## Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

## Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Personal Health Devices Working Group had the following membership:

**Douglas P. Borgia**, *Chair*  
**Randy W. Carroll**, *Vice Chair*

Karsten Aalders	Todd H. Cooper	Sten Hanke
Charles R. Abbruscato	Nigel Cox	Kai Hassing
Maher Abuzaid	Tomio Crosley	Marc Daniel Haunschild
Jon Adams	Jeremy Cummin	Mike Hayes
Manfred Aigner	Allen Curtis	Mike Hayes
Murtaza Ali	Kathryn Cush	Charles Henderson
Rolf Ambuehl	Rupert Dance	Timothy L. Hirou
Lawrence Arne	Sushil K. Dekka	Allen Hobbs
Serafin Arroyo	Pedro de-las-Heras-Quiros	Alex Holland
Kevin Arruda	Jim DelloStritto	Arto Holopainen
Muhammad Asim	Matthew d'Entremont	Robert Hoy
Merat Bagha	Kent Dicks	Frank Hsu
Doug Baird	Hyoungdo Do	Sen-Der Huang
David Baker	Amy Droitcour	David Hughes
Anindya Bakshi	Brian Dubreuil	Robert D. Hughes
Ananth Balasubramanian	Jakob Ehrensvard	Nick Hunn
Sunlee Bang	Fredrik Einberg	Hugh Hunter
M. Jonathan Barkley	Roger M. Ellingson	Hitoshi Ikeda
David Bean	Michihiro Enokida	Yutaka Ikeda
John Bell	Javier Escayola Calvo	Philip O. Isaacson
Rudy Belliardi	Leonardo Estevez	Atsushi Ito
Yazid Benazzouz	Roger Feeley	Praduman Jain
George A. Bertos	Bosco T. Fernandes	Ho-In Jeon
Ola Björnsne	Gear Fisher	Danny Jochelson
Thomas Blackadar	Julie N. Fleischer	Chris Johnson
Marc Blanchet	Roger Florkowski	Phaneeth Junga
Thomas Bluethner	Joseph W. Forler	Akiyoshi Kabe
Xavier Boniface	Russell Foster	Steve Kahle
Shannon Boucousis	Eric Freudenthal	Tomio Kamioka
Julius Broma	Matthias Frohner	Kyung Hee Kang
Lyle G. Bullock, Jr.	Miguel Galarraga	Andy Kaschl
Bernard Burg	Marcus Garbe	Junzo Kashiwara
Chris Burns	Juan García-Prieto Cuesta	Kohichi Kashiwagi
Anthony Butt	John Garguilo	Ralph Kent
Jeremy Byford-Rew	Rick Geimer	Kurt M. Kermes
Carole C. Carey	Igor Gejdos	Ikuo Keshi
Santiago Carot-Nemesio	Ferenc Gerbovics	Minho Kim
Rahul Chauhan	Nicolae Goga	Taekon Kim
James Cheng	Julian Goldman	Tetsuya Kimura
Maria Cherkaoui	Raul Gonzalez Gomez	Michael Kirwin
Peggy Chien	Chris Gough	Alfred Kloos
Silviu Chiricescu	Channa Gowda	Jeongmee Koh
Jiho Choi	Niclas Granqvist	Jean-Marc Koller
Chia-Chin Chong	Charles Gropper	Thomas Kottler
Saeed A. Choudhary	Amit Gupta	Patty Krantz
Jinhan Chung	Jeff Gutmacher	Alexander Kraus
Malcolm Clarke	Christian Habermann	Ramesh Krishna
Rick A. Cnossen	Mikey Hagerty	Falko Kuester
Moshe Cohen	Jerry Hahn	Pierre Landau
John T. Collins	Robert Hall	Rami Lee
Cory Condek	Rickey L. Hampton	Sungkee Lee



Woojae Lee  
 Yonghee Lee  
 Kathryn A. Lesh  
 Patrick Lichter  
 Joon-Ho Lim  
 John Lin  
 Wei-Jung Lo  
 Charles Lowe  
 Jeremy Martin  
 Sandra Martinez  
 Miguel Martínez de Espronceda Cámara  
 Dennis Mathews  
 Peter Mayhew  
 Jim McCain  
 Richard McPartland  
 László Meleg  
 Jinsei Miyazaki  
 Darr Moore  
 Joe Morrissey  
 Piotr Murawski  
 Soundharya Nagasubramanian  
 Jae-Wook Nah  
 Alex Neefus  
 Michael E. Nidd  
 Tetsu Nishimura  
 Jim Niswander  
 Hiroaki Niwamoto  
 Thomas Norgall  
 Yoshiteru Nozoe  
 Brett Olive  
 Charles Palmer  
 Bud Panjwani  
 Carl Pantiskas  
 Mikey Paradis  
 Jong-Tae Park  
 Soojun Park  
 Jayant Parthasarathy  
 Phillip E. Pash  
 TongBi Pei  
 Soren Petersen

Arnie Pittler  
 Carol Primdahl  
 Arif Rahman  
 Barry Reinhold  
 Brian Reinhold  
 Melvin I. Reynolds  
 Jeffrey S. Robbins  
 Scott Robertson  
 Timothy Robertson  
 David Rosales  
 Don Rosen  
 Bill Saltzstein  
 Stefan Saueremann  
 John Sawyer  
 Paul S. Schluter  
 Johannes Schmidt  
 Lars Schmitt  
 Mark G. Schnell  
 Richard A. Schrenker  
 Antonio Scorpiniti  
 Kwang Seok Seo  
 Riccardo Serafin  
 Frank Shen  
 Min Shih  
 Mazen Shihabi  
 Tommy Shing  
 Krishna Shingala  
 Robert Smith  
 Ivan Soh  
 Motoki Sone  
 Emily Sopensky  
 Andreas Staubert  
 Nick Steblay  
 Lars Steubesand  
 John (Ivo) Stivorik  
 Raymond Strickland  
 Hermann Suominen  
 Lee Surprenant  
 Ravi Swami  
 Ray Sweidan

Kunihiro Takiuchi  
 Francis Tam  
 Haruyuyki Tatsumi  
 Randy Thomas  
 Brad Tipler  
 Jonas Tirén  
 James Tomcik  
 Gary Tschautscher  
 Masato Tsuchid  
 Jesús Daniel Trigo  
 Ken Tubman  
 Yoshihiro Uchida  
 Sunil Unadkat  
 Philipp Urbauer  
 Laura Vanzago  
 Alpo Värri  
 Daniel von Büren  
 Rudi Voon  
 Isobel Walker  
 David Wang  
 Jerry P. Wang  
 Yao Wang  
 Steve Warren  
 Fujio Watanabe  
 Toru Watsuji  
 Jeff Webber  
 Eric White  
 Paul Williamson  
 Jan Wittenber  
 Jia-Rong Wu  
 Will Wykeham  
 Ariton Xhafa  
 Chi-Lu Yang (III)  
 Ricky Yang  
 Steven Yecies  
 Done-Sik Yoo  
 Jason Zhang  
 Thomas Zhao  
 Daidi Zhong  
 Szymon Zysko

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Thomas Blackadar  
 Douglas P. Bogia  
 Lyle Bullock  
 Randy W. Carroll  
 Peng Chen  
 Keith Chow  
 Malcolm Clarke  
 Allen Curtis  
 Sourav Dutta  
 Prince Francis  
 Randall Groves

Kai Hassing  
 Werner Hoelzl  
 Atsushi Ito  
 Christopher Johnson  
 Chol Kang  
 Piotr Karocki  
 Gerald L. Kolbe  
 Randall Krohn  
 Vincent Lipsio  
 Melvin Reynolds  
 Bartien Sayogo  
 Josh D. Schilling

Lars Schmitt  
 Gil Shultz  
 James E. Smith  
 Kapil Sood  
 Lars Steubesand  
 Mark Sturza  
 Jonas Tirén  
 Daniel von Büren  
 Jan Wittenber  
 Janghoon Yang  
 Oren Yuen

When the IEEE-SA Standards Board approved this standard on 2 February 2010, it had the following membership:

**Robert M. Grow**, *Chair*  
**Thomas Prevost**, *Vice Chair*  
**Steve M. Mills**, *Past Chair*  
**Judith Gorman**, *Secretary*

John Barr  
Karen Bartleson  
Victor Berman  
Ted Burse  
Richard DeBlasio  
Andy Drozd  
Mark Epstein

Alexander Gelman  
Jim Hughes  
Richard H. Hulett  
Young Kyun Kim  
Joseph L. Koepfnger\*  
John Kulick

David J. Law  
Ted Olsen  
Glenn Parsons  
Ronald C. Petersen  
Narayanan Ramachandran  
Jon Walter Rosdahl  
Sam Sciacca

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Howard L. Wolfman, *TAB Representative*  
Michael Janezic, *NIST Representative*  
Satish K. Aggarwal, *NRC Representative*

Don Messina  
*IEEE Standards Program Manager, Document Development*

Kathryn Cush  
*IEEE Standards Program Manager, Technical Program Development*

## Contents

1. Overview .....	1
1.1 Scope .....	1
1.2 Purpose .....	2
1.3 Context .....	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations .....	2
3.1 Definitions .....	3
3.2 Acronyms and abbreviations .....	3
4. Introduction to ISO/IEEE 11073 personal health devices .....	4
4.1 General .....	4
4.2 Introduction to IEEE 11073-20601 modeling constructs .....	4
5. Medication monitor device concepts and modalities.....	5
5.1 General .....	5
5.2 Model usage examples.....	6
5.3 Medication dispensed .....	7
5.4 Status reporter.....	8
5.5 User feedback .....	8
5.6 Usage patterns.....	9
6. Medication monitor domain information model.....	9
6.1 Overview .....	9
6.2 Class extensions.....	9
6.3 Object instance diagram .....	10
6.4 Types of configuration.....	11
6.5 Medical device system object.....	12
6.6 Numeric objects.....	16
6.7 Real-time sample array objects.....	22
6.8 Enumeration objects .....	22
6.9 PM-store objects.....	27
6.10 Scanner objects.....	30
6.11 Class extension objects.....	31
6.12 Medication monitor information model extensibility rules .....	31
7. Medication monitor service model .....	31
7.1 General .....	31
7.2 Object access services.....	31
7.3 Object access event report services .....	32
8. Medication monitor communication model.....	33
8.1 Overview .....	33
8.2 Communications characteristics .....	33
8.3 Association procedure .....	33
8.4 Configuring procedure.....	35
8.5 Operating procedure .....	41
8.6 Time synchronization .....	42
9. Test associations.....	42

9.1 Behavior with standard configuration.....	42
9.2 Behavior with extended configurations .....	43
10. Conformance .....	43
10.1 Applicability .....	43
10.2 Conformance specification .....	43
10.3 Levels of conformance .....	44
10.4 Implementation conformance statements .....	44
Annex A (informative) Bibliography .....	50
Annex B (normative) Any additional ASN.1 definitions .....	51
Annex C (normative) Allocation of identifiers.....	52
Annex D (informative) Message sequence examples.....	53
Annex E (informative) Protocol data unit examples .....	55
E.1 General .....	55
E.2 Association information exchange .....	55
E.3 Configuration information exchange.....	58
E.4 GET MDS attributes service .....	61
E.5 Data reporting.....	62
E.6 Disassociation .....	63

**Health informatics—Personal health device communication—**

# **Part 10472: Device specialization— Medication monitor**

*IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection in all circumstances. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.*

*This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.*

## **1. Overview**

### **1.1 Scope**

Within the context of the ISO/IEEE 11073 family of standards for device communication, this standard establishes a normative definition of the communication between medication monitoring devices and managers (e.g., cell phones, personal computers, personal health appliances, set top boxes) in a manner that enables plug-and-play interoperability. It leverages appropriate portions of existing standards including ISO/IEEE 11073 terminology and information models. It specifies the use of specific term codes, formats, and behaviors in telehealth environments restricting ambiguity in base frameworks in favor of interoperability. This standard defines a common core of communication functionality for medication monitors. In this context, medication monitors are defined as devices that have the ability to determine and communicate (to a manager) measures of a user’s adherence to a medication regime.