## IEEE Standard for the Testing, Design, Installation, and Maintenance of Electrical Resistance Trace Heating for Industrial Applications

**IEEE Industry Applications Society** 

Sponsored by the Petroleum & Chemical Industry Committee

IEEE 3 Park Avenue New York, NY 10016-5997 USA

**IEEE Std 515<sup>™</sup>-2011** (Revision of IEEE Std 515-2004)

9 September 2011

# IEEE Standard for the Testing, Design, Installation, and Maintenance of Electrical Resistance Trace Heating for Industrial Applications

Sponsor

Petroleum & Chemical Industry Committee of the IEEE Industry Applications Society

Approved 16 June 2011

**IEEE-SA Standards Board** 

### Annex G through Annex K (user forms) are not copyrighted and are approved for reproduction and use.

**Abstract:** Specific testing requirements for qualifying electrical resistance heating cables and heating devices for use in industrial applications, as well as a basis for electrical and thermal design, are included in this standard. Unclassified applications and explosive atmosphere applications that use both Divisions and Zone methods of classification are included.

**Keywords:** constant wattage heating cables, electrical design, heating cable, heat loss, heat tracing, IEEE 515, parallel heating cables, pipelines, series heating cables, self-regulating heating cables, surface heating devices, thermal design, trace heater, trace heating, vessel heater

Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 9 September 2011. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code and NEC are registered trademarks in the U.S. Patent & Trademark Office, owned by The National Fire Protection Association.

PDF: ISBN 978-0-7381-6681-0 STD97125 Print: ISBN 978-0-7381-6682-7 STDPD97125

IEEE prohibits discrimination, harassment, and bullying. For more information, visit http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html.

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854-4141 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

#### Introduction

This introduction is not part of IEEE Std 515-2011, IEEE Standard for the Testing, Design, Installation, and Maintenance of Electrical Resistance Trace Heating for Industrial Applications.

The scope of this standard includes specific testing requirements for qualifying electrical resistance heating cables and heating devices for use in industrial applications, as well as a basis for electrical and thermal design. Applications include unclassified and both Division and Zone classified areas.

This document was first published as a recommended practice in 1983. In 1989, it was elevated to a standard, and Division 1 heating cables were added.

In 1997, this standard was expanded to include American classified zone heaters. A 32-week benchmark test was added to provide a thermal shock cycling test. This test established a minimum performance criteria for new products, offered a system to validate product temperature ratings claimed by manufacturers, and provided a minimum acceptable level of quality/performance by the heating devices.

The 2004 revision added a 12-week temperature cycling test as an alternative to the 32-week benchmark test. This revision also aligned the tolerance on sheath temperature for T-rating with the IEC 60079-30 5 K and 10 K tolerances (IEC 60079-30-1:2007  $[B15]^a$  and IEC 60079-30-2:2007 [B16]).

This revision includes subsequent harmonization with international standards and has expanded the sections on maximum sheath temperature determination and design.

#### Notice to users

#### Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

#### Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

<sup>&</sup>lt;sup>a</sup> The numbers in brackets correspond to those of the bibliography in Annex A.

#### **Updating of IEEE documents**

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at http://ieeexplore.ieee.org/xpl/standards.jsp, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <u>http://standards.ieee.org</u>.

#### Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/updates/errata/index.html</u>. Users are encouraged to check this URL for errata periodically.

#### Interpretations

Current interpretations can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/interp/index.html</u>.

#### Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

#### **Participants**

At the time this IEEE standard was originally completed, the Electrical Resistance Heat Tracing for Industrial Applications Working Group had the following membership:

#### Richard H. Hulett, Co-Chair Dusty Brown, Co-Chair

Wolfgang Dlugas Ben Johnson Andrew Lozinski Jason O'Connor Satish Parikh Rudolf Pommé Peter Schmidt Robert Seitz Larry Stehling Erik Stephens John E. Turner Wayne Williams

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Bloethe Dusty Brown Keith Chow Matthew Davis Wolfgang Dlugas Gary Donner Donald Dunn Gary Engmann Carl Fredericks Manjinder Gill James Gleason Pamela Gold Ron Greenthaler Randall Groves David Horvath Paul House Richard H. Hulett Ben Johnson Robert Konnik Jim Kulchisky Saumen Kundu Chung-Yiu Lam Duane Leschert Greg Luri William McBride Gary Michel Jerry Murphy Paul Myers Michael S. Newman David Nichols Lorraine Padden David Parman Christopher Petrola

Rudolf Pommé Nicholas R. Rafferty Bartien Sayogo Peter Schmidt Robert Seitz Thomas Shaw Gil Shultz James Smith Jeremy Smith Larry Stehling Erik Stephens Gary Stoedter S. Thamilarasan John E. Turner John Vergis Kenneth White Wayne Williams

When the IEEE-SA Standards Board approved this standard on 16 June 2011, it had the following membership:

Richard H. Hulett, Chair John Kulick, Vice Chair Robert Grow, Past Chair Judith Gorman, Secretary

Masayuki Ariyoshi William Bartley Ted Burse Clint Chaplin Wael Diab Jean-Philippe Faure Alex Gelman Paul Houzé Jim Hughes David Law Thomas Lee Hung Ling Oleg Logvinov Ted Olsen Gary Robinson Jon Rosdahl Sam Sciacca Mike Seavey Curtis Siller Phil Winston Howard Wolfman Don Wright

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish Aggarwal, NRC Representative Richard DeBlasio, DOE Representative Michael Janezic, NIST Representative

Catherine Berger IEEE Standards Program Manager, Document Development

Patricia A. Gerdon IEEE Standards Program Manager, Technical Program Development

### Contents

1. Overview 1.1 Scope 1.2 Purpose	1
2. Normative references	2
3. Definitions	2
<ul> <li>4. General product testing</li></ul>	5 15 20
<ul> <li>5. Marking and installation instructions</li></ul>	23 23
<ul> <li>6. Design.</li> <li>6.1 Process considerations.</li> <li>6.2 Environmental/site considerations.</li> <li>6.3 Thermal insulation and heat-loss considerations.</li> <li>6.4 Maximum temperature determination.</li> <li>6.5 Design parameters.</li> <li>6.6 Design information.</li> <li>6.7 Power system.</li> <li>6.8 Special considerations .</li> <li>6.9 Controlling and monitoring considerations.</li> <li>6.10 Division 1 and Zone 1 design requirements .</li> <li>6.11 Safety shower design requirements .</li> </ul>	24 25 26 30 35 35 37 39 44 47
<ul> <li>7. Installation</li> <li>7.1 Personnel</li> <li>7.2 Receiving and storage of materials</li> <li>7.3 Scheduling of installation</li> <li>7.4 General installation recommendations</li> <li>7.5 Special Division 1 and Zone 1 installation requirements</li> <li>7.6 Controls and sensors</li> <li>7.7 Testing after installation</li> <li>7.8 Thermal insulation—recommendations</li> <li>7.9 Functional check and field documentation—recommendations</li> </ul>	48 48 49 51 52 53 53 54
<ul> <li>8. Maintenance</li> <li>8.1 General maintenance recommendations</li> <li>8.2 Division 1/Zone 1 maintenance recommendations</li> <li>8.3 Visual inspection</li> <li>8.4 Periodic operational check</li> <li>8.5 Record keeping</li> </ul>	54 55 55 55

Annex A (informative) Bibliography	. 57
Annex B (informative) Pipe heat-loss considerations	. 59
Annex C (informative) Vessel heat-loss considerations	. 65
Annex D (informative) Heat-up and cool-down considerations	. 69
Annex E (informative) Method to determine equivalent thicknesses of insulating cements	. 72
Annex F (informative) Type test matrix for Clause 4	. 73
Annex G (informative) Design basic data—example (see 6.6)	. 75
Annex H (informative) Trace heater installation record—example (see 7.2.2)	. 76
Annex I (normative) Division 1/Zone 1—checklist example (see 7.5)	. 77
Annex J (informative) Trace heater commissioning record—example (see 7.9)	. 78
Annex K (informative) Maintenance log record—example (see 8.5.3)	. 79

### IEEE Standard for the Testing, Design, Installation, and Maintenance of Electrical Resistance Trace Heating for Industrial Applications

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

#### 1. Overview

#### 1.1 Scope

This standard provides requirements for the testing, design, installation, and maintenance of electrical resistance trace heating in general industries as applied to pipelines, vessels, pretraced and thermally insulated instrument tubing and piping, and mechanical equipment. The electrical resistance trace heating is in the form of series trace heaters, parallel trace heaters, and surface heating units. In this standard, the terms *hazardous (classified) locations* and *potentially flammable atmospheres* refer to the same conditions. The requirements also include test criteria to determine the suitability of these heating devices utilized in industrial applications as applied in unclassified (ordinary) and hazardous (classified) locations.

#### 1.2 Purpose

The provisions of this standard should ensure that process, fluid, or material temperatures are maintained and provide electrical, thermal, and mechanical durability to the trace heating system, such that in normal use, its performance is reliable and poses no danger to the user or surroundings. This standard is to serve as a complementary document to the current version of those national and international standards addressing electrical resistance trace heating.

#### 2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ASTM D5025-05, Standard Specification for Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials.<sup>1</sup>

ASTM D5207-09, Standard Practice for Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials.

IEC 60079-20-1, Explosive Atmospheres—Part 20-1: Material Characteristics for Gas and Vapour Classification—Test Methods and Data.<sup>2</sup>

IEC 60079-20-2, Explosive Atmospheres—Part 20-2: Material Characteristics—Combustible Dusts Test Methods.

NFPA 497, Recommended Practice for the Classification of Flammable Liquids, Gases, or Vapors and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas.<sup>3</sup>

NFPA 499, Recommended Practice for the Classification of Combustive Dusts and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas.

#### 3. Definitions

For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary: Glossary of Terms & Definitions*<sup>4</sup> should be consulted for terms not defined in this clause.

**ambient temperature:** The temperature surrounding the object under consideration. Where an electrical heating device is enclosed in thermal insulation, the ambient temperature is the temperature exterior to the thermal insulation.

**braid:** Interwoven metallic covering or other equivalent electrically conductive material surrounding the trace heater.

certifying agency: Organization that validates that equipment meets tests and standards.

**cold lead:** An electrically insulated conductor used to connect a heating conductor to the branch-circuit conductors and designed so as not to produce appreciable heat.

connections: Terminations and splices used to attach a heating device to power wiring or to connect sections of devices.

<sup>&</sup>lt;sup>1</sup> ASTM publications are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, USA (http://www.astm.org/).

<sup>&</sup>lt;sup>2</sup> IEC publications are available from the Sales Department of the International Electrotechnical Commission, Case Postale 131, 3 rue de Varembé, CH-1211, Genève 20, Switzerland/Suisse (http://www.iec.ch/). IEC publications are also available in the United States from the Sales Department, American National Standards Institute, 11 West 42nd Street, 13th Floor, New York, NY 10036, USA.

<sup>&</sup>lt;sup>3</sup> NFPA publications are published by the National Fire Protection Association, Batterymarch Park, Quincy, MA 02269, USA (http:// www.nfpa.org/).

<sup>&</sup>lt;sup>4</sup> The IEEE Standards Dictionary: Glossary of Terms and Definitions is available at <u>http://shop.ieee.org</u>.