

IEEE/ASHRAE Guide for the Ventilation and Thermal Management of Batteries for Stationary Applications

Co-Sponsors

IEEE Power and Energy Society
Stationary Batteries Committee



and

ASHRAE
Guideline Project Committee 21 (GPC 21)



IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1635™-2012/
ASHRAE Guideline 21-2012

23 October 2012

IEEE/ASHRAE Guide for the Ventilation and Thermal Management of Batteries for Stationary Applications

Co-Sponsors

**IEEE Power and Energy Society
Stationary Batteries Committee**

and

**ASHRAE
Guideline Project Committee 21 (GPC 21)**

Approved 27 June 2012

ASHRAE Standards Committee/Board of Directors

Approved 30 August 2012

IEEE-SA Standards Board

Abstract: Vented lead-acid (VLA), valve-regulated lead-acid (VRLA), and nickel-cadmium (NiCd) stationary battery installations are discussed in this guide, written to serve as a bridge between the electrical designer and the heating, ventilation, and air-conditioning (HVAC) designer. Ventilation of stationary battery installations is critical to maximize battery life while minimizing the hazards associated with hydrogen production. This guide describes battery operating modes and the hazards associated with each. It provides the HVAC designer with the information to provide a cost effective ventilation solution.

Keywords: ASHRAE 21, battery, battery cabinets, battery gassing, battery room, battery vaults, forced ventilation, hydrogen, IEEE 1635™, natural ventilation, stationary battery, thermal management, ventilation, ventilation system maintenance

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

ASHRAE
1791 Tullie Circle, NE, Atlanta, Georgia 30329-2305, USA

Copyright © 2012 by The Institute of Electrical and Electronics Engineers, Inc., and ASHRAE.
All rights reserved. Published 23 October 2012. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

ASHRAE is a registered trademark in the U.S. Patent & Trademark Office, owned by the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc.

ANSI is a registered trademark of the American National Standards Institute.

EnerSys trademark is the property of EnerSys and its affiliates.

ICC, International Code Council, IFC, and International Fire Code are registered trademarks of the International Code Council.

National Electrical Code, NEC, and NFPA 70 are registered trademarks of the National Fire Protection Association, Inc.

National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Inc.

Telcordia is a registered trademark of Telcordia Technologies, Inc.

UL is a registered trademark of UL LLC © 2012.

PDF: ISBN 978-0-7381-7317-7 STD97292
Print: ISBN 978-0-7381-7332-0 STDPD97292

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, neither the IEEE nor ASHRAE waives any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE/ASHRAE guide was completed, the Ventilation Working Group had the following membership:

M. S. (Steve) Clark, *IEEE, Co-Chair* **Deep Ghosh**, *ASHRAE, Co-Chair*
John B. Riley, *ASHRAE Vice Chair*
Curtis Ashton, *IEEE Secretary*

Phyllis Archer, IEEE
Allen Byrne, IEEE
William Cantor, IEEE
Jay L. Chamberlin, IEEE
Garth P. Corey, IEEE
Thomas G. Croda, IEEE

Ramesh Desai, IEEE
Mark A. Hartfiel, ASHRAE
Dennis G. Hellmer, ASHRAE
Stephen W. McCluer,
IEEE/ASHRAE

James A. McDowall, IEEE
Dan McMenamin, IEEE
Haissam Nasrat, IEEE
Edward P. Rafter, IEEE
Kristin Wilde, IEEE
Lesley P. Varga, IEEE

At the time this guide was approved, ASHRAE Guideline Project Committee 21 (GPC 21) had the following membership:

Cognizant TC: TC 9.2, Industrial Air Conditioning
James R. Tauby, *SPLS Liaison*
Deep Ghosh, *Chair**
John B. Riley, *Vice Chair and Secretary**

George M. Adams

Mark A. Hartfiel*
Dennis G. Hellmer*

Stephen W. McCluer*

**Denotes members of voting status when the document was approved for publication.*

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Samuel Aguirre
Steven Alexanderson
James Anderson
Phyllis Archer
Stan Arnot
Curtis Ashton
Gary Balash
Michael Bayer
Robert Beavers
Erich Binder
Thomas Blair
William Bloethe
Richard Bolgeo
Paul Boman
Mark Bowman
Steven Brockschink
Terrence Burns
William Byrd
William Cantor
Robert Carruth
Leonard Casella
Randy Casteel
Jay L. Chamberlin
Michael Champagne
Keith Chow
M. S. (Steve) Clark
Waller Clements
Kevin Coggins
Tommy Cooper
Garth P. Corey
Charles Cotton
John Coyle
Alireza Daneshpooy
Matthew Davis
Carlo Donati
Randall Dotson

Donald Dunn
Gary Engmann
Vladimir Fedkiw
Charles Finin
Robert Fletcher
Carl Fredericks
Deep Ghosh
James Gleason
Jalal Gohari
Edwin Goodwin
James Graham
Randall C. Groves
Thomas Gruz
Ajit Gwal
Scott Hietpas
Gary Hoffman
David Horvath
James Houston
David Ittner
Randy Jamison
Alan Jensen
James Jones
Joseph L. Koepfinger
John J. Kopera
David Krause
Jim Kulchisky
William Kumpf
Saumen Kundu
Chung-Yiu Lam
Daniel Lambert
Daniel Levin
Albert Livshitz
Debra Longtin
Federico Lopez
Omar Mazzoni
Stephen W. McCluer
James A. McDowall
Jeffrey Merryman

Kimberly Mosley
Jerry Murphy
Dennis Neitzel
Arthur Neubauer
Michael S. Newman
Joe Nims
Miklos Orosz
Bansi Patel
Vernon Peppers
Percy Pool
Edward P. Rafter
Ryland Revelle
John B. Riley
Michael Roberts
Bartien Sayogo
Robert Schuerger
Devki Sharma
Charles Shieh
David Smith
James Smith
John Spare
Joseph Stevens
Allan St. Peter
Paul Sullivan
David Tepen
S. Thamilarasan
James Thompson
Wayne Timm
Richard Tressler
Lesley Varga
Gerald Vaughn
Stephen Vechy
John Vergis
William Wessman
Kenneth White
Luis Zambrano
Theodore Zeiss

When the IEEE-SA Standards Board approved this guide on 30 August 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert M. Grow, *Past Chair*
Konstantinos Karachalios, *Secretary*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Young Kyun Kim
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling

Oleg Logvinov
Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Mike Seavey
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Malia Zaman
IEEE Standards Program Manager, Technical Program Development

ASHRAE Standards Committee 2011-2012

Carol E. Marriott, *Chair*
Kenneth W. Cooper, *Vice Chair*
Ross D. Montgomery, *CO*
Eckhard A. Groll, *BOD ExO*

Douglass S. Abramson
Karim Amrane
Charles S. Barnaby
Hoy R. Bohanon, Jr.
Steven F. Bruning
David R. Conover
Steven J. Emmerich
Allan B. Fraser

Krishnan Gowri
Maureen Grasso
Cecily M. Grzywacz
Richard L. Hall
Rita M. Harrold
Adam W. Hinge
Debra H. Kennoy
Jay A. Kohler

Janice C. Peterson
Douglas T. Reindl
Boggarm S. Setty
James R. Tauby
James K. Vallort
William F. Walter
Michael W. Woodford
Craig P. Wray

Stephanie C. Reiniche, *Manager of Standards*

Introduction

This introduction is not part of IEEE Std 1635-2012/ASHRAE Guideline 21-2012, IEEE/ASHRAE Guide for the Ventilation and Thermal Management of Batteries for Stationary Applications.

The primary purpose of this guide is to assist users involved in the design and management of new stationary battery installations. The focus is the environmental design and management of the installation to maximize battery reliability as well as the safety of personnel and equipment. This guide is a joint effort by the IEEE and ASHRAE.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
1.3 Exclusions	2
1.4 Document organization	2
2. Normative references	3
3. Definitions, acronyms, and abbreviations	4
3.1 Definitions	4
3.2 Acronyms and abbreviations	4
4. Battery safety hazards and considerations	6
5. Fundamentals	6
5.1 Battery types	6
5.2 Battery application	9
5.3 Installation enclosure applications	10
6. Heating, ventilation, and air conditioning	11
6.1 General	11
6.2 HVAC design for performance	11
6.3 HVAC design for safety	13
7. Environmental design	15
7.1 General	15
7.2 Operating modes	15
7.3 Heating, ventilating, and air-conditioning system design requirements	26
7.4 HVAC system design for ventilation	28
7.5 Integrated battery areas	30
7.6 Controls and alarms	30
7.7 Battery room hazard classification	31
7.8 Enclosure design applications	31
8. Economics	32
8.1 General	32
8.2 Battery replacement factors	33
8.3 Relative importance of the installation	33
8.4 Reliability of the HVAC system	33
8.5 Availability of maintenance resources	33
8.6 Cost and availability of battery replacement	33
8.7 HVAC System control based on battery operating mode	33
9. Environmental management (operation and maintenance)	34
9.1 Battery system operation and maintenance	34
9.2 HVAC system operation and maintenance	34
Annex A (informative) Hydrogen generation in lead-acid and nickel-cadmium batteries	36
Annex B (informative) Heat generation in lead-acid batteries	59

Annex C (informative) Existing U.S. codes and standards	86
Annex D (informative) Explosive and toxic gas allowance considerations	88
Annex E (informative) Thermal runaway.....	90
Annex F (normative) Hydrogen sulfide gas	92
Annex G (informative) Bibliography	93

IEEE/ASHRAE Guide for the Ventilation and Thermal Management of Batteries for Stationary Applications

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This guide discusses the ventilation and thermal management of stationary battery systems as applied to the following:

- Vented (flooded) lead-acid (VLA)
- Valve-regulated lead-acid (VRLA)
- Nickel-cadmium (NiCd)

For each category, both the technology and the design of the battery are described in order to facilitate user understanding of the environmental issues associated with each type of technology.

The scope of this document includes only stationary batteries under conditions of expected use. Multiple operating modes are identified.

The ventilation practices described in this guide represent the “best practice” based on the information available at the time this document was developed. The user should evaluate these practices against their operating experience, operating conditions, number and size of battery systems, manufacturer’s recommendations, resources, and needs in developing an environment that maximizes safety and is