



**CSA
Group**

CSA A370:14
National Standard of Canada
(reaffirmed 2018)



Connectors for masonry



Standards Council of Canada
Conseil canadien des normes

REVISED MARCH 2015

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA A370:14, Connectors for masonry

National Standard of Canada — MARCH 2015
Outside front cover, National Standard of Canada text, title page, and preface.

Standards Update Service

CSA A370:14
March 2014

Title: *Connectors for masonry*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2422668**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA A370:14 *Connectors for masonry*



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in March 2014 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080.30
ISBN 978-1-77139-302-7*

*© 2014 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Masonry Connectors	4
Preface	6
1 Scope	8
2 Reference publications	9
3 Definitions	10
4 Materials and practices	12
4.1 Materials	12
4.1.1 General	12
4.1.2 Fasteners	12
4.2 Practices	13
4.2.1 General	13
4.2.2 Welding	13
4.2.3 Handling	13
4.2.4 Identification of wall ties	14
5 Corrosion protection	14
5.1 Effective life	14
5.2 Minimum level of corrosion protection	14
5.2.1 General	14
5.2.2 Level 1 corrosion protection	15
5.2.3 Level 2 corrosion protection	15
5.2.4 Level 3 corrosion protection	15
5.2.5 Material compatibility	15
6 Thickness requirements	17
6.1 Individual connectors	17
6.2 Continuous connectors	17
7 Maximum spacing of connectors	18
7.1 Ties	18
7.1.1 Maximum spacing of ties	18
7.1.2 Spacings at openings	18
7.1.3 Spacings at wall top	18
7.1.4 Spacings at wall base	18
7.1.5 Spacing for high-lift grouting and stone masonry	18
7.2 Wall anchors	19
7.2.1 General	19
7.2.2 Spacing for shear wall anchors	19
7.3 Partition anchors	19
7.3.1 General	19
7.3.2 Maximum spacing of horizontal lateral support anchors	19
7.3.3 Maximum spacing of vertical lateral support anchors	19

8	Minimum strength of connectors	19
8.1	Ties	19
8.2	Wall anchors	20
8.3	Partition anchors	20
9	Design of connectors	20
9.1	General	20
9.2	Ultimate strength	20
9.2.1	General	20
9.2.2	Determination of ultimate strength	20
9.3	Serviceability	22
9.3.1	Differential movements	22
9.3.2	Connector rigidity	22
9.3.3	Tie displacement and mechanical free play	22
9.3.4	Adjustable connectors	23
9.4	General design	23
9.4.1	Design method	23
9.4.2	Limit states design	24
9.5	Structural integrity	24
10	Prescriptive connectors	25
10.1	Connector thickness	25
10.2	Connector spacing	25
10.3	Connector strength and serviceability	25
10.4	Cavity width	26
10.4.1	Design width	26
10.4.2	Constructed width	26
10.5	Prescriptive ties	26
10.5.1	Corrugated strip ties	26
10.5.2	Z-wire ties	27
10.5.3	Rectangular wire ties	27
10.5.4	Continuous-welded ladder and truss ties/reinforcing	28
10.5.5	Dovetail anchor/ties and corrugated dovetail anchor/ties	29
10.6	Anchors	30
10.6.1	Bar anchors	30
10.6.2	Bolt and rod anchors	31
10.7	Fasteners	32
10.7.1	General	32
10.7.3	Fasteners for corrugated strip ties	32
10.7.4	Nails	32
10.7.5	Powder actuated fasteners	32
11	Repair connectors	32
11.1	Connector material	32
11.2	Connector thickness	32
11.3	Connector spacing	33
11.4	Connector strength	33
11.5	Connector design	33
11.6	Determination of connector acceptability	33

11.6.1	General	33
11.6.2	Field testing of connectors	33
11.6.3	Method of testing	34
12	Methods of testing connectors	34
12.1	Design and development testing	34
12.1.1	General	34
12.1.2	Apparatus	35
12.1.3	Test specimens	35
12.1.4	Procedures	36
12.1.5	Calculation of ultimate strength, displacement, and mechanical free play	37
12.1.6	Report	38
12.2	In situ connector testing	39
12.3	Test for zinc coating thickness	39

Annex A (informative)	— Connector types and uses	43
Annex B (informative)	— Typical connector details	49
Annex C (informative)	— Corrosion of metal connectors	70
Annex D (informative)	— Resistance to water penetration	80
Annex E (normative)	— Annual driving rain indices for selected locations in Canada	81

Technical Committee on Masonry Connectors

M. Hatzinikolas	Fero Corporation, Edmonton, Alberta <i>Representing Producer Interest</i>	<i>Chair</i>
M.J. Wilson	RDH Building Engineering Ltd, Victoria, British Columbia <i>Representing User Interest</i>	<i>Vice-Chair</i>
J.W. Cowie	J.W. Cowie Engineering Limited, Halifax, Nova Scotia	<i>Associate</i>
M.L. De Marinis	De Marinis (DMA) Inc, Nepean, Ontario <i>Representing User Interest</i>	
R.G. Drysdale	Drysdale Engineering & Associates Limited, Ancaster, Ontario <i>Representing General Interest</i>	
A. Dukuze	AnalytiXal Designs Ltd, Fredericton, New Brunswick <i>Representing General Interest</i>	
B. Fazio	BLOK-LOK Limited, Woodbridge, Ontario	<i>Associate</i>
S. Franks	BLOK-LOK Limited, Woodbridge, Ontario <i>Representing Producer Interest</i>	
E.B. George	GA Masonry, Breslau, Ontario <i>Representing User Interest</i>	
K.G. Griffiths	City of Calgary - Development and Building Approvals, Calgary, Alberta <i>Representing General Interest</i>	
M.J. Guzman	Canada Masonry Design Centre, Calgary, Alberta	<i>Associate</i>

K. Ibrahim	KIB Consultants Inc, Ottawa, Ontario <i>Representing General Interest</i>	
S. Lissel	The University of Calgary, Calgary, Alberta <i>Representing General Interest</i>	
Y. Liu	Dalhousie University, Halifax, Nova Scotia	<i>Associate</i>
W.C. McEwen	Masonry Institute of BC, Vancouver, British Columbia <i>Representing Producer Interest</i>	
S.J. Presacco	Linar Masonry Inc., Woodbridge, Ontario <i>Representing User Interest</i>	
J. Price	Morrison Hershfield Ltd, Toronto, Ontario	<i>Associate</i>
J. Rice	Bailey Metal Products Ltd., Concord, Ontario <i>Representing Producer Interest</i>	
D. Stubbs	Canada Masonry Design Centre, Mississauga, Ontario <i>Representing User Interest</i>	
G.R. Sturgeon	Canadian Concrete Masonry Producers Association (CCMPA), Millarville, Alberta	<i>Associate</i>
L. Wegner	University of Saskatchewan, Saskatoon, Saskatchewan <i>Representing General Interest</i>	
J. Fisher	CSA Group, Mississauga, Ontario	

Preface

This is the fourth edition of CSA A370, *Connectors for masonry*. It supersedes the previous editions published in 2004, 1994, and 1984.

Significant changes in this edition include the following:

- a) New requirements on fastener materials (Clause 4.1.2) have been added.
- b) References to typical designs have been removed as requirements and moved into notes regarding wall anchors with reference to CSA S304 (Clause 7.2).
- c) Significance of misalignment on ultimate strength has been recognized in a new note (Clause 9.2.2.3, Note 2).
- d) Application of free play to typical load-deformation curve has been demonstrated by added content to Figure 9.1.
- e) Editorial changes in the terminology within this Standard address concerns that previous use of “embedment” may be interpreted to require the suspension of the connector within the mortar between masonry units (i.e., mortar placed below and above the connector), whereas standard construction practice often results in the connector being placed directly on the masonry unit and then covered in mortar.
- f) Harmonization of terminology related to the use of “Tie” and “Connector” throughout standard
- g) New requirements for fasteners (Clause 10.7) have been added.
- h) Updated Figures in the Annexes.
- i) Expanded guidance has been added on Connectors in Annex A in regards to the Standard now recognizing connectors and prescriptive connectors.
- j) Additional information has been provided in Annex C on contact between different metals (Clause C.6).
- k) Annex E has been updated for current Annual driving rain indices.

This Standard should be read in conjunction with CSA S304, *Design of masonry structures*, and CSA A371, *Masonry construction for buildings*.

This Standard was prepared by the Technical Committee on Masonry Connectors, under the jurisdiction of the Strategic Steering Committee on Masonry, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*

- c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
- a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.

CSA A370:14

Connectors for masonry

1 Scope

Notes:

- 1) For requirements pertaining to loads acting on connectors, see CSA S304.
- 2) For requirements pertaining to installation of masonry connectors, see CSA A371.

1.1

This Standard specifies minimum requirements for designing the following masonry connectors:

- a) ties used to
 - i) interconnect the wythes of a masonry wall; or
 - ii) attach masonry veneer to its structural backing;
- b) anchors used to
 - i) connect masonry walls to intersecting walls or to other structural members;
 - ii) attach stone to its structural backing; or
 - iii) interconnect stone;
- c) fasteners used to secure a masonry tie or anchor to a structural member, or to interconnect components of a multi-component tie or anchor; and
- d) repair connectors used to restore or improve masonry construction.

1.2

This Standard does not apply to

- a) connectors for
 - i) precast concrete; and
 - ii) prefabricated masonry panels; and
- b) fasteners used to attach equipment or fixtures to buildings.

1.3

This Standard recognizes two types of masonry connectors:

- a) connectors, including repair connectors, designed in accordance with the performance requirements of this Standard; and
- b) prescriptive connectors, which offer a simple prescriptive solution (or deemed-to-comply solution) to the performance requirements of this Standard when complying with the stated limiting conditions for use.

1.4

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.