

ETSI TS 145 003 V13.1.0 (2016-04)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Channel coding
(3GPP TS 45.003 version 13.1.0 Release 13)**



ReferenceRTS/TSGG-0145003vd10

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 18 |
| 1 Scope | 19 |
| 1.1 References | 19 |
| 1.2 Abbreviations | 20 |
| 2 General | 20 |
| 2.1 General organization | 20 |
| 2.2 Naming Convention | 34 |
| 3 Traffic Channels (TCH) | 36 |
| 3.1 Speech channel at full rate (TCH/FS and TCH/EFS)..... | 37 |
| 3.1.1 Preliminary channel coding for EFR only | 37 |
| 3.1.1.1 CRC calculation | 37 |
| 3.1.1.2 Repetition bits | 37 |
| 3.1.1.3 Correspondence between input and output of preliminary channel coding..... | 37 |
| 3.1.2 Channel coding for FR and EFR..... | 38 |
| 3.1.2.1 Parity and tailing for a speech frame..... | 38 |
| 3.1.2.2 Convolutional encoder | 38 |
| 3.1.3 Interleaving | 39 |
| 3.1.4 Mapping on a Burst..... | 39 |
| 3.2 Speech channel at half rate (TCH/HS) | 39 |
| 3.2.1 Parity and tailing for a speech frame | 39 |
| 3.2.2 Convolutional encoder..... | 40 |
| 3.2.3 Interleaving | 41 |
| 3.2.4 Mapping on a burst | 41 |
| 3.3 Data channel at full rate, 12.0 kbit/s radio interface rate (9.6 kbit/s services (TCH/F9.6))..... | 41 |
| 3.3.1 Interface with user unit | 41 |
| 3.3.2 Block code | 41 |
| 3.3.3 Convolutional encoder..... | 42 |
| 3.3.4 Interleaving | 42 |
| 3.3.5 Mapping on a Burst..... | 42 |
| 3.4 Data channel at full rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/F4.8))..... | 42 |
| 3.4.1 Interface with user unit | 42 |
| 3.4.2 Block code | 43 |
| 3.4.3 Convolutional encoder..... | 43 |
| 3.4.4 Interleaving | 43 |
| 3.4.5 Mapping on a Burst..... | 43 |
| 3.5 Data channel at half rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/H4.8))..... | 43 |
| 3.5.1 Interface with user unit | 43 |
| 3.5.2 Block code | 43 |
| 3.5.3 Convolutional encoder..... | 44 |
| 3.5.4 Interleaving | 44 |
| 3.5.5 Mapping on a Burst..... | 44 |
| 3.6 Data channel at full rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/F2.4))..... | 44 |
| 3.6.1 Interface with user unit | 44 |
| 3.6.2 Block code | 44 |
| 3.6.3 Convolutional encoder..... | 44 |
| 3.6.4 Interleaving | 45 |
| 3.6.5 Mapping on a Burst..... | 45 |
| 3.7 Data channel at half rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/H2.4))..... | 45 |
| 3.7.1 Interface with user unit | 45 |
| 3.7.2 Block code | 45 |

| | | |
|----------|---|----|
| 3.7.3 | Convolutional encoder | 45 |
| 3.7.4 | Interleaving | 45 |
| 3.7.5 | Mapping on a Burst..... | 45 |
| 3.8 | Data channel at full rate, 14.5 kbit/s radio interface rate (14.4 kbit/s services (TCH/F14.4))..... | 45 |
| 3.8.1 | Interface with user unit | 45 |
| 3.8.2 | Block code | 46 |
| 3.8.3 | Convolutional encoder | 46 |
| 3.8.4 | Interleaving | 46 |
| 3.8.5 | Mapping on a Burst..... | 46 |
| 3.9 | Adaptive multi rate speech channel at full rate (TCH/AFS) | 46 |
| 3.9.1 | SID_UPDATE | 47 |
| 3.9.1.1 | Coding of in-band data..... | 47 |
| 3.9.1.2 | Parity and convolutional encoding for the comfort noise parameters | 47 |
| 3.9.1.3 | Identification marker | 48 |
| 3.9.1.4 | Interleaving | 48 |
| 3.9.1.5 | Mapping on a Burst..... | 48 |
| 3.9.2 | SID_FIRST | 49 |
| 3.9.2.1 | Coding of in-band data..... | 49 |
| 3.9.2.2 | Identification marker | 49 |
| 3.9.2.3 | Interleaving | 49 |
| 3.9.2.4 | Mapping on a Burst..... | 49 |
| 3.9.3 | ONSET | 49 |
| 3.9.3.1 | Coding of in-band data..... | 49 |
| 3.9.3.2 | Interleaving | 50 |
| 3.9.3.3 | Mapping on a Burst..... | 50 |
| 3.9.4 | SPEECH | 50 |
| 3.9.4.1 | Coding of the in-band data..... | 50 |
| 3.9.4.2 | Ordering according to subjective importance..... | 50 |
| 3.9.4.3 | Parity for speech frames..... | 51 |
| 3.9.4.4 | Convolutional encoder | 53 |
| 3.9.4.5 | Interleaving | 59 |
| 3.9.4.6 | Mapping on a Burst..... | 59 |
| 3.9.5 | RATSCCH..... | 59 |
| 3.9.5.1 | Coding of in-band data..... | 59 |
| 3.9.5.2 | Parity and convolutional encoding for the RATSCCH message..... | 60 |
| 3.9.5.3 | Identification marker | 61 |
| 3.9.5.4 | Interleaving | 61 |
| 3.9.5.5 | Mapping on a Burst..... | 61 |
| 3.10 | Adaptive multi rate speech channel at half rate (TCH/AHS) | 61 |
| 3.10.1 | SID_UPDATE | 61 |
| 3.10.1.1 | Coding of in-band data..... | 62 |
| 3.10.1.2 | Parity and convolutional encoding for the comfort noise parameters | 62 |
| 3.10.1.3 | Identification marker | 63 |
| 3.10.1.4 | Interleaving | 63 |
| 3.10.1.5 | Mapping on a Burst..... | 63 |
| 3.10.2 | SID_UPDATE_INH | 63 |
| 3.10.2.1 | Coding of in-band data..... | 63 |
| 3.10.2.2 | Identification marker | 64 |
| 3.10.2.3 | Interleaving | 64 |
| 3.10.2.4 | Mapping on a Burst..... | 64 |
| 3.10.3 | SID_FIRST_P1 | 64 |
| 3.10.3.1 | Coding of in-band data..... | 64 |
| 3.10.3.2 | Identification marker | 64 |
| 3.10.3.3 | Interleaving | 65 |
| 3.10.3.4 | Mapping on a Burst..... | 65 |
| 3.10.4 | SID_FIRST_P2..... | 65 |
| 3.10.4.1 | Coding of in-band data..... | 65 |
| 3.10.4.2 | Interleaving | 65 |
| 3.10.4.3 | Mapping on a Burst..... | 65 |
| 3.10.5 | SID_FIRST_INH..... | 65 |
| 3.10.5.1 | Coding of in-band data..... | 66 |
| 3.10.5.2 | Identification marker | 66 |

| | | |
|----------|---|----|
| 3.10.5.3 | Interleaving | 66 |
| 3.10.5.4 | Mapping on a Burst | 66 |
| 3.10.6 | ONSET | 66 |
| 3.10.6.1 | Coding of in-band data | 66 |
| 3.10.6.2 | Interleaving | 66 |
| 3.10.6.3 | Mapping on a Burst | 66 |
| 3.10.7 | SPEECH | 66 |
| 3.10.7.1 | Coding of the in-band data | 66 |
| 3.10.7.2 | Ordering according to subjective importance | 67 |
| 3.10.7.3 | Parity for speech frames | 67 |
| 3.10.7.4 | Convolutional encoder | 69 |
| 3.10.7.5 | Interleaving | 73 |
| 3.10.7.6 | Mapping on a Burst | 73 |
| 3.10.8 | RATSCCH_MARKER | 73 |
| 3.10.8.1 | Coding of in-band data | 73 |
| 3.10.8.2 | Identification marker | 73 |
| 3.10.8.3 | Interleaving | 73 |
| 3.10.8.4 | Mapping on a Burst | 73 |
| 3.10.9 | RATSCCH_DATA | 74 |
| 3.10.9.1 | Coding of in-band data | 74 |
| 3.10.9.2 | Parity and convolutional encoding for the RATSCCH message | 74 |
| 3.10.9.3 | Interleaving | 75 |
| 3.10.9.4 | Mapping on a Burst | 75 |
| 3.11 | Data channel for ECSD at full rate, 29.0 kbit/s radio interface rate (28.8 kbit/s services (E-TCH/F28.8)) | 75 |
| 3.11.1 | Interface with user unit | 75 |
| 3.11.2 | Block code | 75 |
| 3.11.2.1 | Repetition bits | 75 |
| 3.11.2.2 | Reed Solomon encoder | 75 |
| 3.11.3 | Convolutional encoder | 77 |
| 3.11.3.1 | Tailing bits for a data frame | 77 |
| 3.11.3.2 | Convolutional encoding for a data frame | 77 |
| 3.11.4 | Interleaving | 77 |
| 3.11.5 | Mapping on a Burst | 77 |
| 3.12 | Data channel for ECSD at full rate, 32.0 kbit/s radio interface rate (32.0 kbit/s services (E-TCH/F32.0)) | 78 |
| 3.12.1 | Interface with user unit | 78 |
| 3.12.2 | Void | 78 |
| 3.12.3 | Convolutional encoder | 78 |
| 3.12.3.1 | Tailing bits for a data frame | 78 |
| 3.12.3.2 | Convolutional encoding for a data frame | 78 |
| 3.12.4 | Interleaving | 80 |
| 3.12.5 | Mapping on a Burst | 80 |
| 3.13 | Data channel for ECSD at full rate, 43.5 kbit/s radio interface rate (43.2 kbit/s services (E-TCH/F43.2)) | 80 |
| 3.13.1 | Interface with user unit | 80 |
| 3.13.2 | Convolutional encoder | 80 |
| 3.13.2.1 | Tailing bits for a data frame | 80 |
| 3.13.2.2 | Convolutional encoding for a data frame | 80 |
| 3.13.3 | Interleaving | 81 |
| 3.13.4 | Mapping on a Burst | 81 |
| 3.14 | Wideband Adaptive multi rate speech channel at full rate (TCH/WFS) | 81 |
| 3.14.1 | SID_UPDATE | 81 |
| 3.14.2 | SID_FIRST | 81 |
| 3.14.3 | ONSET | 81 |
| 3.14.4 | SPEECH | 81 |
| 3.14.4.1 | Coding of the in-band data | 82 |
| 3.14.4.2 | Ordering according to subjective importance | 82 |
| 3.14.4.3 | Parity for speech frames | 82 |
| 3.14.4.4 | Convolutional encoder | 83 |
| 3.14.4.5 | Interleaving | 86 |
| 3.14.4.6 | Mapping on a Burst | 86 |
| 3.14.5 | RATSCCH | 86 |
| 3.15 | Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/AHS) | 86 |
| 3.15.1 | SID_UPDATE | 87 |

| | | |
|----------|---|-----|
| 3.15.1.1 | Coding of in-band data..... | 87 |
| 3.15.1.2 | Parity and convolutional encoding for the comfort noise parameters | 87 |
| 3.15.1.3 | Identification marker | 87 |
| 3.15.1.4 | Repetition | 87 |
| 3.15.1.5 | Interleaving | 87 |
| 3.15.1.6 | Mapping on a Burst | 87 |
| 3.15.2 | SID_UPDATE_INH | 87 |
| 3.15.2.1 | Coding of in-band data..... | 88 |
| 3.15.2.2 | Identification marker | 88 |
| 3.15.2.3 | Repetition | 88 |
| 3.15.2.4 | Interleaving | 88 |
| 3.15.2.5 | Mapping on a Burst | 88 |
| 3.15.3 | SID_FIRST_P1 | 88 |
| 3.15.3.1 | Coding of in-band data..... | 88 |
| 3.15.3.2 | Identification marker | 88 |
| 3.15.3.3 | Repetition | 88 |
| 3.15.3.4 | Interleaving | 88 |
| 3.15.3.5 | Mapping on a Burst | 89 |
| 3.15.4 | SID_FIRST_P2..... | 89 |
| 3.15.4.1 | Coding of in-band data..... | 89 |
| 3.15.4.2 | Repetition | 89 |
| 3.15.4.3 | Interleaving | 89 |
| 3.15.4.4 | Mapping on a Burst | 89 |
| 3.15.5 | SID_FIRST_INH..... | 89 |
| 3.15.5.1 | Coding of in-band data..... | 89 |
| 3.15.5.2 | Identification marker | 89 |
| 3.15.5.3 | Repetition | 89 |
| 3.15.5.4 | Interleaving | 90 |
| 3.15.5.5 | Mapping on a Burst | 90 |
| 3.15.6 | ONSET | 90 |
| 3.15.6.1 | Coding of in-band data..... | 90 |
| 3.15.6.2 | Repetition | 90 |
| 3.15.6.3 | Interleaving | 90 |
| 3.15.6.4 | Mapping on a Burst | 90 |
| 3.15.7 | SPEECH | 90 |
| 3.15.7.1 | Coding of the in-band data | 90 |
| 3.15.7.2 | Ordering according to subjective importance..... | 90 |
| 3.15.7.3 | Parity for speech frames..... | 91 |
| 3.15.7.4 | Convolutional encoder | 93 |
| 3.15.7.5 | Interleaving | 107 |
| 3.15.7.6 | Mapping on a Burst | 108 |
| 3.15.8 | RATSCCH_MARKER..... | 108 |
| 3.15.8.1 | Coding of in-band data..... | 108 |
| 3.15.8.2 | Identification marker | 108 |
| 3.15.8.3 | Interleaving | 108 |
| 3.15.8.4 | Mapping on a Burst | 108 |
| 3.15.9 | RATSCCH_DATA..... | 108 |
| 3.15.9.1 | Coding of in-band data..... | 108 |
| 3.15.9.2 | Parity and convolutional encoding for the RATSCCH message..... | 109 |
| 3.15.9.3 | Interleaving | 109 |
| 3.15.9.4 | Mapping on a Burst | 109 |
| 3.16 | Wideband Adaptive multi rate speech channel at 8-PSK full rate (O-TCH/WFS)..... | 109 |
| 3.16.1 | SID_UPDATE | 109 |
| 3.16.1.1 | Coding of in-band data..... | 110 |
| 3.16.1.2 | Parity and convolutional encoding for the comfort noise parameters | 110 |
| 3.16.1.3 | Identification marker | 110 |
| 3.16.1.4 | Repetition | 110 |
| 3.16.1.5 | Interleaving | 110 |
| 3.16.1.6 | Mapping on a Burst | 110 |
| 3.16.2 | SID_FIRST | 110 |
| 3.16.2.1 | Coding of in-band data..... | 110 |
| 3.16.2.2 | Identification marker | 110 |

| | | |
|----------|--|-----|
| 3.16.2.3 | Repetition | 110 |
| 3.16.2.4 | Interleaving | 110 |
| 3.16.2.5 | Mapping on a Burst | 111 |
| 3.16.3 | ONSET | 111 |
| 3.16.3.1 | Coding of in-band data | 111 |
| 3.16.3.2 | Repetition | 111 |
| 3.16.3.3 | Interleaving | 111 |
| 3.16.3.4 | Mapping on a Burst | 111 |
| 3.16.4 | SPEECH | 111 |
| 3.16.4.1 | Coding of the in-band data | 111 |
| 3.16.4.2 | Ordering according to subjective importance | 111 |
| 3.16.4.3 | Parity for speech frames | 112 |
| 3.16.4.4 | Convolutional encoder | 113 |
| 3.16.4.5 | Interleaving | 128 |
| 3.16.4.6 | Mapping on a Burst | 128 |
| 3.16.5 | RATSCCH | 128 |
| 3.16.5.1 | Coding of in-band data | 128 |
| 3.16.5.2 | Parity and convolutional encoding for the RATSCCH message | 128 |
| 3.16.5.3 | Identification marker | 128 |
| 3.16.5.4 | Interleaving | 128 |
| 3.16.5.5 | Mapping on a Burst | 129 |
| 3.17 | Wideband Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/WHS) | 129 |
| 3.17.1 | SID_UPDATE | 129 |
| 3.17.1.1 | Coding of in-band data | 129 |
| 3.17.1.2 | Parity and convolutional encoding for the comfort noise parameters | 129 |
| 3.17.1.3 | Identification marker | 130 |
| 3.17.1.4 | Repetition | 130 |
| 3.17.1.5 | Interleaving | 130 |
| 3.17.1.6 | Mapping on a Burst | 130 |
| 3.17.2 | SID_UPDATE_INH | 130 |
| 3.17.2.1 | Coding of in-band data | 130 |
| 3.17.2.2 | Identification marker | 130 |
| 3.17.2.3 | Repetition | 130 |
| 3.17.2.4 | Interleaving | 130 |
| 3.17.2.5 | Mapping on a Burst | 130 |
| 3.17.3 | SID_FIRST_P1 | 130 |
| 3.17.3.1 | Coding of in-band data | 130 |
| 3.17.3.2 | Identification marker | 131 |
| 3.17.3.3 | Repetition | 131 |
| 3.17.3.4 | Interleaving | 131 |
| 3.17.3.5 | Mapping on a Burst | 131 |
| 3.17.4 | SID_FIRST_P2 | 131 |
| 3.17.4.1 | Coding of in-band data | 131 |
| 3.17.4.2 | Repetition | 131 |
| 3.17.4.3 | Interleaving | 131 |
| 3.17.4.4 | Mapping on a Burst | 131 |
| 3.17.5 | SID_FIRST_INH | 131 |
| 3.17.5.1 | Coding of in-band data | 131 |
| 3.17.5.2 | Identification marker | 131 |
| 3.17.5.3 | Repetition | 132 |
| 3.17.5.4 | Interleaving | 132 |
| 3.17.5.5 | Mapping on a Burst | 132 |
| 3.17.6 | ONSET | 132 |
| 3.17.6.1 | Coding of in-band data | 132 |
| 3.17.6.2 | Repetition | 132 |
| 3.17.6.3 | Interleaving | 132 |
| 3.17.6.4 | Mapping on a Burst | 132 |
| 3.17.7 | SPEECH | 132 |
| 3.17.7.1 | Coding of the in-band data | 132 |
| 3.17.7.2 | Ordering according to subjective importance | 132 |
| 3.17.7.3 | Parity for speech frames | 133 |
| 3.17.7.4 | Convolutional encoder | 134 |

| | | |
|----------|--|-----|
| 3.17.7.5 | Interleaving | 139 |
| 3.17.7.6 | Mapping on a Burst | 139 |
| 3.17.8 | RATSCCH_MARKER | 139 |
| 3.17.8.1 | Coding of in-band data | 140 |
| 3.17.8.2 | Identification marker | 140 |
| 3.17.8.3 | Interleaving | 140 |
| 3.17.8.4 | Mapping on a Burst | 140 |
| 3.17.9 | RATSCCH_DATA | 140 |
| 3.17.9.1 | Coding of in-band data | 140 |
| 3.17.9.2 | Parity and convolutional encoding for the RATSCCH message | 140 |
| 3.17.9.3 | Interleaving | 140 |
| 3.17.9.4 | Mapping on a Burst | 140 |
| 4 | Control Channels | 140 |
| 4.1 | Slow associated control channel (SACCH) | 140 |
| 4.1.1 | Block constitution | 140 |
| 4.1.2 | Block code | 140 |
| 4.1.3 | Convolutional encoder | 141 |
| 4.1.4 | Interleaving | 141 |
| 4.1.5 | Mapping on a Burst | 141 |
| 4.2 | Fast associated control channel at full rate (FACCH/F) | 142 |
| 4.2.1 | Block constitution | 142 |
| 4.2.2 | Block code | 142 |
| 4.2.3 | Convolutional encoder | 142 |
| 4.2.4 | Interleaving | 142 |
| 4.2.5 | Mapping on a Burst | 142 |
| 4.3 | Fast associated control channel at half rate (FACCH/H) | 143 |
| 4.3.1 | Block constitution | 143 |
| 4.3.2 | Block code | 143 |
| 4.3.3 | Convolutional encoder | 143 |
| 4.3.4 | Interleaving | 143 |
| 4.3.5 | Mapping on a Burst | 143 |
| 4.4 | Broadcast control, Paging, Access grant, Notification and Cell broadcast channels (BCCH, PCH, AGCH, NCH, CBCH), CTS Paging and Access grant channels (CTSPCH, CTSAGCH) | 144 |
| 4.5 | Stand-alone dedicated control channel (SDCCH) | 144 |
| 4.6 | Random access channel (RACH) | 144 |
| 4.7 | Synchronization channel (SCH), Compact synchronization channel (CSCH), CTS Beacon and Access request channels (CTSBCH-SB, CTSARCH) | 145 |
| 4.7a | Extended Coverage Synchronization channel (EC-SCH) | 145 |
| 4.7a.1 | Block constitution | 145 |
| 4.7a.2 | Coding | 146 |
| 4.7a.3 | Blind physical layer transmission | 146 |
| 4.7a.4 | Cyclic shift | 146 |
| 4.8 | Access Burst on circuit switched channels other than RACH | 146 |
| 4.9 | Access Bursts for uplink access on a channel used for VGCS or VBS | 146 |
| 4.10a | Fast associated control channel at ECSD E-TCH/F (E-FACCH/F) | 146 |
| 4.10a.1 | Block constitution | 146 |
| 4.10a.2 | Block code | 146 |
| 4.10a.3 | Convolutional encoder | 146 |
| 4.10a.4 | Interleaving | 146 |
| 4.10a.5 | Mapping on a Burst | 147 |
| 4.10b | Octal fast associated control channel at half rate (O-FACCH/H) | 147 |
| 4.10b.1 | Block constitution | 147 |
| 4.10b.2 | Block code | 147 |
| 4.10b.3 | Convolutional encoder | 148 |
| 4.10b.4 | Reordering | 148 |
| 4.10b.5 | Interleaving | 148 |
| 4.10b.6 | Mapping on a burst | 148 |
| 4.10c | Octal fast associated control channel at full rate (O-FACCH/F) | 149 |
| 4.10c.1 | Block constitution | 149 |
| 4.10c.2 | Block code | 149 |
| 4.10c.3 | Convolutional encoder | 149 |

| | | |
|-------------|--|-----|
| 4.10c.4 | Reordering | 149 |
| 4.10c.5 | Interleaving | 149 |
| 4.10c.6 | Mapping on a burst | 149 |
| 4.11 | Slow associated control channel with embedded enhanced power control (SACCH/TP)..... | 150 |
| 4.11.1 | Block constitution | 150 |
| 4.11.2 | Block code | 150 |
| 4.11.3 | Convolutional encoder | 150 |
| 4.11.4 | Dummy bits insertion..... | 150 |
| 4.11.5 | Interleaving | 151 |
| 4.11.6 | Mapping on a Burst..... | 151 |
| 4.12 | Enhanced power control channel (EPCCH) | 152 |
| 4.12.1 | Block code | 152 |
| 4.12.2 | Mapping on a Burst..... | 152 |
| 5 | Packet Switched Channels..... | 152 |
| 5.1 | Packet data traffic channel (PDTCH)..... | 152 |
| 5.1.1 | Packet data block type 1 (CS-1)..... | 153 |
| 5.1.2 | Packet data block type 2 (CS-2)..... | 153 |
| 5.1.2.1 | Block constitution | 153 |
| 5.1.2.2 | Block code..... | 153 |
| 5.1.2.3 | Convolutional encoder | 154 |
| 5.1.2.4 | Interleaving | 154 |
| 5.1.2.5 | Mapping on a burst..... | 154 |
| 5.1.3 | Packet data block type 3 (CS-3)..... | 154 |
| 5.1.3.1 | Block constitution | 154 |
| 5.1.3.2 | Block code..... | 154 |
| 5.1.3.3 | Convolutional encoder | 155 |
| 5.1.3.4 | Interleaving | 155 |
| 5.1.3.5 | Mapping on a burst..... | 155 |
| 5.1.4 | Packet data block type 4 (CS-4)..... | 156 |
| 5.1.4.1 | Block constitution | 156 |
| 5.1.4.2 | Block code..... | 156 |
| 5.1.4.3 | Convolutional encoder | 156 |
| 5.1.4.4 | Interleaving | 156 |
| 5.1.4.5 | Mapping on a burst..... | 156 |
| 5.1.4a | Packet data block type 5a (MCS-0) | 157 |
| 5.1.4a.1 | Downlink (MCS-0 DL) | 157 |
| 5.1.4a.1.1 | Block constitution..... | 157 |
| 5.1.4a.1.2 | USF precoding..... | 157 |
| 5.1.4a.1.3 | Data coding..... | 157 |
| 5.1.4a.1.4 | Header coding..... | 158 |
| 5.1.4a.1.5 | Interleaving..... | 158 |
| 5.1.4a.1.6 | Mapping on a burst | 158 |
| 5.1.5 | Packet data block type 5 (MCS-1) | 158 |
| 5.1.5.1 | Downlink (MCS-1 DL) | 158 |
| 5.1.5.1.1 | Block constitution..... | 158 |
| 5.1.5.1.2 | USF precoding..... | 158 |
| 5.1.5.1.2.1 | BTTI configuration | 158 |
| 5.1.5.1.2.2 | RTTI configuration | 159 |
| 5.1.5.1.3 | Header coding..... | 159 |
| 5.1.5.1.4 | Data coding..... | 160 |
| 5.1.5.1.4a | Piggy-backed Ack/Nack coding | 161 |
| 5.1.5.1.5 | Interleaving..... | 162 |
| 5.1.5.1.6 | Mapping on a burst | 163 |
| 5.1.5.1.6.1 | BTTI configuration | 163 |
| 5.1.5.1.6.2 | RTTI configuration | 163 |
| 5.1.5.2 | Uplink (MCS-1 UL)..... | 164 |
| 5.1.5.2.1 | Block constitution..... | 164 |
| 5.1.5.2.2 | Header coding..... | 164 |
| 5.1.5.2.3 | Data coding..... | 165 |
| 5.1.5.2.3a | Piggy-backed Ack/Nack coding | 165 |
| 5.1.5.2.4 | Interleaving..... | 165 |

| | | |
|-------------|---------------------------------------|-----|
| 5.1.5.2.5 | Mapping on a burst..... | 166 |
| 5.1.6 | Packet data block type 6 (MCS-2)..... | 166 |
| 5.1.6.1 | Downlink (MCS-2 DL)..... | 166 |
| 5.1.6.1.1 | Block constitution..... | 166 |
| 5.1.6.1.2 | USF precoding..... | 166 |
| 5.1.6.1.2.1 | BTTI configuration..... | 166 |
| 5.1.6.1.2.2 | RTTI configuration..... | 166 |
| 5.1.6.1.3 | Header coding..... | 166 |
| 5.1.6.1.4 | Data coding..... | 166 |
| 5.1.6.1.4a | Piggy-backed Ack/Nack coding..... | 167 |
| 5.1.6.1.5 | Interleaving..... | 167 |
| 5.1.6.1.6 | Mapping on a burst..... | 168 |
| 5.1.6.2 | Uplink (MCS-2 UL)..... | 168 |
| 5.1.6.2.1 | Block constitution..... | 168 |
| 5.1.6.2.2 | Header coding..... | 168 |
| 5.1.6.2.3 | Data coding..... | 168 |
| 5.1.6.2.3a | Piggy-backed Ack/Nack coding..... | 168 |
| 5.1.6.2.4 | Interleaving..... | 168 |
| 5.1.6.2.5 | Mapping on a burst..... | 168 |
| 5.1.7 | Packet data block type 7 (MCS-3)..... | 168 |
| 5.1.7.1 | Downlink (MCS-3 DL)..... | 168 |
| 5.1.7.1.1 | Block constitution..... | 168 |
| 5.1.7.1.2 | USF precoding..... | 169 |
| 5.1.7.1.2.1 | BTTI configuration..... | 169 |
| 5.1.7.1.2.2 | RTTI configuration..... | 169 |
| 5.1.7.1.3 | Header coding..... | 169 |
| 5.1.7.1.4 | Data coding..... | 169 |
| 5.1.7.1.4a | Piggy-backed Ack/Nack coding..... | 170 |
| 5.1.7.1.5 | Interleaving..... | 170 |
| 5.1.7.1.6 | Mapping on a burst..... | 170 |
| 5.1.7.2 | Uplink (MCS-3 UL)..... | 170 |
| 5.1.7.2.1 | Block constitution..... | 170 |
| 5.1.7.2.2 | Header coding..... | 170 |
| 5.1.7.2.3 | Data coding..... | 170 |
| 5.1.7.2.3a | Piggy-backed Ack/Nack coding..... | 171 |
| 5.1.7.2.4 | Interleaving..... | 171 |
| 5.1.7.2.5 | Mapping on a burst..... | 171 |
| 5.1.8 | Packet data block type 8 (MCS-4)..... | 171 |
| 5.1.8.1 | Downlink (MCS-4 DL)..... | 171 |
| 5.1.8.1.1 | Block constitution..... | 171 |
| 5.1.8.1.2 | USF precoding..... | 171 |
| 5.1.8.1.2.1 | BTTI configuration..... | 171 |
| 5.1.8.1.2.2 | RTTI configuration..... | 171 |
| 5.1.8.1.3 | Header coding..... | 171 |
| 5.1.8.1.4 | Data coding..... | 171 |
| 5.1.8.1.5 | Interleaving..... | 172 |
| 5.1.8.1.6 | Mapping on a burst..... | 172 |
| 5.1.8.2 | Uplink (MCS-4 UL)..... | 172 |
| 5.1.8.2.1 | Block constitution..... | 172 |
| 5.1.8.2.2 | Header coding..... | 172 |
| 5.1.8.2.3 | Data coding..... | 172 |
| 5.1.8.2.4 | Interleaving..... | 172 |
| 5.1.8.2.5 | Mapping on a burst..... | 173 |
| 5.1.9 | Packet data block type 9 (MCS-5)..... | 173 |
| 5.1.9.1 | Downlink (MCS-5 DL)..... | 173 |
| 5.1.9.1.1 | Block constitution..... | 173 |
| 5.1.9.1.2 | USF precoding..... | 173 |
| 5.1.9.1.2.1 | BTTI configuration..... | 173 |
| 5.1.9.1.2.2 | RTTI configurations..... | 173 |
| 5.1.9.1.3 | Header coding..... | 174 |
| 5.1.9.1.4 | Data coding..... | 175 |
| 5.1.9.1.4a | Piggy-backed Ack/Nack coding..... | 176 |

| | | |
|--------------|--|-----|
| 5.1.9.1.5 | Interleaving..... | 177 |
| 5.1.9.1.6 | Mapping on a burst..... | 177 |
| 5.1.9.2 | Uplink (MCS-5 UL)..... | 179 |
| 5.1.9.2.1 | Block constitution..... | 179 |
| 5.1.9.2.2 | Header coding..... | 180 |
| 5.1.9.2.3 | Data coding..... | 180 |
| 5.1.9.2.3a | Piggy-backed Ack/Nack coding | 180 |
| 5.1.9.2.4 | Interleaving..... | 181 |
| 5.1.9.2.5 | Mapping on a burst..... | 181 |
| 5.1.10 | Packet data block type 10 (MCS-6)..... | 181 |
| 5.1.10.1 | Downlink (MCS-6 DL)..... | 181 |
| 5.1.10.1.1 | Block constitution..... | 181 |
| 5.1.10.1.2 | USF precoding..... | 182 |
| 5.1.10.1.2.1 | BTTI configuration | 182 |
| 5.1.10.1.2.2 | RTTI configuration | 182 |
| 5.1.10.1.3 | Header coding..... | 182 |
| 5.1.10.1.4 | Data coding..... | 182 |
| 5.1.10.1.4a | Piggy-backed Ack/Nack coding | 183 |
| 5.1.10.1.5 | Interleaving..... | 183 |
| 5.1.10.1.6 | Mapping on a burst..... | 183 |
| 5.1.10.2 | Uplink (MCS-6 UL)..... | 183 |
| 5.1.10.2.1 | Block constitution..... | 183 |
| 5.1.10.2.2 | Header coding..... | 184 |
| 5.1.10.2.3 | Data coding..... | 184 |
| 5.1.10.2.3a | Piggy-backed Ack/Nack coding | 184 |
| 5.1.10.2.4 | Interleaving..... | 184 |
| 5.1.10.2.5 | Mapping on a burst..... | 184 |
| 5.1.11 | Packet data block type 11 (MCS-7)..... | 184 |
| 5.1.11.1 | Downlink (MCS-7 DL)..... | 184 |
| 5.1.11.1.1 | Block constitution..... | 184 |
| 5.1.11.1.2 | USF precoding..... | 185 |
| 5.1.11.1.2.2 | RTTI configuration | 185 |
| 5.1.11.1.3 | Header coding..... | 185 |
| 5.1.11.1.4 | Data coding..... | 186 |
| 5.1.11.1.4a | Piggy-backed Ack/Nack coding | 187 |
| 5.1.11.1.5 | Interleaving..... | 188 |
| 5.1.11.1.6 | Mapping on a burst..... | 188 |
| 5.1.11.2 | Uplink (MCS-7 UL)..... | 190 |
| 5.1.11.2.1 | Block constitution..... | 190 |
| 5.1.11.2.2 | Header coding..... | 190 |
| 5.1.11.2.3 | Data coding..... | 191 |
| 5.1.11.2.3a | Piggy-backed Ack/Nack coding | 191 |
| 5.1.11.2.4 | Interleaving..... | 191 |
| 5.1.11.2.5 | Mapping on a burst..... | 191 |
| 5.1.12 | Packet data block type 12 (MCS-8)..... | 192 |
| 5.1.12.1 | Downlink (MCS-8 DL)..... | 192 |
| 5.1.12.1.1 | Block constitution..... | 192 |
| 5.1.12.1.2 | USF precoding..... | 192 |
| 5.1.12.1.2.1 | BTTI configuration | 192 |
| 5.1.12.1.2.2 | RTTI configuration | 192 |
| 5.1.12.1.3 | Header coding..... | 192 |
| 5.1.12.1.4 | Data coding..... | 192 |
| 5.1.12.1.4a | Piggy-backed Ack/Nack coding | 194 |
| 5.1.12.1.5 | Interleaving..... | 195 |
| 5.1.12.1.6 | Mapping on a burst..... | 195 |
| 5.1.12.2 | Uplink (MCS-8 UL)..... | 196 |
| 5.1.12.2.1 | Block constitution..... | 196 |
| 5.1.12.2.2 | Header coding..... | 196 |
| 5.1.12.2.3 | Data coding..... | 196 |
| 5.1.12.2.3a | Piggy-backed Ack/Nack coding | 196 |
| 5.1.12.2.4 | Interleaving..... | 196 |
| 5.1.12.2.5 | Mapping on a burst..... | 197 |

| | | |
|----------------|--|-----|
| 5.1.13 | Packet data block type 13 (MCS-9) | 197 |
| 5.1.13.1 | Downlink (MCS-9 DL) | 197 |
| 5.1.13.1.1 | Block constitution | 197 |
| 5.1.13.1.2 | USF precoding | 197 |
| 5.1.13.1.2.1 | BTTI configuration | 197 |
| 5.1.13.1.2.2 | RTTI configuration | 197 |
| 5.1.13.1.3 | Header coding | 197 |
| 5.1.13.1.4 | Data coding | 197 |
| 5.1.13.1.5 | Interleaving | 198 |
| 5.1.13.1.6 | Mapping on a burst | 198 |
| 5.1.13.2 | Uplink (MCS-9 UL) | 198 |
| 5.1.13.2.1 | Block constitution | 198 |
| 5.1.13.2.2 | Header coding | 198 |
| 5.1.13.2.3 | Data coding | 199 |
| 5.1.13.2.4 | Interleaving | 199 |
| 5.1.13.2.5 | Mapping on a burst | 199 |
| 5.1a | Packet data traffic channels (PDTCH) for EGPRS2 | 199 |
| 5.1a.1 | General descriptions of channel coding functions | 199 |
| 5.1a.1.1 | Header | 199 |
| 5.1a.1.2 | Data encoded with convolutional code | 200 |
| 5.1a.1.3 | Data encoded with turbo code | 200 |
| 5.1a.1.3.1 | Parity bits | 201 |
| 5.1a.1.3.2 | Turbo encoding | 201 |
| 5.1a.1.3.3 | Trellis termination for Turbo coder | 202 |
| 5.1a.1.3.4 | Turbo code internal interleaver | 202 |
| 5.1a.1.3.4.1 | Bits-input to rectangular matrix with padding | 203 |
| 5.1a.1.3.5 | Turbo code puncturing | 205 |
| 5.1a.1.3.5.2.1 | P1 – first puncturing version | 206 |
| 5.1a.1.3.5.2.2 | P2 – second puncturing version – Type 1 | 206 |
| 5.1a.1.3.5.2.3 | P2 – second puncturing version – Type 2 | 207 |
| 5.1a.1.3.5.2.4 | P3 – third puncturing version | 207 |
| 5.1a.1.3.5.3 | PAN Parameters Handling | 207 |
| 5.1a.1.4 | PAN | 212 |
| 5.1a.2 | General descriptions of interleaving functions | 213 |
| 5.1a.2.1 | Interleaver type 1 | 213 |
| 5.1a.2.2 | Interleaver type 2 | 213 |
| 5.1a.3 | Packet data block type 14 (UAS-7) | 213 |
| 5.1a.3.1 | Block constitution | 213 |
| 5.1a.3.2 | Header coding | 214 |
| 5.1a.3.3 | Data coding | 214 |
| 5.1a.3.4 | PAN coding | 214 |
| 5.1a.3.5 | Interleaving | 214 |
| 5.1a.3.6 | Mapping on a burst | 215 |
| 5.1a.4 | Packet data block type 15 (UAS-8) | 217 |
| 5.1a.4.1 | Block constitution | 217 |
| 5.1a.4.2 | Header coding | 217 |
| 5.1a.4.3 | Data coding | 217 |
| 5.1a.4.4 | PAN coding | 218 |
| 5.1a.4.5 | Interleaving | 218 |
| 5.1a.4.6 | Mapping on a burst | 218 |
| 5.1a.5 | Packet data block type 16 (UAS-9) | 218 |
| 5.1a.5.1 | Block constitution | 218 |
| 5.1a.5.2 | Header coding | 218 |
| 5.1a.5.3 | Data coding | 218 |
| 5.1a.5.4 | PAN coding | 219 |
| 5.1a.5.5 | Interleaving | 219 |
| 5.1a.5.6 | Mapping on a burst | 219 |
| 5.1a.6 | Packet data block type 17 (UAS-10) | 219 |
| 5.1a.6.1 | Block constitution | 219 |
| 5.1a.6.2 | Header coding | 220 |
| 5.1a.6.3 | Data coding | 220 |
| 5.1a.6.4 | PAN coding | 220 |

| | | |
|-----------|---|-----|
| 5.1a.6.5 | Interleaving | 220 |
| 5.1a.6.6 | Mapping on a burst..... | 221 |
| 5.1a.7 | Packet data block type 18 (UAS-11)..... | 223 |
| 5.1a.7.1 | Block constitution | 223 |
| 5.1a.7.2 | Header coding | 223 |
| 5.1a.7.3 | Data coding | 223 |
| 5.1a.7.4 | PAN coding..... | 224 |
| 5.1a.7.5 | Interleaving | 224 |
| 5.1a.7.6 | Mapping on a burst..... | 225 |
| 5.1a.8 | Packet data block type 19 (UBS-5)..... | 226 |
| 5.1a.8.1 | Block constitution | 226 |
| 5.1a.8.2 | Header coding | 226 |
| 5.1a.8.3 | Data coding | 227 |
| 5.1a.8.4 | PAN coding..... | 227 |
| 5.1a.8.5 | Interleaving | 227 |
| 5.1a.8.6 | Mapping on a burst..... | 228 |
| 5.1a.9 | Packet data block type 20 (UBS-6)..... | 228 |
| 5.1a.9.1 | Block constitution | 228 |
| 5.1a.9.2 | Header coding | 228 |
| 5.1a.9.3 | Data coding | 228 |
| 5.1a.9.4 | PAN coding..... | 229 |
| 5.1a.9.5 | Interleaving | 229 |
| 5.1a.9.6 | Mapping on a burst..... | 229 |
| 5.1a.10 | Packet data block type 21 (UBS-7)..... | 229 |
| 5.1a.10.1 | Block constitution | 229 |
| 5.1a.10.2 | Header coding | 230 |
| 5.1a.10.3 | Data coding | 230 |
| 5.1a.10.4 | PAN coding..... | 230 |
| 5.1a.10.5 | Interleaving | 230 |
| 5.1a.10.6 | Mapping on a burst..... | 231 |
| 5.1a.11 | Packet data block type 22 (UBS-8)..... | 233 |
| 5.1a.11.1 | Block constitution | 233 |
| 5.1a.11.2 | Header coding | 233 |
| 5.1a.11.3 | Data coding | 233 |
| 5.1a.11.4 | PAN coding..... | 233 |
| 5.1a.11.5 | Interleaving | 233 |
| 5.1a.11.6 | Mapping on a burst..... | 234 |
| 5.1a.12 | Packet data block type 23 (UBS-9)..... | 234 |
| 5.1a.12.1 | Block constitution | 234 |
| 5.1a.12.2 | Header coding | 234 |
| 5.1a.12.3 | Data coding | 234 |
| 5.1a.12.4 | PAN coding..... | 235 |
| 5.1a.12.5 | Interleaving | 235 |
| 5.1a.12.6 | Mapping on a burst..... | 236 |
| 5.1a.13 | Packet data block type 24 (UBS-10)..... | 238 |
| 5.1a.13.1 | Block constitution | 238 |
| 5.1a.13.2 | Header coding | 238 |
| 5.1a.13.3 | Data coding | 238 |
| 5.1a.13.4 | PAN coding..... | 239 |
| 5.1a.13.5 | Interleaving | 239 |
| 5.1a.13.6 | Mapping on a burst..... | 239 |
| 5.1a.14 | Packet data block type 25 (UBS-11)..... | 242 |
| 5.1a.14.1 | Block constitution | 242 |
| 5.1a.14.2 | Header coding | 242 |
| 5.1a.14.3 | Data coding | 242 |
| 5.1a.14.4 | PAN coding..... | 243 |
| 5.1a.14.5 | Interleaving | 243 |
| 5.1a.14.6 | Mapping on a burst..... | 244 |
| 5.1a.15 | Packet data block type 26 (UBS-12)..... | 245 |
| 5.1a.15.1 | Block constitution | 245 |
| 5.1a.15.2 | Header coding | 245 |
| 5.1a.15.3 | Data coding | 245 |

| | | |
|-------------|---|-----|
| 5.1a.15.4 | PAN coding | 246 |
| 5.1a.15.5 | Interleaving | 246 |
| 5.1a.15.6 | Mapping on a burst..... | 246 |
| 5.1a.16 | Packet data block type 27 (DAS-5) | 247 |
| 5.1a.16.1 | Block constitution | 247 |
| 5.1a.16.2 | USF coding | 247 |
| 5.1a.16.3 | Header coding | 247 |
| 5.1a.16.4 | Data coding | 247 |
| 5.1a.16.5 | PAN coding..... | 247 |
| 5.1a.16.6 | Interleaving | 247 |
| 5.1a.16.7 | Mapping on a burst..... | 248 |
| 5.1a.17 | Packet data block type 28 (DAS-6) | 248 |
| 5.1a.17.1 | Block constitution | 248 |
| 5.1a.17.2 | USF coding | 248 |
| 5.1a.17.3 | Header coding | 248 |
| 5.1a.17.4 | Data coding | 248 |
| 5.1a.17.5 | PAN coding..... | 249 |
| 5.1a.17.6 | Interleaving | 249 |
| 5.1a.17.7 | Mapping on a burst..... | 249 |
| 5.1a.18 | Packet data block type 29 (DAS-7) | 249 |
| 5.1a.18.1 | Block constitution | 249 |
| 5.1a.18.2 | USF coding | 249 |
| 5.1a.18.3 | Header coding | 249 |
| 5.1a.18.4 | Data coding | 249 |
| 5.1a.18.5 | PAN coding..... | 250 |
| 5.1a.18.6 | Interleaving | 250 |
| 5.1a.18.7 | Mapping on a burst..... | 250 |
| 5.1a.19 | Packet data block type 30 (DAS-8) | 250 |
| 5.1a.19.1 | Block constitution | 250 |
| 5.1a.19.2 | USF coding | 251 |
| 5.1a.19.2.1 | BTTI configuration..... | 251 |
| 5.1a.19.2.2 | RTTI configurations | 251 |
| 5.1a.19.3 | Header coding | 252 |
| 5.1a.19.4 | Data coding | 252 |
| 5.1a.19.5 | PAN coding..... | 252 |
| 5.1a.19.6 | Interleaving | 252 |
| 5.1a.19.7 | Mapping on a burst..... | 253 |
| 5.1a.20 | Packet data block type 31 (DAS-9) | 255 |
| 5.1a.20.1 | Block constitution | 255 |
| 5.1a.20.2 | USF coding | 255 |
| 5.1a.20.3 | Header coding | 255 |
| 5.1a.20.4 | Data coding | 255 |
| 5.1a.20.5 | PAN coding..... | 256 |
| 5.1a.20.6 | Interleaving | 256 |
| 5.1a.20.7 | Mapping on a burst..... | 256 |
| 5.1a.21 | Packet data block type 32 (DAS-10)..... | 256 |
| 5.1a.21.1 | Block constitution | 256 |
| 5.1a.21.2 | USF coding | 257 |
| 5.1a.21.2.1 | BTTI configuration..... | 257 |
| 5.1a.21.2.2 | RTTI configurations | 257 |
| 5.1a.21.3 | Header coding | 257 |
| 5.1a.21.4 | Data coding | 258 |
| 5.1a.21.5 | PAN coding..... | 258 |
| 5.1a.21.6 | Interleaving | 258 |
| 5.1a.21.7 | Mapping on a burst..... | 258 |
| 5.1a.22 | Packet data block type 33 (DAS-11)..... | 261 |
| 5.1a.22.1 | Block constitution | 261 |
| 5.1a.22.2 | USF coding | 261 |
| 5.1a.22.3 | Header coding | 261 |
| 5.1a.22.4 | Data coding | 262 |
| 5.1a.22.5 | PAN coding..... | 262 |
| 5.1a.22.6 | Interleaving | 262 |

| | | |
|-------------|---|-----|
| 5.1a.22.7 | Mapping on a burst..... | 263 |
| 5.1a.23 | Packet data block type 34 (DAS-12)..... | 265 |
| 5.1a.23.1 | Block constitution | 265 |
| 5.1a.23.2 | USF coding | 265 |
| 5.1a.23.3 | Header coding | 265 |
| 5.1a.23.4 | Data coding | 265 |
| 5.1a.23.5 | PAN coding..... | 266 |
| 5.1a.23.6 | Interleaving | 266 |
| 5.1a.23.7 | Mapping on a burst..... | 266 |
| 5.1a.24 | Packet data block type 35 (DBS-5)..... | 268 |
| 5.1a.24.1 | Block constitution | 268 |
| 5.1a.24.2 | USF coding | 269 |
| 5.1a.24.2.1 | BTTI configuration..... | 269 |
| 5.1a.24.2.2 | RTTI configurations | 269 |
| 5.1a.24.3 | Header coding | 269 |
| 5.1a.24.4 | Data coding | 270 |
| 5.1a.24.5 | PAN coding..... | 270 |
| 5.1a.24.6 | Interleaving | 270 |
| 5.1a.24.7 | Mapping on a burst..... | 270 |
| 5.1a.25 | Packet data block type 36 (DBS-6)..... | 271 |
| 5.1a.25.1 | Block constitution | 271 |
| 5.1a.25.2 | USF coding | 271 |
| 5.1a.25.3 | Header coding | 271 |
| 5.1a.25.4 | Data coding | 271 |
| 5.1a.25.5 | PAN coding..... | 272 |
| 5.1a.25.6 | Interleaving | 272 |
| 5.1a.25.7 | Mapping on a burst..... | 272 |
| 5.1a.26 | Packet data block type 37 (DBS-7)..... | 272 |
| 5.1a.26.1 | Block constitution | 272 |
| 5.1a.26.2 | USF coding | 272 |
| 5.1a.26.2.1 | BTTI configuration..... | 272 |
| 5.1a.26.2.2 | RTTI configurations | 272 |
| 5.1a.26.3 | Header coding | 273 |
| 5.1a.26.4 | Data coding | 273 |
| 5.1a.26.5 | PAN coding..... | 274 |
| 5.1a.26.6 | Interleaving | 274 |
| 5.1a.26.7 | Mapping on a burst..... | 274 |
| 5.1a.27 | Packet data block type 38 (DBS-8)..... | 276 |
| 5.1a.27.1 | Block constitution | 276 |
| 5.1a.27.2 | USF coding | 277 |
| 5.1a.27.3 | Header coding | 277 |
| 5.1a.27.4 | Data coding | 277 |
| 5.1a.27.5 | PAN coding..... | 277 |
| 5.1a.27.6 | Interleaving | 277 |
| 5.1a.27.7 | Mapping on a burst..... | 277 |
| 5.1a.28 | Packet data block type 39 (DBS-9)..... | 277 |
| 5.1a.28.1 | Block constitution | 277 |
| 5.1a.28.2 | USF coding | 278 |
| 5.1a.28.3 | Header coding | 278 |
| 5.1a.28.4 | Data coding | 278 |
| 5.1a.28.5 | PAN coding..... | 278 |
| 5.1a.28.6 | Interleaving | 278 |
| 5.1a.28.7 | Mapping on a burst..... | 279 |
| 5.1a.29 | Packet data block type 40 (DBS-10)..... | 281 |
| 5.1a.29.1 | Block constitution | 281 |
| 5.1a.29.2 | USF coding | 281 |
| 5.1a.29.2.1 | BTTI configuration..... | 281 |
| 5.1a.29.2.2 | RTTI configurations | 282 |
| 5.1a.29.3 | Header coding | 282 |
| 5.1a.29.4 | Data coding | 282 |
| 5.1a.29.5 | PAN coding..... | 283 |
| 5.1a.29.6 | Interleaving | 283 |

| | | |
|-----------|---|-----|
| 5.1a.29.7 | Mapping on a burst..... | 283 |
| 5.1a.30 | Packet data block type 41 (DBS-11)..... | 286 |
| 5.1a.30.1 | Block constitution | 286 |
| 5.1a.30.2 | USF coding | 286 |
| 5.1a.30.3 | Header coding | 286 |
| 5.1a.30.4 | Data coding | 286 |
| 5.1a.30.5 | PAN coding..... | 287 |
| 5.1a.30.6 | Interleaving | 287 |
| 5.1a.30.7 | Mapping on a burst..... | 288 |
| 5.1a.31 | Packet data block type 42 (DBS-12)..... | 289 |
| 5.1a.31.1 | Block constitution | 289 |
| 5.1a.31.2 | USF coding | 289 |
| 5.1a.31.3 | Header coding | 289 |
| 5.1a.31.4 | Data coding | 289 |
| 5.1a.31.5 | PAN coding..... | 290 |
| 5.1a.31.6 | Interleaving | 290 |
| 5.1a.31.7 | Mapping on a burst..... | 291 |
| 5.1b | Extended Coverage Packet data traffic channel (EC-PDTCH) | 291 |
| 5.1b.1 | General..... | 291 |
| 5.1b.2 | Downlink MCS-1/M | 292 |
| 5.1b.2.1 | Block constitution | 292 |
| 5.1b.2.2 | Encoding and blind physical layer transmission | 292 |
| 5.1b.2.3 | Mapping onto PDCHs | 292 |
| 5.1b.3 | Uplink MCS-1/M..... | 292 |
| 5.1b.3.1 | Block constitution | 292 |
| 5.1b.3.2 | Encoding and blind physical layer transmission | 292 |
| 5.1b.3.3 | Mapping onto PDCHs..... | 293 |
| 5.2 | Packet control channels (PACCH, PBCCH, PAGCH, PPCH, PTCCH, CPBCCCH, CPAGCH and CPPCH)..... | 293 |
| 5.2a | Extended Coverage broadcast control channel (EC-BCCH)..... | 293 |
| 5.2a.1 | Block constitution | 293 |
| 5.2a.2 | Coding | 293 |
| 5.2a.3 | Blind physical layer transmission | 293 |
| 5.2a.4 | Mapping onto a physical channel | 294 |
| 5.2b | Extended coverage common control channel downlink (EC-CCCH/D/M) and Extended coverage packet associated control channel (EC-PACCH/M)..... | 294 |
| 5.2b.1 | Block constitution | 294 |
| 5.2b.2 | Data coding | 294 |
| 5.2b.3 | USF coding (only for EC-PACCH/D)..... | 295 |
| 5.2b.4 | Mapping on a Burst..... | 295 |
| 5.2b.4.1 | EC-CCCH/D/M..... | 295 |
| 5.2b.4.2 | EC-PACCH/D/M | 295 |
| 5.2b.4.3 | EC-PACCH/U/M | 295 |
| 5.2b.5 | Blind physical layer transmission | 295 |
| 5.2b.6 | Bit stealing for USF (only for EC-PACCH/D) | 296 |
| 5.2b.7 | Mapping onto physical channels..... | 296 |
| 5.2b.7.1 | EC-PACCH..... | 296 |
| 5.2b.7.2 | EC-CCCH/D | 296 |
| 5.3 | Packet random access channel (PRACH, CPRACH and MPRACH) | 296 |
| 5.3.1 | Packet Access Burst..... | 296 |
| 5.3.2 | Extended Packet Access Burst..... | 296 |
| 5.3a | Extended coverage random access channel (EC-RACH/M) | 297 |
| 5.3a.1 | Block constitution | 297 |
| 5.3a.2 | Coding | 297 |
| 5.3a.3 | Blind physical layer transmissions..... | 297 |
| 5.3a.4 | Mapping onto physical channel(s)..... | 297 |
| 5.3a.4.1 | 1 TS EC-RACH | 297 |
| 5.3a.4.2 | 2 TS EC-RACH | 298 |
| 5.4 | Access Burst on packet switched channels other than PRACH, CPRACH and MPRACH | 298 |
| 6 | Flexible Layer One..... | 317 |
| 6.1 | General | 317 |

| | | |
|-------------------------------|---|------------|
| 6.2 | Transport channel coding/multiplexing..... | 317 |
| 6.2.1 | CRC Attachment..... | 318 |
| 6.2.2 | Channel Coding | 319 |
| 6.2.3 | Rate Matching..... | 320 |
| 6.2.4 | Transport Channel multiplexing | 322 |
| 6.2.5 | TFCI Encoding | 323 |
| 6.2.6 | In-band signalling encoding..... | 323 |
| 6.2.7 | Radio packet mapping | 324 |
| 6.2.8 | Interleaving | 324 |
| 6.2.9 | Mapping on a Burst..... | 326 |
| 6.2.10 | Signalling on Half Rate Channels..... | 327 |
| Annex A (informative): | Summary of Channel Types..... | 329 |
| Annex B (informative): | Summary of Polynomials Used for Convolutional Codes and Turbo Codes..... | 332 |
| Annex C (informative): | Change history | 333 |
| History | | 336 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

A reference configuration of the transmission chain is shown in 3GPP TS 45.001. According to this reference configuration, the present document specifies the data blocks given to the encryption unit.

It includes the specification of encoding, reordering, interleaving and the stealing flag. It does not specify the channel decoding method.

The definition is given for each kind of logical channel, starting from the data provided to the channel encoder by the speech coder, the data terminal equipment, or the controller of the Mobile Station (MS) or Base Transceiver Station (BTS). The definitions of the logical channel types used in this technical specification are given in 3GPP TS 45.002, a summary is in annex A.

Additionally, the present document describes the characteristics of the coding/multiplexing unit for the Flexible Layer One (FLO) starting from the transport blocks provided by higher layers. An overview of FLO is given in 3GPP TR 45.902.

1.1 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: 'Vocabulary for 3GPP Specifications'.
- [2] 3GPP TS 26.090: 'AMR speech Codec; Transcoding Functions'.
- [3] 3GPP TS 26.190: 'Mandatory Speech Codec speech processing functions AMR Wideband speech codec; Transcoding functions'.
- [4] 3GPP TS 44.018: 'Mobile radio interface layer 3 specification, Radio Resource Control Protocol'.
- [5] 3GPP TS 44.021: 'Rate adaption on the Mobile Station - Base Station System (MS - BSS) interface'.
- [6] 3GPP TS 44.060: 'General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/ Medium Access Control (RLC/MAC) protocol'.
- [7] 3GPP TS 45.001: 'Physical Layer on the Radio Path (General Description)'.
- [8] 3GPP TS 45.002: 'Multiplexing and multiple access on the radio path'.
- [9] 3GPP TS 45.004: 'Modulation'.
- [10] 3GPP TS 45.008: 'Radio subsystem link control'.
- [11] 3GPP TS 45.009: 'Link adaptation'.
- [12] 3GPP TR 45.902: 'Flexible Layer One'.
- [13] 3GPP TS 46.010: 'Full rate speech transcoding'.
- [14] 3GPP TS 46.020: 'Half rate speech transcoding'.
- [15] 3GPP TS 46.060: 'Enhanced full rate speech transcoding'.