ETSI TS 101 498-1 V2.1.1 (2006-01)

Technical Specification

Digital Audio Broadcasting (DAB); Broadcast website; Part 1: User application specification



Reference
RTS/JTC-DAB-43

Keywords
audio, broadcast, DAB, digital, receiver

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2006.
© European Broadcasting Union 2006.
All rights reserved.

DECT™, **PLUGTESTS**™ and **UMTS**™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights 5
Foreword 5
Introduction 6
1 Scope 7
2 References 7
3 Abbreviations 8
4 Syntax specification 8
5 Operation of the MOT BWS user application 8
5.1 The World Wide Web and the Internet 8
5.2 The MOT Broadcast website 9
5.2.1 The BWS Server for the PC receiver class 9
5.2.2 The application decoder for an integrated receiver 10
5.2.3 The application decoder for a PC based receiver 10
5.3 The BWS MOT carousel 10
5.4 MOT parameters for individual objects 11
5.4.1 The ContentName parameter 11
5.4.2 The MimeType parameter 12
5.4.3 The CompressionType parameter 12
5.4.4 The AdditionalHeader parameter 12
5.4.5 The ProfileSubset parameter 12
5.4.6 Parameters for "Conditional access on MOT level" 12
5.5 MOT parameters for the entire carousel 13
5.5.1 The DirectoryIndex parameter 13
6 The BWS decoder 14
6.1 Presenting the service 14
6.1.1 The PC based BWS decoder 14
6.1.2 The integrated BWS decoder 14
6.2 Resolving URLs 14
6.2.1 Handling invalid URLs 15
6.2.2 Handling absolute and relative paths 15
6.2.3 Handling requests for URLs that refer to directories 15
6.2.4 Starting the service 16
6.2.5 Error handling, including requests for objects that do not exist 16
6.3 Determining object type 17
6.4 The DAB Gateway Interface 17
7 Application signalling 18
7.0 General 18
7.1 Specifying BWS user application content profiles 19
7.1.1 Fact of service parameters 19
7.1.1.1 Supported content types 19
7.1.1.2 Supported profile of HTML 19
7.1.1.3 Supported additional HTTP header fields 19
7.1.1.4 Maximum object size 20
7.1.1.5 Maximum total size of all objects rendered within a page 20
7.1.2 Quality of service parameters 20
7.1.2.1 Minimum receiver cache size 20
7.1.2.2 Minimum receiver display characteristics 20
7.1.2.3 Maximum carousel period 20
7.2 Application profile specifications 21
7.2.1 Basic Integrated Receiver content profile 21
7.2.2 Unrestricted (PC) content profile 21

Annex A (informative): Implementation tips 22

A.1 General tips 22
A.1.1 Mapping of URLs to ContentNames 22

A.2 Integrated BWS receiver 23
A.2.1 Mapping URLs to ContentNames 23
A.2.2 The MOT parameter MimeType 23
A.2.3 The MOT parameter CompressionType 23
A.2.4 The MOT parameter AdditionalHeader 23
A.2.5 Object updates 24

A.3 PC based receivers 24
A.3.1 Mapping URLs to ContentNames 24
A.3.2 The MOT parameter MimeType 24
A.3.3 The MOT parameter CompressionType 24
A.3.4 The MOT parameter AdditionalHeader 25
A.3.5 Object updates 25

History 27