

# ETSI TS 129 002 V13.6.0 (2017-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
Mobile Application Part (MAP) specification  
(3GPP TS 29.002 version 13.6.0 Release 13)**



---

**Reference**

RTS/TSGC-0429002vd60

---

**Keywords**

GSM,UMTS

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	28
1 Scope .....	29
2 References .....	29
3 Abbreviations .....	35
4 Void.....	36
5 Overload and compatibility overview .....	36
5.1 Overload control.....	36
5.1.1 Overload control for MSC (outside MAP) .....	36
5.1.2 Overload control for MAP entities .....	36
5.1.3 Congestion control for Signalling System No. 7 .....	40
5.2 Compatibility.....	40
5.2.1 General.....	40
5.2.2 Strategy for selecting the Application Context (AC) version .....	40
5.2.2.1 Proposed method.....	40
5.2.2.2 Managing the version look-up table.....	41
5.2.2.3 Optimising the method.....	42
6 Requirements concerning the use of SCCP and TC.....	42
6.1 Use of SCCP.....	42
6.1.1 SCCP Class .....	42
6.1.2 Sub-System Number (SSN) .....	43
6.1.3 SCCP addressing .....	43
6.1.3.1 Introduction.....	43
6.1.3.2 The Mobile-services Switching Centre (MSC) .....	45
6.1.3.2.1 MSC interaction during handover or relocation .....	45
6.1.3.2.2 MSC for short message routing .....	45
6.1.3.2.3 MSC for location request routing .....	45
6.1.3.2.4 MSC for LMU Control.....	46
6.1.3.3 The Home Location Register (HLR).....	46
6.1.3.3.1 During call set-up .....	46
6.1.3.3.2 Before location updating completion.....	46
6.1.3.3.3 After location updating completion.....	47
6.1.3.3.4 VLR restoration .....	47
6.1.3.3.5 During Network-Requested PDP Context Activation .....	47
6.1.3.3.6 Before GPRS location updating completion.....	47
6.1.3.3.7 After GPRS location updating completion .....	48
6.1.3.3.8 Query for a Location Request.....	48
6.1.3.4 The Visitor Location Register (VLR) .....	48
6.1.3.4.0 General .....	48
6.1.3.4.1 Inter-VLR information retrieval .....	48
6.1.3.4.2 HLR request .....	48
6.1.3.4.3 CSS request .....	49
6.1.3.5 The Interworking MSC (IWMSC) for Short Message Service .....	49
6.1.3.6 The Equipment Identity Register (EIR) .....	49
6.1.3.7 Void.....	49
6.1.3.8 The Serving GPRS Support Node (SGSN) .....	49
6.1.3.8.0 General .....	49
6.1.3.8.1 HLR request .....	49
6.1.3.8.2 GMSC request.....	49

6.1.3.8.3	CSS request .....	49
6.1.3.9	The Gateway GPRS Support Node (GGSN).....	50
6.1.3.10	The Gateway MSC (GMSC) for Short Message Service .....	50
6.1.3.10A	Void.....	50
6.1.3.10A.1	Void .....	50
6.1.3.10A.2	Void .....	50
6.1.3.10B	The Gateway Mobile Location Centre (GMLC).....	50
6.1.3.10C	The CSG Subscriber Server (CSS).....	50
6.1.3.11	Summary table .....	50
6.2	Use of TC .....	53
7	General on MAP services.....	53
7.1	Terminology and definitions .....	53
7.2	Modelling principles.....	53
7.3	Common MAP services.....	54
7.3.1	MAP-OPEN service.....	55
7.3.2	MAP-CLOSE service .....	58
7.3.3	MAP-DELIMITER service.....	58
7.3.4	MAP-U-ABORT service .....	58
7.3.5	MAP-P-ABORT service .....	59
7.3.6	MAP-NOTICE service .....	60
7.3.7	Void .....	61
7.3.8	Void .....	61
7.3.9	Void .....	61
7.3.10	Void .....	61
7.4	Sequencing of services .....	61
7.5	General rules for mapping of services onto TC.....	62
7.5.1	Mapping of common services .....	62
7.5.2	Mapping of user specific services.....	63
7.6	Definition of parameters.....	64
7.6.1	Common parameters .....	64
7.6.1.1	Invoke Id .....	64
7.6.1.2	Linked Id .....	64
7.6.1.3	Provider error .....	64
7.6.1.4	User error .....	64
7.6.2	Numbering and identification parameters.....	68
7.6.2.1	IMSI .....	68
7.6.2.2	TMSI.....	68
7.6.2.3	IMEI.....	68
7.6.2.3a	IMEISV .....	68
7.6.2.4	Previous location area Id .....	68
7.6.2.5	Stored location area Id .....	68
7.6.2.6	Current location area Id.....	68
7.6.2.7	Target location area Id .....	68
7.6.2.8	Target cell Id .....	68
7.6.2.8A	Target RNC Id.....	68
7.6.2.9	Void.....	69
7.6.2.10	Originating entity number .....	69
7.6.2.11	MSC number .....	69
7.6.2.12	Target MSC number.....	69
7.6.2.13	HLR number .....	69
7.6.2.14	VLR number .....	69
7.6.2.15	HLR Id .....	69
7.6.2.16	LMSI.....	69
7.6.2.17	MS ISDN .....	69
7.6.2.17A	Additional MSISDN.....	69
7.6.2.18	OMC Id .....	69
7.6.2.19	Roaming number .....	69
7.6.2.19A	Relocation Number List .....	69
7.6.2.20	Void.....	70
7.6.2.21	Handover number.....	70
7.6.2.22	Forwarded-to number.....	70

7.6.2.22A	Long forwarded-to number .....	70
7.6.2.22B	Long FTN Supported .....	70
7.6.2.23	Forwarded-to subaddress .....	70
7.6.2.24	Called number .....	70
7.6.2.25	Calling number .....	70
7.6.2.26	Originally dialled number .....	70
7.6.2.27	Service centre address .....	70
7.6.2.28	Zone Code .....	70
7.6.2.29	MSISdn-Alert .....	70
7.6.2.30	Location Information .....	70
7.6.2.30a	Location Information for GPRS .....	70
7.6.2.30b	Location Information for EPS .....	71
7.6.2.31	GMSC Address .....	71
7.6.2.32	VMSC Address .....	71
7.6.2.33	Group Id .....	71
7.6.2.34	North American Equal Access preferred Carrier Id .....	71
7.6.2.35	Void .....	71
7.6.2.36	Void .....	71
7.6.2.37	Serving cell Id .....	71
7.6.2.38	SGSN number .....	71
7.6.2.39	SGSN address .....	71
7.6.2.40	GGSN address .....	71
7.6.2.41	GGSN number .....	71
7.6.2.42	APN .....	71
7.6.2.43	Network Node number .....	72
7.6.2.43A	Network Node Diameter Address .....	72
7.6.2.44	PDP-Type .....	72
7.6.2.44A	Extension PDP-Type .....	72
7.6.2.45	PDP-Address .....	72
7.6.2.45A	Extension PDP-Address .....	72
7.6.2.46	Additional number .....	72
7.6.2.46A	Additional Network Node Diameter Address .....	72
7.6.2.46B	Third Number .....	72
7.6.2.46C	Third Network Node Diameter Address .....	72
7.6.2.47	P-TMSI .....	72
7.6.2.48	B-subscriber number .....	73
7.6.2.49	B-subscriber subaddress .....	73
7.6.2.50	LMU Number .....	73
7.6.2.51	MLC Number .....	73
7.6.2.52	Multicall Bearer Information .....	73
7.6.2.53	Multiple Bearer Requested .....	73
7.6.2.54	Multiple Bearer Not Supported .....	73
7.6.2.55	PDP-Charging Characteristics .....	73
7.6.2.56	Selected RAB ID .....	73
7.6.2.57	RAB ID .....	73
7.6.2.58	gsmSCF Address .....	73
7.6.2.59	V-GMLC Address .....	73
7.6.2.60	Void .....	73
7.6.2.61	H-GMLC Address .....	73
7.6.2.62	PPR Address .....	74
7.6.2.63	Routeing Number .....	74
7.6.2.64	Additional V-GMLC Address .....	74
7.6.2.65	MME Name .....	74
7.6.2.66	3GPP AAA Server Name .....	74
7.6.2.67	CSS number .....	74
7.6.2.68	SGSN Name .....	74
7.6.2.69	SGSN Realm .....	74
7.6.3	Subscriber management parameters .....	74
7.6.3.1	Category .....	74
7.6.3.2	Equipment status .....	74
7.6.3.2a	BMUEF .....	74
7.6.3.3	Extensible Bearer service .....	75

7.6.3.4	Extensible Teleservice .....	75
7.6.3.5	Extensible Basic Service Group .....	75
7.6.3.6	GSM bearer capability .....	75
7.6.3.7	Subscriber Status .....	75
7.6.3.8	CUG Outgoing Access indicator .....	75
7.6.3.9	Operator Determined Barring General Data .....	75
7.6.3.10	ODB HPLMN Specific Data .....	77
7.6.3.11	Regional Subscription Data .....	78
7.6.3.12	Regional Subscription Response .....	78
7.6.3.13	Roaming Restriction Due To Unsupported Feature .....	78
7.6.3.14	Extensible SS-Info .....	78
7.6.3.15	Extensible forwarding information .....	78
7.6.3.16	Extensible forwarding feature .....	78
7.6.3.17	Extensible SS-Status .....	79
7.6.3.18	Extensible Forwarding Options .....	79
7.6.3.19	Extensible No reply condition timer .....	79
7.6.3.20	Extensible Call barring information .....	79
7.6.3.21	Extensible Call barring feature .....	79
7.6.3.22	CUG info .....	79
7.6.3.23	CUG subscription .....	79
7.6.3.24	CUG interlock .....	80
7.6.3.25	CUG index .....	80
7.6.3.26	CUG feature .....	80
7.6.3.27	Inter CUG options .....	80
7.6.3.28	Intra CUG restrictions .....	80
7.6.3.29	Extensible SS-Data .....	80
7.6.3.30	Subscriber State .....	81
7.6.3.31	Requested Info .....	81
7.6.3.31A	Requested Domain .....	81
7.6.3.32	Suppression of Announcement .....	81
7.6.3.33	Suppress T-CSI .....	81
7.6.3.34	GMSC CAMEL Subscription Info .....	81
7.6.3.35	VLR CAMEL Subscription Info .....	81
7.6.3.36	Supported CAMEL Phases in the VLR .....	81
7.6.3.36A	Supported CAMEL Phases in the SGSN .....	81
7.6.3.36B	Offered CAMEL4 CSIs in the VLR .....	81
7.6.3.36C	Offered CAMEL4 CSIs in the SGSN .....	81
7.6.3.36D	Offered CAMEL4 CSIs .....	81
7.6.3.36E	Offered CAMEL4 CSIs in interrogating node .....	82
7.6.3.36F	Offered CAMEL4 CSIs in VMSC .....	82
7.6.3.36G	Offered CAMEL4 Functionalities .....	82
7.6.3.36H	Supported CAMEL Phases .....	82
7.6.3.36I	Supported CAMEL Phases in interrogating node .....	82
7.6.3.37	CUG Subscription Flag .....	82
7.6.3.38	CAMEL Subscription Info Withdraw .....	82
7.6.3.39	Voice Group Call Service (VGCS) Data .....	82
7.6.3.40	Voice Broadcast Service (VBS) Data .....	82
7.6.3.41	ISDN bearer capability .....	82
7.6.3.42	Lower layer Compatibility .....	82
7.6.3.43	High Layer Compatibility .....	82
7.6.3.44	Alerting Pattern .....	82
7.6.3.45	GPRS Subscription Data Withdraw .....	83
7.6.3.45A	EPS Subscription Data Withdraw .....	83
7.6.3.46	GPRS Subscription Data .....	83
7.6.3.46A	EPS Subscription Data .....	83
7.6.3.47	QoS-Subscribed .....	83
7.6.3.48	VPLMN address allowed .....	83
7.6.3.49	Roaming Restricted In SGSN/MME Due To Unsupported Feature .....	83
7.6.3.50	Network Access Mode .....	83
7.6.3.51	Mobile Not Reachable Reason .....	83
7.6.3.52	Cancellation Type .....	83
7.6.3.53	All GPRS Data .....	83

7.6.3.54	Complete Data List Included.....	83
7.6.3.55	PDP Context Identifier.....	84
7.6.3.56	LSA Information.....	84
7.6.3.57	SoLSA support indicator.....	84
7.6.3.58	LSA Information Withdraw.....	84
7.6.3.59	LMU Indicator.....	84
7.6.3.60	LCS Information.....	84
7.6.3.61	GMLC List.....	84
7.6.3.62	LCS Privacy Exception List.....	84
7.6.3.62A	Additional LCS Privacy Exception List.....	84
7.6.3.63	LCS Privacy Exception Parameters.....	85
7.6.3.64	External Client List.....	85
7.6.3.65	Internal Client List.....	85
7.6.3.65A	MO-LR List.....	85
7.6.3.65B	Privacy Notification to MS User.....	85
7.6.3.65C	GMLC List Withdraw.....	85
7.6.3.65D	Service Type List.....	85
7.6.3.66	IST Alert Timer.....	85
7.6.3.67	Call Termination Indicator.....	86
7.6.3.68	IST Information Withdraw.....	86
7.6.3.69	IST Support Indicator.....	86
7.6.3.70	Super-Charger Supported In HLR.....	86
7.6.3.71	Super-Charger Supported In Serving Network Entity.....	86
7.6.3.72	Age Indicator.....	86
7.6.3.73	GPRS enhancements support indicator.....	86
7.6.3.74	Extension QoS-Subscribed.....	86
7.6.3.75	SGSN CAMEL Subscription Info.....	86
7.6.3.75A	Extension-2 QoS-Subscribed.....	87
7.6.3.75B	Extension-3 QoS-Subscribed.....	87
7.6.3.75C	Extension-4 QoS-Subscribed.....	87
7.6.3.76	MO-SMS-CSI.....	87
7.6.3.76a	MT-SMS-CSI.....	87
7.6.3.77	GPRS-CSI.....	87
7.6.3.78	CAMEL subscription info.....	87
7.6.3.83	Call Barring Data.....	88
7.6.3.84	Call Forwarding Data.....	88
7.6.3.85	ODB Data.....	88
7.6.3.86	Requested Subscription Info.....	88
7.6.3.87	CS Allocation/Retention priority.....	88
7.6.3.88	ODB Info.....	88
7.6.3.89	Suppress VT-CSI.....	88
7.6.3.90	Suppress Incoming Call Barring.....	88
7.6.3.91	gsmSCF Initiated Call.....	88
7.6.3.91a	SuppressMTSS.....	88
7.6.3.92	Call barring support indicator.....	89
7.6.3.93	MNP Info Result.....	89
7.6.3.94	Allowed Services.....	89
7.6.3.95	Unavailability Cause.....	89
7.6.3.96	MNP Requested Info.....	89
7.6.3.97	Access Restriction Data.....	89
7.6.3.98	Supported RAT types indicator.....	89
7.6.3.99	UE SRVCC Capability.....	89
7.6.3.100	Temporary Empty CSG Subscription data Indicator.....	89
7.6.3.101	WLAN-offloadability.....	89
7.6.3.102	IMSI-Group-Id.....	89
7.6.4	Supplementary services parameters.....	90
7.6.4.1	SS-Code.....	90
7.6.4.1A	SS-Code 2.....	90
7.6.4.2	SS-Status.....	90
7.6.4.3	SS-Data.....	90
7.6.4.4	Override Category.....	91
7.6.4.5	CLI Restriction Option.....	91

7.6.4.6	Forwarding Options .....	91
7.6.4.7	No reply condition timer .....	91
7.6.4.8 - 7.6.4.14	Void.....	91
7.6.4.15	Forwarding information .....	91
7.6.4.16	Forwarding feature .....	91
7.6.4.17	Void.....	92
7.6.4.18	Call barring information.....	92
7.6.4.19	Call barring feature .....	92
7.6.4.20	New password.....	92
7.6.4.21	Current password .....	92
7.6.4.22	Guidance information.....	92
7.6.4.23	Void.....	93
7.6.4.24	SS-Info .....	93
7.6.4.25 - 7.6.4.35	Void.....	93
7.6.4.36	USSD Data Coding Scheme.....	93
7.6.4.37	USSD String.....	93
7.6.4.38	Bearer service.....	93
7.6.4.38A	Bearer Service 2 .....	93
7.6.4.39	Teleservice .....	93
7.6.4.39A	Teleservice 2 .....	93
7.6.4.40	Basic Service Group.....	94
7.6.4.41	eMLPP information.....	94
7.6.4.42	SS-event .....	94
7.6.4.43	SS-event data.....	94
7.6.4.44	LCS Privacy Exceptions .....	94
7.6.4.45	Mobile Originating Location Request (MO-LR) .....	94
7.6.4.46	NbrUser.....	95
7.6.4.47	MC Subscription Data.....	95
7.6.4.48	MC Information .....	95
7.6.4.49	CCBS Request State.....	95
7.6.4.50	Basic Service Group 2.....	95
7.6.5	Call parameters .....	95
7.6.5.1	Call reference number .....	95
7.6.5.2	Interrogation type .....	96
7.6.5.3	OR interrogation .....	96
7.6.5.4	OR capability .....	96
7.6.5.5	Forwarding reason.....	96
7.6.5.6	Forwarding interrogation required .....	96
7.6.5.7	O-CSI.....	96
7.6.5.7A	D-CSI.....	96
7.6.5.7B	T-CSI.....	96
7.6.5.7C	VT-CSI.....	96
7.6.5.7D	O-IM-CSI.....	96
7.6.5.7E	D-IM-CSI.....	97
7.6.5.7F	VT-IM-CSI.....	97
7.6.5.8	Void.....	97
7.6.5.9	Void.....	97
7.6.5.10	Void.....	97
7.6.5.11	CCBS Feature .....	97
7.6.5.12	UU Data .....	97
7.6.5.14	Number Portability Status .....	97
7.6.5.15	Pre-paging supported .....	97
7.6.5.16	MT Roaming Retry Supported.....	97
7.6.5.17	MT Roaming Retry .....	97
7.6.5.18	Paging Area.....	98
7.6.5.19	Call Priority.....	98
7.6.5.20	MTRF Supported .....	98
7.6.5.21	LCLS Global Call Reference (LCLS GCR).....	98
7.6.5.22	LCLS-Negotiation.....	98
7.6.5.23	LCLS-Configuration-Preference.....	98
7.6.6	Radio parameters .....	98
7.6.6.1 - 7.6.6.3	Void.....	98

7.6.6.4	GERAN Classmark .....	98
7.6.6.5	BSSMAP Service Handover .....	98
7.6.6.5A	BSSMAP Service Handover List .....	98
7.6.6.6	RANAP Service Handover .....	98
7.6.6.7	HO-Number Not Required .....	98
7.6.6.8	Integrity Protection Information .....	99
7.6.6.9	Encryption Information .....	99
7.6.6.10	Radio Resource Information .....	99
7.6.6.10A	Radio Resource List .....	99
7.6.6.10B	Chosen Radio Resource Information .....	99
7.6.6.11	Key Status .....	99
7.6.6.12	Selected UMTS Algorithms .....	99
7.6.6.13	Allowed GSM Algorithms .....	99
7.6.6.14	Allowed UMTS Algorithms .....	99
7.6.6.15	Selected GSM Algorithm .....	99
7.6.6.16	Iu-Currently Used Codec .....	99
7.6.6.17	Iu-Supported Codecs List .....	99
7.6.6.17A	Iu-Available Codecs List .....	100
7.6.6.18	Iu-Selected Codec .....	100
7.6.6.19	RAB Configuration Indicator .....	100
7.6.6.20	UESBI-Iu .....	100
7.6.6.21	Alternative Channel Type .....	100
7.6.6.22	AoIP-Supported Codecs List Anchor .....	100
7.6.6.23	AoIP-Available Codecs List Map .....	100
7.6.6.24	AoIP-Selected Codec Target .....	100
7.6.7	Authentication parameters .....	100
7.6.7.1	Authentication set list .....	100
7.6.7.2	Rand .....	100
7.6.7.3	Sres .....	100
7.6.7.4	Kc .....	101
7.6.7.5	Xres .....	101
7.6.7.5A	Ck .....	101
7.6.7.5B	Ik .....	101
7.6.7.5C	Autn .....	101
7.6.7.5D	KASME .....	101
7.6.7.6	Cksn .....	101
7.6.7.6A	Ksi .....	101
7.6.7.6B	Auts .....	101
7.6.7.7	Ciphering mode .....	101
7.6.7.8	Current Security Context .....	101
7.6.7.9	Failure cause .....	101
7.6.7.10	Re-attempt .....	102
7.6.7.11	Access Type .....	102
7.6.8	Short message parameters .....	102
7.6.8.1	SM-RP-DA .....	102
7.6.8.2	SM-RP-OA .....	102
7.6.8.3	MWD status .....	102
7.6.8.4	SM-RP-UI .....	102
7.6.8.5	SM-RP-PRI .....	102
7.6.8.6	SM Delivery Outcome .....	102
7.6.8.7	More Messages To Send .....	103
7.6.8.8	Alert Reason .....	103
7.6.8.9	Absent Subscriber Diagnostic SM .....	103
7.6.8.10	Alert Reason Indicator .....	103
7.6.8.10A	Additional Alert Reason Indicator .....	103
7.6.8.11	Additional SM Delivery Outcome .....	103
7.6.8.12	Additional Absent Subscriber Diagnostic SM .....	103
7.6.8.13	Delivery Outcome Indicator .....	103
7.6.8.14	GPRS Node Indicator .....	103
7.6.8.14A	IMS Node Indicator .....	103
7.6.8.15	GPRS Support Indicator .....	103
7.6.8.16	SM-RP-MTI .....	103

7.6.8.17	SM-RP-SMEA .....	104
7.6.8.18	IP-SM-GW SM Delivery Outcome .....	104
7.6.8.19	IP-SM-GW Absent Subscriber Diagnostic SM .....	104
7.6.8.20	IP-SM-GW Indicator .....	104
7.6.8.21	SM Delivery Timer .....	104
7.6.8.22	SM Delivery Start Time .....	104
7.6.8.23	Maximum Retransmission Time .....	104
7.6.8.24	Requested Retransmission Time .....	104
7.6.8.25	Maximum UE Availability Time .....	104
7.6.8.26	SMS-GMSC Alert Event .....	104
7.6.8.27	SMS-GMSC Address .....	104
7.6.8.28	SMS-GMSC Diameter Address .....	104
7.6.8.29	New SGSN Number .....	105
7.6.8.30	New MME Number .....	105
7.6.8.31	New SGSN Diameter Address .....	105
7.6.8.32	New MME Diameter Address .....	105
7.6.8.33	New MSC Number .....	105
7.6.9	Access and signalling system related parameters .....	105
7.6.9.1	AN-apdu .....	105
7.6.9.2	CM service type .....	105
7.6.9.3	Access connection status .....	105
7.6.9.4	External Signal Information .....	106
7.6.9.5	Access signalling information .....	106
7.6.9.6	Location update type .....	106
7.6.9.7	Protocol ID .....	106
7.6.9.8	Network signal information .....	106
7.6.9.8A	Network signal information 2 .....	107
7.6.9.9	Call Info .....	107
7.6.9.10	Additional signal info .....	107
7.6.10	System operations parameters .....	108
7.6.10.1	Network resources .....	108
7.6.10.2	Trace reference .....	108
7.6.10.2A	Trace reference 2 .....	108
7.6.10.3	Trace type .....	108
7.6.10.4	Additional network resources .....	108
7.6.10.5	Trace depth list .....	108
7.6.10.6	Trace NE type list .....	108
7.6.10.7	Trace interface list .....	108
7.6.10.8	Trace event list .....	109
7.6.10.9	Trace support indicator .....	109
7.6.10.10	Trace Propagation List .....	109
7.6.10.11	MDT-Configuration .....	109
7.6.10.12	MDT User Consent .....	109
7.6.11	Location Service Parameters .....	109
7.6.11.1	Age of Location Estimate .....	109
7.6.11.2	Deferred MT-LR Response Indicator .....	109
7.6.11.3	Deferred MT-LR Data .....	109
7.6.11.4	LCS Client ID .....	109
7.6.11.5	LCS Event .....	109
7.6.11.7	LCS Priority .....	109
7.6.11.8	LCS QoS .....	110
7.6.11.9	CS LCS Not Supported by UE .....	110
7.6.11.10	PS LCS Not Supported by UE .....	110
7.6.11.11	Location Estimate .....	110
7.6.11.11A	GERAN Positioning Data .....	110
7.6.11.11B	UTRAN Positioning Data .....	111
7.6.11.11C	GERAN GANSS Positioning Data .....	111
7.6.11.11D	UTRAN GANSS Positioning Data .....	111
7.6.11.11E	UTRAN Additional Positioning Data .....	111
7.6.11.11F	UTRAN Barometric Pressure Measurement .....	111
7.6.11.11G	UTRAN Civic Address .....	111
7.6.11.12	Location Type .....	111

7.6.11.13	NA-ESRD .....	111
7.6.11.14	NA-ESRK .....	111
7.6.11.15	LCS Service Type Id.....	112
7.6.11.16	Privacy Override .....	112
7.6.11.17	Supported LCS Capability Sets.....	112
7.6.11.18	LCS Codeword.....	112
7.6.11.19	NA-ESRK Request.....	112
7.6.11.20	Supported GAD Shapes .....	112
7.6.11.21	Additional Location Estimate.....	112
7.6.11.22	Cell Id Or SAI .....	112
7.6.11.23	LCS-Reference Number.....	112
7.6.11.24	LCS Privacy Check.....	112
7.6.11.25	Additional LCS Capability Sets .....	113
7.6.11.26	Area Event Info .....	113
7.6.11.27	Velocity Estimate.....	113
7.6.11.28	Accuracy Fulfilment Indicator .....	113
7.6.11.29	MO-LR Short Circuit Indicator.....	113
7.6.11.30	Reporting PLMN List .....	113
7.6.11.31	Periodic LDR information.....	113
7.6.11.32	Sequence Number .....	113
7.6.12	Void .....	114
7.7	Representation of a list of a basic parameter in service-primitives .....	114
8	Mobility services .....	114
8.1	Location management services.....	114
8.1.1	Void .....	114
8.1.1.1	Void.....	114
8.1.1.2	Void.....	114
8.1.1.3	Void.....	114
8.1.2	MAP_UPDATE_LOCATION service .....	114
8.1.2.1	Definition .....	114
8.1.2.2	Service primitives .....	114
8.1.2.3	Parameter definitions and use .....	115
8.1.3	MAP_CANCEL_LOCATION service .....	118
8.1.3.1	Definition .....	118
8.1.3.2	Service primitives .....	118
8.1.3.3	Parameter definitions and use .....	118
8.1.4	MAP_SEND_IDENTIFICATION service .....	119
8.1.4.1	Definition .....	119
8.1.4.2	Service primitives .....	120
8.1.4.3	Parameter definitions and use .....	120
8.1.5	Void .....	122
8.1.5.1	Void.....	122
8.1.5.2	Void.....	122
8.1.5.3	Void.....	122
8.1.6	MAP_PURGE_MS service.....	122
8.1.6.1	Definition .....	122
8.1.6.2	Service primitives .....	122
8.1.6.3	Parameter definitions and use .....	122
8.1.7	MAP_UPDATE_GPRS_LOCATION service .....	123
8.1.7.1	Definition .....	123
8.1.7.2	Service primitives .....	123
8.1.7.3	Parameter definitions and use .....	124
8.1.8	MAP-NOTE-MM-EVENT .....	128
8.1.8.1	Definition .....	128
8.1.8.2	Service primitives .....	129
8.1.8.3	Parameter use .....	129
8.1.9	MAP_UPDATE_VCSG_LOCATION service.....	130
8.1.9.1	Definition .....	130
8.1.9.2	Service primitives .....	130
8.1.9.3	Parameter definitions and use .....	131
8.1.10	MAP_CANCEL_VCSG_LOCATION service.....	131

8.1.10.1	Definition .....	131
8.1.10.2	Service primitives .....	131
8.1.10.3	Parameter definitions and use .....	132
8.2	Paging and search .....	132
8.2.1	MAP_PAGE service .....	132
8.2.1.1	Definition .....	132
8.2.1.2	Service primitives .....	132
8.2.1.3	Parameter definitions and use .....	132
8.2.2	MAP_SEARCH_FOR_MS service .....	133
8.2.2.1	Definition .....	133
8.2.2.2	Service primitives .....	133
8.2.2.3	Parameter definitions and use .....	133
8.3	Access management services .....	134
8.3.1	MAP_PROCESS_ACCESS_REQUEST service .....	134
8.3.1.1	Definition .....	134
8.3.1.2	Service primitives .....	134
8.3.1.3	Parameter definitions and use .....	135
8.4	Handover services .....	136
8.4.1	MAP_PREPARE_HANDOVER service .....	136
8.4.1.1	Definition .....	136
8.4.1.2	Service primitives .....	136
8.4.1.3	Parameter use .....	137
8.4.2	MAP_SEND_END_SIGNAL service .....	141
8.4.2.1	Definition .....	141
8.4.2.2	Service primitives .....	141
8.4.2.3	Parameter use .....	141
8.4.3	MAP_PROCESS_ACCESS_SIGNALLING service .....	141
8.4.3.1	Definition .....	141
8.4.3.2	Service primitives .....	142
8.4.3.3	Parameter use .....	142
8.4.4	MAP_FORWARD_ACCESS_SIGNALLING service .....	143
8.4.4.1	Definition .....	143
8.4.4.2	Service primitives .....	143
8.4.4.3	Parameter use .....	144
8.4.5	MAP_PREPARE_SUBSEQUENT_HANDOVER service .....	146
8.4.5.1	Definition .....	146
8.4.5.2	Service primitives .....	147
8.4.5.3	Parameter use .....	147
8.4.6	MAP_ALLOCATE_HANDOVER_NUMBER service .....	148
8.4.6.1	Definition .....	148
8.4.6.2	Service primitives .....	148
8.4.6.3	Parameter use .....	148
8.4.7	MAP_SEND_HANDOVER_REPORT service .....	148
8.4.7.1	Definition .....	148
8.4.7.2	Service primitives .....	149
8.4.7.3	Parameter use .....	149
8.5	Authentication management services .....	149
8.5.1	MAP_AUTHENTICATE service .....	149
8.5.1.1	Definition .....	149
8.5.1.2	Service primitives .....	149
8.5.1.3	Parameter use .....	150
8.5.2	MAP_SEND_AUTHENTICATION_INFO service .....	150
8.5.2.1	Definition .....	150
8.5.2.2	Service primitives .....	151
8.5.2.3	Parameter use .....	151
8.5.3	MAP_AUTHENTICATION_FAILURE_REPORT service .....	153
8.5.3.1	Definition .....	153
8.5.3.2	Service primitives .....	153
8.5.3.3	Parameter use .....	153
8.6	Security management services .....	154
8.6.1	MAP_SET_CIPHERING_MODE service .....	154
8.6.1.1	Definitions .....	154

8.6.1.2	Service primitives .....	154
8.6.1.3	Parameter use .....	154
8.7	International mobile equipment identities management services .....	155
8.7.1	MAP_CHECK_IMEI service .....	155
8.7.1.1	Definition .....	155
8.7.1.2	Service primitives .....	155
8.7.1.3	Parameter use .....	155
8.7.2	MAP_OBTAIN_IMEI service.....	156
8.7.2.1	Definition .....	156
8.7.2.2	Service primitives .....	156
8.7.2.3	Parameter use .....	156
8.8	Subscriber management services.....	157
8.8.1	MAP-INSERT-SUBSCRIBER-DATA service .....	157
8.8.1.1	Definition .....	157
8.8.1.2	Service primitives .....	157
8.8.1.3	Parameter use .....	159
8.8.1.4	Basic service information related to supplementary services.....	172
8.8.2	MAP-DELETE-SUBSCRIBER-DATA service .....	173
8.8.2.1	Definition .....	173
8.8.2.2	Service primitives .....	173
8.8.2.3	Parameter use .....	174
8.9	Identity management services .....	179
8.9.1	MAP-PROVIDE-IMSI service .....	179
8.9.1.1	Definition .....	179
8.9.1.2	Service primitives .....	179
8.9.1.3	Parameter use .....	179
8.9.2	MAP-FORWARD-NEW-TMSI service .....	179
8.9.2.1	Definition .....	179
8.9.2.2	Service primitives .....	179
8.9.2.3	Parameter use .....	179
8.10	Fault recovery services.....	180
8.10.1	MAP_RESET service .....	180
8.10.1.1	Definition .....	180
8.10.1.2	Service primitives .....	180
8.10.1.3	Parameter definition and use .....	180
8.10.2	MAP_FORWARD_CHECK_SS_INDICATION service .....	180
8.10.2.1	Definition .....	180
8.10.2.2	Service primitives .....	180
8.10.2.3	Parameter definition and use .....	181
8.10.3	MAP_RESTORE_DATA service.....	181
8.10.3.1	Definition .....	181
8.10.3.2	Service primitives .....	181
8.10.3.3	Parameter definitions and use .....	181
8.11	Subscriber Information services .....	183
8.11.1	MAP-ANY-TIME-INTERROGATION service.....	183
8.11.1.1	Definition .....	183
8.11.1.2	Service primitives .....	183
8.11.1.3	Parameter definition and use .....	184
8.11.2	MAP-PROVIDE-SUBSCRIBER-INFO service.....	185
8.11.2.1	Definition .....	185
8.11.2.2	Service primitives .....	185
8.11.2.3	Parameter definition and use .....	185
8.11.3	MAP-ANY-TIME-SUBSCRIPTION-INTERROGATION service .....	186
8.11.3.1	Definition .....	186
8.11.3.2	Service primitives .....	186
8.11.3.3	Parameter definition and use .....	187
8.11.4	MAP-ANY-TIME-MODIFICATION service .....	187
8.11.4.1	Definition .....	187
8.11.4.2	Service primitives .....	188
8.11.4.3	Parameter definition and use .....	188
8.11.5	MAP-NOTE-SUBSCRIBER-DATA-MODIFIED service.....	189
8.11.5.1	Definition .....	189

8.11.5.2	Service primitives .....	189
8.11.5.3	Parameter definition and use .....	190
9	Operation and maintenance services .....	191
9.1	Subscriber tracing services .....	191
9.1.1	MAP-ACTIVATE-TRACE-MODE service .....	191
9.1.1.1	Definition .....	191
9.1.1.2	Service primitives .....	191
9.1.1.3	Parameter use .....	192
9.1.2	MAP-DEACTIVATE-TRACE-MODE service .....	193
9.1.2.1	Definition .....	193
9.1.2.2	Service primitives .....	193
9.1.2.3	Parameter use .....	193
9.1.3	MAP-TRACE-SUBSCRIBER-ACTIVITY service .....	194
9.1.3.1	Definition .....	194
9.1.3.2	Service primitives .....	194
9.1.3.3	Parameter use .....	194
9.2	Other operation and maintenance services .....	194
9.2.1	MAP-SEND-IMSI service .....	194
9.2.1.1	Definition .....	194
9.2.1.2	Service primitives .....	195
9.2.1.3	Parameter use .....	195
10	Call handling services .....	195
10.1	MAP_SEND_ROUTING_INFORMATION service .....	195
10.1.1	Definition .....	195
10.1.2	Service primitives .....	195
10.1.3	Parameter use .....	196
10.2	MAP_PROVIDE_ROAMING_NUMBER service .....	202
10.2.1	Definition .....	202
10.2.2	Service primitives .....	202
10.2.3	Parameter use .....	202
10.3	MAP_RESUME_CALL_HANDLING service .....	205
10.3.1	Definition .....	205
10.3.2	Service primitives .....	205
10.3.3	Parameter use .....	206
10.4	MAP_PREPARE_GROUP_CALL service .....	207
10.4.1	Definition .....	207
10.4.2	Service primitives .....	207
10.4.3	Parameter definitions and use .....	207
10.5	MAP_PROCESS_GROUP_CALL_SIGNALLING service .....	209
10.5.1	Definitions .....	209
10.5.2	Service primitives .....	209
10.5.3	Parameter definitions and use .....	209
10.6	MAP_FORWARD_GROUP_CALL_SIGNALLING service .....	210
10.6.1	Definitions .....	210
10.6.2	Service primitives .....	210
10.6.3	Parameter definitions and use .....	210
10.7	MAP_SEND_GROUP_CALL_END_SIGNAL service .....	211
10.7.1	Definitions .....	211
10.7.2	Service primitives .....	211
10.7.3	Parameter definitions and use .....	212
10.7A	MAP_SEND_GROUP_CALL_INFO service .....	212
10.7A.1	Definitions .....	212
10.7A.2	Service primitives .....	212
10.7A.3	Parameter definitions and use .....	212
10.8	Void .....	214
10.9	Void .....	214
10.10	MAP_SET_REPORTING_STATE service .....	214
10.10.1	Definition .....	214
10.10.2	Service primitives .....	214
10.10.3	Parameter use .....	214

10.11	MAP_STATUS_REPORT service.....	215
10.11.1	Definition.....	215
10.11.2	Service primitives .....	215
10.11.3	Parameter use.....	215
10.12	MAP_REMOTE_USER_FREE service.....	216
10.12.1	Definition.....	216
10.12.2	Service primitives .....	216
10.12.3	Parameter use.....	216
10.13	MAP_IST_ALERT service .....	217
10.13.1	Definition.....	217
10.13.2	Service primitives .....	217
10.13.3	Parameter use.....	217
10.14	MAP_IST_COMMAND service.....	218
10.14.1	Definition.....	218
10.14.2	Service primitives .....	218
10.14.3	Parameter use.....	218
10.15	MAP_RELEASE_RESOURCES service.....	218
10.15.1	Definition.....	218
10.15.2	Service primitives .....	219
10.15.3	Parameter use.....	219
11	Supplementary services related services .....	219
11.1	MAP_REGISTER_SS service.....	219
11.1.1	Definition.....	219
11.1.2	Service primitives .....	219
11.1.3	Parameter use.....	220
11.2	MAP_ERASE_SS service .....	221
11.2.1	Definition.....	221
11.2.2	Service primitives .....	221
11.2.3	Parameter use.....	221
11.3	MAP_ACTIVATE_SS service.....	222
11.3.1	Definition.....	222
11.3.2	Service primitives .....	222
11.3.3	Parameter use.....	222
11.4	MAP_DEACTIVATE_SS service .....	223
11.4.1	Definitions .....	223
11.4.2	Service primitives .....	223
11.4.3	Parameter use.....	224
11.5	MAP_INTERROGATE_SS service.....	225
11.5.1	Definitions .....	225
11.5.2	Service primitives .....	225
11.5.3	Parameter use.....	225
11.6	Void.....	227
11.7	MAP_REGISTER_PASSWORD service .....	227
11.7.1	Definitions .....	227
11.7.2	Service primitives .....	227
11.7.3	Parameter use.....	227
11.8	MAP_GET_PASSWORD service.....	228
11.8.1	Definitions .....	228
11.8.2	Service primitives .....	228
11.8.3	Parameter use.....	228
11.9	MAP_PROCESS_UNSTRUCTURED_SS_REQUEST service.....	228
11.9.1	Definitions .....	228
11.9.2	Service primitives .....	228
11.9.3	Parameter use.....	229
11.10	MAP_UNSTRUCTURED_SS_REQUEST service.....	229
11.10.1	Definitions .....	229
11.10.2	Service primitives .....	230
11.10.3	Parameter use.....	230
11.11	MAP_UNSTRUCTURED_SS_NOTIFY service .....	231
11.11.1	Definitions .....	231
11.11.2	Service primitives .....	231

11.11.3	Parameter use.....	231
11.12	MAP_SS_INVOCATION_NOTIFY .....	232
11.12.1	Definition.....	232
11.12.2	Service primitives .....	232
11.12.3	Parameter use.....	232
11.13	MAP_REGISTER_CC_ENTRY service .....	232
11.13.1	Definition.....	232
11.13.2	Service primitives .....	233
11.13.3	Parameter use.....	233
11.14	MAP_ERASE_CC_ENTRY service.....	234
11.14.1	Definition.....	234
11.14.2	Service primitives .....	234
11.14.3	Parameter use.....	234
12	Short message service management services .....	235
12.1	MAP-SEND-ROUTING-INFO-FOR-SM service .....	235
12.1.1	Definition.....	235
12.1.2	Service primitives .....	235
12.1.3	Parameter use.....	236
12.1.4	Identities of MT-SMS Target Nodes .....	238
12.2	MAP-MO-FORWARD-SHORT-MESSAGE service.....	239
12.2.1	Definition.....	239
12.2.2	Service primitives .....	239
12.2.3	Parameter use.....	239
12.3	MAP-REPORT-SM-DELIVERY-STATUS service.....	240
12.3.1	Definition.....	240
12.3.2	Service primitives .....	241
12.3.3	Parameter use.....	241
12.4	MAP-READY-FOR-SM service.....	243
12.4.1	Definition.....	243
12.4.2	Service primitives .....	243
12.4.3	Parameter use.....	243
12.5	MAP-ALERT-SERVICE-CENTRE service .....	244
12.5.1	Definition.....	244
12.5.2	Service primitives .....	244
12.5.3	Parameter use.....	245
12.6	MAP-INFORM-SERVICE-CENTRE service.....	247
12.6.1	Definition.....	247
12.6.2	Service primitives .....	247
12.6.3	Parameter use.....	247
12.7	MAP-SEND-INFO-FOR-MT-SMS service .....	248
12.7.1	Definition.....	248
12.7.2	Service primitives .....	248
12.7.3	Parameter use.....	248
12.8	MAP-SEND-INFO-FOR-MO-SMS service.....	249
12.8.1	Definition.....	249
12.8.2	Service primitives .....	249
12.8.3	Parameter use.....	249
12.9	MAP-MT-FORWARD-SHORT-MESSAGE service .....	250
12.9.1	Definition.....	250
12.9.2	Service primitives .....	250
12.9.3	Parameter use.....	250
12.10	MAP-MT-FORWARD-SM-FOR-VGCS service .....	252
12.10.1	Definition.....	252
12.10.2	Service primitives .....	252
12.10.3	Parameter use.....	253
13	Network-Requested PDP Context Activation services .....	253
13.1	MAP_SEND_ROUTING_INFO_FOR_GPRS service.....	253
13.1.1	Definition.....	253
13.1.2	Service primitives .....	254
13.1.3	Parameter definition and use.....	254

13.2	MAP_FAILURE_REPORT service .....	255
13.2.1	Definition .....	255
13.2.2	Service primitives .....	255
13.2.3	Parameter definition and use .....	255
13.3	MAP_NOTE_MS_PRESENT_FOR_GPRS service .....	255
13.3.1	Definition .....	255
13.3.2	Service primitives .....	256
13.3.3	Parameter definition and use .....	256
13A	Location Service Management Services .....	256
13A.1	MAP-SEND-ROUTING-INFO-FOR-LCS Service .....	256
13A.1.1	Definition .....	256
13A.1.2	Service Primitives .....	257
13A.1.3	Parameter Use .....	257
13A.2	MAP-PROVIDE-SUBSCRIBER-LOCATION Service .....	259
13A.2.1	Definition .....	259
13A.2.2	Service Primitives .....	259
13A.2.3	Parameter Definition and Use .....	260
13A.3	MAP-SUBSCRIBER-LOCATION-REPORT Service .....	263
13A.3.1	Definition .....	263
13A.3.2	Service Primitives .....	263
13A.3.3	Parameter Definition and Use .....	264
13A.4	Void .....	268
13A.4.1	Void .....	268
13A.4.2	Void .....	268
13A.4.3	Void .....	268
13A.5	Void .....	268
13A.5.1	Void .....	268
13A.5.2	Void .....	268
13A.5.3	Void .....	268
13A.6	Void .....	268
13A.6.1	Void .....	268
13A.6.2	Void .....	268
13A.6.3	Void .....	268
13A.7	Void .....	268
13A.7.1	Void .....	268
13A.7.2	Void .....	268
13A.7.3	Void .....	268
13A.8	Void .....	268
13A.8.1	Void .....	268
13A.8.2	Void .....	268
13A.8.3	Void .....	268
13A.9	Void .....	268
13A.9.1	Void .....	268
13A.9.2	Void .....	269
13A.9.3	Void .....	269
14	General .....	269
14.1	Overview .....	269
14.2	Underlying services .....	269
14.3	Model .....	269
14.4	Conventions .....	269
15	Elements of procedure .....	270
15.1	Handling of unknown operations .....	270
15.2	Dialogue establishment .....	270
15.2.1	Behaviour at the initiating side .....	271
15.2.2	Behaviour at the responding side .....	271
15.3	Dialogue continuation .....	272
15.4	Load control .....	272
15.5	Procedures for MAP specific services .....	272
15.5.1	Service invocation .....	273
15.5.2	Void .....	273

15.5.3	Service invocation receipt.....	273
15.5.4	Void .....	273
15.5.5	Handling of components received from TC.....	273
15.6	SDL descriptions .....	273
16	Mapping on to TC services .....	306
16.1	Dialogue control.....	306
16.1.1	Directly mapped parameters .....	306
16.1.2	Use of other parameters of dialogue handling primitives .....	306
16.1.2.1	Dialogue Id.....	306
16.1.2.2	Application-context-name .....	306
16.1.2.3	User information .....	306
16.1.2.4	Component present.....	306
16.1.2.5	Termination.....	306
16.1.2.6	P-Abort-Cause.....	306
16.1.2.7	Quality of service .....	307
16.2	Service specific procedures .....	307
16.2.1	Directly mapped parameters .....	307
16.2.2	Use of other parameters of component handling primitives .....	307
16.2.2.1	Dialogue Id.....	307
16.2.2.2	Class .....	307
16.2.2.3	Linked Id.....	307
16.2.2.4	Operation.....	308
16.2.2.5	Error .....	309
16.2.2.6	Parameters.....	309
16.2.2.7	Time out.....	309
16.2.2.8	Last component .....	309
16.2.2.9	Problem code.....	309
16.2.2.9.1	Mapping to MAP User Error .....	309
16.2.2.9.2	Mapping to MAP Provider Error parameter .....	310
16.2.2.9.3	Mapping to diagnostic parameter .....	310
17	Abstract syntax of the MAP protocol.....	311
17.1	General .....	311
17.1.1	Encoding rules .....	311
17.1.2	Use of TC.....	311
17.1.2.1	Use of Global Operation and Error codes defined outside MAP .....	312
17.1.3	Use of information elements defined outside MAP .....	312
17.1.4	Compatibility considerations .....	312
17.1.5	Structure of the Abstract Syntax of MAP .....	313
17.1.6	Application Contexts .....	315
17.2	Operation packages .....	316
17.2.1	General aspects .....	316
17.2.2	Packages specifications.....	317
17.2.2.1	Location updating .....	317
17.2.2.2	Location cancellation .....	317
17.2.2.3	Roaming number enquiry.....	318
17.2.2.4	Information retrieval .....	318
17.2.2.5	Inter-VLR information retrieval.....	318
17.2.2.6	IMSI retrieval.....	318
17.2.2.7	Call control transfer.....	319
17.2.2.8	Void.....	319
17.2.2.9	Void.....	319
17.2.2.10	Interrogation.....	319
17.2.2.11	Void.....	319
17.2.2.12	Handover Control.....	319
17.2.2.13	Subscriber Data management stand alone.....	320
17.2.2.14	Equipment management.....	320
17.2.2.15	Subscriber data management.....	320
17.2.2.16	Location register restart.....	320
17.2.2.17	Tracing stand-alone .....	321
17.2.2.18	Functional SS handling .....	321

17.2.2.19	Tracing .....	321
17.2.2.20	Binding .....	321
17.2.2.21	Unstructured SS handling .....	322
17.2.2.22	MO Short message relay services .....	322
17.2.2.23	Short message gateway services .....	322
17.2.2.24	MT Short message relay services .....	323
17.2.2.25	Void .....	323
17.2.2.26	Message waiting data management .....	323
17.2.2.27	Alerting .....	323
17.2.2.28	Data restoration .....	323
17.2.2.29	Purging .....	324
17.2.2.30	Subscriber information enquiry .....	324
17.2.2.31	Any time information enquiry .....	324
17.2.2.32	Group Call Control .....	324
17.2.2.32A	Group Call Info Retrieval .....	324
17.2.2.33	Void .....	325
17.2.2.34	Void .....	325
17.2.2.35	Gprs location updating .....	325
17.2.2.36	Gprs Interrogation .....	325
17.2.2.37	Failure reporting .....	325
17.2.2.38	GPRS notifying .....	325
17.2.2.39	Supplementary Service invocation notification .....	326
17.2.2.40	Set Reporting State .....	326
17.2.2.41	Status Report .....	326
17.2.2.42	Remote User Free .....	326
17.2.2.43	Call Completion .....	326
17.2.2.44	Location service gateway services .....	326
17.2.2.45	Location service enquiry .....	327
17.2.2.45A	Location service reporting .....	327
17.2.2.46	Void .....	327
17.2.2.47	Void .....	327
17.2.2.48	Void .....	327
17.2.2.49	IST Alerting .....	327
17.2.2.50	Service Termination .....	327
17.2.2.51	Mobility Management event notification .....	328
17.2.2.53	Subscriber Data modification notification .....	328
17.2.2.54	Authentication Failure Report .....	328
17.2.2.55	Resource Management .....	328
17.2.2.56	MT Short message relay VGCS services .....	329
17.2.2.57	Vcsg location updating .....	329
17.2.2.58	Vcsg location cancellation .....	329
17.3	Application contexts .....	329
17.3.1	General aspects .....	329
17.3.2	Application context definitions .....	330
17.3.2.1	Void .....	330
17.3.2.2	Location Updating .....	330
17.3.2.3	Location Cancellation .....	330
17.3.2.4	Roaming number enquiry .....	331
17.3.2.5	Void .....	331
17.3.2.6	Location Information Retrieval .....	331
17.3.2.7	Call control transfer .....	331
17.3.2.8	Void .....	332
17.3.2.9	Void .....	332
17.3.2.10	Void .....	332
17.3.2.11	Location registers restart .....	332
17.3.2.12	Handover control .....	332
17.3.2.13	IMSI Retrieval .....	332
17.3.2.14	Equipment Management .....	333
17.3.2.15	Information retrieval .....	333
17.3.2.16	Inter-VLR information retrieval .....	333
17.3.2.17	Stand Alone Subscriber Data Management .....	334
17.3.2.18	Tracing .....	334

17.3.2.19	Network functional SS handling .....	334
17.3.2.20	Network unstructured SS handling .....	335
17.3.2.21	Short Message Gateway .....	335
17.3.2.22	Mobile originating Short Message Relay .....	335
17.3.2.23	Void.....	336
17.3.2.24	Short message alert .....	336
17.3.2.25	Short message waiting data management.....	336
17.3.2.26	Mobile terminating Short Message Relay .....	336
17.3.2.27	MS purging .....	337
17.3.2.28	Subscriber information enquiry.....	337
17.3.2.29	Any time information enquiry.....	337
17.3.2.30	Group Call Control.....	337
17.3.2.30A	Group Call Info Retrieval.....	337
17.3.2.31	Void.....	338
17.3.2.32	Gprs Location Updating .....	338
17.3.2.33	Gprs Location Information Retrieval .....	338
17.3.2.34	Failure Reporting .....	338
17.3.2.35	GPRS Notifying .....	338
17.3.2.36	Supplementary Service invocation notification.....	339
17.3.2.37	Reporting.....	339
17.3.2.38	Call Completion .....	339
17.3.2.39	Location Service Gateway .....	339
17.3.2.40	Location Service Enquiry.....	339
17.3.2.41	Void.....	340
17.3.2.42	Void.....	340
17.3.2.43	Void.....	340
17.3.2.44	IST Alerting .....	340
17.3.2.45	Service Termination .....	340
17.3.2.46	Mobility Management event notification .....	340
17.3.2.48	Subscriber Data modification notification .....	341
17.3.2.49	Authentication Failure Report.....	341
17.3.2.50	Resource Management .....	341
17.3.2.51	Mobile terminating Short Message Relay VGCS .....	341
17.3.2.52	Vcsg Location Updating .....	341
17.3.2.53	Vcsg Location Cancellation .....	342
17.3.3	ASN.1 Module for application-context-names .....	342
17.4	MAP Dialogue Information.....	345
17.5	MAP operation and error codes.....	346
17.6	MAP operations and errors.....	349
17.6.1	Mobile Service Operations .....	349
17.6.2	Operation and Maintenance Operations.....	356
17.6.3	Call Handling Operations .....	357
17.6.4	Supplementary service operations .....	360
17.6.5	Short message service operations .....	364
17.6.6	Errors .....	366
17.6.7	Group Call operations.....	373
17.6.8	Location service operations .....	374
17.6.9	Void .....	376
17.7	MAP constants and data types.....	376
17.7.1	Mobile Service data types.....	376
17.7.2	Operation and maintenance data types.....	423
17.7.3	Call handling data types.....	430
17.7.4	Supplementary service data types.....	436
17.7.5	Supplementary service codes.....	440
17.7.6	Short message data types .....	443
17.7.7	Error data types.....	448
17.7.8	Common data types .....	453
17.7.9	Teleservice Codes.....	462
17.7.10	Bearer Service Codes.....	463
17.7.11	Extension data types .....	465
17.7.12	Group Call data types .....	466
17.7.13	Location service data types.....	469

17.7.14	Void .....	479
18	General on MAP user procedures .....	480
18.1	Introduction .....	480
18.2	Common aspects of user procedure descriptions.....	480
18.2.1	General conventions .....	480
18.2.2	Naming conventions .....	480
18.2.3	Convention on primitives parameters .....	482
18.2.3.1	Open service.....	482
18.2.3.2	Close service .....	482
18.2.4	Version handling at dialogue establishment .....	482
18.2.4.1	Behaviour at the initiating side.....	482
18.2.4.2	Behaviour at the responding side .....	482
18.2.5	Abort Handling .....	482
18.2.6	SDL conventions .....	482
18.3	Interaction between MAP Provider and MAP Users.....	483
19	Mobility procedures .....	484
19.1	Location management Procedures.....	484
19.1.1	Location updating .....	485
19.1.1.1	General .....	485
19.1.1.2	Procedures in the VLR.....	490
19.1.1.3	Procedure in the PVLR .....	490
19.1.1.4	Procedure in the SGSN .....	490
19.1.1.5	Procedures in the HLR.....	491
19.1.1A	Location updating for VCSG .....	511
19.1.1A.1	General .....	511
19.1.1A.2	Procedures in the VLR.....	511
19.1.1A.3	Procedures in the SGSN.....	511
19.1.1A.4	Procedures in the CSS.....	511
19.1.2	Location Cancellation .....	519
19.1.2.1	General .....	519
19.1.2.2	Procedure in the HLR.....	519
19.1.2.3	Procedure in the VLR.....	520
19.1.2.4	Procedure in the SGSN .....	520
19.1.2A	Location Cancellation for VCSG.....	527
19.1.2A.1	General .....	527
19.1.2A.2	Procedure in the CSS .....	527
19.1.2A.3	Procedure in the VLR.....	527
19.1.2A.4	Procedure in the SGSN .....	528
19.1.3	Void .....	532
19.1.4	MS Purging.....	532
19.1.4.1	General .....	532
19.1.4.2	Procedure in the VLR.....	532
19.1.4.3	Procedure in the SGSN .....	532
19.1.4.4	Procedure in the HLR.....	533
19.2	Handover procedures.....	538
19.2.1	General.....	538
19.2.2	Procedure in MSC-A .....	541
19.2.2.1	Basic handover .....	541
19.2.2.2	Handling of access signalling.....	542
19.2.2.3	Subsequent handover .....	542
19.2.3	Procedure in MSC-B.....	542
19.2.3.1	Basic handover .....	543
19.2.3.2	Handling of access signalling.....	543
19.2.3.3	Subsequent handover .....	543
19.2.4	Macro Receive_Error_From_HO_CA.....	543
19.2.5	Procedure in VLR-B .....	543
19.3	Fault recovery procedures .....	562
19.3.1	VLR fault recovery procedures.....	562
19.3.1.1	General .....	562
19.3.1.2	Procedure in the VLR.....	563

19.3.1.3	Procedure in the HLR.....	563
19.3.2	HLR fault recovery procedures.....	565
19.3.2.1	General.....	565
19.3.2.2	Procedure in the HLR.....	566
19.3.2.3	Procedure in the VLR.....	566
19.3.2.4	Procedure in the SGSN.....	567
19.3.3	CSS fault recovery procedures.....	573
19.3.3.1	General.....	573
19.3.3.2	Procedure in the CSS.....	574
19.3.3.3	Procedure in the VLR.....	574
19.3.3.4	Procedure in the SGSN.....	574
19.4	Mobility Management event notification procedure.....	579
19.4.1	General.....	579
19.4.2	Procedure in the VLR or SGSN.....	580
19.4.3	Procedure in the gsmSCF.....	580
19.5	HLR Insert Subscriber Data macros.....	583
19.5.1	Macro Insert_Subscriber_Data_Framed_HLR.....	583
19.5.2	Macro Insert_GPRS_Subscriber_Data_Framed_HLR.....	583
19.5A	CSS Insert Subscriber Data macros.....	586
19.5A.1	Macro Insert_VCSG_Subscriber_Data_Framed_CSS.....	586
20	Operation and maintenance procedures.....	588
20.1	General.....	588
20.1.1	Tracing Co-ordinator for the VLR.....	588
20.1.2	Tracing Co-ordinator for the SGSN.....	588
20.1.3	Subscriber Data Management Co-ordinator for the VLR.....	588
20.1.4	Subscriber Data Management Co-ordinator for the SGSN.....	588
20.2	Tracing procedures.....	595
20.2.1	Subscriber tracing activation procedure.....	598
20.2.1.1	Procedures in the HLR.....	598
20.2.1.2	Procedure in the VLR.....	598
20.2.1.3	Procedure in the SGSN.....	598
20.2.2	Subscriber tracing deactivation procedure.....	598
20.2.2.1	Procedures in the HLR.....	598
20.2.2.2	Procedure in the VLR.....	599
20.2.2.3	Procedure in the SGSN.....	599
20.3	Subscriber data management procedures for HLR.....	612
20.3.1	Subscriber deletion procedure.....	613
20.3.1.1	Procedure in the HLR.....	613
20.3.1.2	Procedure in the VLR.....	613
20.3.1.3	Procedure in the SGSN.....	614
20.3.2	Subscriber data modification procedure.....	614
20.3.2.1	Procedure in the HLR.....	614
20.3.2.2	Procedures in the VLR.....	615
20.3.2.3	Procedures in the SGSN.....	615
20.3A	Subscriber Data Management procedures for CSS.....	627
20.3A.1	Subscriber deletion procedure.....	628
20.3A.1.1	Procedure in the CSS.....	628
20.3A.1.2	Procedure in the VLR.....	628
20.3A.1.3	Procedure in the SGSN.....	628
20.3A.2	Subscriber data modification procedure.....	629
20.3A.2.1	Procedure in the CSS.....	629
20.3A.2.2	Procedures in the VLR.....	629
20.3A.2.3	Procedures in the SGSN.....	629
20.4	Subscriber Identity procedure.....	641
20.4.1	Procedure in the VLR.....	641
20.4.2	Procedure in the HLR.....	641
21	Call handling procedures.....	644
21.1	General.....	644
21.2	Retrieval of routing information.....	644
21.2.1	General.....	644

21.2.2	Procedure in the GMSC .....	648
21.2.9	Process in the gsmSCF .....	648
21.2.4	Procedure in the HLR .....	648
21.2.5	Procedure in the VLR to provide a roaming number .....	649
21.2.6	Procedure in the VLR to restore subscriber data .....	649
21.2.7	Procedure in the VLR to provide subscriber information .....	649
21.2.8	Procedure in the old VLR to request a Roaming Number (MTRF) .....	649
21.3	Transfer of call handling .....	659
21.3.1	General.....	659
21.3.2	Process in the VMSC.....	659
21.3.3	Process in the GMSC.....	660
21.4	Inter MSC Group Call Procedures .....	663
21.4.1	General.....	663
21.4.2	Process in the Anchor MSC.....	664
21.4.3	Process in the Relay MSC .....	664
21.4A	Inter MSC Group Call Info Retrieval.....	669
21.4A.1	General.....	669
21.4A.2	Process in the MSC.....	669
21.5	Void.....	672
21.6	CCBS: monitoring and reporting the status of the subscriber .....	672
21.6.1	Reporting co-ordinator process in the VLR.....	672
21.6.2	Setting the reporting state – stand-alone .....	672
21.6.2.1	Process in the HLR.....	672
21.6.2.2	Process in the VLR.....	672
21.6.3	Status Reporting.....	672
21.6.3.1	Process in the VLR.....	673
21.6.3.2	Process in the HLR.....	674
21.6.4	CCBS: Remote User Free .....	674
21.6.4.1	Process in the HLR.....	675
21.6.3.2	Process in the VLR.....	675
21.7	Void.....	688
21.8	Void.....	688
21.9	Immediate Service Termination (IST).....	688
21.9.1	IST Alert .....	688
21.9.1.1	Procedure in the MSC .....	688
21.9.1.2	Procedure in the HLR.....	688
21.9.2	IST Command.....	688
21.9.2.1	Procedure in the HLR.....	689
21.9.2.2	Procedure in the MSC .....	689
21.10	Resource Management .....	694
21.10.1	General.....	694
21.3.2	Process in the GMSC.....	694
21.3.3	Process in the VMSC.....	694
22	Supplementary services procedures .....	697
22.1	Supplementary service co-ordinator processes.....	697
22.1.1	Supplementary service co-ordinator process for the MSC.....	697
22.1.2	Void .....	697
22.1.3	Functional supplementary service co-ordinator process for the HLR.....	697
22.1.4	Call completion supplementary service co-ordinator process for the HLR .....	697
22.2	Registration procedure .....	702
22.2.1	General.....	702
22.2.2	Procedure in the MSC.....	703
22.2.3	Procedure in the VLR .....	703
22.2.4	Procedure in the HLR .....	703
22.3	Erasure procedure.....	709
22.3.1	General.....	709
22.3.2	Procedure in the MSC.....	710
22.3.3	Procedure in the VLR .....	710
22.3.4	Procedure in the HLR .....	710
22.4	Activation procedure .....	710
22.4.1	General.....	710

22.4.2	Procedure in the MSC.....	711
22.4.3	Procedure in the VLR.....	712
22.4.4	Procedure in the HLR.....	712
22.5	Deactivation procedure.....	718
22.5.1	General.....	718
22.5.2	Procedure in the MSC.....	719
22.5.3	Procedures in the VLR.....	719
22.5.4	Procedures in the HLR.....	719
22.6	Interrogation procedure.....	719
22.6.1	General.....	719
22.6.2	Procedure in the MSC.....	720
22.6.3	Procedures in the VLR.....	720
22.6.4	Procedure in the HLR.....	721
22.7	Void.....	725
22.8	Password registration procedure.....	726
22.8.1	General.....	726
22.8.2	Procedure in the MSC.....	728
22.8.3	Procedure in the VLR.....	728
22.8.4	Procedure in the HLR.....	728
22.9	Mobile Initiated USSD procedure.....	731
22.9.1	General.....	731
22.9.2	Procedure in the MSC.....	731
22.9.3	Procedure in the VLR.....	731
22.9.4	Procedure in the HLR.....	732
22.9.5	Procedures in the gsmSCF/secondary HLR.....	732
22.10	Network initiated USSD procedure.....	746
22.10.1	General.....	746
22.10.2	Procedure in the MSC.....	746
22.10.3	Procedure in the VLR.....	746
22.10.4	Procedure in the HLR.....	747
22.10.5	Procedure in the gsmSCF or secondary HLR.....	747
22.11	Common macros for clause 22.....	767
22.11.1	SS Password handling macros.....	767
22.11.2	Void.....	767
22.12	Supplementary Service Invocation Notification procedure.....	771
22.12.1	General.....	771
22.12.2	Procedure in the MSC.....	771
22.12.3	Procedure in the gsmSCF.....	771
22.13	Activation of a CCBS request.....	774
22.13.1	General.....	774
22.13.2	Procedure in the VLR.....	774
22.13.3	Procedure in the HLR.....	774
22.14	Deactivation of a CCBS request.....	777
22.14.1	General.....	777
22.14.2	Procedure in the VLR.....	777
22.14.3	Procedure in the HLR.....	777
23	Short message service procedures.....	780
23.1	General.....	780
23.1.1	Mobile originated short message service Co-ordinator for the MSC.....	780
23.1.2	Short message Gateway Co-ordinator for the HLR.....	780
23.2	The mobile originated short message transfer procedure.....	785
23.2.1	Procedure in the serving MSC.....	786
23.2.2	Procedure in the VLR.....	786
23.2.3	Procedure in the SGSN.....	786
23.2.4	Procedure in the SMS Interworking MSC (SMS-IW MSC).....	787
23.3	The mobile terminated short message transfer procedure.....	799
23.3.1	Procedure in the SMS-GMSC.....	806
23.3.2	Procedure in the HLR.....	808
23.3.3	Procedure in the Serving MSC.....	808
23.3.4	Procedure in the VLR.....	809
23.3.5	Procedure in the SGSN.....	809

23.3.6	Procedure in the SMS Router .....	810
23.3.7	Procedure in the IP-SM-GW .....	811
23.4	The Short Message Alert procedure .....	857
23.4.1	Procedure in the Serving MSC – the MS has memory available .....	859
23.4.2	Procedures in the VLR .....	859
23.4.2.1	The Mobile Subscriber is present .....	859
23.4.2.2	The MS has memory available .....	859
23.4.3	Procedures in the SGSN .....	860
23.4.3.1	The Mobile Subscriber is present .....	860
23.4.3.2	The Mobile Equipment has memory available .....	860
23.4.4	Procedure in the HLR .....	860
23.4.5	Procedure in the SMS Interworking MSC .....	860
23.5	The SM delivery status report procedure .....	869
23.5.1	Procedure in the SMS-GMSC .....	869
23.5.2	Procedure in the HLR .....	870
23.5.3	Procedure in the IP-SM-GW .....	870
23.6	The macro Report_SM_Delivery_Stat_HLR .....	875
23.7	The mobile terminated short message transfer procedure for VGCS .....	878
23.7.1	Procedure in the SMS-GMSC .....	879
23.7.2	Procedure in the Anchor MSC .....	879
24	GPRS process description .....	883
24.1	Procedure for retrieval of routing information for GPRS .....	884
24.1.1	Process in the GGSN .....	884
24.1.2	Process in the HLR .....	884
24.2	Procedure for reporting failure to establish a network requested PDP context .....	887
24.2.1	Process in the GGSN .....	887
24.2.2	Process in the HLR .....	887
24.3	Procedure for reporting that an MS has become reachable for GPRS .....	890
24.3.1	Process in the HLR .....	890
24.3.2	Process in the GGSN for Note Ms Present For Gprs .....	890
24A	CSE interrogation and control of subscriber data .....	893
24A.1	General .....	893
24A.2	Any Time Subscription Interrogation procedure .....	895
24A.2.1	General .....	895
24A.2.2	Process in the gsmSCF .....	895
24A.2.3	Process in the HLR .....	895
24A.3	Any Time Modification procedure .....	898
24A.3.1	General .....	898
24A.3.2	Process in the gsmSCF .....	898
24A.3.3	Process in the HLR .....	898
24A.4	Subscriber Data Modification Notification procedure .....	901
24A.4.1	General .....	901
24A.4.2	Process in the HLR .....	901
24A.4.3	Process in the gsmSCF .....	901
24A.5	Any Time Interrogation procedure .....	906
24A.5.1	General .....	906
24A.5.2	Procedures in the gsmSCF .....	907
24A.5.3	Procedure in the HLR .....	907
24A.5.4	Procedure in the GMLC .....	907
24B	Location Services process description .....	913
24B.1	Routing information retrieval procedure for LCS .....	913
24B.1.1	General .....	913
24B.1.2	Process in the GMLC .....	913
24B.1.3	Process in the HLR .....	913
24B.2	Provide Subscriber Location procedure .....	916
24B.2.1	General .....	916
24B.2.2	Process in the GMLC .....	916
24B.2.3	Process in the MSC .....	916
24B.2.4	Process in the SGSN .....	916
24B.3	Subscriber Location Report procedure .....	920

24B.3.1	General.....	920
24B.3.2	Process in the MSC.....	920
24B.3.3	Process in the SGSN.....	920
24B.3.4	Process in the GMLC.....	920
25	General macro description.....	924
25.1	MAP_OPEN handling macros .....	924
25.1.1	Macro Receive_Open_Ind.....	924
25.1.2	Macro Receive_Open_Cnf .....	924
25.2	Macros to check the content of indication and confirmation primitives.....	929
25.2.1	Macro Check_Indication.....	929
25.2.2	Macro Check_Confirmation .....	929
25.3	The page and search macros.....	932
25.3.1	Macro PAGE_MSC .....	932
25.3.2	Macro Search_For_MS_MSC .....	932
25.4	Macros for handling an Access Request.....	935
25.4.1	Macro Process_Access_Request_MSC .....	935
25.4.2	Macro Process_Access_Request_VLR.....	935
25.4.3	Macro Obtain_Identity_VLR.....	935
25.4.4	Process Update_Location_Child_VLR.....	935
25.5	Authentication macros and processes.....	945
25.5.1	Macro Authenticate_MSC.....	945
25.5.2	Macro Authenticate_VLR.....	945
25.5.3	Macro Obtain_Authent_Params_VLR.....	945
25.5.4	Process Obtain_Authentication_Sets_VLR.....	945
25.5.5	Process Obtain_Authent_Sets_SGSN.....	945
25.5.6	Process Obtain_Authent_Sets_HLR.....	945
25.5.7	Authentication Failure Reporting .....	946
25.5.7.1	General .....	946
25.5.7.2	Process in the VLR.....	946
25.5.7.3	Process in the SGSN .....	946
25.5.7.4	Process in the HLR.....	946
25.6	IMEI Handling Macros .....	962
25.6.1	Macro Check_IMEI_MSC.....	962
25.6.2	Macro Check_IMEI_VLR .....	962
25.6.3	Process Check_IMEI_SGSN .....	962
25.6.4	Process Check_IMEI_EIR.....	962
25.6.5	Macro Obtain_IMEI_MSC .....	962
25.6.6	Macro Obtain_IMEI_VLR .....	962
25.7	Insert Subscriber Data macros and processes.....	971
25.7.1	Macro Insert_Subs_Data_VLR.....	971
25.7.2	Macro Insert_Subs_Data_SGSN .....	971
25.7.3	Process Insert_Subs_Data_Stand_Alone_HLR .....	971
25.7.4	Process Insert_GPRS_Subs_Data_Stand_Alone_HLR .....	971
25.7.5	Macro Wait_for_Insert_Subs_Data_Cnf .....	972
25.7.6	Macro Wait_for_Insert_GPRS_Subs_Data_Cnf .....	972
25.7.7	Process Send_Insert_Subs_Data_HLR.....	972
25.7.8	Process Insert_VCSG_Subs_Data_Stand_Alone_CSS .....	972
25.7.9	Macro Wait_for_Insert_VCSG_Subs_Data_Cnf.....	972
25.7.10	Process Send_Insert_VCSG_Subs_Data_CSS .....	972
25.8	Request IMSI Macros.....	986
25.8.1	Macro Obtain_IMSI_MSC .....	986
25.8.2	Macro Obtain_IMSI_VLR.....	986
25.9	Tracing macros .....	989
25.9.1	Macro Trace_Subscriber_Activity_MSC .....	989
25.9.2	Macro Trace_Subscriber_Activity_VLR.....	989
25.9.3	Macro Trace_Subscriber_Activity_SGSN.....	989
25.9.4	Macro Activate_Tracing_VLR.....	989
25.9.5	Macro Activate_Tracing_SGSN.....	989
25.9.6	Macro Control_Tracing_With_VLR_HLR.....	989
25.9.7	Macro Control_Tracing_With_SGSN_HLR .....	989
25.10	Short Message Alert procedures.....	997

25.10.1	Process Subscriber_Present_VLR .....	997
25.10.2	Process SubscriberPresent_SGSN .....	997
25.10.3	Macro Alert_Service_Centre_HLR .....	997
25.10.4	Process Alert_SC_HLR .....	997
<b>Annex A (informative):</b>	<b>ASN.1 Cross-reference listing and fully expanded sources.....</b>	<b>1002</b>
<b>Annex B (informative):</b>	<b>Void .....</b>	<b>1003</b>
<b>Annex C (informative):</b>	<b>Message Segmentation Mechanisms .....</b>	<b>1004</b>
C.1	SCCP segmentation .....	1004
C.2	TCAP segmentation .....	1004
C.2.1	Empty Begin .....	1004
C.2.2	Empty Continue .....	1004
C.2.3	TC-Result-NL .....	1004
C.3	MAP Segmentation .....	1005
C.3.1	Invoke without explicit indication .....	1005
C.3.2	Invoke with explicit indication .....	1005
C.3.3	Result .....	1005
<b>Annex D (informative):</b>	<b>Void .....</b>	<b>1009</b>
<b>Annex E (informative):</b>	<b>Change History .....</b>	<b>1010</b>
History .....		1031

---

# Foreword

This Technical Specification (TS) has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The present document specifies the Mobile Application Part (MAP), the requirements for the signalling system and procedures within the 3GPP system at application level.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.


# 1 Scope

It is necessary to transfer between entities of a Public Land Mobile Network (PLMN) information specific to the PLMN in order to deal with the specific behaviour of roaming Mobile Stations (MS)s. The Signalling System No. 7 specified by CCITT is used to transfer this information.

The present document describes the requirements for the signalling system and the procedures needed at the application level in order to fulfil these signalling needs.

Clauses 1 to 6 are related to general aspects such as terminology, mobile network configuration and other protocols required by MAP.

MAP consists of a set of MAP services that are provided to MAP service-users by a MAP service-provider.



**Figure 1.1/1: Modelling principles**

Clauses 7 to 13A of the present document describe the MAP services.

Clauses 14 to 17 define the MAP protocol specification and the behaviour of service provider (protocol elements to be used to provide MAP services, mapping on to TC service primitives, abstract syntaxes, etc.).

Clauses 18 to 25 describe the MAP user procedures that make use of MAP services.

The present document specifies functions, procedures and information which apply to GERAN Iu mode. However, functionality related to GERAN Iu mode is neither maintained nor enhanced.

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.001: "Digital cellular telecommunications system (Phase 2+); Principles of telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [3] 3GPP TS 22.002: "Bearer Services Supported by a Public Land Mobile Network (PLMN)".
- [4] 3GPP TS 22.003: "Circuit Teleservices Supported by a Public Land Mobile Network (PLMN)".
- [5] 3GPP TS 22.004: "General on Supplementary Services".
- [6] 3GPP TS 42.009: "Digital cellular telecommunications system (Phase 2+); Security aspects".