BS ISO 9276-4:2001+A1:2017



**BSI Standards Publication** 

# **Representation of results of particle size analysis**

Part 4: Characterization of a classification process



#### National foreword

This British Standard is the UK implementation of ISO 9276-4:2001+A1:2017. It supersedes BS ISO 9276-4:2001, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by  $[A_1]$ .

The UK participation in its preparation was entrusted to Technical Committee LBI/37, Particle characterization including sieving.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 92677 8

ICS 19.120

# Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 15 July 2001.

#### Amendments/corrigenda issued since publication

Date Text affected

30 November 2017 Implementation of ISO amendment 1:2017

## BS ISO 9276-4:2001+A1:2017 **INTERNATIONAL STANDARD**

**ISO** 9276-4

> First edition 2001-07-15

# **Representation of results of particle** size analysis —

Part 4: Characterization of a classification process

Représentation de données obtenues par analyse granulométrique — Partie 4: Caractérisation d'un processus de triage



Reference number ISO 9276-4:2001(E)



#### © ISO 2001, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

# Contents

Page

Fore	eword		iv	
Intr	oductio	n	v	
1	Scop	e	1	
2	<b>Syml</b> 2.1 2.2	ools Symbols for specific terms Subscripts	<b>1</b> 1 2	
3	Characterization of a classification process based on error-free distribution curves			
	and	nass balances	2	
	3.1	A Distribution density A curves representing a classification process	2	
	3.2	Mass and number balances	4	
		3.2.1 Mass and number balance in the size range from $x_{\min}$ to $x_{\max}$	4	
		3.2.2 Mass and number balance in the size range from $x$ to $x + dx$	4	
		3.2.3 Mass and number balance in the size range from <i>x</i> <sub>min</sub> to <i>x</i>	5	
		3.2.4 The indirect evaluation of $v_{r,f}$ and $v_{r,c}$	5	
	3.3	Definitions of cut size, x <sub>e</sub>	5	
		3.3.1 General	5	
		3.3.2 The equiprobable cut size, <i>x</i> <sub>e</sub> , the median of the grade efficiency curve	5	
	<b>.</b> .	3.3.3 The analytical cut size, $x_a$	5	
	3.4	Grade efficiency, $T$ , the grade efficiency curve, $T(x)$ , (Tromp's curve)	6	
	3.5	Measures of sharpness of cut	7	
		3.5.1 General	7	
		3.5.2 Parameters formed with characteristic particle sizes		
		3.5.3 Parameters derived from cumulative distribution curves		
		3.5.4 The total classification or separation efficiency, $T_0$	9	
4	The influence of systematic errors on the determination of grade efficiency curve			
	4.1	General		
	4.2	Systematic error due to a splitting process in the classifier		
	4.3	Incomplete dispersion of the feed material		
	4.4	The influence of comminution of the feed in the classifier		
Ann	ex A (in	formative) The influence of stochastic errors on the evaluation of grade	4.5	
	effici	ency curves		
Bibl	iograph			

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 9276 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 9276-4 was prepared by Technical Committee ISO/TC 24, *Sieves, sieving and other sizing methods*, Subcommittee SC 4, *Sizing by methods other than sieving*.

ISO 9276 consists of the following parts, under the general title *Representation of results of particle size analysis*:

- Part 1: Graphical representation
- Part 2: Calculation of average particle sizes/diameters and moments from particle size distributions
- Part 3: Fitting of an experimental cumulative curve to a reference model
- Part 4: Characterization of a classification process
- Part 5: Validation of calculations relating to particle size analyses using the logarithmic normal probability distribution

Annex A of this part of ISO 9276 is for information only.

## Introduction

In classification processes used in particle size analysis, such as occurring in impactors, sieves, etc., the mass of the supply or feed material,  $m_s$ , or its number,  $n_s$ , of particles, the particle size distribution of which is described by its  $\square$  distribution density  $(\square, q_{r,s}(x))$ , is separated into at least one fine fraction of mass,  $m_f$ , or number,  $n_f$ , and of  $\square$  distribution density  $(\square, q_{r,c}(x))$  and a coarse fraction of mass,  $m_c$ , or number,  $n_c$ , and a  $\square$  distribution density  $(\square, q_{r,c}(x))$ . The type of quantity chosen in the analysis is described by the subscript, r, the supply or feed material and the fine and coarse fractions by the additional subscripts: s; f and c respectively. See Figure 1.



#### Figure 1 — Fractions and distributions produced in a one step classification process

For the characterization of processes with more than one coarse fraction, e.g. cascade impactors, s, f and c can be replaced by numbers 0, 1 and 2. In this case e.g. number 3 describes a second coarse fraction containing larger particles than fraction 2.

It is assumed that the size, *x*, of a particle is described by the diameter of a sphere. Depending on the problem, the particle size, *x*, may also represent an equivalent diameter of a particle of any other shape.

This page deliberately left blank

### Representation of results of particle size analysis -

### Part 4: Characterization of a classification process

#### 1 Scope

The main object of this part of ISO 9276 is to provide the mathematical background for the characterization of a classification process. This part of ISO 9276 is not limited to an application in particle size analysis, the same procedure may be used for the characterization of a technical classification process (e.g. air classification, centrifugal classification) or a separation process (e.g. gas or hydrocyclones).

In <u>clause 3</u> the characterization of a classification process is described under the presupposition that the  $A_1$  distribution density  $A_1$  curves describing the feed material and the fractions, as well as the overall mass balance, are free from errors. In <u>clause 4</u> the influence of systematic errors on the efficiency of a classification process is described. The effect of stochastic errors in the characterization of a classification process is described in <u>annex A</u>.

#### 2 Symbols

#### 2.1 Symbols for specific terms

See <u>Table 1</u>.

Symbol	Term
A	Parameters derived from cumulative distribution curves
E	Mass balance error, cumulative distributions
Ι	Imperfection
<i>K</i> ( <i>x</i> )	Corrected cumulative distribution
m	Mass
n	Total number of size classes, number of particles
$q_r(x)$	A) Distribution density (A1 curve
$Q_r(x)$	Cumulative distribution curve
$\Delta Q_{r,i}$	Difference of two cumulative distribution values, relative amount in the <i>i</i> th particle size interval, $\Delta x_i$
s 2	Variance
t	Student's factor
Т	Grade efficiency, A) partial classification efficiency (A)
То	Overall classification or separation efficiency
<i>T</i> ( <i>x</i> )	Grade efficiency curve
X	Particle diameter, diameter of a sphere
X <sub>a</sub>	Analytical cut size
X <sub>e</sub>	Equiprobable cut size, median particle size of a grade efficiency curve
X i	Upper particle size of the <i>i</i> th particle size interval

#### Table 1 — Symbols for specific terms