



CSA W201:18
National Standard of Canada
(reaffirmed 2023)



Construction of bioretention systems



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA W201:18
October 2018

Title: *Construction of bioretention systems*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2426161**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA W201:18

***Construction of bioretention
systems***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in October 2018 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 93.010
ISBN 978-1-4883-1412-4*

*© 2018 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Green Infrastructure for Stormwater Management	4
Subcommittee on Construction of Bioretention Systems	7
Preface	8
0 Introduction	9
1 Scope	9
2 Reference publications	10
3 Definitions and abbreviations	11
3.1 Definitions	11
3.2 Abbreviations	14
4 Roles and responsibilities	14
4.1 General	14
4.2 Basic awareness of potential impacts of changing weather patterns	14
4.3 Contractor	15
4.4 Engineer	15
4.5 Inspector	15
4.6 Erosion and sediment control (ESC) professional	15
4.7 Landscape practitioner	15
4.8 Project manager	15
4.9 Bioretention media supplier	16
5 Contract documentation	16
5.1 General contract documentation	16
5.2 Change order requests	16
5.3 Specific contract documentation	16
6 Construction considerations	17
6.1 General	17
6.2 General considerations	17
6.3 Construction supervision	17
6.3.1 General	17
6.3.2 Site visit logs	17
6.3.3 Inspection documentation	17
6.4 Utilities	18
6.4.1 Contractor responsibility	18
6.4.2 Utility conflict avoidance	18
7 Construction sequencing	18
8 Erosion and sediment control	19
8.1 General	19

8.2	Erosion and sediment control measures	19
8.2.1	Hierarchical strategy	19
8.2.2	Planning for major and minor storm event	19
8.2.3	Specific erosion and sediment control measures	20
8.2.4	Approaches for erosion and sediment control	20
8.2.5	Types of erosion and sediment control measures	21
8.3	Erosion and sediment control plan	22
8.3.1	Implementation	22
8.3.2	Minimum components	22
9	Documentation responsibilities	23
9.1	General	23
9.2	Project manager responsibilities	24
9.2.1	General responsibilities	24
9.2.2	Documents provided	24
9.3	Contractor's documentation responsibilities	24
10	Material supply and material handling	24
10.1	General	24
10.2	Bioretention media	24
10.2.1	General requirements	24
10.2.2	Bioretention media mixing	24
10.2.3	Bioretention media additives	25
10.2.4	Bioretention media testing	25
10.2.5	Timing of testing of bioretention media	25
10.2.6	Bioretention media composition	27
10.3	Plant materials	27
10.3.1	Sourcing of plant stock	27
10.3.2	Timing of seeding and planting	27
10.3.3	Transportation and storage of plant stock	27
10.4	Geotextiles	27
10.5	Aggregates	28
11	Installation considerations	28
11.1	Avoidance of compaction	28
11.2	Alleviation of smearing	28
11.3	Alleviation of compaction	28
11.4	Grades and grading	28
11.5	Geotextiles	28
11.5.1	Placement and approval	28
11.5.2	Installation	29
11.5.3	Seam overlap	29
11.6	Liners	29
11.6.1	Impermeable liners	29
11.6.2	Protection of liners	29
11.7	Underdrains, valves and piping	29
11.8	Monitoring wells	29
11.9	Aggregates	29
11.10	Inlets, outlets, and overflows	29
11.11	Bioretention media	30

11.11.1	Preparation of subgrade	30
11.11.2	Bioretention media installation	30
12	Landscape considerations	30
12.1	Planting	30
12.1.1	General	30
12.1.2	Bioretention planting considerations	30
12.2	Watering requirements	31
12.3	Seeding	31
12.3.1	Seeding dates	31
12.3.2	Approvals	31
12.3.3	Erosion protection for plant material	31
12.4	Cover layer	31
12.5	Covering layer installation	31
13	Construction warranty maintenance	31
14	Assumption protocols	32

Annex A (informative)	— Inspection checklist	33
-----------------------	------------------------	----

Technical Committee on Green Infrastructure for Stormwater Management

B. van Duin	City of Calgary, Calgary, Alberta, Canada <i>Category: Broader Public Interest</i>	<i>Chair</i>
M. Bouchard-Valentine	Ministère du Développement durable, Environnement et Lutte contre les changements climatiques, Québec, Quebec, Canada <i>Category: Broader Public Interest</i>	<i>Vice-Chair</i>
M. Ahmad	City of Mississauga, Mississauga, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
S. Boudreau	Toronto and Region Conservation Authority, Toronto, Ontario, Canada <i>Category: Broader Public Interest</i>	
P. Cheung	City of Toronto—Toronto Water, Toronto, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
K. Clogg-Wright	MPE Engineering Ltd, Calgary, Alberta, Canada	<i>Non-voting</i>
C. Denich	Aquafor Beech Limited, Guelph, Ontario, Canada <i>Category: Engineering Consultant</i>	
M. Gazi	City of Calgary, Calgary, Alberta, Canada <i>Category: Owner/Operator/Producer</i>	
N. Gill	Eagle Lake Professional Landscape Supply, Calgary, Alberta, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
M. James	DeepRoot Canada Corp, Vancouver, British Columbia, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	

S.D. James	Sean James Consulting & Design, Milton, Ontario, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
C. Johnston	Kerr Wood Leidal Associates Ltd, Burnaby, British Columbia, Canada <i>Category: Engineering Consultant</i>	
J. Laidlaw	Stantec Consulting Ltd, Calgary, Alberta, Canada <i>Category: Engineering Consultant</i>	
J. Legg	SGS Canada Inc., Guelph, Ontario, Canada	<i>Non-voting</i>
L. Morgan	Kerr Wood Leidal Associates Ltd., Burnaby, British Columbia, Canada	<i>Non-voting</i>
N. McKeown	Gro-Bark (Ontario) Ltd, Caledon, Ontario, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
J. Michels	Emmons & Olivier Resources, Inc, Oakdale, Minnesota, USA <i>Category: Engineering Consultant</i>	
A. Neufeld	Township of Langley, Langley, British Columbia, Canada <i>Category: Broader Public Interest</i>	
K. Northcott	Town of Richmond Hill, Richmond Hill, Ontario, Canada	<i>Non-voting</i>
G. Rivard	Lasalle / NHC, Montréal, Quebec, Canada	<i>Non-voting</i>
H. Shirkhani	National Research Council of Canada, Ottawa, Ontario, Canada <i>Category: Broader Public Interest</i>	
S. Struck	Geosyntec Consultants, Lafayette, Colorado, USA <i>Category: Engineering Consultant</i>	
D. Young	Toronto and Region Conservation Authority, Toronto, Ontario, Canada	<i>Non-voting</i>

L. van Duin	Alberta Low Impact Development Partnership, Calgary, Alberta, Canada	<i>Non-voting</i>
L. Barber	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Subcommittee on Construction of Bioretention Systems

K. Clogg-Wright	MPE Engineering Ltd, Calgary, Alberta, Canada	<i>Chair</i>
K. Northcott	Town of Richmond Hill, Richmond Hill, Ontario, Canada	<i>Vice-Chair</i>
C. Kipkie	Kerr Wood Leidal Associates Ltd, Calgary, Alberta, Canada	
S. Struck	Geosyntec Consultants, Lafayette, Colorado, USA	
L. Barber	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the first edition of CSA W201, *Construction of bioretention systems*.

It should be noted that this Standard, by itself, does not have the force of law unless it is officially adopted by a regulatory authority. Since regulatory authorities can adopt the Standard with certain exceptions or additional requirements, the regulatory authority of the relevant jurisdiction should be consulted in order to establish the extent to which this Standard has been adopted. Where this Standard conflicts with regulatory requirements, the regulatory requirements take precedence.

The following publications were consulted during the development of this Standard: City of Calgary *Stormwater Source Control Practices Handbook* (2007) and *Bioretention and Bioswales* (2016).

This project was made possible through the generous support of the National Research Council of Canada as part of its Climate Resilient Buildings and Codes Infrastructure initiative

This Standard was prepared by the Subcommittee on Construction of Bioretention Systems, under the jurisdiction of the Technical Committee on Green Infrastructure for Stormwater Management and the Strategic Steering Committee on Natural Resources, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csagroup.org.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*