

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 4: Services**

**Architecture unifiée OPC –
Partie 4: Services**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62541-4

Edition 3.0 2020-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 4: Services**

**Architecture unifiée OPC –
Partie 4: Services**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-8589-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD | 13 |
| 1 Scope | 15 |
| 2 Normative references | 15 |
| 3 Terms, definitions, abbreviated terms and conventions | 16 |
| 3.1 Terms and definitions | 16 |
| 3.2 Abbreviated terms | 17 |
| 3.3 Conventions for Service definitions | 17 |
| 4 Overview | 19 |
| 4.1 Service Set model | 19 |
| 4.2 Request/response Service procedures | 22 |
| 5 Service Sets | 22 |
| 5.1 General | 22 |
| 5.2 Service request and response header | 23 |
| 5.3 Service results | 23 |
| 5.4 Discovery Service Set | 24 |
| 5.4.1 Overview | 24 |
| 5.4.2 FindServers | 26 |
| 5.4.3 FindServersOnNetwork | 27 |
| 5.4.4 GetEndpoints | 29 |
| 5.4.5 RegisterServer | 31 |
| 5.4.6 RegisterServer2 | 34 |
| 5.5 SecureChannel Service Set | 35 |
| 5.5.1 Overview | 35 |
| 5.5.2 OpenSecureChannel | 36 |
| 5.5.3 CloseSecureChannel | 40 |
| 5.6 Session Service Set | 41 |
| 5.6.1 Overview | 41 |
| 5.6.2 CreateSession | 41 |
| 5.6.3 ActivateSession | 46 |
| 5.6.4 CloseSession | 49 |
| 5.6.5 Cancel | 50 |
| 5.7 NodeManagement Service Set | 50 |
| 5.7.1 Overview | 50 |
| 5.7.2 AddNodes | 50 |
| 5.7.3 AddReferences | 52 |
| 5.7.4 DeleteNodes | 54 |
| 5.7.5 DeleteReferences | 56 |
| 5.8 View Service Set | 57 |
| 5.8.1 Overview | 57 |
| 5.8.2 Browse | 57 |
| 5.8.3 BrowseNext | 60 |
| 5.8.4 TranslateBrowsePathsToNodeIds | 62 |
| 5.8.5 RegisterNodes | 64 |
| 5.8.6 UnregisterNodes | 65 |
| 5.9 Query Service Set | 66 |
| 5.9.1 Overview | 66 |

| | | |
|--------|--|-----|
| 5.9.2 | Querying Views | 66 |
| 5.9.3 | QueryFirst | 67 |
| 5.9.4 | QueryNext | 70 |
| 5.10 | Attribute Service Set | 71 |
| 5.10.1 | Overview | 71 |
| 5.10.2 | Read | 72 |
| 5.10.3 | HistoryRead | 73 |
| 5.10.4 | Write | 76 |
| 5.10.5 | HistoryUpdate | 79 |
| 5.11 | Method Service Set | 81 |
| 5.11.1 | Overview | 81 |
| 5.11.2 | Call | 81 |
| 5.12 | MonitoredItem Service Set | 84 |
| 5.12.1 | MonitoredItem model | 84 |
| 5.12.2 | CreateMonitoredItems | 89 |
| 5.12.3 | ModifyMonitoredItems | 92 |
| 5.12.4 | SetMonitoringMode | 94 |
| 5.12.5 | SetTriggering | 95 |
| 5.12.6 | DeleteMonitoredItems | 97 |
| 5.13 | Subscription Service Set | 98 |
| 5.13.1 | Subscription model | 98 |
| 5.13.2 | CreateSubscription | 107 |
| 5.13.3 | ModifySubscription | 108 |
| 5.13.4 | SetPublishingMode | 110 |
| 5.13.5 | Publish | 111 |
| 5.13.6 | Republish | 113 |
| 5.13.7 | TransferSubscriptions | 114 |
| 5.13.8 | DeleteSubscriptions | 116 |
| 6 | Service behaviours | 117 |
| 6.1 | Security | 117 |
| 6.1.1 | Overview | 117 |
| 6.1.2 | Obtaining and installing an Application Instance Certificate | 117 |
| 6.1.3 | Determining if a Certificate is trusted | 118 |
| 6.1.4 | Creating a SecureChannel | 121 |
| 6.1.5 | Creating a Session | 123 |
| 6.1.6 | Impersonating a User | 124 |
| 6.2 | Authorization Services | 124 |
| 6.2.1 | Overview | 124 |
| 6.2.2 | Indirect handshake with an Identity Provider | 124 |
| 6.2.3 | Direct handshake with an Identity Provider | 125 |
| 6.3 | Session-less Service invocation | 126 |
| 6.3.1 | Description | 126 |
| 6.3.2 | Parameters | 127 |
| 6.3.3 | Service results | 128 |
| 6.4 | Software Certificates | 128 |
| 6.5 | Auditing | 128 |
| 6.5.1 | Overview | 128 |
| 6.5.2 | General audit logs | 128 |
| 6.5.3 | General audit Events | 129 |

| | | |
|--------|--|-----|
| 6.5.4 | Auditing for Discovery Service Set..... | 129 |
| 6.5.5 | Auditing for SecureChannel Service Set | 129 |
| 6.5.6 | Auditing for Session Service Set..... | 129 |
| 6.5.7 | Auditing for NodeManagement Service Set..... | 130 |
| 6.5.8 | Auditing for Attribute Service Set | 130 |
| 6.5.9 | Auditing for Method Service Set..... | 131 |
| 6.5.10 | Auditing for View, Query, MonitoredItem and Subscription Service Set | 131 |
| 6.6 | Redundancy..... | 131 |
| 6.6.1 | Redundancy overview..... | 131 |
| 6.6.2 | Server Redundancy | 132 |
| 6.6.3 | Client Redundancy | 143 |
| 6.6.4 | Network Redundancy..... | 143 |
| 6.6.5 | Manually forcing Failover..... | 145 |
| 6.7 | Re-establishing connections | 145 |
| 6.8 | Durable Subscriptions | 147 |
| 7 | Common parameter type definitions..... | 148 |
| 7.1 | ApplicationDescription | 148 |
| 7.2 | ApplicationInstanceCertificate | 149 |
| 7.3 | BrowseResult..... | 150 |
| 7.4 | ContentFilter | 151 |
| 7.4.1 | ContentFilter structure | 151 |
| 7.4.2 | ContentFilterResult..... | 151 |
| 7.4.3 | FilterOperator | 152 |
| 7.4.4 | FilterOperand parameters..... | 159 |
| 7.5 | Counter..... | 161 |
| 7.6 | ContinuationPoint | 161 |
| 7.7 | DataValue | 162 |
| 7.7.1 | General | 162 |
| 7.7.2 | PicoSeconds..... | 162 |
| 7.7.3 | SourceTimestamp..... | 162 |
| 7.7.4 | ServerTimestamp | 163 |
| 7.7.5 | StatusCode assigned to a value..... | 163 |
| 7.8 | DiagnosticInfo..... | 164 |
| 7.9 | DiscoveryConfiguration parameters | 165 |
| 7.9.1 | Overview | 165 |
| 7.9.2 | MdnsDiscoveryConfiguration | 166 |
| 7.10 | EndpointDescription..... | 166 |
| 7.11 | ExpandedNodeId | 167 |
| 7.12 | ExtensibleParameter..... | 167 |
| 7.13 | Index | 167 |
| 7.14 | IntegerId | 167 |
| 7.15 | MessageSecurityMode | 168 |
| 7.16 | MonitoringParameters..... | 168 |
| 7.17 | MonitoringFilter parameters | 169 |
| 7.17.1 | Overview | 169 |
| 7.17.2 | DataChangeFilter | 170 |
| 7.17.3 | EventFilter | 171 |
| 7.17.4 | AggregateFilter..... | 173 |
| 7.18 | MonitoringMode | 174 |

| | | |
|---------|--|-----|
| 7.19 | NodeAttributes parameters | 175 |
| 7.19.1 | Overview | 175 |
| 7.19.2 | ObjectAttributes parameter | 176 |
| 7.19.3 | VariableAttributes parameter | 176 |
| 7.19.4 | MethodAttributes parameter..... | 177 |
| 7.19.5 | ObjectTypeAttributes parameter | 177 |
| 7.19.6 | VariableTypeAttributes parameter..... | 178 |
| 7.19.7 | ReferenceTypeAttributes parameter | 178 |
| 7.19.8 | DataTypeAttributes parameter | 179 |
| 7.19.9 | ViewAttributes parameter..... | 179 |
| 7.19.10 | GenericAttributes parameter | 180 |
| 7.20 | NotificationData parameters..... | 180 |
| 7.20.1 | Overview | 180 |
| 7.20.2 | DataChangeNotification parameter | 181 |
| 7.20.3 | EventNotificationList parameter | 181 |
| 7.20.4 | StatusChangeNotification parameter..... | 182 |
| 7.21 | NotificationMessage..... | 182 |
| 7.22 | NumericRange | 182 |
| 7.23 | QueryDataSet | 183 |
| 7.24 | ReadValueId | 184 |
| 7.25 | ReferenceDescription..... | 185 |
| 7.26 | RelativePath | 186 |
| 7.27 | RegisteredServer | 187 |
| 7.28 | RequestHeader | 187 |
| 7.29 | ResponseHeader | 189 |
| 7.30 | ServiceFault..... | 189 |
| 7.31 | SessionAuthenticationToken | 190 |
| 7.32 | SignatureData..... | 191 |
| 7.33 | SignedSoftwareCertificate..... | 191 |
| 7.34 | StatusCode | 192 |
| 7.34.1 | General | 192 |
| 7.34.2 | Common StatusCodes | 194 |
| 7.35 | TimestampsToReturn..... | 198 |
| 7.36 | UserIdentityToken parameters | 198 |
| 7.36.1 | Overview | 198 |
| 7.36.2 | Token Encryption and Proof of Possession | 199 |
| 7.36.3 | AnonymousIdentityToken..... | 203 |
| 7.36.4 | UserNameIdentityToken | 203 |
| 7.36.5 | X509IdentityTokens | 205 |
| 7.36.6 | IssuedIdentityToken..... | 205 |
| 7.37 | UserTokenPolicy..... | 206 |
| 7.38 | VersionTime..... | 207 |
| 7.39 | ViewDescription | 207 |
| Annex A | (informative) BNF definitions..... | 208 |
| A.1 | Overview over BNF | 208 |
| A.2 | BNF of RelativePath | 208 |
| A.3 | BNF of NumericRange | 209 |
| Annex B | (informative) ContentFilter and Query examples | 210 |
| B.1 | Simple ContentFilter examples..... | 210 |

| | | |
|-----------|---|-----|
| B.1.1 | Overview | 210 |
| B.1.2 | Example 1 | 210 |
| B.1.3 | Example 2 | 211 |
| B.2 | Complex examples of Query filters | 212 |
| B.2.1 | Overview | 212 |
| B.2.2 | Used type model..... | 212 |
| B.2.3 | Example Notes | 215 |
| B.2.4 | Example 1 | 216 |
| B.2.5 | Example 2 | 217 |
| B.2.6 | Example 3 | 218 |
| B.2.7 | Example 4 | 221 |
| B.2.8 | Example 5 | 222 |
| B.2.9 | Example 6 | 223 |
| B.2.10 | Example 7 | 225 |
| B.2.11 | Example 8 | 227 |
| B.2.12 | Example 9 | 228 |
| | | |
| Figure 1 | – Discovery Service Set | 19 |
| Figure 2 | – SecureChannel Service Set..... | 19 |
| Figure 3 | – Session Service Set | 20 |
| Figure 4 | – NodeManagement Service Set | 20 |
| Figure 5 | – View Service Set..... | 20 |
| Figure 6 | – Attribute Service Set | 21 |
| Figure 7 | – Method Service Set..... | 21 |
| Figure 8 | – MonitoredItem and Subscription Service Sets | 22 |
| Figure 9 | – Discovery process..... | 25 |
| Figure 10 | – Using a Gateway Server..... | 30 |
| Figure 11 | – The registration process – Manually launched servers | 32 |
| Figure 12 | – The registration process – Automatically launched servers..... | 32 |
| Figure 13 | – SecureChannel and Session Services | 36 |
| Figure 14 | – Multiplexing users on a Session | 43 |
| Figure 15 | – MonitoredItem model..... | 84 |
| Figure 16 | – Typical delay in change detection..... | 86 |
| Figure 17 | – Queue overflow handling..... | 87 |
| Figure 18 | – Triggering model | 88 |
| Figure 19 | – Obtaining and installing an Application Instance Certificate..... | 118 |
| Figure 20 | – Determining if an Application Instance Certificate is trusted | 121 |
| Figure 21 | – Establishing a SecureChannel..... | 122 |
| Figure 22 | – Establishing a Session | 123 |
| Figure 23 | – Impersonating a User | 124 |
| Figure 24 | – Indirect handshake with an Identity Provider | 125 |
| Figure 25 | – Direct handshake with an Identity Provider..... | 126 |
| Figure 26 | – Transparent Redundancy setup example..... | 133 |
| Figure 27 | – Non-Transparent Redundancy setup | 134 |
| Figure 28 | – Client Start-up steps | 138 |

| | |
|---|-----|
| Figure 29 – Cold Failover..... | 139 |
| Figure 30 – Warm Failover..... | 140 |
| Figure 31 – Hot Failover | 141 |
| Figure 32 – HotAndMirrored Failover | 142 |
| Figure 33 – Server proxy for Redundancy | 143 |
| Figure 34 – Transparent network Redundancy..... | 144 |
| Figure 35 – Non-transparent network Redundancy..... | 145 |
| Figure 36 – Reconnect sequence..... | 146 |
| Figure 37 – Logical layers of a Server..... | 190 |
| Figure 38 – Obtaining a SessionAuthenticationToken | 191 |
| Figure 39 – EncryptedSecret layout | 200 |
| Figure B.1 – Filter logic tree example..... | 210 |
| Figure B.2 – Filter logic tree example..... | 211 |
| Figure B.3 – Example Type Nodes | 214 |
| Figure B.4 – Example Instance Nodes | 215 |
| Figure B.5 – Example 1 Filter..... | 216 |
| Figure B.6 – Example 2 Filter logic tree | 218 |
| Figure B.7 – Example 3 Filter logic tree | 219 |
| Figure B.8 – Example 4 Filter logic tree | 221 |
| Figure B.9 – Example 5 Filter logic tree | 222 |
| Figure B.10 – Example 6 Filter logic tree | 224 |
| Figure B.11 – Example 7 Filter logic tree | 226 |
| Figure B.12 – Example 8 Filter logic tree | 227 |
| Figure B.13 – Example 9 Filter logic tree | 228 |
| | |
| Table 1 – Service definition table | 18 |
| Table 2 – Parameter Types defined in IEC 62541-3 | 18 |
| Table 3 – FindServers Service parameters | 27 |
| Table 4 – FindServersOnNetwork Service parameters | 28 |
| Table 5 – GetEndpoints Service parameters | 31 |
| Table 6 – RegisterServer Service parameters | 33 |
| Table 7 – RegisterServer Service result codes..... | 33 |
| Table 8 – RegisterServer2 | 34 |
| Table 9 – RegisterServer2 Service result codes | 35 |
| Table 10 – RegisterServer2 Operation Level result codes | 35 |
| Table 11 – OpenSecureChannel Service parameters | 38 |
| Table 12 – OpenSecureChannel Service result codes | 40 |
| Table 13 – CloseSecureChannel Service parameters..... | 41 |
| Table 14 – CloseSecureChannel Service result codes | 41 |
| Table 15 – CreateSession Service parameters..... | 44 |
| Table 16 – CreateSession Service result codes | 46 |
| Table 17 – ActivateSession Service parameters..... | 48 |
| Table 18 – ActivateSession Service result codes | 49 |

| | |
|---|----|
| Table 19 – CloseSession Service parameters | 49 |
| Table 20 – CloseSession Service result codes | 50 |
| Table 21 – Cancel Service parameters | 50 |
| Table 22 – AddNodes Service parameters | 51 |
| Table 23 – AddNodes Service result codes | 52 |
| Table 24 – AddNodes Operation Level result codes | 52 |
| Table 25 – AddReferences Service parameters | 53 |
| Table 26 – AddReferences Service result codes | 53 |
| Table 27 – AddReferences Operation Level result codes | 54 |
| Table 28 – DeleteNodes Service parameters | 55 |
| Table 29 – DeleteNodes Service result codes | 55 |
| Table 30 – DeleteNodes Operation Level result codes | 56 |
| Table 31 – DeleteReferences Service parameters | 56 |
| Table 32 – DeleteReferences Service result codes | 57 |
| Table 33 – DeleteReferences Operation Level result codes | 57 |
| Table 34 – Browse Service parameters | 58 |
| Table 35 – Browse Service result codes | 59 |
| Table 36 – Browse Operation Level result codes | 60 |
| Table 37 – BrowseNext Service parameters | 61 |
| Table 38 – BrowseNext Service result codes | 61 |
| Table 39 – BrowseNext Operation Level result codes | 62 |
| Table 40 – TranslateBrowsePathsToNodeIds Service parameters | 63 |
| Table 41 – TranslateBrowsePathsToNodeIds Service result codes | 63 |
| Table 42 – TranslateBrowsePathsToNodeIds Operation Level result codes | 64 |
| Table 43 – RegisterNodes Service parameters | 65 |
| Table 44 – RegisterNodes Service result codes | 65 |
| Table 45 – UnregisterNodes Service parameters | 66 |
| Table 46 – UnregisterNodes Service result codes | 66 |
| Table 47 – QueryFirst Request parameters | 68 |
| Table 48 – QueryFirst Response parameters | 69 |
| Table 49 – QueryFirst Service result codes | 70 |
| Table 50 – QueryFirst Operation Level result codes | 70 |
| Table 51 – QueryNext Service parameters | 71 |
| Table 52 – QueryNext Service result codes | 71 |
| Table 53 – Read Service parameters | 72 |
| Table 54 – Read Service result codes | 73 |
| Table 55 – Read Operation Level result codes | 73 |
| Table 56 – HistoryRead Service parameters | 74 |
| Table 57 – HistoryRead Service result codes | 76 |
| Table 58 – HistoryRead Operation Level result codes | 76 |
| Table 59 – Write Service parameters | 78 |
| Table 60 – Write Service result codes | 79 |
| Table 61 – Write Operation Level result codes | 79 |

| | |
|--|-----|
| Table 62 – HistoryUpdate Service parameters | 80 |
| Table 63 – HistoryUpdate Service result codes | 80 |
| Table 64 – HistoryUpdate Operation Level result codes | 81 |
| Table 65 – Call Service parameters | 82 |
| Table 66 – Call Service result codes | 83 |
| Table 67 – Call Operation Level result codes | 83 |
| Table 68 – Call Input Argument Result Codes | 84 |
| Table 69 – CreateMonitoredItems Service parameters | 91 |
| Table 70 – CreateMonitoredItems Service result codes | 92 |
| Table 71 – CreateMonitoredItems Operation Level result codes | 92 |
| Table 72 – ModifyMonitoredItems Service parameters | 93 |
| Table 73 – ModifyMonitoredItems Service result codes | 94 |
| Table 74 – ModifyMonitoredItems Operation Level result codes | 94 |
| Table 75 – SetMonitoringMode service parameters | 95 |
| Table 76 – SetMonitoringMode Service result codes | 95 |
| Table 77 – SetMonitoringMode Operation Level result codes | 95 |
| Table 78 – SetTriggering Service parameters | 96 |
| Table 79 – SetTriggering Service result codes | 96 |
| Table 80 – SetTriggering Operation Level result codes | 97 |
| Table 81 – DeleteMonitoredItems Service parameters | 97 |
| Table 82 – DeleteMonitoredItems Service result codes | 98 |
| Table 83 – DeleteMonitoredItems Operation Level result codes | 98 |
| Table 84 – Subscription states | 101 |
| Table 85 – Subscription state table | 102 |
| Table 86 – State variables and parameters | 105 |
| Table 87 – Functions | 106 |
| Table 88 – CreateSubscription Service parameters | 107 |
| Table 89 – CreateSubscription Service result codes | 108 |
| Table 90 – ModifySubscription Service parameters | 109 |
| Table 91 – ModifySubscription Service result codes | 110 |
| Table 92 – SetPublishingMode Service parameters | 110 |
| Table 93 – SetPublishingMode Service result codes | 110 |
| Table 94 – SetPublishingMode Operation Level result codes | 111 |
| Table 95 – Publish Service parameters | 112 |
| Table 96 – Publish Service result codes | 112 |
| Table 97 – Publish Operation Level Result Codes | 113 |
| Table 98 – Republish Service parameters | 113 |
| Table 99 – Republish Service result codes | 113 |
| Table 100 – TransferSubscriptions Service parameters | 115 |
| Table 101 – TransferSubscriptions Service result codes | 115 |
| Table 102 – TransferSubscriptions Operation Level result codes | 116 |
| Table 103 – DeleteSubscriptions Service parameters | 116 |
| Table 104 – DeleteSubscriptions Service result codes | 117 |

| | |
|--|-----|
| Table 105 – DeleteSubscriptions Operation Level result codes | 117 |
| Table 106 – Certificate validation steps | 119 |
| Table 107 – SessionlessInvoke Service parameters..... | 127 |
| Table 108 – SessionlessInvoke Service result codes | 128 |
| Table 109 – ServiceLevel ranges | 136 |
| Table 110 – Server Failover modes..... | 137 |
| Table 111 – Redundancy Failover actions..... | 138 |
| Table 112 – ApplicationDescription | 149 |
| Table 113 – ApplicationInstanceCertificate | 150 |
| Table 114 – BrowseResult | 150 |
| Table 115 – ContentFilter structure..... | 151 |
| Table 116 – ContentFilterResult structure | 151 |
| Table 117 – ContentFilterResult result codes..... | 152 |
| Table 118 – ContentFilterResult Operand result codes | 152 |
| Table 119 – Basic FilterOperator definition | 152 |
| Table 120 – Complex FilterOperator definition | 155 |
| Table 121 – Wildcard characters..... | 156 |
| Table 122 – Conversion rules | 157 |
| Table 123 – Data Precedence rules | 158 |
| Table 124 – Logical AND Truth table | 159 |
| Table 125 – Logical OR Truth table..... | 159 |
| Table 126 – FilterOperand parameter Typelds | 159 |
| Table 127 – ElementOperand | 160 |
| Table 128 – LiteralOperand | 160 |
| Table 129 – AttributeOperand..... | 160 |
| Table 130 – SimpleAttributeOperand | 161 |
| Table 131 – DataValue | 162 |
| Table 132 – DiagnosticInfo | 165 |
| Table 133 – DiscoveryConfiguration parameterTypelds | 165 |
| Table 134 – MdnsDiscoveryConfiguration | 166 |
| Table 135 – EndpointDescription | 166 |
| Table 136 – ExpandedNodeId..... | 167 |
| Table 137 – ExtensibleParameter base type | 167 |
| Table 138 – MessageSecurityMode values | 168 |
| Table 139 – MonitoringParameters | 168 |
| Table 140 – MonitoringFilter parameterTypelds | 169 |
| Table 141 – DataChangeFilter | 170 |
| Table 142 – EventFilter structure | 172 |
| Table 143 – EventFilterResult structure | 172 |
| Table 144 – EventFilterResult result codes | 173 |
| Table 145 – AggregateFilter structure | 174 |
| Table 146 – AggregateFilterResult structure | 174 |
| Table 147 – MonitoringMode values..... | 175 |

| | |
|--|-----|
| Table 148 – NodeAttributes parameterTypelds | 175 |
| Table 149 – Bit mask for specified Attributes | 176 |
| Table 150 – ObjectAttributes | 176 |
| Table 151 – VariableAttributes | 177 |
| Table 152 – MethodAttributes | 177 |
| Table 153 – ObjectTypeAttributes | 178 |
| Table 154 – VariableTypeAttributes | 178 |
| Table 155 – ReferenceTypeAttributes | 179 |
| Table 156 – DataTypeAttributes | 179 |
| Table 157 – ViewAttributes | 180 |
| Table 158 – GenericAttributes | 180 |
| Table 159 – NotificationData parameterTypelds | 181 |
| Table 160 – DataChangeNotification | 181 |
| Table 161 – EventNotificationList | 182 |
| Table 162 – StatusChangeNotification | 182 |
| Table 163 – NotificationMessage | 182 |
| Table 164 – NumericRange | 183 |
| Table 165 – QueryDataSet | 184 |
| Table 166 – ReadValueId | 185 |
| Table 167 – ReferenceDescription | 186 |
| Table 168 – RelativePath | 186 |
| Table 169 – RegisteredServer | 187 |
| Table 170 – RequestHeader | 188 |
| Table 171 – ResponseHeader | 189 |
| Table 172 – ServiceFault | 190 |
| Table 173 – SignatureData | 191 |
| Table 174 – SignedSoftwareCertificate | 192 |
| Table 175 – StatusCode bit assignments | 193 |
| Table 176 – DataValue InfoBits | 194 |
| Table 177 – Common Service result codes | 195 |
| Table 178 – Common Operation Level result codes | 197 |
| Table 179 – TimestampsToReturn values | 198 |
| Table 180 – UserIdentityToken parameterTypelds | 199 |
| Table 181 – Legacy UserIdentityToken Encrypted Token Secret Format | 200 |
| Table 182 – EncryptedSecret layout | 202 |
| Table 183 – EncryptedSecret DataTypes | 202 |
| Table 184 – RsaEncryptedSecret structure | 203 |
| Table 185 – AnonymousIdentityToken | 203 |
| Table 186 – UserNameIdentityToken | 204 |
| Table 187 – EncryptionAlgorithm selection | 204 |
| Table 188 – X.509 v3 Identity Token | 205 |
| Table 189 – IssuedIdentityToken | 206 |
| Table 190 – UserTokenPolicy | 206 |

| | |
|--|-----|
| Table 191 – ViewDescription..... | 207 |
| Table A.1 – RelativePath | 208 |
| Table A.2 – <i>RelativePath</i> Examples | 209 |
| Table B.1 – ContentFilter example | 211 |
| Table B.2 – ContentFilter example | 211 |
| Table B.3 – Example 1 NodeTypeDescription | 216 |
| Table B.4 – Example 1 ContentFilter..... | 216 |
| Table B.5 – Example 1 QueryDataSets | 217 |
| Table B.6 – Example 2 NodeTypeDescription | 217 |
| Table B.7 – Example 2 ContentFilter..... | 218 |
| Table B.8 – Example 2 QueryDataSets | 218 |
| Table B.9 – Example 3 NodeTypeDescription | 219 |
| Table B.10 – Example 3 ContentFilter..... | 220 |
| Table B.11 – Example 3 QueryDataSets | 221 |
| Table B.12 – Example 4 NodeTypeDescription..... | 221 |
| Table B.13 – Example 4 ContentFilter | 222 |
| Table B.14 – Example 4 QueryDataSets | 222 |
| Table B.15 – Example 5 NodeTypeDescription..... | 222 |
| Table B.16 – Example 5 ContentFilter..... | 223 |
| Table B.17 – Example 5 QueryDataSets | 223 |
| Table B.18 – Example 6 NodeTypeDescription..... | 223 |
| Table B.19 – Example 6 ContentFilter | 224 |
| Table B.20 – Example 6 QueryDataSets | 224 |
| Table B.21 – Example 6 QueryDataSets without additional information..... | 225 |
| Table B.22 – Example 7 NodeTypeDescription..... | 225 |
| Table B.23 – Example 7 ContentFilter | 226 |
| Table B.24 – Example 7 QueryDataSets | 226 |
| Table B.25 – Example 8 NodeTypeDescription..... | 227 |
| Table B.26 – Example 8 ContentFilter | 227 |
| Table B.27 – Example 8 QueryDataSets | 228 |
| Table B.28 – Example 9 NodeTypeDescription..... | 228 |
| Table B.29 – Example 9 ContentFilter | 229 |
| Table B.30 – Example 9 QueryDataSets | 229 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –**Part 4: Services****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added ability to resend all data of monitored items in a Subscription using the ResendData Method.
- b) Added support for durable Subscriptions (lifetime of hours or days).
- c) Added Register2 and FindServersOnNetwork Services to support network-wide discovery using capability filters.
- d) Removed definition of software certificates. Will be defined in a future edition.

- e) Extended and partially revised the redundancy definition. Added sub-range definitions for ServiceLevel and added more terms for redundancy.
- f) Added a section on how to use Authorization Services to request user access tokens.
- g) Added JSON Web Tokens (JWTs) as a new user token.
- h) Added the concept of session-less service invocation.
- i) Added a generic structure that allows passing any number of attributes to the AddNodes Service.
- j) Added requirement to protect against user identity token attacks.
- k) Added new EncryptedSecret format for user identity tokens.

The text of this standard is based on the following documents:

| | |
|--------------|------------------|
| FDIS | Report on voting |
| 65E/716/FDIS | 65E/732/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in Clause 3 in one of the parts of the series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are also, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPC UNIFIED ARCHITECTURE –

Part 4: Services

1 Scope

This part of IEC 62541 defines the OPC Unified Architecture (OPC UA) *Services*. The *Services* defined are the collection of abstract Remote Procedure Calls (RPC) that are implemented by OPC UA *Servers* and called by OPC UA *Clients*. All interactions between OPC UA *Clients* and *Servers* occur via these *Services*. The defined *Services* are considered abstract because no particular RPC mechanism for implementation is defined in this document. IEC 62541-6 specifies one or more concrete mappings supported for implementation. For example, one mapping in IEC 62541-6 is to XML Web Services. In that case the *Services* described in this document appear as the Web service methods in the WSDL contract.

Not all OPC UA *Servers* will need to implement all of the defined *Services*. IEC 62541-7 defines the *Profiles* that dictate which *Services* need to be implemented in order to be compliant with a particular *Profile*.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TR 62541-1, *OPC Unified Architecture – Part 1: Overview and Concepts*

IEC TR 62541-2, *OPC Unified Architecture – Part 2: Security Model*

IEC 62541-3, *OPC Unified Architecture – Part 3: Address Space Model*

IEC 62541-5, *OPC Unified Architecture – Part 5: Information Model*

IEC 62541-6, *OPC Unified Architecture – Part 6: Mappings*

IEC 62541-7, *OPC Unified Architecture – Part 7: Profiles*

IEC 62541-8, *OPC Unified Architecture – Part 8: Data Access*

IEC 62541-11, *OPC Unified Architecture – Part 11: Historical Access*

IEC 62541-12¹, *OPC Unified Architecture – Part 12: Discovery and Global Services*

IEC 62541-13, *OPC Unified Architecture – Part 13: Aggregates*

¹ Under preparation. Stage at the time of publication: IEC CDV 62541-12:2018.