BS EN IEC 61753-111-08:2021



**BSI Standards Publication** 

# Fibre optic interconnecting devices and passive components — Performance standard

Part 111-08: Sealed closures for Category G — Ground



## **National foreword**

This British Standard is the UK implementation of EN IEC 61753-111-08:2021. It is identical to IEC 61753-111-08:2021. It supersedes BS EN 61753-111-8:2010, which will be withdrawn on 21 December 2021.

The UK participation in its preparation was entrusted to Technical Committee GEL/86/2, Fibre optic interconnecting devices and passive components.

A list of organizations represented on this committee can be obtained on request to its committee manager.

#### **Contractual and legal considerations**

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021 Published by BSI Standards Limited 2021

ISBN 978 0 539 04762 2

ICS 33.180.20

# Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2021.

## Amendments/corrigenda issued since publication

Date Text affected

# EUROPEAN STANDARD NORME EUROPÉENNE

## **EUROPÄISCHE NORM**

# EN IEC 61753-111-08

May 2021

ICS 33.180.20

Supersedes EN 61753-111-8:2010 and all of its amendments and corrigenda (if any)

**English Version** 

## Fibre optic interconnecting devices and passive components -Performance standard - Part 111-08: Sealed closures for Category G - Ground (IEC 61753-111-08:2021)

Dispositifs d'interconnexion et composants passifs fibroniques - Norme de performance - Partie 111-8: Boîtiers scellés pour catégorie G - Au niveau du sol (IEC 61753-111-08:2021) Lichtwellenleiter - Verbindungselemente und passive Bauteile - Betriebsverhalten - Teil 111-08: Druckdichte Muffen für die Kategorie G - Bodenumgebung (IEC 61753-111-08:2021)

This European Standard was approved by CENELEC on 2021-05-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## **European foreword**

The text of document 86B/4426/FDIS, future edition 1 of IEC 61753-111-08, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61753-111-08:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2022-02-12 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-05-12 document have to be withdrawn

This document supersedes EN 61753-111-8:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 61753-111-08:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-1	NOTE	Harmonized as EN 60068-1
IEC 60721-3-1	NOTE	Harmonized as EN IEC 60721-3-1
IEC 60721-3-2	NOTE	Harmonized as EN IEC 60721-3-2
IEC 60793-2	NOTE	Harmonized as EN IEC 60793-2
IEC 60793-2-10	NOTE	Harmonized as EN IEC 60793-2-10
IEC 60794-1-2	NOTE	Harmonized as EN IEC 60794-1-2
IEC 60794-2	NOTE	Harmonized as EN 60794-2
IEC 60794-3	NOTE	Harmonized as EN 60794-3
IEC 61300 (series)	NOTE	Harmonized as EN 61300 (series)
IEC 61753-111 (series)	NOTE	Harmonized as EN 61753-111 (series)
IEC 61753-111-8	NOTE	Harmonized as EN 61753-111-8
IEC 62005 (series)	NOTE	Harmonized as EN IEC 62005 (series)

## – 2 – IEC 61753-111-08:2021 © IEC 2021

## CONTENTS

FOREWO	)RD	4
INTRODU	JCTION	6
1 Scop	be	7
2 Norn	native references	7
3 Term	ns and definitions	8
4 Abbr	eviated terms	11
5 Gen	eral requirements	11
5.1	Storage, transportation and packaging	
5.2	Installation and intervention	
5.3	Marking and identification	
5.4	Materials	
5.5	Closure overpressure safety	13
6 Test		13
6.1	General	13
6.2	Test sample preparation	13
6.3	Test and measurement methods	13
6.4	Pass/fail criteria	14
6.5	Test report	
7 Perfe	ormance requirements	14
7.1	Sample size	
7.2	Sealing, optical and visual examination pass/fail criteria	
7.3	Sealing performance requirements	
7.4	Optical performance requirements	
	(normative) Sample definition	
A.1	Fibre type for test sample	
A.2	Closure optical test sample configuration	
	(normative) Sample size	
	(normative) Intervention and reconfiguration/resplicing	
C.1	Handling of the closure	
C.2	Movements of splice trays to gain access to the actual fibre circuits	
C.3	Addition and connection of drop cables	
C.4	Rearranging splices	
C.5 C.6	Rearranging optical connector sets, patchcords or pigtails (when applicable) Addition and connection of extra FMS elements	
C.0 C.7	Handling of the closure	
	phy	
Dibilogra	,	
Eiguro A	1 – Track/spur joint configuration sample	22
•		
•	2 – Optical circuits in track/spur joint closure	
-	3 – Distribution joint configuration sample	
Figure A.	4 – Optical circuits in the distribution joint closure	25
Table 1 -	Sealing, optical and visual examination pass/fail criteria	15
Table 2 -	Sealing performance requirements	16

IEC 61753-111-08:2021 © IEC 2021 - 3 -

Table 3 – Optical performance requirements	19
Table A.1 – Fibre references for IEC 60793-2-50, sub-category B-652.D	22
Table A.2 – Fibre references for IEC 60793-2-50, sub-category B-657.A1	22
Table A.3 – Fibre references for IEC 60793-2-50, sub-category B-657.A2	23
Table B.1 – Sample size	26

- 4 -

IEC 61753-111-08:2021 © IEC 2021

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –

#### Part 111-08: Sealed closures for category G – Ground

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61753-111-08 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This first edition cancels and replaces IEC 61753-111-8 published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61753-111-8:

- a) terms and definitions updated according to IEC 61753-1:2018 and IEC 61756-1:2019;
- b) test severities updated according to IEC 61753-1:2018;
- c) sealing tests are done with 20 kPa overpressure;
- d) pass-fail criterion of pressure loss during test added to mechanical sealing tests;
- e) vibration sealing test changed to 10 Hz, 3 mm amplitude and 1 000 000 cycles;

IEC 61753-111-08:2021 © IEC 2021 - 5 -

- f) reduced loads added in cable retention test for small diameter cables and tubes;
- g) reduced loads for cable axial compression test for small diameter cables;
- h) the duration of the cycles in torsion and bending test is added;
- i) free fall test removed (is covered by the optical shock test);
- j) crush resistance test of 1 000 N for 10 min is added;
- k) assembly and disassembly test: duration reduced to 5 cycles;
- resistance to solvents and contaminating fluids: added immersion in diesel with duration of 1 h and 24 h drying time and added immersion in petroleum jelly for 5 days;
- m) resistance to stress cracking solvents added for 5 days;
- n) duration of the change of temperature reduced to 12 cycles;
- o) water immersion test at 1 m for 7 days added.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86B/4426/FDIS	86B/4455/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with the ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of IEC 61753 series, published under the general title *Fibre optic interconnecting devices and passive components – Performance standard*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

- 6 - IEC 61753-111-08:2021 © IEC 2021

## INTRODUCTION

Performance standards for sealed closures define the requirements for standard optical performance under a set of specified conditions. This subpart of the IEC 61753-111 series contains a series or a set of tests and measurements with clearly stated conditions, severities and pass/fail criteria. The set of tests is intended to be a basis to prove the product's ability to satisfy the requirements of a specific application, market sector or user group.

A product that has been shown to meet all the requirements of this performance standard may be declared as complying with this performance standard. Products having the same classification from one manufacturer that satisfy this performance standard will operate within the boundaries set by the performance standard. There is no guarantee that products from different manufacturers, having the same classification and which conform to the same performance standard, will provide an equivalent level of performance when they are used together.

Conformance with IEC environmental policy according to IEC Guide 109 and concerning the need to reduce the impacts on the natural environment of fibre optic closures during all phases of their life – from acquiring materials to manufacturing, distribution, use, and end-of-life treatment (i.e. re-use, recycling – recovery and disposal) – are not part of this document, but will be covered in the generic specification.

Conformance to a performance standard demonstrates that a product has passed a design verification test. It is not a guarantee of lifetime assured performance or reliability. Reliability testing is the subject of a separate test schedule, where the tests and severities selected are such that they are truly representative of the requirements of this reliability test programme. Consistency of manufacture should be maintained using a recognised quality assurance programme whilst the reliability of product should be evaluated using the procedures recommended in IEC 62005 (all parts).

IEC 61753-111-08:2021 © IEC 2021 - 7 -

## FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – PERFORMANCE STANDARD –

## Part 111-08: Sealed closures for category G – Ground

#### 1 Scope

This part of IEC 61753 contains the minimum tests, test severities and measurement requirements which a sealed fibre optic closure need to meet in order to be categorised as meeting the IEC standard for category G – Ground, as defined in Table A.14 of IEC 61753-1:2018. Free breathing closures are not covered in this document.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-10, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth

IEC 60793-2-50, Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

IEC 61300-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance

IEC 61300-2-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)

IEC 61300-2-4, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre or cable retention

IEC 61300-2-5, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-5: Tests – Torsion

IEC 61300-2-9, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock

IEC 61300-2-10, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-10: Tests – Crush resistance

IEC 61300-2-11, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-11: Tests – Axial compression

IEC 61300-2-12, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-12: Tests – Impact

IEC 61300-2-22, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-22: Tests – Change of temperature