


2013 ASME Boiler and Pressure Vessel Code

AN INTERNATIONAL CODE

XII

Rules for Construction and Continued Service of Transport Tanks



INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013

XII

RULES FOR CONSTRUCTION AND CONTINUED SERVICE OF TRANSPORT TANKS

ASME Boiler and Pressure Vessel Committee
on Transport Tanks



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xi
Foreword	xiii
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xv
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xv
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xvi
Personnel	xviii
Summary of Changes	xxxiii
List of Changes in Record Number Order	xxxv
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xxxvi
Part TG	
General Requirements	1
Article TG-1	
Scope and Jurisdiction	1
TG-100 Introduction	1
TG-110 Scope	1
TG-120 Vessel Classifications	2
TG-130 Documents Referenced by this Section	2
TG-140 Units of Measurement	4
TG-150 Equations	4
TG-160 Tolerances	4
Article TG-2	
Organization of Section XII	5
TG-200 Organization	5
TG-210 Parts	5
TG-220 Appendices	5
TG-230 Articles and Paragraphs	5
TG-240 References	5
TG-250 Terms and Definitions	6
Article TG-3	
Responsibilities and Duties	7
TG-300 General	7
TG-310 Owner's Responsibility	7
TG-320 Manufacturer's Responsibility	7
TG-330 Inspector's Duties	8
Article TG-4	
General Rules for Inspection	9
TG-400 General Requirements for Inspection and Examination	9
TG-410 The Inspector	9
TG-420 Access for the Inspector	9
TG-430 The Manufacturer	9
TG-440 Continued Service	10
Part TM	
Material Requirements	11
Article TM-1	
Material Requirements	11
TM-100 General	11
TM-110 General Requirements for all Products	11
TM-120 Material Identified with or Produced to a Specification not Permitted by this Section, and Material not Fully Identified	14
TM-130 Material Specifications	16
TM-140 Inspection and Marking of Materials	16
TM-150 Additional Requirements for Carbon and Low Alloy Steels	32

TM-160	Additional Requirements for High Alloy Steels	33
TM-170	Additional Requirements for Nonferrous Materials	34
TM-180	Additional Requirements for Ferritic Steels Enhanced by Heat Treatment ..	34
TM-190	Additional Requirements for Castings	34
Article TM-2	Notch Toughness Requirements	36
TM-200	General Toughness Requirements for All Steel Products	36
Part TD	Design Requirements	57
Article TD-1	General Design Rules	57
TD-100	General	57
TD-110	Methods of Fabrication in Combination	57
TD-120	Materials in Combination	58
TD-130	Corrosion	58
TD-140	Design Temperature	58
TD-150	Design Pressures	58
TD-160	MAWP	58
Article TD-2	Loadings and Stress Allowables	59
TD-200	Loadings	59
TD-210	Maximum Allowable Stress Values	60
Article TD-3	Design for Internal Pressure	62
TD-300	Thickness of Shells Under Internal Pressure	62
TD-310	Formed Heads and Sections, Pressure on Concave Side	62
Article TD-4	Design for External Pressure	65
TD-400	Thickness of Shells Under External Pressure	65
TD-410	Stiffening Rings for Cylindrical Shells Under External Pressure	67
TD-420	Attachment of Stiffening Rings for External Pressure	68
TD-430	Formed Heads, Pressure on Convex Side	70
TD-440	Alternative Allowable Compressive Stresses in Cylindrical Shells and Formed Heads	72
Article TD-5	Unstayed Flat Heads and Covers	76
TD-500	Design of Unstayed Flat Heads and Covers	76
Article TD-6	Openings and Reinforcements	80
TD-600	Openings in Transport Tanks	80
TD-610	Reinforcement Required for Openings in Shells and Formed Heads	81
TD-620	Flued Openings in Shells and Formed Heads	86
TD-630	Reinforcement Required for Openings in Flat Heads	86
TD-640	Limits of Reinforcement	87
TD-650	Strength of Reinforcement	87
TD-660	Reinforcement of Multiple Openings	90
TD-670	Methods of Attachment of Pipe and Nozzle Necks to Vessel Walls	90
TD-680	Nozzle Neck Thickness	92
TD-690	Inspection Openings	93
Part TW	Requirements for Tanks Fabricated by Welding	95
Article TW-1	General Requirements for Tanks Fabricated by Welding	95
TW-100	General	95
TW-120	Materials	96
TW-130	Design of Welded Joints	96
TW-140	Welded Connections	108

Part TF	Fabrication Requirements	118
Article TF-1	General Requirements for Fabrication	118
TF-100	General	118
TF-110	Materials	118
TF-120	Forming and Fabrication	119
Article TF-2	Requirements for Welding Fabrication	122
TF-200	General Requirements for All Welds	122
TF-210	Welding Qualifications, Records, and Identifying Stamps	122
TF-220	Requirements for Production Welding	124
Article TF-3	Requirements for Vessels Constructed of Carbon and Low Alloy Steels	127
TF-300	General	127
TF-310	Fabrication	127
TF-320	Welded Joints	128
Article TF-4	Requirements for Vessels Constructed of High Alloy Steel	129
TF-400	General	129
TF-410	Fabrication	129
Article TF-5	Requirements for Vessels Constructed of Nonferrous Materials	131
TF-500	General	131
TF-510	Fabrication	131
Article TF-6	Requirements for Vessels Constructed of Ferritic Steels That Are Heat Treated to Enhance Tensile Properties	132
TF-600	General	132
TF-610	Fabrication	132
Article TF-7	Postweld Heat Treatment of Weldments	135
TF-700	Procedures for Postweld Heat Treatment	135
TF-710	Requirements for Carbon and Low Alloy Steels	136
TF-720	Requirements for High Alloy Steels	140
TF-730	Requirements for Nonferrous Materials	144
TF-740	Requirements for Ferritic Steels with Tensile Properties Enhanced by Heat Treatment	144
Article TF-8	Requirements for Vessels Lined for Corrosion/Erosion Control	148
TF-800	General	148
TF-810	Fabrication	148
Part TE	Examination Requirements	149
Article TE-1	Requirements for Examination Procedures and Personnel Qualification	149
TE-100	General	149
TE-110	Nondestructive Examination Procedures	149
TE-120	Qualification and Certification of Nondestructive Examination Personnel ..	150
Article TE-2	Examination of Welds and Acceptance Criteria	151
TE-200	Time of Examination of Welded Joints	151
TE-210	Examination of Weld Edge Preparation Surfaces	151
TE-220	Types of Welded Joints and Their Examination	151
TE-230	Radiographic and Ultrasonic Examination	151
TE-240	Magnetic Particle and Liquid-Penetrant Examination	153
TE-250	Acceptance Criteria	154

Part TT	Testing Requirements	156
Article TT-1	General Requirements for Testing	156
TT-100	General	156
Article TT-2	Requirements for Pressure Testing	157
TT-200	General	157
TT-210	Test Requirements	157
TT-220	Test Media	158
TT-230	Appurtenances	158
TT-240	Test Gages	158
Article TT-3	Requirements for Proof Testing to Establish Maximum Allowable Working Pressure (MAWP)	159
TT-300	General	159
TT-310	Previous Tests	159
TT-320	Duplicate and Similar Parts	159
TT-330	Evaluation	160
TT-340	Procedures	160
Article TT-4	Requirements for Elastomeric Lining Test	162
TT-400	General	162
Part TR	Pressure-Relief Devices	163
Article TR-1	General Requirements	163
TR-100	Protection Against Overpressure	163
TR-110	Definitions	163
TR-120	Determining Pressure-Relief Requirements	164
TR-130	Installation Requirements	164
TR-140	Selection and Setting of Pressure-Relief Devices	165
Article TR-2	Requirements for Pressure-Relief Valves	166
TR-200	General Requirements	166
TR-210	Minimum Requirements of Pressure-Relief Valves	166
Article TR-3	Requirements for Nonreclosing Pressure-Relief Devices	168
TR-300	General Requirements	168
TR-310	Minimum Requirements for Rupture Disk Devices	168
TR-320	Breaking Pin Devices	170
Article TR-4	Certification of Capacity of Pressure-Relief Devices	171
TR-400	General Requirements	171
TR-410	Certification of Capacity of Pressure-Relief Valves Installed in Combination with Nonreclosing Pressure-Relief Devices	172
TR-420	Capacity Testing of Breaking Pin Devices Installed in Combination with Safety Relief Valves	173
Article TR-5	Marking and Certification	174
TR-500	General Requirements	174
TR-510	Marking and Certification of Pressure-Relief Valves	174
TR-520	Marking and Certification of Rupture Disk Devices	174
TR-530	Marking and Certification of Pressure-Relief Valves Installed in Combination with Rupture Disk Devices	174
TR-540	Marking and Certification of Pressure-Relief Valves Installed in Combination with Breaking Pin Devices	175
Part TS	Stamping, Marking, Certification, Reports, and Records	176
Article TS-1	Contents and Method of Stamping Transport Tanks	176
TS-100	Required Markings	176
TS-110	Marking of Parts	177

TS-120	Application of Certification Mark	177
TS-130	Nameplates	178
Article TS-2	Obtaining and Applying Certification Marks to Transport Tanks	179
TS-200	Certification Marks	179
Article TS-3	Report Forms and Record Maintenance	181
TS-300	Manufacturer's Data Reports	181
TS-310	Partial Data Reports	181
Article TS-4	Special Requirements	182
TS-400	General	182
Part TP	Requirements for Repair, Alteration, Testing, and Inspection for Con- tinued Service	183
Article TP-1	General Requirements and Responsibilities	183
TP-100	General	183
Article TP-2	Requirements for Repairs and Alterations	184
TP-200	General Requirements	184
Article TP-3	Requirements for Tests and Inspections	185
TP-300	General Requirements	185
Article TP-4	Tests and Inspections	186
TP-400	General	186
TP-410	Types of Tests and Inspections	186
Article TP-5	Criteria for Tests and Inspections	188
TP-500	General	188
Article TP-6	Reports and Records	189
TP-600	Reports and Records	189
Modal Appendix 1	Cargo Tanks	190
Modal Appendix 2	Rail Tank Cars	221
Modal Appendix 3	Portable Tanks	222
Modal Appendix 4	Category 106A500-X, 106A800-X, 110A500-W, 110A600-W, 110A800-W, 110A1000-W, and 110A2000-W Ton Containers	230
Mandatory Appendix I	Quality Control System	234
Mandatory Appendix II	Special Commodities	237
Mandatory Appendix III	Definitions for Transport Tanks	238
Mandatory Appendix IV	Rounded Indication Charts, Acceptance Standards for Radiographically Determined Rounded Indications in Welds	240
Mandatory Appendix V	Methods for Magnetic Particle Examination (MT)	248
Mandatory Appendix VI	Methods for Liquid-Penetrant Examination (PT)	249
Mandatory Appendix VII	250
Mandatory Appendix VIII	Low Pressure Tank Design	251
Mandatory Appendix IX	Ultrasonic Examination of Welds (UT)	257
Mandatory Appendix X	Examination of Steel Castings	258
Mandatory Appendix XI	Adhesive Attachment of Nameplates	261
Mandatory Appendix XII	Standard Units for Use in Equations	262

Mandatory Appendix XIII	Reference Material and Equivalent Thickness	263
Mandatory Appendix XIV	Hot Pressure Welded Joint for Head-to-Shell Welds of Ton Containers	265
Mandatory Appendix XV	Rules for Mass Production of Pressure Vessels	267
Mandatory Appendix XVI	Local Thin Areas in Cylindrical Shells and in Spherical Segments of Shells	270
Mandatory Appendix XVII	Cold-Stretching of Austenitic Stainless Steel Pressure Vessels	274
Mandatory Appendix XVIII	Establishing Governing Code Editions, Addenda, and Cases for Transport Tanks	277
Nonmandatory Appendix A	Suggested Good Practice Regarding Piping Reactions and Design of Supports and Attachments	278
Nonmandatory Appendix B	Suggested Good Practice Regarding Internal Structures	280
Nonmandatory Appendix C	Guide for Preparing Manufacturer's Data Reports	281
Nonmandatory Appendix D	Guide to Information Appearing on Certificate of Authorization	295
Nonmandatory Appendix E	Recommended Practices for Vacuum Insulated Cargo Tanks and Portable Tanks for Refrigerated Fluids	297
Nonmandatory Appendix F	Recommended Practices for Noncryogenic Portable Tanks	304
Nonmandatory Appendix G	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	305
Nonmandatory Appendix H	Guidance for Design of Supports and Safety Devices for Cargo Tanks .	308
Nonmandatory Appendix J	Flowcharts Illustrating Impact Testing Requirements and Exemptions From Impact Testing by the Rules of TM-250	313

FIGURES

TM-210.2	Simple Beam Impact Test Specimens (Charpy-Type Test)	36
TM-220.1	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels, Having Specified Minimum Tensile Strength Less Than 95 ksi, Listed in Table TM-130.2-1	38
TM-220.2	Illustration of Lateral Expansion in a Broken Charpy V-Notch Specimen	39
TM-240.1-1	Impact Test Exemption Curves	42
TM-240.1-2	Some Typical Tank Details Showing the Governing Thicknesses as Defined in TM-240.1	46
TM-240.3-1	Reduction in Minimum Design Metal Temperature Without Impact Testing	49
TM-240.3-2	Diagram of TM-240.1 Rules for Determining Lowest Minimum Design Metal Temperature (MDMT) Without Impact Testing	50
TM-250.1	Weld Metal Delta Ferrite Content	52
TD-310.1	Principal Dimensions of Typical Heads	63
TD-400.1	Diagrammatic Representation of Variables for Design of Cylindrical Vessels Subjected to External Pressure	66
TD-410.2-1	Various Arrangements of Stiffening Rings for Cylindrical Vessels Subjected to External Pressure	69
TD-410.2-2	Minimum Arc of Shell Left Unsupported Because of Gap in Stiffening Ring of Cylindrical Shell Under External Pressure	70
TD-420	Some Acceptable Methods of Attaching Stiffening Rings	71
TD-440.4	Bending Stress Distribution in a Typical Transport Tank	74
TD-500	Some Acceptable Types of Unstayed Flat Heads and Covers	77
TD-610.3-1	Chart for Determining Value of F , as Required in TD-610.3	82
TD-610.3-2	Nomenclature and Equations for Reinforced Openings	83
TD-610.7	Openings for Radial Nozzles in Cylindrical Shells	85
TD-620	Minimum Depth for Flange of Flued in Openings	86

TD-640	Some Representative Configurations Describing the Reinforcement Dimension, t_e , and the Opening Dimension, d	88
TD-660	Examples of Multiple Openings	92
TW-100.1	Fabricated Lap Joint Stub Ends for Fluids With United Nations Hazard Classifications Defined in TW-100.1(a)	95
TW-130.2	Butt Welding of Plates of Unequal Thickness	97
TW-130.3	Illustration of Welded Joint Locations Typical of Categories A, B, C, and D	97
TW-130.5-1	Heads Attached to Shells (See Table TW-130.4 for Limitations)	102
TW-130.5-2	Attachment of Pressure Parts to Flat Plates to Form a Corner Joint	106
TW-130.5-3	Nozzle Necks Attached to Piping of Lesser Wall Thickness	107
TW-130.7-1	Acceptable Welded Nozzle Attachment Readily Radiographed to Code Standards	108
TW-130.7-2	Acceptable Full Penetration Welded Nozzle Attachments Radiographable With Difficulty and Generally Requiring Special Techniques Including Multiple Exposures to Take Care of Thickness Variations	108
TW-140.2-1	Some Acceptable Types of Welded Nozzles and Other Connections to Shells, Heads, Etc.	110
TW-140.2-2	Some Acceptable Types of Small Fittings [See TW-140.2(f)(3) for Limitations]	115
TF-120.2-1	Example of Differences Between Maximum and Minimum Inside Diameters in Cylindrical, Conical, and Spherical Shells	119
TF-120.2-2	Maximum Permissible Deviation From a Circular Form, e , for Vessels Under External Pressure	120
TR-510	Official Certification Mark to Denote ASME's Standard Pressure-Relief Valves for Transport Tanks	174
TR-520	Official Certification Mark to Denote ASME's Standard Rupture Disk Devices for Transport Tanks	175
TS-100	Form of Stamping	176

TABLES

TG-130	Product Standards Referenced by This Section	3
TM-130.2-1	Carbon and Low Alloy Steels	17
TM-130.2-2	High Alloy Steels	20
TM-130.2-3	Aluminum and Aluminum Alloy Products	26
TM-130.2-4	Copper and Copper Alloys	27
TM-130.2-5	Nickel and Nickel Alloys	28
TM-130.2-6	Ferritic Steels With Tensile Properties Enhanced by Heat Treatment	30
TM-130.2-7	Titanium and Titanium Alloys	31
TM-210.1	Impact Test Temperature Differential	36
TM-220.2	Minimum Lateral Expansion Requirements	39
TM-220.3	Charpy Impact Test Temperature Reduction Below Minimum Design Metal Temperature (MDMT)	39
TM-240.1	Tabular Values for Figure TM-240.1-1	45
TD-310.2-1	Values for M	64
TD-310.2-2	Values for K	64
TD-430	Values of Spherical Radius Factor K_o for Ellipsoidal Head With Pressure on Convex Side	72
TD-610.1	Values of Spherical Radius Factor, K_1	82
TD-650	Nozzle Attachment Welds	91
TD-670	Minimum Number of Pipe Threads for Connections	93
TD-680	Nozzle Neck Thickness	93
TW-130.4	Maximum Allowable Joint Efficiencies for Arc- and Gas-Welded Joints	99
TF-220.3	Maximum Offset Values	125
TF-220.4	Thickness of Weld Reinforcement	125
TF-710-1(a)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 1	137
TF-710-1(b)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 3	138
TF-710-1(c)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 9A	139
TF-710-1(d)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 9B	140
TF-710-1(e)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 10A	141
TF-710-1(f)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 10B	141
TF-710-1(g)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 10C	142

TF-710-1(h)	Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels — P-No. 10F	142
TF-710-2	Alternative Postweld Heat Treatment Requirements for Carbon and Low Alloy Steels	143
TF-720-1	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 6	143
TF-720-2	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 7	144
TF-720-3	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 8	144
TF-720-4	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 10H	145
TF-720-5	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 10I	145
TF-720-6	Postweld Heat Treatment Requirements for High Alloy Steels — P-No. 10K	146
TF-740	Postweld Heat Treatment Requirements for Ferritic Steels Enhanced by Heat Treatment (See Table TM-130.2-6)	147
TE-230.2	Thickness Above Which Full Radiographic Examination of Butt-Welded Joints Is Mandatory	153

FORMS

T-1A	Manufacturer's Data Report for Class 1 Transport Tanks	286
T-1B	Manufacturer's Data Report for Class 2 Transport Tanks	287
T-1C	Manufacturer's Data Report for Class 3 Transport Tanks	288
T-2A	Manufacturer's Partial Data Report for Class 1 Transport Tanks	289
T-2B	Manufacturer's Partial Data Report for Class 2 Transport Tanks	290
T-2C	Manufacturer's Partial Data Report for Class 3 Transport Tanks	291
T-3A	Class 1 Transport Tank Manufacturer's Data Report Supplementary Sheet	292
T-3B	Class 2 Transport Tank Manufacturer's Data Report Supplementary Sheet	293
T-3C	Class 3 Transport Tank Manufacturer's Data Report Supplementary Sheet	294

ENDNOTES		321
-----------------	--	-----

(13)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components

- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding and Brazing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.