

ASME Y14.3-2012
[Revision of ASME Y14.3-2003 (R2008)
and Consolidation of ASME Y14.4M-1989 (R2009)]

Orthographic and Pictorial Views

**Engineering Drawing and Related
Documentation Practices**

AN AMERICAN NATIONAL STANDARD



ADOPTION NOTICE

ASME Y14.3, "Orthographic and Pictorial Views," was adopted on 28 January 2013 for use by the Department of Defense (DoD). Proposed changes by DoD activities must be submitted to the DoD Adopting Activity: Commander, U.S. ARDEC, ATTN RDAR-QES-E, Picatinny Arsenal, NJ 07806-5000 or emailed to usarmy.picatinny.ardec.list.ardec-stdzn-branch@mail.mil. Copies of this document may be purchased from The American Society of Mechanical Engineers, Two Park Avenue, New York, New York, United States, 10016. <http://www.asme.org>.

Custodians:

Army — AR
Navy — SA
Air Force — 16
DLA — DH

Adopting Activity:

Army — AR
(Project DRPR-2013-006)

Review Activities:

Army — AV, CR, MI, PT, TE, TM
Navy — AS, CG, CH, MC, NP
Air Force — 04, 13, 99
DLA — IS
OSD — SE
Other — CM, MP, DC2, NS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

ASME Y14.3-2012
[Revision of ASME Y14.3-2003 (R2008)
and Consolidation of ASME Y14.4M-1989 (R2009)]

Orthographic and Pictorial Views

**Engineering Drawing and Related
Documentation Practices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: August 30, 2013

This Standard will be revised when the Society approves the issuance of a new edition. There will be no written interpretations of the requirements of this Standard issued to this edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are published.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		vi
Committee Roster		vii
Correspondence With the Y14 Committee		viii
1	General	1
2	References	2
3	Terms and Definitions	3
4	Pictorial View Creation	3
5	Orthographic View Creation	13
6	Principal Orthographic Views	20
7	Drawings With Orthographic Views	24
8	Section Views in Orthographic Projection	30
9	Saved Views	41
10	Conventional Representation	51
11	Exploded Pictorial Assembly Views	65
12	Pictorial Views as Illustrations	66
Figures		
4-1	Kinds of Projection	6
4-2	Isometric Projection	7
4-3	Dimetric Projection	7
4-4	Trimetric Projection	8
4-5	Choice of Axonometric View	8
4-6	Oblique Projection	9
4-7	Oblique Projections and Effect of Foreshortening	10
4-8	One-Point Perspective	10
4-9	Two-Point Perspective	11
4-10	Three-Point Perspective	11
4-11	Location of Point of Sight in Perspective	12
4-12	Pictorial View Coordinate System	12
5-1	Orthographic Projections to Form Orthographic Views	14
5-2	Space and Orthographic Arrangement of Views (Third-Angle Projection)	15
5-3	Space and Orthographic Arrangement of Views (First-Angle Projection)	16
5-4	Third-Angle Projection Standard Arrangement of the Six Principal Orthographic Views	17
5-5	First-Angle Projection Standard Arrangement of the Six Principal Orthographic Views	17
5-6	Arrow Method — Principal Views	18
5-7	Arrow Proportions	18
5-8	Projection Symbol	19
6-1	Removed View	21
6-2	Arrow Method — Removed View	21
6-3	Rotated View	22
6-4	Arrow Method — Rotated View	22
6-5	Rotation Arrow	22
6-6	Removed View When Multiple Drawing Graphic Sheets Are Used	23

7-1	Drawings With One View.....	25
7-2	Drawings With Two Views.....	25
7-3	Drawing With Three Orthographic Views.....	26
7-4	Drawing With Three Orthographic Views of a Stamping	26
7-5	Front View and Partial Auxiliary Views.....	27
7-6	Partial Auxiliary View.....	27
7-7	Partial Auxiliary, Partial Front, and Right-Side Views.....	28
7-8	Partial Primary and Secondary Auxiliary Views	28
7-9	Detail	29
7-10	Phantom Lines for Related Parts	29
8-1	Section Lining.....	32
8-2	Zone Referencing for Removed Sections	32
8-3	Full Section, Cutting Plane Omitted	33
8-4	Half Section, Cutting Plane Omitted	33
8-5	Identifying Sections.....	34
8-6	Arrow Method — Identifying Sections	35
8-7	Bent and Offset Cutting Planes.....	35
8-8	Full Section	36
8-9	Half Section, Assembly	36
8-10	Omission of Visible Lines	37
8-11	Omission of Hidden Lines	37
8-12	Constructed Offset Section View	38
8-13	Aligned Section.....	38
8-14	Removed Section	39
8-15	Removed Sections on Center Lines.....	39
8-16	Revolved Sections.....	40
8-17	Broken-Out Sections.....	40
8-18	Auxiliary Sections.....	40
9-1	Model.....	43
9-2	Model and Drawing Graphic Sheet	44
9-3	Design Model With Offset Section	45
9-4	Design Model Cutting Plane.....	46
9-5	Design Model With Cutting-Plane Intersection Lines Shown	47
9-6	Axonometric Views, Coordinate System Shown, Section View Rotated.....	48
9-7	Drawing Graphic Sheet, Cutting-Plane Intersection Lines Shown	49
9-8	Section View in the Same Orientation as the View Containing the Cutting Plane	50
10-1	Line Precedence	52
10-2	Use of Hidden Lines in Pictorial	53
10-3	Rotated Features to Show True Shape	53
10-4	Small Intersections.....	54
10-5	Large Intersections	54
10-6	Conventional Representation, Filleted and Rounded Corners	55
10-7	Conventional Representations, Fillets, Rounds, and Runouts.....	55
10-8	Fillets and Rounds.....	56
10-9	Conventional Representation, Breaks in Elongated Features	57
10-10	Break Lines	58
10-11	Section Through Ribs	58
10-12	Conventional Representation of Ribs	59
10-13	True Geometry Through Ribs	59
10-14	Section Across Ribs.....	60
10-15	Section Views and Section Lining	60
10-16	Section Through Assembly	61
10-17	Section Through Shafts, Keys, Bolts, Nuts, and Like Items.....	61
10-18	Spokes in Section	62
10-19	Rotated Features	62

10-20	Conventional Representation of Rotated Features	63
10-21	Intersections in Section	63
10-22	Intersections.....	64
11-1	Comparison of Standard Section With Exploded Assembly.....	65
Nonmandatory Appendices		
A	Space Geometry	67
B	Space Analysis and Applications	72
C	Illustrations.....	78
Index	83

FOREWORD

This issue is a revision of ASME Y14.3-2003, formerly titled “Multiview and Sectional View Drawings.” This revision of ASME Y14.3 was initiated in response to industry and DoD requests that international practices and computer aided design (CAD) capabilities be accommodated. The work on this revision of the standard began in April 2009 in a virtual meeting of the ASME Y14 Subcommittee 3 (SC3). Work moved forward with a focus on adding practices relevant to CAD utilization.

Following the April 2009 meeting, the chairman of SC3, B. A. Wilson, and the chairman of SC4, J. D. Keith, began discussions regarding the possible merge of content from ASME Y14.3 and Y14.4 to locate orthographic and pictorial view requirements in one standard. A new scope and charter of SC3 was drafted to cover the combined content, and it was submitted to the ASME Y14 committee for approval. Approval was given and members of SC4 were combined with SC3. ASME Y14.3 was given a new title of “Orthographic and Pictorial Views.”

The first meeting of the combined subcommittees was held in April, 2010. During 2010, the chairman of SC3 began working with N. H. Smith, chairman of SC41, to determine if view-specific content in ASME Y14.41 should be moved into ASME Y14.3. The cooperative efforts between SC3 and SC41 resulted in movement of view-specific content from ASME Y14.41 into ASME Y14.3.

ASME Y14.3 now includes requirements for orthographic and pictorial views, whether product definition is accomplished by 2D drawing only, model only, or both. Generally, view requirements are applicable regardless of means of creation, but there are some specific requirements limited in applicability based on view creation method.

This revision of ASME Y14.3 continues a transition to standardize view requirements that are compatible with CAD capabilities and common industry practices. The inclusion of CAD specific requirements was initiated in the development of ASME Y14.3-2003 as well as in the development of ASME Y14.41-2003. It is expected that in the future, the requirements in ASME Y14.3 will continue to move towards one set of requirements that are consistent regardless of view creation method. At this time, there are practices that are limited to constructed views or to model-based views. It is anticipated that future revisions of this Standard will continue to expand coverage of view requirements for CAD-created views with the constructed view conventions potentially being removed when there is no longer a need for them.

Significant revisions include the following:

- (a) reorganizing to include and advance the content of ASME Y14.3-2003, ASME Y14.4-1989(R2004), and applicable paragraphs and figures from ASME Y14.41-2012
- (b) making view requirements based on CAD practices and capabilities more prevalent throughout the standard
- (c) noting as such, requirements applicable to only constructed views, and excluding from constructed view practices, the newer practices when applicable only to CAD-created views

In this Standard, anything identified as a requirement is mandatory. Compliance with requirements is not optional except where more than one method is provided in which case one of the options shall be used. Actions, drawing elements, or other items identified as practices are typical but are not required, except where those practices are expressed as requirements or specified as practices to be used.

The successful revision of this Standard is attributed to the commitment of the committee members and the support of their sponsoring companies. The commitment of their time and contributed expertise are gratefully acknowledged. J.D. Keith, former chairman of ASME Y14 SC4, worked alongside with the SC3 chairman to keep the work on schedule and ensure that it was technically correct. N.H. Smith, chairman of ASME Y14 SC41, worked closely with the SC3 chairman to transition technical content from ASME Y14.41 to ASME Y14.3. L.F. Irwin served as a technical liaison between SC3 and SC41 to ensure the technical intent of the Y14.41 material was correctly merged into Y14.3. R.H. Settle created the figures for this and the previous edition of ASME Y14.3. J.B. Burleigh, R.G. Campbell, R.R. Cruz, J.I. Miles, and A. Watts served as section leaders, each of whom worked to develop the first draft of one or more of the Sections.

It is our intention for future revisions of this Standard to continue moving us forward towards defining common practices that are applicable regardless of view creation methods. Interested parties are invited to contact ASME for involvement in future development efforts.

Suggestions for improvement of this Standard are welcome. They should be addressed to The American Society of Mechanical Engineers; Attn: Secretary, Y14 Standards Committee; Two Park Avenue; New York, NY 10016-5990.

This Standard was approved as an American National Standard on November 30, 2012.

ASME Y14 COMMITTEE

Engineering Drawing and Related Documentation Practices

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

F. Bakos, Jr., *Chair*
W. A. Kaba, *Vice Chair*
C. J. Gomez, *Secretary*

STANDARDS COMMITTEE PERSONNEL

A. R. Anderson, Dimensional Dynamics, LLC	E. F. McCarthy, Raytheon Missile Systems
F. Bakos, Jr., Consultant	P. J. McCuiston, Ohio University
J. V. Burleigh, Consultant	J. D. Meadows, James D. Meadows & Associates, Inc.
D. E. Day, Tec-Ease, Inc.	M. E. Meloro, Northrop Grumman Corp.
K. Dobert, Siemens PLM	H. W. Oakes, United States Air Force
C. J. Gomez, The American Society of Mechanical Engineers	N. H. Smith, Spirit AeroSystems
B. A. Harding, Purdue University	M. J. Stahl, Caterpillar, Inc.
D. H. Honsinger, Consultant	N. Stern, United States Army
W. A. Kaba, Spirit AeroSystems	R. G. Wilhelm, University of North Carolina
A. Krulikowski, Effective Training, Inc.	B. A. Wilson, Boeing

SUBCOMMITTEE 3 — ORTHOGRAPHIC AND PICTORIAL VIEWS

B. A. Wilson, <i>Chair</i> , Boeing	J. D. Meadows, James D. Meadows & Associates, Inc.
J. V. Burleigh, Consultant	J. I. Miles, Sr., Lockheed Martin Aeronautics Co.
R. G. Campbell, Harper College	H. W. Oakes, United States Air Force
R. R. Cruz, GE Aviation	R. H. Settle, Naval Surface Warfare Ctr/DD
L. G. Davis, Consultant	M. J. Stahl, Caterpillar Inc.
R. D. Green, Boeing	N. Stern, United States Army
L. F. Irwin, Siemens PLM	J. D. Sykes, Profile Services
J. D. Keith, Spirit AeroSystems	A. Watts, General Motors Co.
P. J. McCuiston, Ohio University	M. P. Wright, Lockheed Martin Aeronautics Co.

CORRESPONDENCE WITH THE Y14 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, Y14 Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes which appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal including any pertinent documentation.

Proposing a Case. Cases may be issued for the purpose of providing alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee Web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard, the paragraph, figure or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Attending Committee Meetings. The Y14 Standards Committee regularly holds meetings or telephone conferences, which are open to the public. Persons wishing to attend any meeting or telephone conference should contact the Secretary of the Y14 Standards Committee or check our web site at <http://cstools.asme.org/csconnect/CommitteePages.cfm?Committee=C64000000>.

ORTHOGRAPHIC AND PICTORIAL VIEWS

1 GENERAL

1.1 Scope

This Standard establishes the requirements for creating orthographic, and pictorial views on engineering drawing graphic sheets and in models. View requirements are generally the same regardless of how they are created. Specific requirements that are applicable only to constructed or to saved views are defined throughout the standard.

The topics covered include the multiview system of drawing, selection, and arrangement of orthographic views, auxiliary views, section views, details, pictorial views, conventional representation of features with some practices applicable only to constructed views, practices applicable to saved views on drawing graphic sheets, and practices applicable only to saved views in models.

The methods for constructing orthographic and pictorial views are beyond the scope of this Standard. Space geometry and space analysis and applications are included in the appendices for informational purposes.

1.2 ASME Y14 Series Conventions

The following conventions in paras. 1.2.1 through 1.2.10 are used in this and other ASME Y14 series of standards.

1.2.1 Mandatory, Nonmandatory, Guidance, and Optional Words

(a) The words “shall” and “will” establish a mandatory requirement.

(b) The words “should” and “may” establish a recommended practice.

(c) The words “typical,” “example,” “for reference,” or the Latin abbreviation “e.g.,” indicate suggestions given for guidance only.

(d) The word “or” used in conjunction with a mandatory requirement or a recommended practice indicates that there are two or more options for complying with the stated requirement or practice.

1.2.2 Cross-Reference of Standards. Cross-reference of standards in text with or without a date following the standard identity shall be interpreted as follows:

(a) Reference to other ASME Y14 series of standards in the text without a date following the standard identity indicates that the issue of the standard as identified in the references section shall be used to meet the requirement.

(b) Reference to other ASME Y14 series of standards in the text with a date following the standard identity indicates that only that issue of the standard shall be used to meet the requirement.

1.2.3 Invocation of Referenced Standards. The following examples define the invocation of a standard when specified in the references section and referenced in the text of this Standard:

(a) When a referenced standard is cited in the text with no limitations to a specific subject or paragraphs(s) of the standard, the entire standard is invoked. For example, “dimensioning and tolerancing shall be in accordance with ASME Y14.5” is invoking the complete standard because the subject of the standard is dimensioning and tolerancing and no specific subject or paragraph(s) within the standard are invoked.

(b) When a referenced standard is cited in the text with limitations to a specific subject or paragraph(s) of the standard, only the paragraph(s) on that subject is invoked. For example, “assign part or identifying numbers in accordance with ASME Y14.100” is only invoking the paragraph(s) on Part or Identifying Numbers because the subject of the standard is engineering drawing practices and part and identifying numbers is a specific subject within the standard.

(c) When a referenced standard is cited in the text without an invoking statement, such as “in accordance with,” the standard is for guidance only. For example, “for gaging principles see ASME Y14.43” is only for guidance, and no portion of the standard is invoked.

1.2.4 Parentheses Following a Definition. When a definition is followed by a standard referenced in parentheses, the standard referenced in parentheses is the source for the definition.

1.2.5 Notes. Notes depicted in this Standard in all uppercase letters are intended to reflect actual drawing entries. Notes depicted in initial uppercase or lowercase letters are to be considered supporting data to the contents of this Standard and are not intended for literal