IEEE 🏟

# IEEE Standard for Receiver Fixture Interface

IEEE Standards Coordinating Committee 20

Sponsored by the IEEE Standards Coordinating Committee 20 on Test and Diagnosis for Electronic Systems

IEEE 3 Park Avenue New York, NY 10016-5997 USA

**IEEE Std 1505<sup>™</sup>-2010** (Revision of IEEE Std 1505-2006)

15 November 2010

Authorized licensed use limited to: Thomson Reuters. Downloaded on December 28,2010 at 19:00:09 UTC from IEEE Xplore. Restrictions apply.

# IEEE Standard for Receiver Fixture Interface

Sponsor

IEEE Standards Coordinating Committee 20 on Test and Diagnosis for Electronic Systems

Approved 30 September 2010

**IEEE-SA Standards Board** 

**Abstract:** A mechanical and electrical specification for implementing a common interoperable mechanical quick-disconnect interconnect system for use by industry for interfacing large numbers of electrical signals (digital, analog, RF, power, etc.) is provided. These large interface panels (receiver and fixture panels) are employed primarily in test systems between stimulus/measurement assets and a related unit-under-test (UUT), although any application involving high-density contacts requiring a quick disconnect interface could benefit. The *receiver* is a receptacle that is mounted to test system mates with multiple *fixtures*, which serve as the *buffer* between the UUT and automatic test equipment (ATE). Fixtures translate standard input/output (I/O) signal routing offered at the receiver to a wiring interface that directly connects to the UUT. These UUT interfaces can represent cable connectors, direct plug-in (printed circuit board edge connectors), sensor monitoring, or manual feedback from the test technician.

The primary objectives of this standard are: (a) to establish interface standards that permit interchangeability of mechanical/electrical receiver/fixture/connector product assemblies from various manufacturers under an *open architecture*; and (b) to develop within this framework a defined set(s) of interconnecting connector and mechanical specifications that supports available, accepted, low-cost commercial technology to reduced dependence on proprietary designs and extend life-cycle availability.

**Keywords:** connector, fixture, framework, interface, interoperability, mass-interconnect, quick disconnect, receiver, specification

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 15 November 2010. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-6355-0 STD97005 Print: ISBN 978-0-7381-6356-7 STDPD97005

IEEE prohibits discrimination, harassment and bullying. For more information, visit <u>http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html</u>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

### Introduction

This introduction is not part of IEEE Std 1505-2010, IEEE Standard for Receiver Fixture Interface.

# Historical Background

On September 19, 1996, a group of receiver fixture product vendors/integrators announced the formation of an industry standards group called the RFI Alliance.

The organization later sought to gain identity through a standards organization, which ultimately became the Institute of Electrical and Electronic Engineers, Inc. (IEEE). Under the joint sponsorship of the Instrumentation and Measurement Society TC-5 Connectors/TC-8 Automated Instruments Committees and SCC20 Hardware Interface Subcommittee, an IEEE Std 1505 RFI Working Group was developed and authorized by the IEEE Standards Association. Participation in the IEEE Std 1505 RFI Working Group is open to vendors, integrators, and users.

# IEEE Std 1505 Receiver Fixture Interface (RFI) Working Group focus

The IEEE Std 1505 RFI Working Group, sponsored by the IEEE Instrumentation and Measurement Society and IEEE SCC20, Test and Diagnosis for Electronic Systems, was formed to define a common electrical/mechanical interface specifications for applications involving test, production processing, quickdisconnect electrical interfacing, and subassembly mating requirements. The group is made up of technical individuals from industry, government, and academia, which reflect perspective views of a supplier, user, and general interest in the standard. To derive these specifications, the IEEE Std 1505 Working Group utilized the results of a study conducted by the Department of Defense Automatic Test System Research & Development Integrated Product Team (ARI) Critical Interface Working Group (CIWG), which reviewed as part of their tasks the Automatic Test System (ATS) Test Interface and the joint industry/government Common Test Interface (CTI) Working Group. The methodology step process includes: (a) defining the problem, (b) establishing a set of requirements, (c) evaluating available interface designs against a set of parameters that relate to the problem and requirements, and (d) defining a specification that will meet the consensus of the Working Group and industry short- and long-term goals. It was designed upon open standards or functional specifications that are supported by multiple-vendor products.

# Cooperative relationship with the Common Test Interface

This document serves as the basis for supplemental pin map configuration standards, such as IEEE Std 1505.1-2008 and others that are expected to meet unique pin map requirements. Future revisions to this document may add new connector styles or types that support RFI needs.

The IEEE Std 1505 Working Group recognizes industry/government end-user integration and maintenance support of a defined CTI, a specific connector/pin map implementation of the standard. This document provides for these CTI end-users, and for its ATE system and hardware integrators, a defined, standardized framework and connector, and configuration specification to enable agency/aerospace interoperability and upward compatibility. The CTI Working Group has developed a *common test interface pin map configuration* (IEEE Std 1505.1) that uses this standard as its basis.

#### Vendor responsibility

Users and buyers of IEEE-1505-compliant hardware are forewarned that neither the IEEE nor any other referenced agency has responsibility for the warranty or certification of any RFI product compliance. Therefore, purchasers of RFI products are encouraged to request such information from the manufacturer.

#### Notice to users

### Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

# Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

# Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at http://ieeexplore.ieee.org/xpl/standards.jsp, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <u>http://standards.ieee.org</u>.

# Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/updates/errata/index.html</u>. Users are encouraged to check this URL for errata periodically.

#### Interpretations

Current interpretations can be accessed at the following URL: <u>http://standards.ieee.org/reading/ieee/interp/index.html</u>.

#### Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

### Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the IEEE Std 1505 RFI Working Group had the following membership:

#### Michael Stora, Co-Chair David Droste, Co-Chair

Malcolm Brown Anthony Estrada Anthony Geneva Chris Gorringe David Heck Orman (Bob) Horton Ashley Hulme Mark Kaufman Soo H. Kim Teresa Lopes William F. Maciejewski Stephen Mann Alex Meloni Scott Misha Ion Neag

Leslie Orlidge Richard Patrick Theodore Ronnenburg Howard Savage Mike Seavey John Sheppard Timothy Wilmering

The following is a historical list of participants who have dedicated their valuable time, energy, and knowledge to the creation of this material:

Darryl Ashby Jim Babb William Birurakis Jim Clegg Dave Engler James Guzak Tom Leddy Corey Motel David Rocker Bill Ross Anthony Sedberry Rob Spinner John R Stabler Mario Tobias Robert White John Wong The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Stephen Allen Martin J. Bishop Malcom Brown Keith Chow David Droste Heiko Ehrenberg William Frank Anthony Geneva Randall Groves Lee Herron Werner Hoelzl Piotr Karocki James Langlois William F. Maciejewski Stephen Mann Jeffrey Moore Michael S. Newman Leslie Orlidge Donald Parker Ulrich Pohl Robert Robinson Theodore Ronnenburg Bartien Sayogo Mike Seavey Gil Shultz Roger Sowada Joseph Stanco Michael Stora Walter Struppler David Tepen James Timperley Stephen Webb

When the IEEE-SA Standards Board approved this standard on 30 September 2010, it had the following membership:

Robert M. Grow, Chair Richard H. Hulett, Vice Chair Steve M. Mills, Past Chair Judith Gorman, Secretary

Karen Bartleson Victor Berman Ted Burse Clint Chaplin Andy Drozd Alexander Gelman Jim Hughes

\*Member Emeritus

Young Kyun Kim Joseph L. Koepfinger\* John Kulick David J. Law Hung Ling Oleg Logvinov Ted Olsen Ronald C. Petersen Thomas Prevost Jon Walter Rosdahl Sam Sciacca Mike Seavey Curtis Siller Don Wright

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, NRC Representative Richard DeBlasio, DOE Representative Michael Janezic, NIST Representative

Lisa Perry IEEE Standards Program Manager, Document Development

Soo H. Kim IEEE Standards Program Manager, Technical Program Development

> vii Copyright © 2010 IEEE. All rights reserved.

# Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	
1.3 Background.	
1.4 Annexes overview	
2. Normative references	2
2.1 Conventions	6
2.1 Conventions	0
3. Definitions and special terms	7
3.1 Special terms	9
1	
4. Qualification requirements	10
4.1 Responsibility for inspection	
4.2 General requirements	
4.3 Qualification inspections	
4.4 Inspection conditions	
4.5 Qualification inspection	
4.6 Method of examination and test	16
5. Framework specification	
5.1 Framework specification introduction	
5.2 Framework general specification	
5.3 Materials	
5.4 Restricted materials	30
5.5 Dissimilar metals	
5.6 Workmanship	
5.7 Design and construction	
5.8 Framework assembly	
5.9 Framework alignment/keying cavities	
5.10 Framework ball-lock mechanism.	
<ul><li>5.11 Framework ball-lock/safety-lock pin devices</li><li>5.12 Framework protective cover</li></ul>	
5.13 Method of mounting	
5.14 Interchangeability	
5.15 Framework stroke	
5.16 Framework engagement and separation forces	
5.17 Framework fixture support weight rating	
5.18 Electrical conditional requirements	
5.19 Framework durability	
5.20 Oversize fixture framework	57
5.21 Environmental requirements	57
5.22 Auxiliary parts	
5.23 Riveting, upsetting, and spinning over	59
6. Connector module specification	50
-	
6.1 Connector module specification introduction	
6.2 Connector specification system	
6.3 Quality	
6.4 General and specific connector contact specification relationships	60

6.5 Materials	
6.6 Reference materials, platings, and processes	
6.7 Design and construction	
6.8 Connector assembly	
6.9 Interchangeability	
6.10 Oversized pin exclusion test	
6.11 Contact engagement and separation forces	
6.12 Connector mating and unmating	
6.13 Contact rating	
6.14 Contact resistance	
6.15 Contact retention	
6.16 Dielectric withstanding voltage	
6.17 Signal low-level circuit	
6.18 Insulation resistance	
6.19 Contact durability/cycle test	
6.20 Environmental requirements	
6.21 Contacts supplied in reels	
6.22 Contact solderability	
6.23 Contact resistance to soldering heat/flammability	
6.24 Contact crimp tensile strength	
6.25 Auxiliary parts	
6.26 Marking	
6.27 Workmanship	
7. Signal module	
7.1 Introduction	70
7.2 General specifications	
7.3 Design and construction requirements	
7.4 Electrical specifications	
7.5 Method of examination and test.	
8. Power size 8 and 16 connector module(s)	
8.1 Introduction	
8.2 General specifications	
8.3 Design and construction requirements	
8.4 Electrical specifications for 23 A power contact	
8.5 Electrical specifications for 45 A power contact	
8.6 Method of examination and test	89
9. Coax size 16 connector module(s)	91
9.1 Introduction	
9.2 General specifications	
9.3 Design and construction requirements	
9.4 Coax 5 GHz contact electrical specifications	
9.5 Coax 3 GHz contact electrical specifications	
9.6 Method of examination and test	
10. Mixed power connector module, 28-10 A and 16-20 A positions	
10.1 Introduction	
10.2 General specifications	
10.3 Design and construction requirements	
10.4 Electrical specifications	

11. Universal size 8 connector D-Sub compatible module, 24 position	
11.1 Introduction	
11.2 General specifications	
11.3 Design and construction requirements	
11.4 Coax 40 GHz, size 8, D-Sub compatible, contact	
11.5 Power 45-A, size 8, D-Sub compatible contact	
11.6 Pneumatic, size 8, D-Sub compatible, contact	
11.7 Fiber-optic, size 8, D-Sub compatible, contact specifications	
12. High-speed signal module	
12.1 Introduction	
12.2 General specifications	
12.3 Design and construction requirements	
12.4 Electrical specifications	
12.5 Method of examination and test	
Annex A (informative) Receiver fixture interface tutorial	
Annex B (informative) Critical Interface Working Group (CIWG) report	
Annex C (informative) Bibliography	

# IEEE Standard for Receiver Fixture Interface

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

#### 1. Overview

#### 1.1 Scope

The scope of this standard is the development of a common receiver fixture interface (RFI) specification that is based upon available commercial standards integrated under a common *open architecture*. This mechanical/electrical interface is intended to serve government/commercial interest for applications in test, system integration, manufacturing, monitoring, and other functional requirements that demand large contact densities and quick-disconnect mechanical operation.

#### 1.2 Purpose

The purpose of this standard is to permit interchangeability of mechanical/electrical receiver/fixture/connector product assemblies from various manufacturers under an open architecture. The standard shall also define, within this framework, a set(s) of interconnecting connector and mechanical specifications that support available, accepted, low-cost commercial technology to reduce dependence on proprietary designs and extend life-cycle availability. Technical requirements incorporated shall be those identified by government and industry, including maximum flexibility, scalability, and range of application.

#### 1.3 Background

A joint technical forum has been operational since 1997 under the auspices of the IEEE Std 1505 RFI Working Group.