

ETSI TS 134 122 V11.13.0 (2016-12)



**Universal Mobile Telecommunications System (UMTS);
Terminal conformance specification;
Radio transmission and reception (TDD)
(3GPP TS 34.122 version 11.13.0 Release 11)**



Reference

RTS/TSGR-0534122vbd0

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	44
1 Scope	45
2 References	45
3 Definitions, abbreviations and equations	46
3.1 Definitions	46
3.2 Abbreviations	47
3.3 Equations.....	48
4 Frequency bands and channel arrangement.....	48
4.1 General	48
4.2 Frequency bands.....	48
4.3 TX–RX frequency separation.....	49
4.3.1 3,84 Mcps TDD Option	49
4.3.2 1,28 Mcps TDD Option	49
4.3.3 7,68 Mcps TDD Option	49
4.4 Channel arrangement.....	49
4.4.1 Channel spacing.....	49
4.4.1.1 3,84 Mcps TDD Option.....	49
4.4.1.2 1,28 Mcps TDD Option.....	49
4.4.1.3 7,68 Mcps TDD Option.....	49
4.4.2 Channel raster	49
4.4.3 Channel number	49
4.4.4 UARFCN (3,84 Mcps TDD Option)	49
4.4.4A UARFCN (1.28 Mcps TDD Option)	50
4.4.5 UARFCN (7,68 Mcps TDD Option)	50
5 Transmitter Characteristics.....	51
5.1 General	51
5.2 User Equipment maximum output power.....	51
5.2.1 Definition and applicability	51
5.2.2 Minimum Requirements	51
5.2.2.1 3.84 Mcps TDD option	51
5.2.2.2 1.28 Mcps TDD option	52
5.2.2.3 7.68 Mcps TDD option	52
5.2.3 Test purpose.....	53
5.2.4 Method of test	53
5.2.4.1 Initial conditions	53
5.2.4.1.1 3,84 Mcps TDD Option.....	53
5.2.4.1.2 1,28 Mcps TDD Option.....	54
5.2.4.1.3 7,68 Mcps TDD Option.....	54
5.2.4.2 Procedure	55
5.2.5 Test Requirements	55
5.2.5.1 3,84 Mcps TDD Option.....	55
5.2.5.2 1.28 Mcps TDD Option.....	55
5.2.5.3 7.68 Mcps TDD Option.....	56
5.2A User Equipment maximum output power with E-DCH.....	56
5.2A.1 Definition and applicability	56
5.2A.2 Minimum Requirements	56
5.2A.2.1 3.84 Mcps TDD option	56
5.2A.2.2 1.28 Mcps TDD option	56
5.2A.2.3 7.68 Mcps TDD option	57
5.2A.3 Test purpose.....	57

5.2A.4	Method of test	57
5.2A.4.1	Initial conditions	57
5.2A.4.1.1	3,84 Mcps TDD Option	57
5.2A.4.1.2	1,28 Mcps TDD Option	58
5.2A.4.1.3	7,68 Mcps TDD Option	58
5.2A.4.2	Procedure	58
5.2A.5	Test requirements	58
5.2A.5.1	3.84 Mcps TDD Option	58
5.2A.5.2	1.28 Mcps TDD Option	58
5.2A.5.3	7.68 Mcps TDD Option	59
5.2B	User Equipment maximum output power with HS-SICH and DPCH	59
5.2B.1	Definition and applicability	59
5.2B.2	Minimum Requirements	59
5.2B.2.1	3.84 Mcps TDD option	59
5.2B.2.2	1.28 Mcps TDD option	59
5.2B.2.3	7.68 Mcps TDD option	60
5.2B.3	Test purpose	60
5.2B.4	Method of test	60
5.2B.4.1	Initial conditions	60
5.2B.4.2	Procedure	60
5.2B.5	Test requirements	61
5.2B.5.1	3.84 Mcps TDD Option	61
5.2B.5.2	1.28 Mcps TDD Option	61
5.2B.5.3	7.68 Mcps TDD Option	61
5.3	UE frequency stability	61
5.3.1	Definition and applicability	61
5.3.2	Minimum Requirements	61
5.3.3	Test purpose	62
5.3.4	Method of test	62
5.3.4.1	Initial conditions	62
5.3.4.1.1	3,84 Mcps TDD Option	62
5.3.4.1.2	1,28 Mcps TDD Option	62
5.3.4.1.3	7,68 Mcps TDD Option	62
5.3.4.2	Procedure	63
5.3.5	Test Requirements	63
5.4	Output Power Dynamics	63
5.4.1	Uplink power control	63
5.4.1.1	Initial accuracy (3,84 Mcps TDD Option)	63
5.4.1.1.1	Definition and applicability	63
5.4.1.1.2	Minimum requirements	63
5.4.1.1.3	Test purpose	63
5.4.1.1.4	Method of test	64
5.4.1.1.5	Test requirements	64
5.4.1.2	Differential accuracy, controlled input (3,84 Mcps TDD Option)	65
5.4.1.2.1	Definition and applicability	65
5.4.1.2.2	Minimum requirements	65
5.4.1.2.3	Test purpose	65
5.4.1.2.4	Method of test	65
5.4.1.2.5	Test requirements	66
5.4.1.2A	Differential accuracy, controlled input	67
5.4.1.3	Open loop power control (1,28 Mcps TDD Option)	67
5.4.1.3.1	Definition and applicability	67
5.4.1.3.2	Minimum requirements	67
5.4.1.3.3	Test purpose	67
5.4.1.3.4	Method of test	67
5.4.1.3.5	Test requirements	68
5.4.1.4	Closed loop power control (1,28 Mcps TDD Option)	69
5.4.1.4.1	Definition and applicability	69
5.4.1.4.2	Minimum requirements	69
5.4.1.4.3	Test purpose	69
5.4.1.4.4	Method of test	69
5.4.1.4.5	Test requirements	70

5.4.1.5	Initial accuracy (7,68 Mcps TDD Option)	71
5.4.1.5.1	Definition and applicability	71
5.4.1.5.2	Minimum requirements	71
5.4.1.5.3	Test purpose	71
5.4.1.5.4	Method of test.....	71
5.4.1.5.4.1	Initial conditions	71
5.4.1.5.4.2	Procedure	72
5.4.1.5.5	Test requirements	72
5.4.2	Minimum output power	72
5.4.2.1	Definition and applicability.....	72
5.4.2.2	Minimum Requirements.....	72
5.4.2.2.1	3,84Mcps TDD Option.....	72
5.4.2.2.2	1,28Mcps TDD Option.....	72
5.4.2.2.3	7,68Mcps TDD Option.....	73
5.4.2.3	Test purpose	73
5.4.2.4	Method of test	73
5.4.2.4.1	Initial conditions.....	73
5.4.2.4.2	Procedure.....	73
5.4.2.5	Test requirements.....	73
5.4.2.5.1	3,84 Mcps TDD Option.....	73
5.4.2.5.2	1,28 Mcps TDD Option.....	73
5.4.2.5.3	7,68 Mcps TDD Option.....	73
5.4.3	Transmit OFF power.....	74
5.4.3.1	Definition and applicability.....	74
5.4.3.2	Minimum Requirements.....	74
5.4.3.3	Test purpose	74
5.4.3.4	Method of test	74
5.4.3.5	Test requirements.....	74
5.4.4	Transmit ON/OFF Time mask.....	74
5.4.4.1	Definition and applicability.....	74
5.4.4.2	Minimum requirements.....	74
5.4.4.2.1	3,84Mcps TDD Option.....	74
5.4.4.2.2	1,28Mcps TDD Option.....	75
5.4.4.2.3	7,68Mcps TDD Option.....	75
5.4.4.3	Test Purpose.....	76
5.4.4.4	Method of test	76
5.4.4.4.1	Initial conditions.....	76
5.4.4.4.2	Procedure.....	76
5.4.4.5	Test requirements	76
5.4.5	Out-of-synchronisation handling of output power for continuous transmission.....	77
5.4.5.1	Definition and applicability.....	77
5.4.5.2	Minimum Requirement	77
5.4.5.2.1	3,84 Mcps TDD Option.....	77
5.4.5.2.2	1,28 Mcps TDD Option.....	78
5.4.5.2.3	7,68 Mcps TDD Option.....	79
5.4.5.3	Test purpose	80
5.4.5.4	Method of test	81
5.4.5.4.1	Initial conditions.....	81
5.4.5.4.2	Procedure.....	81
5.4.5.5	Test Requirements.....	82
5.4.6	Out-of-synchronisation handling of output power for discontinuous transmission	82
5.4.6.1	Definition and applicability.....	82
5.4.6.2	Minimum Requirement	83
5.4.6.2.1	3,84 Mcps TDD Option.....	83
5.4.6.2.2	1,28 Mcps TDD Option.....	84
5.4.6.2.3	7,68 Mcps TDD Option.....	85
5.4.6.3	Test purpose	86
5.4.6.4	Method of test	87
5.4.6.4.1	Initial conditions.....	87
5.4.6.4.2	Procedure.....	87
5.4.6.5	Test Requirements.....	88
5.5	Output RF spectrum emissions.....	88

5.5.1	Occupied bandwidth	88
5.5.1.1	Definition and applicability.....	88
5.5.1.2	Minimum Requirements.....	88
5.5.1.2.1	3,84Mcps TDD Option.....	88
5.5.1.2.2	1,28Mcps TDD Option.....	88
5.5.1.2.3	7,68Mcps TDD Option.....	89
5.5.1.3	Test purpose	89
5.5.1.4	Method of test	89
5.5.1.4.1	Initial conditions.....	89
5.5.1.4.2	Procedure.....	89
5.5.1.5	Test requirements.....	89
5.5.1.5.1	3,84 Mcps TDD Option.....	89
5.5.1.5.2	1,28 Mcps TDD Option.....	90
5.5.1.5.3	7,68 Mcps TDD Option.....	90
5.5.2	Out of band emission	90
5.5.2.1	Spectrum emission mask.....	90
5.5.2.1.1	Definition and applicability.....	90
5.5.2.1.1.1	3,84 Mcps TDD Option.....	90
5.5.2.1.1.2	1,28 Mcps TDD Option.....	90
5.5.2.1.1.3	7,68 Mcps TDD Option.....	90
5.5.2.1.2	Minimum Requirements.....	90
5.5.2.1.2.1	3,84 Mcps TDD Option.....	90
5.5.2.1.2.2	1,28 Mcps TDD Option.....	91
5.5.2.1.2.3	7,68 Mcps TDD Option.....	91
5.5.2.1.3	Test purpose	92
5.5.2.1.4	Method of test.....	92
5.5.2.1.5	Test requirements	93
5.5.2.1.5.1	3,84 Mcps TDD Option.....	93
5.5.2.1.5.2	1,28 Mcps TDD Option.....	94
5.5.2.1.5.3	7,68 Mcps TDD Option.....	95
5.5.2.1A	Spectrum emission mask with E-DCH.....	95
5.5.2.1A.1	Definition and applicability.....	95
5.5.2.1A.2	Minimum Requirements.....	95
5.5.2.1A.3	Test purpose	96
5.5.2.1A.4	Method of test.....	96
5.5.2.1A5	Test requirements	97
5.5.2.1B	Spectrum emission mask with HS-SICH and DPCH.....	97
5.5.2.1B.1	Definition and applicability.....	97
5.5.2.1B.2	Minimum Requirements.....	98
5.5.2.1B.3	Test purpose	98
5.5.2.1B.4	Method of test.....	98
5.5.2.1B5	Test requirements	99
5.5.2.2	Adjacent Channel Leakage power Ratio (ACLR).....	99
5.5.2.2.1	Definition and applicability.....	99
5.5.2.2.2	Minimum Requirements.....	100
5.5.2.2.2.1	3,84Mcps TDD Option.....	100
5.5.2.2.2.2	1,28Mcps TDD Option.....	100
5.5.2.2.2.3	7,68Mcps TDD Option.....	100
5.5.2.2.3	Test purpose	100
5.5.2.2.4	Method of test.....	101
5.5.2.2.5	Test requirements	101
5.5.2.2.5.1	3,84 Mcps TDD Option.....	101
5.5.2.2.5.2	1,28 Mcps TDD Option.....	101
5.5.2.2.5.3	7,68 Mcps TDD Option.....	102
5.5.2.2A	Adjacent Channel Leakage power Ratio (ACLR) with E-DCH.....	102
5.5.2.2A.1	Definition and applicability.....	102
5.5.2.2A.2	Minimum Requirements.....	102
5.5.2.2A.2.1	3,84Mcps TDD Option.....	102
5.5.2.2A.2.2	1,28Mcps TDD Option.....	102
5.5.2.2A.2.3	7,68Mcps TDD Option.....	103
5.5.2.2A.3	Test purpose	103
5.5.2.2A.4	Method of test.....	103

5.5.2.2A.5	Test requirements	103
5.5.2.2A.5.1	3,84 Mcps TDD Option	103
5.5.2.2A.5.2	1,28 Mcps TDD Option	103
5.5.2.2A.5.3	7,68 Mcps TDD Option	104
5.5.2.2B	Adjacent Channel Leakage power Ratio (ACLR) with HS-SICH and DPCH	104
5.5.2.2B.1	Definition and applicability	104
5.5.2.2B.2	Minimum Requirements	104
5.5.2.2B.2.1	3,84Mcps TDD Option	104
5.5.2.2B.2.2	1,28Mcps TDD Option	104
5.5.2.2B.2.3	7,68Mcps TDD Option	104
5.5.2.2B.3	Test purpose	104
5.5.2.2B.4	Method of test.....	105
5.5.2.2B.5	Test requirements	105
5.5.2.2B.5.1	3,84 Mcps TDD Option	105
5.5.2.2B.5.2	1,28 Mcps TDD Option	105
5.5.2.2B.5.3	7,68 Mcps TDD Option	105
5.5.3	Spurious emissions	105
5.5.3.1	Definition and applicability.....	105
5.5.3.2	Minimum Requirements.....	106
5.5.3.2.1	3,84 Mcps TDD Option.....	106
5.5.3.2.2	1,28Mcps TDD Option.....	106
5.5.3.2.3	7,68 Mcps TDD Option.....	107
5.5.3.3	Test purpose	108
5.5.3.3.1	3,84 Mcps Option	108
5.5.3.3.2	1,28 Mcps Option	108
5.5.3.3.3	7,68 Mcps Option	108
5.5.3.4	Method of test	108
5.5.3.4.1	Initial conditions.....	108
5.5.3.4.2	Procedure.....	108
5.5.3.5	Test requirements.....	109
5.5.3.5.1	3,84 Mcps TDD Option.....	109
5.5.3.5.2	1,28 Mcps TDD Option.....	109
5.5.3.5.3	7,68 Mcps TDD Option.....	111
5.6	Transmit Intermodulation.....	111
5.6.1	Definition and applicability	111
5.6.2	Minimum Requirements	111
5.6.2.1	3,84 Mcps TDD Option.....	111
5.6.2.2	1,28 Mcps TDD Option.....	112
5.6.2.3	7,68 Mcps TDD Option.....	112
5.6.3	Test purpose.....	112
5.6.4	Method of test	112
5.6.4.1	Initial conditions	112
5.6.4.2	Procedure	113
5.6.4.2.1	3,84 Mcps TDD Option.....	113
5.6.4.2.2	1,28 Mcps TDD Option.....	113
5.6.4.2.3	7,68 Mcps TDD Option.....	113
5.6.5	Test requirements.....	113
5.6.5.1	3,84 Mcps TDD Option.....	113
5.6.5.2	1,28 Mcps TDD Option.....	113
5.6.5.3	7,68 Mcps TDD Option.....	114
5.7	Transmit Modulation.....	114
5.7.1	Error Vector Magnitude.....	114
5.7.1.1	Definition and applicability.....	114
5.7.1.2	Minimum Requirements.....	114
5.7.1.3	Test purpose	115
5.7.1.4	Method of test	115
5.7.1.4.1	Initial conditions	115
5.7.1.4.2	Procedure.....	115
5.7.1.5	Test requirements.....	115
5.7.1A	Error Vector Magnitude with E-DCH16QAM	115
5.7.1A.1	Definition and applicability.....	115
5.7.1A.2	Minimum Requirements.....	115

5.7.1A.4	Method of test	116
5.7.1A.4.1	Initial conditions	116
5.7.1A.4.2	Procedure	116
5.7.1A.5	Test requirements	116
5.7.1B	Error Vector Magnitude with HS-SICH and DPCH	117
5.7.1B.1	Definition and applicability	117
5.7.1B.2	Minimum Requirements	117
5.7.B1.3	Test purpose	117
5.7.1B.4	Method of test	117
5.7.1B.4.1	Initial conditions	117
5.7.1B.4.2	Procedure	117
5.7.1B.5	Test requirements	117
5.7.2	Peak code domain error	118
5.7.2.1	Definition and applicability	118
5.7.2.2	Minimum Requirement	118
5.7.2.3	Test purpose	118
5.7.2.4	Method of test	118
5.7.2.4.1	Initial conditions	118
5.7.2.4.1.1	3,84 Mcps TDD Option	118
5.7.2.4.1.2	1,28 Mcps TDD Option	118
5.7.2.4.1.3	7,68 Mcps TDD Option	119
5.7.2.4.2	Procedure	119
5.7.2.5	Test requirements	119
6	Receiver Characteristics	119
6.1	General	119
6.2	Reference sensitivity level	120
6.2.1	Definition and applicability	120
6.2.2	Minimum Requirements	120
6.2.2.1	3,84 Mcps TDD Option	120
6.2.2.2	1,28 Mcps TDD Option	120
6.2.2.3	7,68 Mcps TDD Option	121
6.2.3	Test purpose	121
6.2.4	Method of test	121
6.2.4.1	Initial conditions	121
6.2.4.2	Procedure	121
6.2.5	Test requirements	121
6.2.5.1	3,84 Mcps TDD Option	121
6.2.5.2	1,28 Mcps TDD Option	122
6.2.5.3	7,68 Mcps TDD Option	122
6.2A	Reference sensitivity level (IMB)	122
6.2A.1	Definition and applicability	122
6.2A.2	Minimum Requirements	122
6.2A.3	Test purpose	123
6.2A.4	Method of test	123
6.2A.4.1	Initial conditions	123
6.2A.4.2	Procedure	123
6.2A.5	Test requirements	123
6.3	Maximum Input Level	124
6.3.1	Definition and applicability	124
6.3.2	Minimum requirements	124
6.3.2.1	3,84 Mcps TDD Option	124
6.3.2.2	1,28 Mcps TDD Option	124
6.3.2.3	7,68 Mcps TDD Option	125
6.3.3	Test purpose	125
6.3.4	Method of test	125
6.3.4.1	Initial conditions	125
6.3.4.2	Procedure	125
6.3.5	Test requirements	125
6.3A	Maximum Input Level for HS-PDSCH Reception (16QAM)	125
6.3A.1	Definition and applicability	125
6.3A.2	Minimum requirements	125

6.3A.3	Test purpose.....	126
6.3A.4	Method of test	126
6.3A.4.1	Initial conditions	126
6.3A.4.2	Procedure	126
6.3A.5	Test requirements.....	126
6.3B	Maximum Input Level for HS-PDSCH Reception (64QAM)	127
6.3B.1	Definition and applicability	127
6.3B.2	Minimum requirements.....	127
6.3B.3	Test purpose.....	127
6.3B.4	Method of test	127
6.3B.4.1	Initial conditions	127
6.3B.4.2	Procedure	128
6.3B.5	Test requirements.....	128
6.3C	Maximum Input Level (IMB).....	128
6.3C.1	Definition and applicability	128
6.3C.2	Minimum requirements.....	128
6.3C.3	Test purpose.....	128
6.3C.4	Method of test	128
6.3C.4.1	Initial conditions	128
6.3C.4.2	Procedure	129
6.3C.5	Test requirements.....	129
6.4	Adjacent Channel Selectivity (ACS).....	129
6.4.1	Definition and applicability	129
6.4.2	Minimum Requirements	129
6.4.2.1	3,84 Mcps TDD Option.....	129
6.4.2.2	1,28 Mcps TDD Option.....	130
6.4.2.3	7,68 Mcps TDD Option.....	130
6.4.3	Test purpose.....	130
6.4.4	Method of test	130
6.4.4.1	Initial conditions	130
6.4.4.2	Procedure	131
6.4.5	Test Requirements	131
6.4.5.1	3,84 Mcps TDD Option.....	131
6.4.5.2	1,28 Mcps TDD Option.....	131
6.4.5.3	7,68 Mcps TDD Option.....	132
6.4A	Adjacent Channel Selectivity (ACS) (IMB).....	132
6.4A.1	Definition and applicability	132
6.4A.2	Minimum Requirements	132
6.4A.3	Test purpose.....	133
6.4A.4	Method of test	133
6.4A.4.1	Initial conditions	133
6.4A.4.2	Procedure	133
6.4A.5	Test Requirements	133
6.5	Blocking Characteristics.....	134
6.5.1	Definition and applicability	134
6.5.2	Minimum Requirements	134
6.5.2.1	3,84 Mcps TDD Option.....	134
6.5.2.2	1,28 Mcps TDD Option.....	135
6.5.2.3	7,68 Mcps TDD Option.....	137
6.5.3	Test purpose.....	138
6.5.4	Method of test	138
6.5.4.1	Initial conditions	138
6.5.4.2	Procedure	138
6.5.5	Test requirements.....	139
6.5.5.1	3,84 Mcps TDD Option.....	139
6.5.5.2	1,28 Mcps TDD Option.....	139
6.5.5.3	7,68 Mcps TDD Option.....	140
6.5A	Blocking Characteristics (IMB)	141
6.5A.1	Definition and applicability	141
6.5A.2	Minimum Requirements	141
6.5A.3	Test purpose.....	142
6.5A.4	Method of test	142

6.5A.4.1	Initial conditions	142
6.5A.4.2	Procedure	143
6.5A.5	Test requirements.....	143
6.6	Spurious Response	144
6.6.1	Definition and applicability	144
6.6.2	Minimum Requirements	144
6.6.2.1	3,84 Mcps TDD Option.....	144
6.6.2.2	1,28 Mcps TDD Option.....	145
6.6.2.3	7,68 Mcps TDD Option.....	145
6.6.3	Test purpose.....	145
6.6.4	Method of test	145
6.6.4.1	Initial conditions	145
6.6.4.2	Procedure	145
6.6.5	Test requirements.....	146
6.6.5.1	3,84 Mcps TDD.....	146
6.6.5.2	1,28 Mcps TDD.....	146
6.6.5.3	7,68 Mcps TDD.....	146
6.6A	Spurious Response (IMB)	147
6.6A.1	Definition and applicability	147
6.6A.2	Minimum Requirements	147
6.6A.3	Test purpose.....	147
6.6A.4	Method of test	147
6.6A.4.1	Initial conditions	147
6.6A.4.2	Procedure	148
6.6A.5	Test requirements.....	148
6.7	Intermodulation Characteristics.....	148
6.7.1	Definition and applicability	148
6.7.2	Minimum Requirements	149
6.7.2.1	3,84 Mcps TDD Option.....	149
6.7.2.2	1,28 Mcps TDD Option.....	149
6.7.2.3	7,68 Mcps TDD Option.....	149
6.7.3	Test purpose.....	150
6.7.4	Method of test	150
6.7.4.1	Initial conditions	150
6.7.4.2	Procedure	150
6.7.5	Test requirements.....	150
6.7.5.1	3,84 Mcps TDD Option.....	150
6.7.5.2	1,28 Mcps TDD Option.....	150
6.7.5.3	7,68 Mcps TDD Option.....	151
6.7A	Intermodulation Characteristics (IMB)	151
6.7A.1	Definition and applicability	151
6.7A.2	Minimum Requirements	151
6.7A.3	Test purpose.....	152
6.7A.4	Method of test	152
6.7A.4.1	Initial conditions	152
6.7A.4.2	Procedure	152
6.7A.5	Test requirements.....	153
6.8	Spurious Emissions	153
6.8.1	Definition and applicability	153
6.8.2	Minimum Requirements	153
6.8.2.1	3,84 Mcps TDD Option.....	153
6.8.2.2	1,28 Mcps TDD Option.....	153
6.8.2.3	7,68 Mcps TDD Option.....	154
6.8.3	Test purpose.....	155
6.8.4	Method of test	155
6.8.4.1	Initial conditions	155
6.8.4.2	Procedure	155
6.8.5	Test requirements.....	156
6.8.5.1	3,84 Mcps TDD Option.....	156
6.8.5.2	1,28 Mcps TDD Option.....	156
6.8.5.3	7,68 Mcps TDD Option.....	157

7	Performance Requirements	159
7.1	General	159
7.1.2	Definition of Additive White Gaussian Noise (AWGN) Interferer	159
7.2	Demodulation in static propagation conditions	159
7.2.1	Demodulation of DCH.....	159
7.2.1.1	Definition and applicability.....	159
7.2.1.2	Minimum requirements	159
7.2.1.2.1	3,84 Mcps TDD Option.....	159
7.2.1.2.2	1,28 Mcps TDD Option.....	160
7.2.1.2.3	7,68 Mcps TDD Option.....	160
7.2.1.3	Test purpose	161
7.2.1.4	Method of test	161
7.2.1.4.1	Initial conditions	161
7.2.1.4.2	Procedure.....	161
7.2.1.5	Test requirements	161
7.2.1.5.1	3.84Mcps TDD Option.....	161
7.2.1.5.2	1.28Mcps TDD Option.....	162
7.2.1.5.3	7.68Mcps TDD Option.....	162
7.3	Demodulation of DCH in multipath fading conditions	162
7.3.1	Multipath fading Case 1	162
7.3.1.1	Definition and applicability.....	162
7.3.1.2	Minimum requirements	162
7.3.1.2.1	3,84 Mcps TDD Option.....	162
7.3.1.2.2	1,28 Mcps TDD Option.....	163
7.3.1.2.3	7,68 Mcps TDD Option.....	164
7.3.1.3	Test purpose	164
7.3.1.4	Method of test	164
7.3.1.4.1	Initial conditions	164
7.3.1.4.2	Procedure.....	165
7.3.1.5	Test requirements.....	165
7.3.1.5.1	3.84Mcps TDD Option.....	165
7.3.1.5.2	1.28Mcps TDD Option.....	165
7.3.1.5.3	7.68Mcps TDD Option.....	165
7.3.2	Multipath fading Case 2.....	165
7.3.2.1	Definition and applicability.....	165
7.3.2.2	Minimum requirement	166
7.3.2.2.1	3,84 Mcps TDD Option.....	166
7.3.2.2.2	1,28 Mcps TDD Option.....	166
7.3.2.2.3	7,68 Mcps TDD Option.....	167
7.3.2.3	Test purpose	167
7.3.2.4	Method of test	168
7.3.2.4.1	Initial conditions.....	168
7.3.2.4.2	Procedure.....	168
7.3.2.5	Test requirements.....	168
7.3.2.5.1	3.84Mcps TDD Option.....	168
7.3.2.5.2	1.28Mcps TDD Option.....	168
7.3.2.5.3	7.68Mcps TDD Option.....	168
7.3.3	Multipath fading Case 3.....	169
7.3.3.1	Definition and applicability.....	169
7.3.3.2	Minimum requirements	169
7.3.3.2.1	3,84 Mcps TDD Option.....	169
7.3.3.2.2	1,28 Mcps TDD Option.....	169
7.3.3.2.3	7,68 Mcps TDD Option.....	170
7.3.3.3	Test purpose	171
7.3.3.4	Method of test	171
7.3.3.4.1	Initial conditions	171
7.3.3.4.2	Procedure.....	171
7.3.3.5	Test requirements	171
7.3.3.5.1	3.84Mcps TDD Option.....	171
7.3.3.5.2	1.28Mcps TDD Option.....	171
7.3.3.5.3	7.68Mcps TDD Option.....	172
7.3A	Demodulation of DCH in High speed train conditions	172

7.3A.1	Definition and applicability.....	172
7.3A.1.1	3,84 Mcps TDD Option.....	172
7.3A.1.2	1,28 Mcps TDD Option.....	172
7.3A.1.3	3,84 Mcps TDD Option.....	172
7.3A.2	Minimum requirements.....	172
7.3A.2.1	3,84 Mcps TDD Option.....	172
7.3A.2.2	1,28 Mcps TDD Option.....	172
7.3A.2.3	7,68 Mcps TDD Option.....	173
7.3A.3	Test purpose.....	173
7.3A.4	Method of test.....	173
7.3A.4.1	Initial conditions.....	173
7.3A.4.2	Procedure.....	173
7.3A.5	Test requirements.....	173
7.3A.5.1	3.84Mcps TDD Option.....	173
7.3A.5.2	1.28Mcps TDD Option.....	173
7.3A.5.3	7.68Mcps TDD Option.....	174
7.4	Base station transmit diversity mode for 3,84 Mcps TDD Option.....	174
7.4.1	Demodulation of BCH in SCTD mode.....	174
7.5	Power control in downlink.....	174
7.5.1	Definition and applicability.....	174
7.5.2	Power control in downlink for 3,84 Mcps TDD option, constant BLER Target.....	174
7.5.2.1	Minimum requirements.....	174
7.5.2.2	Test purpose.....	175
7.5.2.3	Method of test.....	175
7.5.2.3.1	Initial conditions.....	175
7.5.2.3.2	Procedure.....	175
7.5.2.4	Test Requirements.....	175
7.5.3	Power control in downlink for 1,28 Mcps TDD option, constant BLER Target(Release 6 and earlier)....	175
7.5.3.1	Definition and applicability.....	175
7.5.3.2	Minimum requirements.....	176
7.5.3.3	Test purpose.....	176
7.5.3.4	Method of test.....	176
7.5.3.4.1	Initial conditions.....	176
7.5.3.4.2	Procedure.....	177
7.5.3.5	Test Requirements.....	177
7.5.3A	Power control in downlink for 1,28 Mcps TDD option, constant BLER Target(Release 7 and later).....	177
7.5.3A.1	Definition and applicability.....	177
7.5.3A.2	Minimum requirements.....	177
7.5.3A.3	Test purpose.....	178
7.5.3A.4	Method of test.....	178
7.5.3A.4.1	Initial conditions.....	178
7.5.3A.4.2	Procedure.....	178
7.5.3A.5	Test Requirements.....	178
7.5.4	Power control in the downlink for 1,28 Mcps TDD option, wind up effects.....	178
7.5.4.1	Definition and applicability.....	178
7.5.4.2	Minimum requirements.....	179
7.5.4.3	Test purpose.....	179
7.5.4.4	Method of test.....	179
7.5.4.5	Test Requirements.....	180
7.5.5	Power control in the downlink for 1,28 Mcps TDD option, initial convergence.....	180
7.5.5.1	Definition and applicability.....	180
7.5.5.2	Minimum requirements.....	180
7.5.5.3	Test purpose.....	181
7.5.5.4	Method of test.....	181
7.5.5.5	Test Requirements.....	181
7.6	Uplink Power Control.....	181
7.6.1	Definition and applicability.....	181
7.6.2	Minimum requirements.....	181
7.6.3	Test purpose.....	183
7.6.4	Method of test.....	183
7.6.4.1	Initial conditions.....	183
7.6.4.2	Procedure.....	183

7.6.5	Test Requirements	183
7.7	Demodulation of DCH in moving conditions.....	184
7.7.1	Definition and applicability	184
7.7.1.1	3,84 Mcps TDD Option.....	184
7.7.1.2	1,28 Mcps TDD Option.....	184
7.7.1.3	7,68 Mcps TDD Option.....	184
7.7.2	Minimum requirements.....	184
7.7.2.1	3.84 Mcps TDD Option.....	184
7.7.2.2	1.28 Mcps TDD Option.....	184
7.7.2.3	7.68 Mcps TDD Option.....	185
7.7.3	Test purpose.....	185
7.7.4	Method of test.....	185
7.7.4.1	Initial conditions	185
7.7.4.2	Procedure	185
7.7.5	Test Requirements	185
7.7.5.1	3.84 Mcps option.....	185
7.7.5.2	1.28 Mcps option.....	185
7.7.5.3	7.68Mcps option.....	186
7.8	Demodulation of DCH in birth-death conditions	186
7.8.1	Definition and applicability	186
7.8.1.1	3,84 Mcps TDD Option.....	186
7.8.1.2	1,28 Mcps TDD Option.....	186
7.8.1.3	7,68 Mcps TDD Option.....	186
7.8.2	Minimum requirements.....	186
7.8.2.1	3.84 Mcps TDD Option.....	186
7.8.2.2	1.28 Mcps TDD Option.....	187
7.8.2.3	7.68 Mcps TDD Option.....	187
7.8.3	Test purpose.....	187
7.8.4	Method of test.....	187
7.8.4.1	Initial conditions	187
7.8.4.2	Procedure	187
7.8.5	Test Requirements	188
7.8.5.1	3.84 Mcps option.....	188
7.8.5.2	1.28 Mcps option.....	188
7.8.5.3	7.68 Mcps option.....	188
8	Requirements for Support of RRM	189
8.1	General	189
8.2	Idle Mode Tasks	189
8.2.1	RF Cell Selection Scenario	189
8.2.1.1	Introduction.....	189
8.2.2	Cell Re-Selection	189
8.2.2.1	Scenario 1: Cell re-selection to intra frequency TDD cell	189
8.2.2.1.1	Definition and applicability	189
8.2.2.1.1.1	3,84 Mcps TDD Option	189
8.2.2.1.1.2	1,28 Mcps TDD Option	189
8.2.2.1.1.3	7,68 Mcps TDD Option	189
8.2.2.1.2	Minimum requirement.....	189
8.2.2.1.2.1	3,84 Mcps TDD Option	189
8.2.2.1.2.2	1,28 Mcps TDD Option	190
8.2.2.1.2.3	7,68 Mcps TDD Option	190
8.2.2.1.3	Test purpose	190
8.2.2.1.4	Method of test.....	190
8.2.2.1.4.1	3,84 Mcps TDD Option	190
8.2.2.1.4.1.1	Initial conditions.....	190
8.2.2.1.4.1.2	Procedure.....	193
8.2.2.1.4.2	1,28 Mcps TDD Option	193
8.2.2.1.4.3	7,68 Mcps TDD Option	195
8.2.2.1.4.3.1	Initial conditions.....	195
8.2.2.1.4.3.2	Procedure.....	197
8.2.2.1.5	Test Requirements	197
8.2.2.1.5.1	3,84 Mcps TDD Option	197

8.2.2.1.5.2	1,28 Mcps TDD Option	197
8.2.2.1.5.3	7,68 Mcps TDD Option	197
8.2.2.2	Scenario 2: Cell re-selection to inter-frequency TDD cell	198
8.2.2.2.1	Definition and applicability	198
8.2.2.2.1.1	3,84 Mcps Option	198
8.2.2.2.1.2	1,28 Mcps Option	198
8.2.2.2.1.3	7,68 Mcps Option	198
8.2.2.2.2	Minimum requirement	198
8.2.2.2.2.1	3,84 Mcps Option	198
8.2.2.2.2.2	1,28 Mcps Option	198
8.2.2.2.2.3	7,68 Mcps Option	199
8.2.2.2.3	Test purpose	199
8.2.2.2.4	Method of test	199
8.2.2.2.4.1	3,84 Mcps Option	199
8.2.2.2.4.1.1	Initial conditions	199
8.2.2.2.4.1.2	Procedure	201
8.2.2.2.4.2	1,28 Mcps Option	201
8.2.2.2.4.3	7,68 Mcps Option	203
8.2.2.2.4.3.1	Initial conditions	203
8.2.2.2.4.3.2	Procedure	205
8.2.2.2.5	Test Requirements	205
8.2.2.2.5.1	3,84 Mcps Option	205
8.2.2.2.5.2	1,28 Mcps Option	205
8.2.2.2.5.3	7,68 Mcps Option	205
8.2.2.2A	Scenario 2A: 3,84 Mcps TDD cell re-selection for 1,28 Mcps TDD UE	206
8.2.2.2B	Scenario 2B: 1,28 Mcps TDD cell re-selection for 3,84 Mcps TDD UE	206
8.2.2.2C	Scenario 2C: 3,84 Mcps TDD cell re-selection for 7,68 Mcps TDD UE	206
8.2.2.2C.1	Definition and applicability	206
8.2.2.2C.2	Minimum requirement	206
8.2.2.2C.3	Test purpose	206
8.2.2.2C.4	Method of test	206
8.2.2.2C.4.1	Initial conditions	206
8.2.2.2C.4.2	Procedure	207
8.2.2.2C.5	Test Requirements	208
8.2.2.2D	Scenario 2D: 7,68 Mcps TDD cell re-selection for 3,84 Mcps TDD UE	208
8.2.2.2D.1	Definition and applicability	208
8.2.2.2D.2	Minimum requirement	208
8.2.2.2D.3	Test purpose	208
8.2.2.2D.4	Method of test	208
8.2.2.2D.4.1	Initial conditions	208
8.2.2.2D.4.2	Procedure	209
8.2.2.2D.5	Test Requirements	210
8.2.2.3	Scenario 3: TDD/FDD Cell re-selection	210
8.2.2.3.1	Definition and applicability	210
8.2.2.3.1.1	3,84 Mcps Option	210
8.2.2.3.1.2	1,28 Mcps Option	210
8.2.2.3.1.3	7,68 Mcps Option	210
8.2.2.3.2	Minimum requirements	210
8.2.2.3.3	Test purpose	211
8.2.2.3.4	Method of test	211
8.2.2.3.4.1	3,84 Mcps Option	211
8.2.2.3.4.1.1	Initial conditions	211
8.2.2.3.4.1.2	Procedure	212
8.2.2.3.4.2	1,28 Mcps Option	213
8.2.2.3.4.3	7,68 Mcps Option	214
8.2.2.3.4.3.1	Initial conditions	214
8.2.2.3.4.3.2	Procedure	215
8.2.2.3.5	Test requirements	215
8.2.2.4	Scenario 4: inter RAT cell re-selection	216
8.2.2.4.1	Definition and applicability	216
8.2.2.4.1.1	3,84 Mcps Option	216
8.2.2.4.1.2	1,28 Mcps Option	216

8.2.2.4.1.3	7,68 Mcps Option	216
8.2.2.4.2	Minimum requirement	216
8.2.2.4.2.1	3,84 Mcps Option	216
8.2.2.4.2.2	1,28 Mcps Option	216
8.2.2.4.2.3	7,68 Mcps Option	217
8.2.2.4.3	Test purpose	217
8.2.2.4.4	Method of Test	217
8.2.2.4.4.1	3,84 Mcps Option	217
8.2.2.4.4.1.1	Initial conditions	217
8.2.2.4.4.1.2	Procedure	218
8.2.2.4.4.2	1,28 Mcps Option	219
8.2.2.4.4.3	7,68 Mcps Option	220
8.2.2.4.5	Test Requirements	221
8.2.2.4.5.1	3,84 Mcps Option	221
8.2.2.4.5.2	1,28 Mcps Option	221
8.2.2.4.5.3	7,68 Mcps Option	221
8.2.2.5	Scenario 4A: inter RAT cell acquisition and re-selection	221
8.2.2.5.1	Definition and applicability	221
8.2.2.5.1.1	3,84 Mcps Option	221
8.2.2.5.1.2	1,28 Mcps Option	222
8.2.2.5.1.3	7,68 Mcps Option	222
8.2.2.5.2	Minimum requirement	222
8.2.2.5.2.1	3,84 Mcps Option	222
8.2.2.5.2.2	1,28 Mcps Option	222
8.2.2.5.2.3	7,68 Mcps Option	222
8.2.2.5.3	Test purpose	222
8.2.2.5.4	Method of Test	222
8.2.2.5.4.1	3,84 Mcps Option	222
8.2.2.5.4.2	1,28 Mcps Option	222
8.2.2.5.4.2.1	Initial conditions	222
8.2.2.5.4.2.2	Procedure	223
8.2.2.5.4.3	7,68 Mcps Option	224
8.2.2.5.5	Test Requirements	224
8.2.2.5.5.1	3,84 Mcps Option	224
8.2.2.5.5.2	1,28 Mcps Option	224
8.2.2.5.5.3	7,68 Mcps Option	224
8.2.2.5A	Scenario 4B: UTRAN to GSM Cell Re-Selection: HCS with only UTRA level changed	224
8.2.2.5A.1	Definition and applicability	224
8.2.2.5A.1.1	3,84 Mcps Option	224
8.2.2.5A.1.2	1,28 Mcps Option	224
8.2.2.5A.1.3	7,68 Mcps Option	224
8.2.2.5A.2	Minimum requirement	224
8.2.2.5A.2.1	3,84 Mcps Option	224
8.2.2.5A.2.2	1,28 Mcps Option	224
8.2.2.5A.2.3	7,68 Mcps Option	225
8.2.2.5A.3	Test purpose	225
8.2.2.5A.4	Method of Test	225
8.2.2.5A.4.1	3,84 Mcps Option	225
8.2.2.5A.4.2	1,28 Mcps Option	225
8.2.2.5A.4.2.1	Initial conditions	225
8.2.2.5A.4.2.2	Procedure	226
8.2.2.5A.4.3	7,68 Mcps Option	227
8.2.2.5A.5	Test Requirements	227
8.2.2.5A.5.1	3,84 Mcps Option	227
8.2.2.5A.5.2	1,28 Mcps Option	227
8.2.2.5A.5.3	7,68 Mcps Option	227
8.2.2.6	Scenario 5:TDD/E-UTRA cell re-selection	227
8.2.2.6.1	UTRA to E-UTRA TDD cell reselection: E-UTRA is of higher priority	227
8.2.2.6.1.5.2	1.28Mcps Option	232
8.2.2.6.1.5.3	7.68Mcps Option	233
8.2.2.6.2	UTRA to E-UTRA TDD cell reselection: E-UTRA is of lower priority	233
8.2.2.6.2.5	Test requirement	238

8.2.2.7	Scenario 6: Inter-band Cell Re-selection for 1.28 Mcps TDD UE.....	239
8.2.2.7.1	Definition and applicability	239
8.2.2.7.2	Minimum requirement.....	239
8.2.2.7.3	Test purpose	240
8.2.2.7.4	Method of test.....	240
8.2.2.7.4.1	Initial conditions	240
8.2.2.7.4.2	Procedure	242
8.2.2.7.5	Test Requirements.....	242
8.3	UTRAN Connected Mode Mobility	242
8.3.1	TDD/TDD Handover for 3,84 Mcps Option.....	242
8.3.1.1	Handover to intra-frequency cell.....	242
8.3.1.1.1	Definition and applicability	242
8.3.1.1.2	Minimum requirement.....	242
8.3.1.1.3	Test purpose	243
8.3.1.1.4	Method of test.....	243
8.3.1.1.5	Test requirements	250
8.3.1.2	Handover to inter-frequency cell.....	250
8.3.1.2.1	Definition and applicability	250
8.3.1.2.2	Minimum requirement.....	250
8.3.1.2.3	Test purpose	251
8.3.1.2.4	Method of test.....	251
8.3.1.2.5	Test requirements	257
8.3.1A	TDD/TDD Handover for 1,28 Mcps Option.....	257
8.3.1A.1	Handover to intra-frequency cell.....	257
8.3.1A.1.1	Scenario 1	257
8.3.1A.1.2	Scenario 2	265
8.3.1A.2	Handover to inter-frequency cell.....	271
8.3.1A.2.1	Scenario 1	271
8.3.1A.2.2	Scenario 2	277
8.3.1A.3	Handover to inter-band cell.....	285
8.3.1A.3.1	Scenario 1	285
8.3.1A.3.2	Scenario 2	292
8.3.1A.3.3	Scenario 3	298
8.3.1B	TDD/TDD Handover for 7,68 Mcps Option.....	304
8.3.1B.1	Handover to intra-frequency cell.....	304
8.3.1B.1.1	Definition and applicability	304
8.3.1B.1.2	Minimum requirement.....	304
8.3.1B.1.3	Test purpose	304
8.3.1B.1.4	Method of test.....	304
8.3.1B.1.5	Test requirements	311
8.3.1B.2	Handover to inter-frequency cell.....	311
8.3.1B.2.1	Definition and applicability	311
8.3.1B.2.2	Minimum requirement.....	311
8.3.1B.2.3	Test purpose	312
8.3.1B.2.4	Method of test.....	312
8.3.1B.2.5	Test requirements	318
8.3.2	TDD/FDD Handover for 3,84 Mcps Option.....	318
8.3.2.1	Definition and applicability	318
8.3.2.2	Minimum requirement.....	318
8.3.2.3	Test purpose	319
8.3.2.4	Method of test.....	319
8.3.2.5	Test requirements	325
8.3.2A	TDD/FDD Handover for 1,28 Mcps Option.....	325
8.3.2A.1	Definition and applicability.....	325
8.3.2A.2	Minimum requirement	325
8.3.2A.3	Test purpose	326
8.3.2A.4	Method of test	326
8.3.2A.4.1	Initial conditions.....	326
8.3.2A.4.2	Procedure.....	328
8.3.2A.5	Test requirements.....	332
8.3.2B	TDD/FDD Handover for 7,68 Mcps Option.....	332
8.3.2B.1	Definition and applicability.....	332

8.3.2B.2	Minimum requirement.....	332
8.3.2B.3	Test purpose	333
8.3.2B.4	Method of test.....	333
8.3.2B.5	Test requirements	339
8.3.3	TDD/GSM Handover.....	339
8.3.3.1	Definition and applicability.....	339
8.3.3.1.1	3,84 Mcps option.....	339
8.3.3.1.2	1,28 Mcps option.....	339
8.3.3.1.3	7,68 Mcps option.....	340
8.3.3.2	Minimum requirement	340
8.3.3.2.1	3,84 Mcps option.....	340
8.3.3.2.2	1,28 Mcps option.....	340
8.3.3.2.3	7,68 Mcps option.....	340
8.3.3.3	Test purpose	340
8.3.3.3.1	3,84 Mcps option.....	340
8.3.3.3.2	1,28 Mcps option.....	340
8.3.3.4	Method of test	340
8.3.3.4.1	3,84 Mcps option.....	340
8.3.3.4.2	1,28 Mcps option.....	344
8.3.3.4.3	7,68 Mcps option.....	349
8.3.3.5	Test requirements	353
8.3.3.5.1	3,84 Mcps option.....	353
8.3.3.5.2	1,28 Mcps option.....	353
8.3.3.5.3	7,68 Mcps option.....	353
8.3.3a	UTRA TDD to E-UTRA FDD Handover	353
8.3.3a.1	Definition and applicability.....	354
8.3.3a.1.1	3,84 Mcps option.....	354
8.3.3a.1.2	1,28 Mcps option.....	354
8.3.3a.1.3	7,68 Mcps option.....	354
8.3.3a.2	Minimum requirement	354
8.3.3a.2.1	3,84 Mcps option.....	354
8.3.3a.2.2	1,28 Mcps option.....	354
8.3.3a.2.3	7,68 Mcps option.....	355
8.3.3a.3	Test purpose	355
8.3.3a.3.1	3,84 Mcps option.....	355
8.3.3a.3.2	1,28 Mcps option.....	355
8.3.3a.3.3	7,68 Mcps option.....	355
8.3.3a.4	Method of test	355
8.3.3a.4.1	3,84 Mcps option.....	355
8.3.3a.4.2	1,28 Mcps option.....	355
8.3.3a.4.3	7,68 Mcps option.....	362
8.3.3a.5	Test Requirments	362
8.3.3a.5.1	3,84 Mcps option.....	362
8.3.3a.5.2	1,28 Mcps option.....	362
8.3.3a.5.3	7,68 Mcps option.....	363
8.3.3b	UTRA TDD to E-UTRA TDD Handover.....	363
8.3.3b.1	Definition and applicability.....	364
8.3.3b.1.1	3,84 Mcps option.....	364
8.3.3b.1.2	1,28 Mcps option.....	364
8.3.3b.1.3	7,68 Mcps option.....	364
8.3.3b.2	Minimum requirement	364
8.3.3b.2.1	3,84 Mcps option.....	364
8.3.3b.2.2	1,28 Mcps option.....	364
8.3.3b.2.3	7,68 Mcps option.....	365
8.3.3b.3	Test purpose	365
8.3.3b.3.1	3,84 Mcps option.....	365
8.3.3b.3.2	1,28 Mcps option.....	365
8.3.3b.3.3	7,68 Mcps option.....	365
8.3.3b.4	Method of test	365
8.3.3b.4.1	3,84 Mcps option.....	365
8.3.3b.4.2	1,28 Mcps option.....	365
8.3.3b.4.3	7,68 Mcps option.....	372

8.3.3b.5	Test Requirments	372
8.3.3b.5.1	3,84 Mcps option	372
8.3.3b.5.2	1,28 Mcps option	372
8.3.3b.5.3	7,68 Mcps option	373
8.3.3c	UTRA TDD to E-UTRA FDD Handover: unknown target cell	373
8.3.3c.1	Definition and applicability	374
8.3.3c.1.1	3,84 Mcps option	374
8.3.3c.1.2	1,28 Mcps option	374
8.3.3c.1.3	7,68 Mcps option	374
8.3.3c.2	Minimum requirement	374
8.3.3c.2.1	3,84 Mcps option	374
8.3.3c.2.2	1,28 Mcps option	374
8.3.3c.2.3	7,68 Mcps option	375
8.3.3c.3	Test purpose	375
8.3.3c.3.1	3,84 Mcps option	375
8.3.3c.3.2	1,28 Mcps option	375
8.3.3c.3.3	7,68 Mcps option	375
8.3.3c.4	Method of test	375
8.3.3c.4.1	3,84 Mcps option	375
8.3.3c.4.2	1,28 Mcps option	375
8.3.3c.4.3	7,68 Mcps option	381
8.3.3c.5	Test Requirments	381
8.3.3c.5.1	3,84 Mcps option	381
8.3.3c.5.2	1,28 Mcps option	381
8.3.3c.5.3	7,68 Mcps option	382
8.3.3d	UTRA TDD to E-UTRA TDD Handover: unknown target cell	382
8.3.3d.1	Definition and applicability	382
8.3.3d.1.1	3,84 Mcps option	382
8.3.3d.1.2	1,28 Mcps option	382
8.3.3d.1.3	7,68 Mcps option	383
8.3.3d.2	Minimum requirement	383
8.3.3d.2.1	3,84 Mcps option	383
8.3.3d.2.2	1,28 Mcps option	383
8.3.3d.2.3	7,68 Mcps option	383
8.3.3d.3	Test purpose	383
8.3.3d.3.1	3,84 Mcps option	383
8.3.3d.3.2	1,28 Mcps option	383
8.3.3d.3.3	7,68 Mcps option	384
8.3.3d.4	Method of test	384
8.3.3d.4.1	3,84 Mcps option	384
8.3.3d.4.2	1,28 Mcps option	384
8.3.3d.4.3	7,68 Mcps option	390
8.3.3d.5	Test Requirments	390
8.3.3d.5.1	3,84 Mcps option	390
8.3.3d.5.2	1,28 Mcps option	390
8.3.3d.5.3	7,68 Mcps option	391
8.3.3e	TDD/GSM Handover: non-synchronization target cell	391
8.3.4	Cell Re-selection in CELL_FACH	395
8.3.4.1	Scenario 1: TDD/TDD cell re-selection single carrier case	395
8.3.4.1.1	Definition and applicability	395
8.3.4.1.1.1	3,84 Mcps TDD option	395
8.3.4.1.1.2	1,28 Mcps TDD option	395
8.3.4.1.1.3	7,68 Mcps TDD option	395
8.3.4.1.2	Minimum requirement	395
8.3.4.1.2.1	3,84 Mcps TDD option	395
8.3.4.1.2.2	1,28 Mcps TDD option	395
8.3.4.1.2.3	7,68 Mcps TDD option	395
8.3.4.1.3	Test purpose	396
8.3.4.1.4	Method of test	396
8.3.4.1.4.1	3,84 Mcps TDD option	396
8.3.4.1.4.2	1,28 Mcps TDD option	399
8.3.4.1.4.3	7,68 Mcps TDD option	401

8.3.4.1.5	Test Requirements	405
8.3.4.1.5.1	3,84 Mcps TDD option	405
8.3.4.1.5.2	1,28 Mcps TDD option	405
8.3.4.1.5.3	7,68 Mcps TDD option	405
8.3.4.2	Scenario 2: TDD/TDD cell re-selection multi carrier case	406
8.3.4.2.1	Definition and applicability	406
8.3.4.2.1.1	3,84 Mcps TDD option	406
8.3.4.2.1.2	1,28 Mcps TDD option	406
8.3.4.2.1.3	7,68 Mcps TDD option	406
8.3.4.2.2	Minimum requirement	406
8.3.4.2.2.1	3,84 Mcps TDD option	406
8.3.4.2.2.2	1,28 Mcps TDD option	406
8.3.4.2.2.3	7,68 Mcps TDD option	406
8.3.4.2.3	Test purpose	406
8.3.4.2.4	Method of test	407
8.3.4.2.4.1	3,84 Mcps TDD option	407
8.3.4.2.4.2	1,28 Mcps TDD option	410
8.3.4.2.4.3	7,68 Mcps TDD option	413
8.3.4.2.5	Test Requirements	417
8.3.4.2.5.1	3,84 Mcps TDD option	417
8.3.4.2.5.2	1,28 Mcps TDD option	417
8.3.4.2.5.3	7,68 Mcps TDD option	418
8.3.4.3	Scenario 3: TDD/GSM cell re-selection	418
8.3.4.3.1	Definition and applicability	418
8.3.4.3.1.1	3,84 Mcps TDD option	418
8.3.4.3.1.2	1,28 Mcps TDD option	418
8.3.4.3.1.3	7,68 Mcps TDD option	418
8.3.4.3.2	Minimum requirement	418
8.3.4.3.2.1	3,84 Mcps TDD option	418
8.3.4.3.2.2	1,28 Mcps TDD option	418
8.3.4.3.2.3	7,68 Mcps TDD option	419
8.3.4.3.3	Test purpose	419
8.3.4.3.4	Method of test	419
8.3.4.3.4.1	3,84 Mcps TDD option	419
8.3.4.3.4.2	1,28 Mcps TDD option	419
8.3.4.3.4.3	7,68 Mcps TDD option	422
8.3.4.3.5	Test Requirements	422
8.3.4.3.5.1	3,84 Mcps TDD option	422
8.3.4.3.5.2	1,28 Mcps TDD option	422
8.3.4.3.5.3	7,68 Mcps TDD option	422
8.3.4A	Cell Re-selection in Enhanced CELL_FACH	422
8.3.4A.1	Scenario 1: Cell Re-selection to Intra-Frequency TDD cell	422
8.3.5	Cell Re-selection in CELL_PCH	431
8.3.5.1	Scenario 1: TDD/TDD cell re-selection single carrier case	431
8.3.5.1.1	Definition and applicability	431
8.3.5.1.1.1	3,84 Mcps TDD option	431
8.3.5.1.1.2	1,28 Mcps TDD option	431
8.3.5.1.1.3	7,68 Mcps TDD option	431
8.3.5.1.2	Minimum requirement	431
8.3.5.1.2.1	3,84 Mcps TDD option	431
8.3.5.1.2.2	1,28 Mcps TDD option	432
8.3.5.1.2.3	7,68 Mcps TDD option	432
8.3.5.1.3	Test purpose	432
8.3.5.1.4	Method of test	432
8.3.5.1.4.1	3,84 Mcps TDD option	432
8.3.5.1.4.2	1,28 Mcps TDD option	435
8.3.5.1.4.3	7,68 Mcps TDD option	438
8.3.5.1.5	Test Requirements	441
8.3.5.1.5.1	3,84 Mcps TDD option	441
8.3.5.1.5.2	1,28 Mcps TDD option	441
8.3.5.1.5.3	7,68 Mcps TDD option	442
8.3.5.2	Scenario 2: TDD/TDD cell re-selection multi carrier case	442

8.3.5.2.1	Definition and applicability	442
8.3.5.2.1.1	3,84 Mcps TDD option	442
8.3.5.2.1.2	1,28 Mcps TDD option	442
8.3.5.2.1.3	7,68 Mcps TDD option	442
8.3.5.2.2	Minimum requirement	442
8.3.5.2.2.1	3,84 Mcps TDD option	442
8.3.5.2.2.2	1,28 Mcps TDD option	442
8.3.5.2.2.3	7,68 Mcps TDD option	443
8.3.5.2.3	Test purpose	443
8.3.5.2.4	Method of test	443
8.3.5.2.4.1	3,84 Mcps TDD option	443
8.3.5.2.4.1.1	Initial conditions	443
8.3.5.2.4.2	1,28 Mcps TDD option	445
8.3.5.2.4.2.1	Initial conditions	445
8.3.5.2.4.3	7,68 Mcps TDD option	448
8.3.5.2.4.3.1	Initial conditions	448
8.3.5.2.5	Test Requirements	450
8.3.5.2.5.1	3,84 Mcps TDD option	450
8.3.5.2.5.2	1,28 Mcps TDD option	450
8.3.5.2.5.3	7,68 Mcps TDD option	451
8.3.6	Cell Re-selection in URA_PCH	451
8.3.6.1	Scenario 1: TDD/TDD cell re-selection single carrier case	451
8.3.6.1.1	Definition and applicability	451
8.3.6.1.1.1	3,84 Mcps TDD option	451
8.3.6.1.1.2	1,28 Mcps TDD option	451
8.3.6.1.1.3	7,68 Mcps TDD option	451
8.3.6.1.2	Minimum requirement	451
8.3.6.1.2.1	3,84 Mcps TDD option	451
8.3.6.1.2.2	1,28 Mcps TDD option	451
8.3.6.1.2.3	7,68 Mcps TDD option	452
8.3.6.1.3	Test purpose	452
8.3.6.1.4	Method of test	452
8.3.6.1.4.1	3,84 Mcps TDD option	452
8.3.6.1.4.1.1	Initial conditions	452
8.3.6.1.4.1.2	Procedure	454
8.3.6.1.4.2	1,28 Mcps TDD option	454
8.3.6.1.4.2.1	Initial conditions	454
8.3.6.1.4.2.2	Procedure	457
8.3.6.1.4.3	7,68 Mcps TDD option	457
8.3.6.1.4.3.1	Initial conditions	457
8.3.6.1.4.3.2	Procedure	460
8.3.6.1.5	Test Requirements	460
8.3.6.1.5.1	3,84 Mcps TDD option	460
8.3.6.1.5.2	1,28 Mcps TDD option	460
8.3.6.1.5.3	7,68 Mcps TDD option	461
8.3.6.2	Scenario 2: TDD/TDD cell re-selection multi carrier case	461
8.3.6.2.1	Definition and applicability	461
8.3.6.2.1.1	3,84 Mcps TDD option	461
8.3.6.2.1.2	1,28 Mcps TDD option	461
8.3.6.2.1.3	7,68 Mcps TDD option	461
8.3.6.2.2	Minimum requirement	461
8.3.6.2.2.1	3,84 Mcps TDD option	461
8.3.6.2.2.2	1,28 Mcps TDD option	461
8.3.6.2.2.3	7,68 Mcps TDD option	462
8.3.6.2.3	Test purpose	462
8.3.6.2.4	Method of test	462
8.3.6.2.4.1	3,84 Mcps TDD option	462
8.3.6.2.4.1.2	Procedure	464
8.3.6.2.4.2	1,28 Mcps TDD option	464
8.3.6.2.4.3	7,68 Mcps TDD option	466
8.3.6.2.4.3.2	Procedure	469
8.3.6.2.5	Test Requirements	469

8.3.6.2.5.1	3,84 Mcps TDD option	469
8.3.6.2.5.2	1,28 Mcps TDD option	469
8.3.6.2.5.3	7,68 Mcps TDD option	470
8.3.7	Serving HS-DSCH cell change	470
8.3.7.1	3.84 Mcps option (duplication)	470
8.3.7.2	1.28 Mcps option.....	470
8.3.7.2.1	Definition and applicability	470
8.3.7.2.2	Minimum requirement	470
8.3.7.2.3	Test purpose	470
8.3.7.2.4	Method of test	470
8.3.7.2.4.1	Initial conditions	470
8.3.7.2.5	Test Requirements	473
8.3.7.3	7.68 Mcps option.....	478
8.3.8	Inter-RAT cell change order from UTRAN TDD to GSM(GPRS)	478
8.3.8.1	Definition and applicability.....	478
8.3.8.1.1	3,84 Mcps option.....	478
8.3.8.1.2	1,28 Mcps option.....	478
8.3.8.1.3	7,68 Mcps option.....	478
8.3.8.2	Minimum requirement	478
8.3.8.2.1	3,84 Mcps option.....	478
8.3.8.2.2	1,28 Mcps option.....	478
8.3.8.2.3	7,68 Mcps option.....	479
8.3.8.3	Test Purpose	479
8.3.8.3.1	3,84 Mcps option.....	479
8.3.8.3.2	1,28 Mcps option.....	479
8.3.8.3.3	7,68 Mcps option.....	479
8.3.8.4	Method of test	479
8.3.8.4.1	3,84 Mcps option.....	479
8.3.8.4.2	1,28 Mcps option.....	479
8.3.8.4.3	7,68 Mcps option.....	481
8.3.8.5	Test requirement	481
8.3.8.5.1	3,84 Mcps option.....	481
8.3.8.5.2	1,28 Mcps option.....	481
8.3.8.5.3	7,68 Mcps option.....	482
8.4.1	RRC re-establishment delay	482
8.4.1.1	3,84 Mcps TDD option	482
8.4.1.1.1	RRC re-establishment delay to a known target cell.....	482
8.4.1.1.1.1	Definition and applicability	482
8.4.1.1.1.2	Minimum requirement	482
8.4.1.1.1.3	Test purpose.....	482
8.4.1.1.1.4	Method of test	483
8.4.1.1.1.4.1	Initial conditions.....	483
8.4.1.1.1.4.2	Procedure.....	484
8.4.1.1.1.5	Test requirements.....	484
8.4.1.1.2	RRC re-establishment delay to an unknown target cell.....	484
8.4.1.1.2.1	Definition and applicability	484
8.4.1.1.2.2	Minimum requirement	484
8.4.1.1.2.3	Test purpose.....	485
8.4.1.1.2.4	Method of test	485
8.4.1.1.2.4.1	Initial conditions.....	485
8.4.1.1.2.4.2	Procedure.....	486
8.4.1.1.2.5	Test requirements.....	487
8.4.1.2	1,28 Mcps TDD option	487
8.4.1.2.1	RRC re-establishment delay to a known target cell.....	487
8.4.1.2.1.1	Definition and applicability	487
8.4.1.2.1.2	Minimum requirement	487
8.4.1.2.1.3	Test purpose.....	488
8.4.1.2.1.4	Method of test	488
8.4.1.2.1.5	Test requirements.....	490
8.4.1.2.2	RRC re-establishment delay to an unknown target cell.....	490
8.4.1.2.2.1	Definition and applicability	490
8.4.1.2.2.2	Minimum requirement	490

8.4.1.2.2.3	Test purpose	490
8.4.1.2.2.4	Method of test	491
8.4.1.2.2.5	Test requirements	492
8.4.1.3	7,68 Mcps TDD option	492
8.4.1.3.1	RRC re-establishment delay to a known target cell	492
8.4.1.3.1.1	Definition and applicability	492
8.4.1.3.1.2	Minimum requirement	492
8.4.1.3.1.3	Test purpose	493
8.4.1.3.1.4	Method of test	493
8.4.1.3.1.4.1	Initial conditions	493
8.4.1.3.1.4.2	Procedure	494
8.4.1.3.1.5	Test requirements	494
8.4.1.3.2	RRC re-establishment delay to an unknown target cell	495
8.4.1.3.2.1	Definition and applicability	495
8.4.1.3.2.2	Minimum requirement	495
8.4.1.3.2.3	Test purpose	495
8.4.1.3.2.4	Method of test	495
8.4.1.3.2.4.1	Initial conditions	495
8.4.1.3.2.4.2	Procedure	496
8.4.1.3.2.5	Test requirements	497
8.4.1A	Random Access	497
8.4.1A.1	3,84 Mcps TDD option	497
8.4.1A.2	1,28 Mcps TDD option	497
8.4.1A.2.1	Correct behaviour when receiving FPACH	497
8.4.1A.2.1.1	Definition and applicability	497
8.4.1A.2.1.2	Minimum requirement	497
8.4.1A.2.1.3	Test purpose	498
8.4.1A.2.1.4	Method of test	498
8.4.1A.2.1.5	Test requirements	499
8.4.1A.2.2	Correct behaviour when reaching maximum allowed UL transmit power	499
8.4.1A.2.2.1	Definition and applicability	499
8.4.1A.2.2.2	Minimum requirement	499
8.4.1A.2.2.3	Test purpose	499
8.4.1A.2.2.4	Method of test	499
8.4.1A.2.2.5	Test requirements	500
8.4.1A.3	7.68 Mcps TDD option	500
8.4.2	Transport Format Combination selection in UE	501
8.4.2.1	Interactive or Background, PS, UL: 64 kbps	501
8.4.2.1.1	Definition and applicability	501
8.4.2.1.1.1	3,84 Mcps TDD option	501
8.4.2.1.1.1A	1,28 Mcps TDD option	501
8.4.2.1.1.2	7,68 Mcps TDD option	501
8.4.2.1.2	Minimum requirements	501
8.4.2.1.2.1	3,84 Mcps TDD option	501
8.4.2.1.2.1A	1,28 Mcps TDD option	502
8.4.2.1.2.2	7,68 Mcps TDD option	503
8.4.2.1.3	Test purpose	504
8.4.2.1.3.1	3,84 Mcps TDD option	504
8.4.2.1.3.1A	1,28 Mcps TDD option	505
8.4.2.1.3.2	7,68 Mcps TDD option	505
8.4.2.1.4	Method of test	505
8.4.2.1.4.1	Initial conditions	505
8.4.2.1.4.1.1	3,84 Mcps TDD option	505
8.4.2.1.4.1.1A	1,28 Mcps TDD option	506
8.4.2.1.4.1.2	7,68 Mcps TDD option	507
8.4.2.1.4.2	Procedure	509
8.4.2.1.4.2.1	3,84 Mcps TDD option	509
8.4.2.1.4.2.1A	1,28 Mcps TDD option	509
8.4.2.1.4.2.2	7,68 Mcps TDD option	510
8.4.2.1.5	Test requirements	510
8.4.2.1.5.1	3,84 Mcps TDD option	510
8.4.2.1.5.1A	1,28 Mcps TDD option	510

8.4.2.1.5.2	7,68 Mcps TDD option	510
8.4.3	E-TFC selection in UE.....	510
8.4.3.1	3.84 Mcps option.....	510
8.4.3.2	1.28 Mcps option.....	511
8.4.3.2.1	5ms TTI E-DCH E-TFC selection.....	511
8.4.3.2.1.1	Definition and applicability	511
8.4.3.2.1.2	Minimum requirements	511
8.4.3.2.1.3	Test Purpose	511
8.4.3.2.1.4	Method of test.....	511
8.4.3.2.1.5	Test Requirements	513
8.4.3.3	7.68 Mcps option.....	515
8.5	Timing Characteristics	515
8.5.1	UE Timing Advance	515
8.5.1.1	3,84 Mcps TDD Option.....	515
8.5.1.1.1	Definition and applicability	515
8.5.1.1.2	Minimum requirement.....	515
8.5.1.1.3	Test purpose	515
8.5.1.1.4	Method of test.....	515
8.5.1.1.5	Test requirements	517
8.5.1.2	1,28 Mcps TDD Option.....	517
8.5.1.2.1	Definition and applicability	517
8.5.1.2.2	Minimum requirement.....	517
8.5.1.2.3	Test purpose	518
8.5.1.2.4	Method of test.....	518
8.5.1.2.5	Test requirements	519
8.5.1.3	7,68 Mcps TDD Option.....	519
8.5.1.3.1	Definition and applicability	519
8.5.1.3.2	Minimum requirement.....	519
8.5.1.3.3	Test purpose	519
8.5.1.3.4	Method of test.....	519
8.5.1.3.5	Test requirements	521
8.5.2	UE Transmit Timing.....	521
8.5.3	UE Uplink Synchronization.....	521
8.5.3.1	3,84 Mcps TDD option	521
8.5.3.2	1,28 Mcps TDD option	522
8.5.3.2.2	Uplink synchronization control during handover	524
8.5.3.2.2.1	Scenario 1: Handover to intra-frequency cell	524
8.5.3.2.2.1.1	Definition and applicability.....	524
8.5.3.2.2.1.2	Minimum requirement.....	524
8.5.3.2.2.1.3	Test purpose	524
8.5.3.2.2.1.4	Initial conditions.....	524
8.5.3.2.2.1.5	Procedure.....	526
8.5.3.2.2.1.6	Test requirements	531
8.5.3.2.2.2	Scenario 2: Handover to inter-frequency cell	532
8.5.3.2.2.2.1	Definition and applicability.....	532
8.5.3.2.2.2.2	Minimum requirement.....	532
8.5.3.2.2.2.3	Test purpose	532
8.5.3.2.2.2.4	Initial conditions.....	532
8.5.3.2.2.2.5	Procedure.....	534
8.5.3.2.2.2.6	Test requirements	539
8.5.3.3	7.68 Mcps TDD option	540
8.6	UE Measurements Procedures.....	540
8.6.1	TDD intra frequency measurements	540
8.6.1.1	Event 1G triggered reporting in AWGN propagation conditions.....	540
8.6.1.1.1	Definition and applicability	540
8.6.1.1.1.1	3,84 Mcps TDD Option	540
8.6.1.1.1.2	1,28 Mcps TDD Option	540
8.6.1.1.1.3	7,68 Mcps TDD Option	540
8.6.1.1.2	Minimum requirement.....	540
8.6.1.1.2.1	3,84 Mcps TDD Option	540
8.6.1.1.2.2	1,28 Mcps TDD Option	541
8.6.1.1.2.3	7,68 Mcps TDD Option	541

8.6.1.1.3	Test purpose	541
8.6.1.1.3.1	3,84 Mcps TDD Option	541
8.6.1.1.3.2	1,28 Mcps TDD Option	541
8.6.1.1.3.3	7,68 Mcps TDD Option	542
8.6.1.1.4	Method of test.....	542
8.6.1.1.4.1	3,84 Mcps TDD Option	542
8.6.1.1.4.1.1	Initial conditions.....	542
8.6.1.1.4.1.2	Procedure.....	543
8.6.1.1.4.2	1,28 Mcps TDD Option	545
8.6.1.1.4.3	7,68 Mcps TDD Option	551
8.6.1.1.4.3.1	Initial conditions.....	551
8.6.1.1.4.3.2	Procedure.....	552
8.6.1.1.5	Test requirements	555
8.6.1.1.5.1	3,84 Mcps TDD Option	555
8.6.1.1.5.2	1,28 Mcps TDD Option	555
8.6.1.1.5.3	7,68 Mcps TDD Option	555
8.6.1.2	Event 1H and 1I triggered reporting in AWGN propagation condition	556
8.6.1.2.1	Definition and applicability	556
8.6.1.2.1.1	3,84 Mcps TDD Option	556
8.6.1.2.1.2	1,28 Mcps TDD Option	556
8.6.1.2.1.3	7,68 Mcps TDD Option	556
8.6.1.2.2	Minimum requirement.....	556
8.6.1.2.2.1	3,84 Mcps TDD Option	556
8.6.1.2.2.2	1,28 Mcps TDD Option	556
8.6.1.2.2.3	7,68 Mcps TDD Option	556
8.6.1.2.3	Test purpose	557
8.6.1.2.3.1	3,84 Mcps TDD Option	557
8.6.1.2.3.2	1,28 Mcps TDD Option	557
8.6.1.2.3.3	7,68 Mcps TDD Option	557
8.6.1.2.4	Method of test.....	557
8.6.1.2.4.1	3,84 Mcps TDD Option	557
8.6.1.2.4.1.1	Initial conditions.....	557
8.6.1.2.4.1.2	Procedure.....	560
8.6.1.2.4.2	1,28 Mcps TDD Option	564
8.6.1.2.4.3	7,68 Mcps TDD Option	570
8.6.1.2.4.3.1	Initial conditions.....	570
8.6.1.2.4.3.2	Procedure.....	572
8.6.1.2.5	Test requirements	577
8.6.1.2.5.1	3,84 Mcps TDD Option	577
8.6.1.2.5.2	1,28 Mcps TDD Option	577
8.6.1.2.5.3	7,68 Mcps TDD Option	577
8.6.1.3	Correct reporting of neighbours in fading propagation conditions	578
8.6.1.3.1	3,84 Mcps TDD Option.....	578
8.6.1.3.1.1	Definition and applicability	578
8.6.1.3.1.2	Minimum requirement	578
8.6.1.3.1.3	Test purpose.....	578
8.6.1.3.1.4	Method of test	578
8.6.1.3.1.4.1	Initial conditions.....	578
8.6.1.3.1.4.2	Procedure.....	579
8.6.1.3.1.5	Test requirements.....	581
8.6.1.3.2	1,28 Mcps TDD Option.....	581
8.6.1.3.3	7,68 Mcps TDD Option.....	581
8.6.1.3.3.1	Definition and applicability	581
8.6.1.3.3.2	Minimum requirement	581
8.6.1.3.3.3	Test purpose.....	581
8.6.1.3.3.4	Method of test	581
8.6.1.3.3.4.1	Initial conditions.....	581
8.6.1.3.3.4.2	Procedure.....	582
8.6.1.3.3.5	Test requirements.....	584
8.6.2	TDD inter frequency measurements	584
8.6.2.1	Correct reporting of neighbours in AWGN propagation condition.....	584
8.6.2.1.1	Definition and applicability	584

8.6.2.1.1.1	3,84 Mcps TDD Option	584
8.6.2.1.1.2	1,28 Mcps TDD Option	584
8.6.2.1.1.3	7,68 Mcps TDD Option	584
8.6.2.1.2	Minimum requirement.....	584
8.6.2.1.2.1	3,84 Mcps TDD Option	584
8.6.2.1.2.2	1,28 Mcps TDD Option	585
8.6.2.1.2.3	7,68 Mcps TDD Option	586
8.6.2.1.3	Test purpose	586
8.6.2.1.3.1	3,84 Mcps TDD Option	586
8.6.2.1.3.2	1,28 Mcps TDD Option	586
8.6.2.1.3.3	7,68 Mcps TDD Option	586
8.6.2.1.4	Method of test.....	587
8.6.2.1.4.1	3,84 Mcps TDD Option	587
8.6.2.1.4.1.1	Initial conditions.....	587
8.6.2.1.4.1.2	Procedure.....	588
8.6.2.1.4.2	1,28 Mcps TDD Option	590
8.6.2.1.4.3	7,68 Mcps TDD Option	594
8.6.2.1.4.3.1	Initial conditions.....	594
8.6.2.1.4.3.2	Procedure.....	595
8.6.2.1.5	Test requirements	598
8.6.2.1.5.1	3,84 Mcps TDD Option	598
8.6.2.1.5.2	1,28 Mcps TDD Option	598
8.6.2.1.5.3	7,68 Mcps TDD Option	599
8.6.3	FDD measurements.....	599
8.6.3.1	Correct reporting of FDD neighbours in AWGN propagation condition.....	599
8.6.3.1.1	Definition and applicability	599
8.6.3.1.1.1	3,84 Mcps TDD Option	599
8.6.3.1.1.2	1,28 Mcps TDD Option	599
8.6.3.1.1.3	7,68 Mcps TDD Option	599
8.6.3.1.2	Minimum requirement.....	599
8.6.3.1.2.1	3,84 Mcps TDD Option	599
8.6.3.1.2.2	1,28 Mcps TDD Option	600
8.6.3.1.2.3	7,68 Mcps TDD Option	600
8.6.3.1.3	Test purpose	601
8.6.3.1.3.1	3,84 Mcps TDD Option	601
8.6.3.1.3.2	1,28 Mcps TDD Option	601
8.6.3.1.3.3	7,68 Mcps TDD Option	601
8.6.3.1.4	Method of test.....	601
8.6.3.1.4.1	3,84 Mcps TDD Option	601
8.6.3.1.4.1.1	Initial conditions.....	601
8.6.3.1.4.1.2	Procedure.....	602
8.6.3.1.4.2	1,28 Mcps TDD Option	605
8.6.3.1.4.2.1	Test Procedure	606
8.6.3.1.4.3	7,68 Mcps TDD Option	609
8.6.3.1.4.3.1	Initial conditions.....	609
8.6.3.1.4.3.2	Procedure.....	610
8.6.3.1.5	Test requirements	613
8.6.3.1.5.1	3,84 Mcps TDD Option	613
8.6.3.1.5.2	1,28 Mcps TDD Option	613
8.6.3.1.5.3	7,68 Mcps TDD Option	614
8.6.4	GSM measurements	614
8.6.4.1	Correct reporting of GSM neighbours in AWGN propagation condition	614
8.6.4.1.1	3,84 Mcps TDD option.....	614
8.6.4.1.2	1,28 Mcps TDD option.....	614
8.6.4.1.2.1	Definition and applicability	614
8.6.4.1.2.2	Minimum requirement	614
8.6.4.1.2.3	Test purpose.....	614
8.6.4.1.2.4	Method of test	614
8.6.4.1.2.5	Test Procedure	617
8.6.4.1.2.6	Test requirements.....	622
8.6.4.1.3	7,68 Mcps TDD option.....	622

8.6.4.2	Combined UTRA TDD inter-frequency and GSM Cell search under AWGN propagation condition	626
8.6.4.2.2	1.28 Mcps TDD option.....	627
8.6.4.2.2.4	Method of test	627
8.6.5	E-UTRA measurements.....	633
8.6.5.1	UTRA TDD to E-UTRA FDD cell search under fading propagation conditions	633
8.6.5.1.1	Definition and applicability	633
8.6.5.1.1.1	3,84 Mcps TDD Option	633
8.6.5.1.1.2	1,28 Mcps TDD Option	633
8.6.5.1.1.3	7,68 Mcps TDD Option	633
8.6.5.1.2	Minimum requirement.....	633
8.6.5.1.2.1	3,84 Mcps TDD Option	633
8.6.5.1.2.2	1,28 Mcps TDD Option	633
8.6.5.1.2.3	7,68 Mcps TDD Option	634
8.6.5.1.3	Test purpose	634
8.6.5.1.3.1	3,84 Mcps TDD Option	634
8.6.5.1.3.2	1,28 Mcps TDD Option	634
8.6.5.1.3.3	7,68 Mcps TDD Option	635
8.6.5.1.4	Method of test.....	635
8.6.5.1.4.1	3,84 Mcps TDD Option	635
8.6.5.1.4.2	1,28 Mcps TDD Option	635
8.6.5.1.4.2.1	Initial conditions.....	635
8.6.5.1.4.3	7,68 Mcps TDD Option	638
8.6.5.1.5	Test requirements	638
8.6.5.1.5.1	3,84 Mcps TDD Option	638
8.6.5.1.5.2	1,28 Mcps TDD Option	638
8.6.5.1.5.3	7,68 Mcps TDD Option	639
8.6.5.2	UTRA TDD to E-UTRA TDD cell search under fading propagation conditions	639
8.6.5.2.1	Definition and applicability	639
8.6.5.2.1.1	3,84 Mcps TDD Option	639
8.6.5.2.1.2	1,28 Mcps TDD Option	639
8.6.5.2.1.3	7,68 Mcps TDD Option	639
8.6.5.2.2	Minimum requirement.....	639
8.6.5.2.2.1	3,84 Mcps TDD Option	639
8.6.5.2.2.2	1,28 Mcps TDD Option	639
8.6.5.2.2.3	7,68 Mcps TDD Option	640
8.6.5.2.3	Test purpose	640
8.6.5.2.3.1	3,84 Mcps TDD Option	640
8.6.5.2.3.2	1,28 Mcps TDD Option	640
8.6.5.2.3.3	7,68 Mcps TDD Option	641
8.6.5.2.4	Method of test.....	641
8.6.5.2.4.1	3,84 Mcps TDD Option	641
8.6.5.2.4.2	1,28 Mcps TDD Option	641
8.6.5.2.4.2.1	Initial conditions.....	641
8.6.5.2.4.3	7,68 Mcps TDD Option	644
8.6.5.2.5	Test requirements	644
8.6.5.2.5.1	3,84 Mcps TDD Option	644
8.6.5.2.5.2	1,28 Mcps TDD Option	644
8.6.5.2.5.3	7,68 Mcps TDD Option	645
8.6.5.3	Combined UTRA TDD inter-frequency and E-UTRA FDD cell search under fading propagation conditions.....	645
8.6.5.3.1	Definition and applicability	646
8.6.5.3.1.1	3,84 Mcps TDD Option	646
8.6.5.3.1.2	1,28 Mcps TDD Option	646
8.6.5.3.1.3	7,68 Mcps TDD Option	646
8.6.5.3.2	Minimum requirement.....	646
8.6.5.3.2.1	3,84 Mcps TDD Option	646
8.6.5.3.2.2	1,28 Mcps TDD Option	646
8.6.5.3.2.3	7,68 Mcps TDD Option	646
8.6.5.3.3	Test purpose	646
8.6.5.3.3.1	3,84 Mcps TDD Option	646
8.6.5.3.3.2	1,28 Mcps TDD Option	646

8.6.5.3.3.3	7,68 Mcps TDD Option	646
8.6.5.3.4	Method of test.....	646
8.6.5.3.4.1	3,84 Mcps TDD Option	646
8.6.5.3.4.2	1,28 Mcps TDD Option	646
8.6.5.3.4.2.1	Initial conditions.....	646
8.6.5.3.4.2.3	7,68 Mcps TDD Option	652
8.6.5.3.5	Test requirements	652
8.6.5.3.5.1	3,84 Mcps TDD Option	652
8.6.5.3.5.2	1,28 Mcps TDD Option	652
8.6.5.3.5.3	7,68 Mcps TDD Option	653
8.6.5.4	Combined UTRA TDD inter-frequency and E-UTRA TDD cell search under fading propagation conditions	653
8.6.5.4.1	Definition and applicability	654
8.6.5.4.1.1	3,84 Mcps TDD Option	654
8.6.5.4.1.2	1,28 Mcps TDD Option	654
8.6.5.4.1.3	7,68 Mcps TDD Option	654
8.6.5.4.2	Minimum requirement.....	654
8.6.5.4.2.1	3,84 Mcps TDD Option	654
8.6.5.4.2.2	1,28 Mcps TDD Option	654
8.6.5.4.2.3	7,68 Mcps TDD Option	654
8.6.5.4.3	Test purpose	654
8.6.5.4.3.1	3,84 Mcps TDD Option	654
8.6.5.4.3.2	1,28 Mcps TDD Option	654
8.6.5.4.3.3	7,68 Mcps TDD Option	654
8.6.5.4.4	Method of test.....	654
8.6.5.4.4.1	3,84 Mcps TDD Option	654
8.6.5.4.4.2	1,28 Mcps TDD Option	654
8.6.5.4.4.2.1	Initial conditions.....	654
8.6.5.4.5	Test requirements	659
8.6.5.4.5.1	3,84 Mcps TDD Option	659
8.6.5.4.5.2	1,28 Mcps TDD Option	659
8.6.5.4.5.3	7,68 Mcps TDD Option	660
8.7	Measurements Performance Requirements	660
8.7.1	P-CCPCH RSCP	661
8.7.1.1	Intra frequency measurement accuracy for 3,84 Mcps TDD Option	661
8.7.1.1.1	Absolute accuracy requirement	661
8.7.1.1.2	Relative accuracy requirement	664
8.7.1.1A	Intra frequency measurement accuracy for 1,28 Mcps TDD Option	665
8.7.1.1A.1	Absolute accuracy requirement	665
8.7.1.1A.2	Relative accuracy requirement	670
8.7.1.1A.3	Absolute accuracy requirement with two neighbouring cells	671
8.7.1.1B	Intra frequency measurement accuracy for 7,68 Mcps TDD Option	676
8.7.1.1B.1	Absolute accuracy requirement	676
8.7.1.1B.2	Relative accuracy requirement	679
8.7.1.2	Inter frequency measurement accuracy for 3,84 Mcps TDD Option	680
8.7.1.2.1	Relative accuracy requirement	680
8.7.1.2A	Inter frequency measurement accuracy for 1,28 Mcps TDD Option	685
8.7.1.2A.1	Relative accuracy requirement	685
8.7.1.2A.2	Absolute accuracy requirement	690
8.7.1.2B	Inter frequency measurement accuracy for 7,68 Mcps TDD Option	695
8.7.1.2B.1	Relative accuracy requirement	695
8.7.1.3	Local cell accuracy for 3.84 Mcps TDD option	698
8.7.1.3A	Local cell accuracy for 1.28 Mcps TDD option	699
8.7.1.3A.1	Absolute accuracy requirement	699
8.7.1.3B	Local cell accuracy for 7.86 Mcps TDD option	702
8.7.1.4	Local cell absolute accuracy in white noise for 3.84 Mcps TDD	702
8.7.1.4A	Local cell absolute accuracy in white noise for 1.28 Mcps TDD	702
8.7.1.4A.1	Absolute accuracy requirement	702
8.7.1.4B	Local cell absolute accuracy in white noise for 3.84 Mcps TDD	706
8.7.2	CPICH measurements (FDD)	706
8.7.2.1	CPICH RSCP	706
8.7.2.1.1	Absolute measurement accuracy for 3,84 Mcps TDD Option.....	706

8.7.2.1.1.1	Definition and applicability	706
8.7.2.1.1.2	Minimum Requirements	706
8.7.2.1.1.3	Test purpose	706
8.7.2.1.1.4	Method of test	707
8.7.2.1.1.4.1	Initial conditions	707
8.7.2.1.1.4.2	Procedure	707
8.7.2.1.1.5	Test requirements	708
8.7.2.1A.1	Absolute measurement accuracy for 1,28 Mcps TDD Option	708
8.7.2.1A.1.1	Definition and applicability	708
8.7.2.1A.1.2	Minimum Requirements	709
8.7.2.1A.1.3	Test purpose	709
8.7.2.1A.1.4	Method of test	709
8.7.2.1A.1.4.1	Initial conditions	709
8.7.2.1A.1.4.2	Procedure	710
8.7.2.1.1.5	Test requirements	711
8.7.2.1B.1	Absolute measurement accuracy for 7,68 Mcps TDD Option	711
8.7.2.1B.1.1	Definition and applicability	711
8.7.2.1B.1.2	Minimum Requirements	712
8.7.2.1B.1.3	Test purpose	712
8.7.2.1B.1.4	Method of test	712
8.7.2.1B.1.4.1	Initial conditions	712
8.7.2.1B.1.4.2	Procedure	713
8.7.2.1B.1.5	Test requirements	714
8.7.2.2	CPICH Ec/Io	714
8.7.3	Timeslot ISCP	715
8.7.3.1	Intra frequency measurement accuracy for 3,84 Mcps TDD Option	715
8.7.3.1.1	Absolute accuracy requirement	715
8.7.3.1A	Intra frequency measurement accuracy for 1,28 Mcps TDD Option	718
8.7.3.1A.1	Absolute accuracy requirement	718
8.7.3.1A.1.1	Definition and applicability	718
8.7.3.1A.1.2	Minimum Requirements	718
8.7.3.1A.1.3	Test Purpose	719
8.7.3.1A.1.4	Method of test	719
8.7.3.1A.1.4.1	Initial conditions	719
8.7.3.1A.1.4.2	Procedure	720
8.7.3.1A.1.5	Test requirements	723
8.7.3.1B	Intra frequency measurement accuracy for 7,68 Mcps TDD Option	723
8.7.3.1B.1	Absolute accuracy requirement	723
8.7.4	UTRA carrier RSSI	727
8.7.4.1	Absolute measurement accuracy for 3,84 Mcps TDD Option	727
8.7.4.1.1	Definition and applicability	727
8.7.4.1.2	Minimum Requirements	727
8.7.4.1.3	Test Purpose	727
8.7.4.1.4	Method of test	727
8.7.4.1.4.1	Initial conditions	727
8.7.4.1.4.2	Procedure	728
8.7.4.1.5	Test requirements	729
8.7.4.1A	Absolute measurement accuracy for 1,28 Mcps TDD Option	730
8.7.4.1A.1	Definition and applicability	730
8.7.4.1A.2	Minimum Requirements	730
8.7.4.1A.3	Test Purpose	730
8.7.4.1A.4	Method of test	730
8.7.4.1A.4.1	Initial conditions	730
8.7.4.1A.4.2	Procedure	731
8.7.4.1A.5	Test requirements	733
8.7.4.1B	Absolute measurement accuracy for 7,68 Mcps TDD Option	734
8.7.4.1B.1	Definition and applicability	734
8.7.4.1B.2	Minimum Requirements	734
8.7.4.1B.3	Test Purpose	734
8.7.4.1B.4	Method of test	734
8.7.4.1B.4.1	Initial conditions	734
8.7.4.1B.4.2	Procedure	735

8.7.4.1B.5	Test requirements	736
8.7.4.2	Relative measurement accuracy for 3,84 Mcps TDD Option	737
8.7.4.2.1	Definition and applicability	737
8.7.4.2.2	Minimum Requirements	737
8.7.4.2.3	Test Purpose	737
8.7.4.2.4	Method of test.....	737
8.7.4.2.4.1	Initial conditions	737
8.7.4.2.4.2	Procedure	737
8.7.4.2.5	Test requirements	738
8.7.4.2A	Relative measurement accuracy for 1,28 Mcps TDD Option	738
8.7.4.2A.1	Definition and applicability	738
8.7.4.2A.2	Minimum Requirements	738
8.7.4.2A.3	Test Purpose	738
8.7.4.2A.4	Method of test.....	739
8.7.4.2A.4.1	Initial conditions	739
8.7.4.2A.4.2	Procedure	740
8.7.4.2A.5	Test requirements	740
8.7.4.2B	Relative measurement accuracy for 7,68 Mcps TDD Option	740
8.7.4.2B.1	Definition and applicability	740
8.7.4.2B.2	Minimum Requirements	741
8.7.4.2B.3	Test Purpose	741
8.7.4.2B.4	Method of test.....	741
8.7.4.2B.4.1	Initial conditions	741
8.7.4.2B.4.2	Procedure	741
8.7.4.2B.5	Test requirements	742
8.7.5	GSM carrier RSSI.....	742
8.7.5.1.1	RSSI (RX_LEV) 3,84 Mcps TDD Option.....	742
8.7.5.1A.1	RSSI (RX_LEV) 1,28 Mcps TDD Option.....	742
8.7.5.1A.1.1	Definition and applicability	742
8.7.5.1A.1.2	Minimum Requirements	742
8.7.5.1A.1.3	Test purpose.....	742
8.7.5.1A.1.4	Method of test	743
8.7.5.1A.1.4.1	Initial conditions.....	743
8.7.5.1A.1.4.2	Procedure.....	743
8.7.2.1.1.5	Test requirements.....	744
8.7.5.1B.1	RSSI (RX_LEV) 7,68 Mcps TDD Option.....	745
8.7.5.1B.1.1	Definition and applicability	745
8.7.5.1B.1.2	Minimum Requirements	745
8.7.5.1B.1.3	Test purpose.....	745
8.7.5.1B.1.4	Method of test	745
8.7.5.1B.1.4.1	Initial conditions.....	745
8.7.5.1B.1.4.2	Procedure.....	746
8.7.5.1B.1.5	Test requirements.....	747
8.7.6	SIR	747
8.7.7	Transport Channel BLER	747
8.7.8	SFN-SFN observed time difference	748
8.7.8.1	SFN-SFN observed time difference type 1	748
8.7.8.1.1	Measurement accuracy for 3,84 Mcps TDD Option.....	748
8.7.8.1.1.1	Definition and applicability	748
8.7.8.1.1.2	Minimum requirements.....	748
8.7.8.1.1.3	Test purpose.....	748
8.7.8.1.1.4	Method of test	749
8.7.8.1.1.4.1	Initial conditions.....	749
8.7.8.1.1.4.2	Procedure.....	749
8.7.8.1.1.5	Test requirements.....	750
8.7.8.1.1A	Measurement accuracy for 1,28 Mcps TDD Option.....	751
8.7.8.1.1B	Measurement accuracy for 7,68 Mcps TDD Option.....	751
8.7.8.1.1B.1	Definition and applicability	751
8.7.8.1.1B.2	Minimum requirements.....	751
8.7.8.1.1B.3	Test purpose.....	751
8.7.8.1.1B.4	Method of test	752
8.7.8.1.1B.4.1	Initial conditions.....	752

8.7.8.1.1B.4.2	Procedure.....	752
8.7.8.1.1B.5	Test requirements.....	753
8.7.8.2	SFN-SFN observed time difference type 2	754
8.7.9	Observed time difference to GSM cell	754
8.7.10	UE GPS Timing of Cell Frames for UP.....	754
8.7.11	SFN-CFN observed time difference	754
8.7.11.1	Intra frequency measurement requirement for 3,84 Mcps option	754
8.7.11.1.1	Definition and applicability	754
8.7.11.1.2	Minimum requirements	754
8.7.11.1.3	Test Purpose	755
8.7.11.1.4	Method of test.....	755
8.7.11.1.5	Test requirements	757
8.7.11.1A	Intra frequency measurement requirement for 1,28 Mcps option	757
8.7.11.1B	Intra frequency measurement requirement for 7,68 Mcps option	758
8.7.11.1B.1	Definition and applicability	758
8.7.11.1B.2	Minimum requirements	758
8.7.11.1B.3	Test Purpose	758
8.7.11.1B.4	Method of test.....	758
8.7.11.1B.5	Test requirements	760
8.7.11.2	Inter frequency measurement requirement for 3,84 Mcps option	761
8.7.11.2.1	Definition and applicability	761
8.7.11.2.2	Minimum requirements	761
8.7.11.2.3	Test purpose	761
8.7.11.2.4	Method of test.....	761
8.7.11.2.5	Test requirements	763
8.7.11.2A	Inter frequency measurement requirement for 1,28 Mcps option	763
8.7.11.2B	Inter frequency measurement requirement for 7,68 Mcps option	764
8.7.11.2B.1	Definition and applicability	764
8.7.11.2B.2	Minimum requirements	764
8.7.11.2B.3	Test purpose	764
8.7.11.2B.4	Method of test.....	764
8.7.11.2B.5	Test requirements	766
8.7.12	UE transmitted power	766
8.7.12.1	UE transmitted power for 3.84 Mcps TDD Option.....	766
8.7.12.1A	UE transmitted power for 1.28 Mcps TDD Option.....	767
8.7.12.1A.1	Definition and applicability	767
8.7.12.1A.2	Minimum requirements	767
8.7.12.1A.3	Test purpose	767
8.7.12.1A.4	Method of test.....	767
8.7.13	UE Transmission Power Headroom.....	771
8.7.13.1	UPH for 3.84Mcps TDD Option	771
8.7.13.1A	UPH for 1.28Mcps TDD Option	771
8.7.13.1A.1	Definition and applicability	771
8.7.13.1A.2	Minimum Requirements	771
8.7.13.1A.3	Test purpose	772
8.7.13.1A.4	Method of test.....	772
8.7.13.1B	UPH for 7.68Mcps TDD Option	776
8.7.14	E-UTRAN FDD RSRP	776
8.7.14.1	Definition and applicability.....	776
8.7.14.2	Minimum Requirements.....	776
8.7.14.3	Test purpose	777
8.7.14.4	Method of test	777
8.7.14.5	Test requirements	781
8.7.15	E-UTRAN TDD RSRP	784
8.7.15.1	Definition and applicability.....	784
8.7.15.2	Minimum Requirements.....	784
8.7.15.3	Test purpose	785
8.7.15.4	Method of test	785
8.7.15.5	Test requirements	788
8.7.16	E-UTRAN FDD RSRQ	791
8.7.16.1	Definition and applicability.....	791
8.7.16.2	Minimum Requirements.....	791

8.7.16.3	Test purpose	791
8.7.16.4	Method of test	791
8.7.16.5	Test requirements	795
8.7.17	E-UTRAN TDD RSRQ	798
8.7.17.1	Definition and applicability.....	798
8.7.17.2	Minimum Requirements.....	798
8.7.17.3	Test purpose	799
8.7.17.4	Method of test	799
8.7.17.5	Test requirements.....	803
9	Performance requirements for HSDPA.....	806
9.1	General	806
9.2	Performance requirement for 3.84 Mcps TDD option.....	806
9.2.1	HS-DSCH throughput for Fixed Reference Channels	806
9.2.1.1	Definition and applicability.....	806
9.2.1.2	Minimum requirements	806
9.2.1.3	Test purpose	808
9.2.1.4	Method of test	808
9.2.1.5	Test Requirements.....	809
9.2.2	HS-DSCH throughput for Variable Reference Channels.....	809
9.2.2.1	Definition and applicability.....	809
9.2.2.2	Minimum requirements	809
9.2.2.3	Test purpose	810
9.2.2.4	Method of test	810
9.2.2.5	Test Requirements.....	811
9.2.3	Reporting of HS-DSCH Channel Quality Indicator.....	811
9.2.3.1	Definition and applicability.....	811
9.2.3.2	Minimum requirements	811
9.2.3.3	Test purpose	811
9.2.3.4	Method of test	812
9.2.3.5	Test Requirements.....	812
9.2.4	HS-SCCH Detection Performance.....	812
9.2.4A	HS-SCCH Detection Performance.....	812
9.2.4.1	Definition and applicability.....	812
9.2.4.2	Minimum requirements	813
9.2.4.3	Test purpose	813
9.2.4.4	Method of test	813
9.2.4.5	Test Requirements.....	814
9.3	Performance requirements for 1.28 Mcps TDD option	814
9.3.1	HS-DSCH throughput for Fixed Reference Channels	814
9.3.1A	HS-DSCH throughput for Fixed Reference Channels 0.5 Mbps UE class QPSK.....	814
9.3.1A.1	Definition and applicability.....	814
9.3.1A.2	Minimum requirements	814
9.3.1A.3	Test purpose	815
9.3.1A.4	Method of test	815
9.3.1A.4.1	Initial conditions	815
9.3.1A.4.2	Procedure.....	816
9.3.1A.5	Test Requirements.....	816
9.3.1B.1	Definition and applicability.....	816
9.3.1B.2	Minimum requirements	816
9.3.1B.3	Test purpose	817
9.3.1B.4	Method of test	817
9.3.1B.4.1	Initial conditions	817
9.3.1B.4.2	Procedure.....	818
9.3.1B.5	Test Requirements.....	818
9.3.1C	HS-DSCH throughput for Fixed Reference Channels 1.6 Mbps UE class QPSK/16QAM.....	818
9.3.1C.1	Definition and applicability.....	818
9.3.1C.2	Minimum requirements	818
9.3.1C.3	Test purpose	819
9.3.1C.4	Method of test	819
9.3.1C.4.1	Initial conditions	819
9.3.1C.4.2	Procedure.....	820

9.3.1C.5	Test Requirements.....	820
9.3.1D	HS-DSCH throughput for Fixed Reference Channels 2.2 Mbps UE class QPSK/16QAM.....	820
9.3.1D.1	Definition and applicability.....	820
9.3.1D.2	Minimum requirements.....	820
9.3.1D.3	Test purpose.....	821
9.3.1D.4	Method of test.....	821
9.3.1D.4.1	Initial conditions.....	821
9.3.1D.4.2	Procedure.....	822
9.3.1D.5	Test Requirements.....	822
9.3.1E	HS-DSCH throughput for Fixed Reference Channels 2.8 Mbps UE class QPSK/16QAM.....	822
9.3.1E.1	Definition and applicability.....	822
9.3.1E.2	Minimum requirements.....	822
9.3.1E.3	Test purpose.....	823
9.3.1E.4	Method of test.....	823
9.3.1E.4.1	Initial conditions.....	823
9.3.1E.4.2	Procedure.....	824
9.3.1E.5	Test Requirements.....	824
9.3.1F	HS-DSCH throughput for Fixed Reference Channels Categories 16-18- 64QAM.....	824
9.3.1F.1	Definition and applicability.....	824
9.3.1F.2	Minimum requirements.....	824
9.3.1F.3	Test purpose.....	825
9.3.1F.4	Method of test.....	825
9.3.1F.4.1	Initial conditions.....	825
9.3.1F.4.2	Procedure.....	825
9.3.1F.5	Test Requirements.....	826
9.3.1G	HS-DSCH throughput for Fixed Reference Channels – Categories 19-21 64QAM.....	826
9.3.1G.1	Definition and applicability.....	826
9.3.1G.2	Minimum requirements.....	826
9.3.1G.3	Test purpose.....	827
9.3.1G.4	Method of test.....	827
9.3.1G.4.1	Initial conditions.....	827
9.3.1G.4.2	Procedure.....	827
9.3.1G.5	Test Requirements.....	828
9.3.1H	HS-DSCH throughput for Fixed Reference Channels – Categories 22-24 64QAM.....	828
9.3.1H.1	Definition and applicability.....	828
9.3.1H.2	Minimum requirements.....	828
9.3.1H.3	Test purpose.....	829
9.3.1H.4	Method of test.....	829
9.3.1H.4.1	Initial conditions.....	829
9.3.1H.4.2	Procedure.....	829
9.3.1H.5	Test Requirements.....	830
9.3.1I	HS-DSCH throughput for Fixed Reference Channels –MIMO UE Category 25.....	830
9.3.1I.1	Definition and applicability.....	830
9.3.1I.2	Minimum requirements.....	830
9.3.1I.3	Test purpose.....	831
9.3.1I.4	Method of test.....	831
9.3.1I.4.1	Initial conditions.....	831
9.3.1I.4.2	Procedure.....	832
9.3.1I.5	Test Requirements.....	832
9.3.1J	HS-DSCH throughput for Fixed Reference Channels –MIMO UE Category 26.....	832
9.3.1J.1	Definition and applicability.....	832
9.3.1J.2	Minimum requirements.....	832
9.3.1J.3	Test purpose.....	833
9.3.1J.4	Method of test.....	833
9.3.1J.4.1	Initial conditions.....	833
9.3.1J.4.2	Procedure.....	834
9.3.1J.5	Test Requirements.....	834
9.3.1K	HS-DSCH throughput for Fixed Reference Channels –MIMO UE Category 27.....	834
9.3.1K.1	Definition and applicability.....	834
9.3.1K.2	Minimum requirements.....	834
9.3.1K.3	Test purpose.....	835
9.3.1K.4	Method of test.....	835

9.3.1K.4.1	Initial conditions	835
9.3.1K.4.2	Procedure	836
9.3.1K.5	Test Requirements	836
9.3.1L	HS-DSCH throughput for Fixed Reference Channels –MIMO UE Category 28	836
9.3.1L.1	Definition and applicability	836
9.3.1L.2	Minimum requirements	836
9.3.1L.3	Test purpose	837
9.3.1L.4	Method of test	837
9.3.1L.4.1	Initial conditions	837
9.3.1L.4.2	Procedure	838
9.3.1L.5	Test Requirements	838
9.3.1M	HS-DSCH throughput for Fixed Reference Channels –MIMO UE CategoriesCategory 29	838
9.3.1M.1	Definition and applicability	838
9.3.1M.2	Minimum requirements	838
9.3.1M.3	Test purpose	839
9.3.1M.4	Method of test	839
9.3.1M.4.1	Initial conditions	839
9.3.1M.4.2	Procedure	840
9.3.1M.5	Test Requirements	840
9.3.1N	HS-DSCH throughput for Fixed Reference Channels –MIMO UE CategoriesCategory 30	840
9.3.1N.1	Definition and applicability	840
9.3.1N.2	Minimum requirements	840
9.3.1N.3	Test purpose	841
9.3.1N.4	Method of test	841
9.3.1N.4.1	Initial conditions	841
9.3.1N.4.2	Procedure	842
9.3.1N.5	Test Requirements	842
9.3.2	HS-DSCH throughput for Variable Reference Channels	842
9.3.2A	HS-DSCH throughput for Variable Reference Channels 0.5 Mbps UE class	842
9.3.2A.1	Definition and applicability	842
9.3.2A.2	Minimum requirements	842
9.3.2A.3	Test purpose	843
9.3.2A.4	Method of test	843
9.3.2A.4.1	Initial conditions	843
9.3.2A.4.2	Procedure	844
9.3.2A.5	Test Requirements	844
9.3.2B	HS-DSCH throughput for Variable Reference Channels 1.1 Mbps UE class	844
9.3.2B.1	Definition and applicability	844
9.3.2B.2	Minimum requirements	844
9.3.2B.3	Test purpose	845
9.3.2B.4	Method of test	845
9.3.2B.4.1	Initial conditions	845
9.3.2B.4.2	Procedure	846
9.3.2B.5	Test Requirements	846
9.3.2C	HS-DSCH throughput for Variable Reference Channels 1.6 Mbps UE class	846
9.3.2C.1	Definition and applicability	846
9.3.2C.2	Minimum requirements	846
9.3.2C.3	Test purpose	847
9.3.2C.4	Method of test	847
9.3.2C.4.1	Initial conditions	847
9.3.2C.4.2	Procedure	848
9.3.2C.5	Test Requirements	848
9.3.2D	HS-DSCH throughput for Variable Reference Channels 2.2 Mbps UE class	848
9.3.2D.1	Definition and applicability	848
9.3.2D.2	Minimum requirements	848
9.3.2D.3	Test purpose	849
9.3.2D.4	Method of test	849
9.3.2D.4.1	Initial conditions	849
9.3.2D.4.2	Procedure	850
9.3.2D.5	Test Requirements	850
9.3.2E	HS-DSCH throughput for Variable Reference Channels 2.8 Mbps UE class	850
9.3.2E.1	Definition and applicability	850

9.3.2E.2	Minimum requirements	850
9.3.2E.3	Test purpose	851
9.3.2E.4	Method of test	851
9.3.2E.4.1	Initial conditions	851
9.3.2E.4.2	Procedure.....	852
9.3.2E.5	Test Requirements.....	852
9.3.3	Reporting of HS-DSCH Channel Quality Indicator.....	852
9.3.3A	Reporting of HS-DSCH Channel Quality Indicator-0.5Mbps UE class	852
9.3.3A.1	Definition and applicability.....	852
9.3.3A.2	Minimum requirements	852
9.3.3A.3	Test purpose	853
9.3.3A.4	Method of test	853
9.3.3A.4.1	Initial conditions	853
9.3.3A.4.2	Procedure.....	853
9.3.3A.5	Test Requirements.....	854
9.3.3B	Reporting of HS-DSCH Channel Quality Indicator-1.1Mbps UE class	854
9.3.3B.1	Definition and applicability.....	854
9.3.3B.2	Minimum requirements	854
9.3.3B.3	Test purpose	854
9.3.3B.4	Method of test	855
9.3.3B.4.1	Initial conditions	855
9.3.3B.4.2	Procedure.....	855
9.3.3B.5	Test Requirements.....	855
9.3.3C	Reporting of HS-DSCH Channel Quality Indicator-1.6Mbps UE class	855
9.3.3C.1	Definition and applicability.....	855
9.3.3C.2	Minimum requirements	856
9.3.3C.3	Test purpose	856
9.3.3C.4	Method of test	856
9.3.3C.4.1	Initial conditions	856
9.3.3C.4.2	Procedure.....	856
9.3.3C.5	Test Requirements.....	857
9.3.3D	Reporting of HS-DSCH Channel Quality Indicator-2.2Mbps UE class	857
9.3.3D.1	Definition and applicability.....	857
9.3.3D.2	Minimum requirements	857
9.3.3D.3	Test purpose	858
9.3.3D.4	Method of test	858
9.3.3D.4.1	Initial conditions	858
9.3.3D.4.2	Procedure.....	858
9.3.3D.5	Test Requirements.....	858
9.3.3E	Reporting of HS-DSCH Channel Quality Indicator-2.8Mbps UE class	859
9.3.3E.1	Definition and applicability.....	859
9.3.3E.2	Minimum requirements	859
9.3.3E.3	Test purpose	859
9.3.3E.4	Method of test	859
9.3.3E.4.1	Initial conditions	859
9.3.3E.4.2	Procedure.....	860
9.3.3E.5	Test Requirements.....	860
9.3.3F	Reporting of HS-DSCH Channel Quality Indicator – 64QAM UE capability categories 16 - 18	860
9.3.3F.1	Definition and applicability.....	860
9.3.3F.2	Minimum requirements	860
9.3.3F.3	Test purpose	861
9.3.3F.4	Method of test	861
9.3.3F.4.1	Initial conditions	861
9.3.3F.4.2	Procedure.....	861
9.3.3F.5	Test Requirements.....	862
9.3.3G	Reporting of HS-DSCH Channel Quality Indicator – 64QAM UE capability categories 19 - 21	862
9.3.3G.1	Definition and applicability.....	862
9.3.3G.2	Minimum requirements	862
9.3.3G.3	Test purpose	863
9.3.3G.4	Method of test	863
9.3.3G.4.1	Initial conditions	863
9.3.3G.4.2	Procedure.....	863

9.3.3G.5	Test Requirements.....	863
9.3.3H	Reporting of HS-DSCH Channel Quality Indicator – 64QAM UE capability categories 22 - 24	864
9.3.3H.1	Definition and applicability.....	864
9.3.3H.2	Minimum requirements	864
9.3.3H.3	Test purpose	864
9.3.3H.4	Method of test	864
9.3.3H.4.1	Initial conditions	864
9.3.3H.4.2	Procedure.....	865
9.3.3H.5	Test Requirements.....	865
9.3.3I	Reporting of HS-DSCH Channel Quality Indicator – category 25 MIMO	865
9.3.3I.1	Definition and applicability.....	865
9.3.3I.2	Minimum requirements	865
9.3.3I.3	Test purpose	866
9.3.3I.4	Method of test	866
9.3.3I.4.1	Initial conditions	866
9.3.3I.4.2	Procedure.....	866
9.3.3I.5	Test Requirements.....	867
9.3.3J	Reporting of HS-DSCH Channel Quality Indicator – category 26 MIMO.....	867
9.3.3J.1	Definition and applicability.....	867
9.3.3J.2	Minimum requirements	867
9.3.3J.3	Test purpose	868
9.3.3J.4	Method of test	868
9.3.3J.4.1	Initial conditions	868
9.3.3J.4.2	Procedure.....	868
9.3.3J.5	Test Requirements.....	868
9.3.3K	Reporting of HS-DSCH Channel Quality Indicator – category 27 MIMO.....	868
9.3.3K.1	Definition and applicability.....	868
9.3.3K.2	Minimum requirements	869
9.3.3K.3	Test purpose	869
9.3.3K.4	Method of test	869
9.3.3K.4.1	Initial conditions	869
9.3.3K.4.2	Procedure.....	869
9.3.3K.5	Test Requirements.....	870
9.3.3L	Reporting of HS-DSCH Channel Quality Indicator – category 28 MIMO.....	870
9.3.3L.1	Definition and applicability.....	870
9.3.3L.2	Minimum requirements	870
9.3.3L.3	Test purpose	871
9.3.3L.4	Method of test	871
9.3.3L.4.1	Initial conditions	871
9.3.3L.4.2	Procedure.....	871
9.3.3L.5	Test Requirements.....	871
9.3.3M	Reporting of HS-DSCH Channel Quality Indicator – category 29 MIMO.....	871
9.3.3M.1	Definition and applicability.....	871
9.3.3M.2	Minimum requirements	871
9.3.3M.3	Test purpose	872
9.3.3M.4	Method of test	872
9.3.3M.4.1	Initial conditions	872
9.3.3M.4.2	Procedure.....	872
9.3.3N	Reporting of HS-DSCH Channel Quality Indicator – category 30 MIMO.....	872
9.3.3N.1	Definition and applicability.....	872
9.3.3N.2	Minimum requirements	873
9.3.3N.3	Test purpose	873
9.3.3N.4	Method of test	873
9.3.3N.4.1	Initial conditions	873
9.3.3N.4.2	Procedure.....	873
9.3.3N.5	Test Requirements.....	873
9.3.4	HS-SCCH Detection Performance.....	874
9.3.4.1	Definition and applicability.....	874
9.3.4.2	Minimum requirements	874
9.3.4.3	Test purpose	874
9.3.4.4	Method of test	875
9.3.4.4.1	Initial conditions	875

9.3.4.4.2	Procedure.....	875
9.3.4.5	Test Requirements.....	875
9.4	Performance requirement for 7.68 Mcps TDD option.....	876
9.4.1	HS-DSCH throughput for Fixed Reference Channels	876
9.4.1.1	Definition and applicability.....	876
9.4.1.2	Minimum requirements	876
9.4.1.3	Test purpose	878
9.4.1.4	Method of test	878
9.4.1.5	Test Requirements.....	879
9.4.2	HS-DSCH throughput for Variable Reference Channels.....	879
9.4.3	Reporting of HS-DSCH Channel Quality Indicator.....	879
9.4.4	HS-SCCH Detection Performance.....	879
9.4.4.1	Definition and applicability.....	879
9.4.4.2	Minimum requirements	879
9.4.4.3	Test purpose	880
9.4.4.4	Method of test	880
9.4.4.5	Test Requirements.....	880
10	Performance requirements (MBMS).....	881
10.1	Demodulation of MCCH.....	881
10.1.1	Definition and applicability	881
10.1.1.1	3.84 Mcps TDD Option.....	881
10.1.1.2	7.68 Mcps TDD Option.....	881
10.1.2	Minimum requirement	881
10.1.2.1	3.84 Mcps TDD Option.....	881
10.1.2.2	7.68 Mcps TDD Option.....	881
10.1.3	Test Purpose.....	882
10.1.4	Method of test	882
10.1.4.1	Initial conditions	882
10.1.4.2	Procedure	882
10.1.5	Test Requirements	883
10.2	Demodulation of MTCH	883
10.2.1	Definition and applicability	883
10.2.1.1	3.84 Mcps TDD Option.....	883
10.2.1.2	1.28 Mcps TDD Option.....	883
10.2.1.3	7.68 Mcps TDD Option.....	883
10.2.2	Minimum requirement	883
10.2.2.1	3.84 Mcps TDD Option.....	883
10.2.2.2	1.28 Mcps TDD Option.....	884
10.2.2.3	7.68 Mcps TDD Option.....	884
10.2.3	Test Purpose.....	885
10.2.4	Method of test	885
10.2.4.1	Initial conditions	885
10.2.4.2	Procedure	885
10.2.5	Test Requirements	885
10.2A	Demodulation of MTCH-for MBSFN capable UE	886
10.2A.1	Definition and applicability	886
10.2A.1.1	Void.....	886
10.2A.1.2	1.28 Mcps TDD Option.....	886
10.2A.1.3	Void.....	886
10.2A.2	Minimum requirement	886
10.2A.2.1	Void.....	886
10.2A.2.2	1.28 Mcps TDD Option.....	886
10.2A.2.3	Void.....	887
10.2A.3	Test Purpose.....	887
10.2A.4	Method of test	887
10.2A.4.1	Initial conditions	887
10.2A.4.2	Procedure	887
10.2A.5	Test Requirements	887
10.3	Demodulation of MTCH and cell identification.....	887
10.3.1	1.28Mcps TDD option	887
10.3.1.1	Definition and applicability.....	887

10.3.1.2	Minimum requirements	888
10.3.1.3	Test purpose	888
10.3.1.4	Method of test	888
10.3.1.5	Test requirements	889
10.4	Demodulation of MCCH for a MBSFN capable UE	890
10.4.1	Definition and applicability	890
10.4.1.1	3.84 Mcps TDD Option	890
10.4.1.2	7.68 Mcps TDD Option	890
10.1.2	Minimum requirement	890
10.1.4.1	3.84 Mcps TDD Option	890
10.4.2.2	7.68 Mcps TDD Option	891
10.4.3	Test Purpose	891
10.4.4	Method of test	891
10.4.4.1	Initial conditions	891
10.4.4.2	Procedure	892
10.4.5	Test Requirements	892
10.5	Demodulation of MTCH for a MBSFN capable UE	892
10.5.1	Definition and applicability	892
10.5.1.1	3.84 Mcps TDD Option	892
10.2.1.2	7.68 Mcps TDD Option	892
10.5.2	Minimum requirement	893
10.5.2.1	3.84 Mcps TDD Option	893
10.5.2.2	7.68 Mcps TDD Option	893
10.5.3	Test Purpose	893
10.5.4	Method of test	894
10.5.4.1	Initial conditions	894
10.2.4.2	Procedure	894
10.5.5	Test Requirements	894
10.5A	Demodulation of MTCH for a IMB capable UE	894
10.5A.1	Definition and applicability	894
10.5A.2	Minimum requirement	894
10.5A.3	Test Purpose	895
10.5A.4	Method of test	895
10.5A.4.1	Initial conditions	895
10.5A.4.2	Procedure	895
10.5A.5	Test Requirements	896
10.6	MBSFN TDD and FDD same platform sharing	896
10.6.1	Definition and applicability	896
10.6.1.1	3.84 Mcps TDD Option	896
10.6.1.2	7.68 Mcps TDD Option	896
10.6.2	Minimum requirement	896
10.6.2.1	3.84 Mcps TDD Option	896
10.6.2.3	7.68 Mcps TDD Option	897
10.6.3	Test Purpose	898
10.6.4	Method of test	898
10.6.4.1	Initial conditions	898
10.6.4.2	Procedure	898
10.6.5	Test Requirements	898
11	Performance requirement (E-DCH)	899
11.1	Detection of E-DCH HARQ ACK Indicator Channel (E-HICH)	899
11.1.1	Definition and applicability	899
11.1.1.1	3.84 Mcps TDD Option	899
11.1.1.2	1.28 Mcps TDD Option	899
11.1.1.3	7.68 Mcps TDD Option	899
11.1.2	Minimum requirement	899
11.1.2.1	3.84 Mcps TDD Option	899
11.1.2.2	1.28 Mcps TDD Option	900
11.1.2.3	7.68 Mcps TDD Option	900
11.1.3	Test Purpose	900
11.1.4	Method of test	900
11.1.4.1	Initial conditions	900

11.1.4.1.1	3.84Mcps TDD Option.....	900
11.1.4.1.2	1.28Mcps TDD Option.....	901
11.1.4.1.3	7.68Mcps TDD Option.....	901
11.1.4.2	3.84Mcps TDD Option.....	902
11.1.4.2.2	1.28Mcps TDD Option.....	902
11.1.4.2.3	7.68Mcps TDD Option.....	903
11.1.5	Test Requirements	904
11.2	Demodulation of E-DCH Absolute Grant Channel (E-AGCH)	904
11.2.1	Definition and applicability	904
11.2.2.1	3.84 Mcps TDD Option.....	904
11.2.2.2	1.28 Mcps TDD Option.....	904
11.2.2.3	7.68 Mcps TDD Option.....	904
11.2.2	Minimum requirement	904
11.2.2.1	3.84 Mcps TDD Option.....	904
11.2.2.2	1.28Mcps TDD Option.....	905
11.2.2.3	7.68 Mcps TDD Option.....	905
11.2.3	Test Purpose.....	905
11.2.4	Method of test	906
11.2.4.1	Initial conditions	906
11.2.4.2	Procedure	907
11.2.5	Test Requirements	907
12	Performance requirement under multiple-cell scenario	908
12.1	General	908
12.1.2	Definition of Additive White Gaussian Noise (AWGN) Interferer	909
12.2	Demodulation of DCH in static propagation conditions	909
12.2.1	Definition and applicability	909
12.2.2	Minimum requirements.....	909
12.2.2.1	3.84 Mcps TDD Option.....	909
12.2.2.2	1.28 Mcps TDD Option.....	909
12.2.2.3	7.68 Mcps TDD Option.....	911
12.2.3	Test purpose.....	911
12.2.4	Method of test	912
12.2.4.1	Initial conditions	912
12.2.4.2	Procedure	912
12.2.5	Test requirements.....	912
12.2.5.1	3.84Mcps TDD Option.....	912
12.2.5.2	1.28Mcps TDD Option.....	912
12.2.5.3	7.68Mcps TDD Option.....	912
12.3	Demodulation of DCH in Multipath fading Case 1 conditions	912
12.3.1	Definition and applicability	912
12.3.2	Minimum requirements.....	913
12.3.2.1	3.84 Mcps TDD Option.....	913
12.3.2.2	1.28 Mcps TDD Option.....	913
12.3.2.3	7.68 Mcps TDD Option.....	914
12.3.3	Test purpose.....	914
12.3.4	Method of test	915
12.3.4.1	Initial conditions	915
12.3.4.2	Procedure	915
12.3.5	Test requirements.....	915
12.3.5.1	3.84Mcps TDD Option.....	915
12.3.5.2	1.28Mcps TDD Option.....	915
12.3.5.3	7.68Mcps TDD Option.....	915
12.4	Demodulation of DCH in Multipath fading Case 3 conditions	915
12.4.1	Definition and applicability	915
12.4.2	Minimum requirements.....	916
12.4.2.1	3.84 Mcps TDD Option.....	916
12.4.2.2	1.28 Mcps TDD Option.....	916
12.4.2.3	7.68 Mcps TDD Option.....	917
12.4.3	Test purpose.....	917
12.4.4	Method of test	918
12.4.4.1	Initial conditions	918

12.4.4.2	Procedure	918
12.4.5	Test requirements.....	918
12.4.5.1	3.84Mcps TDD Option.....	918
12.4.5.2	1.28Mcps TDD Option.....	918
12.4.5.3	7.68Mcps TDD Option.....	918
Annex A (informative):	Connection Diagrams	919
Annex B (normative):	Global In-Channel TX-Test	927
B.1	General	927
B.2	Definition of the process	927
B.2.1	Basic principle.....	927
B.2.2	Output signal of the TX under test	927
B.2.3	Reference signal	927
B.2.4	void.....	928
B.2.5	Classification of measurement results	928
B.2.6	Process definition to achieve results of type "deviation".....	928
B.2.7	Process definition to achieve results of type "residual".....	929
B.2.7.1	Error Vector Magnitude (EVM)	929
B.2.7.2	Peak Code Domain Error (PCDE).....	930
B.3	Notes.....	930
Annex C (normative):	Measurement channels	933
C.1	General	933
C.2	UL Reference measurement channels	933
C.2.1	UL reference measurement channel (12,2 kbps).....	933
C.2.1.1	3,84 TDD Option	933
C.2.1.2	UL reference measurement channel (12,2 kbps) for 1,28 Mcps TDD Option	935
C.2.1.3	7,68 TDD Option	936
C.2.2	UL multi code reference measurement channel (12,2 kbps)	937
C.2.2.1	3,84 Mcps TDD Option	937
C.2.2.2	UL multi code reference measurement channel (12,2 kbps) for 1,28 Mcps TDD Option	939
C.2.2.2a	UL multi code(HS-SICH and DPCH) reference measurement channel for 1,28 Mcps TDD Option	940
C.2.2.3	7,68 Mcps TDD Option	943
C.2.3	UL reference measurement channel (64 kbps)	944
C.2.3.1	3,84 Mcps TDD Option	944
C.2.3.2	1,28 Mcps TDD Option	946
C.2.3.3	7,68 Mcps TDD Option	947
C.2.4	UL reference measurement channel (144 kbps)	950
C.2.4.1	3,84 Mcps TDD Option	950
C.2.4.2	1,28 Mcps TDD Option	951
C.2.4.3	7,68 Mcps TDD Option	952
C.2.5	UL reference measurement channel (384 kbps)	955
C.2.5.1	3,84 Mcps TDD Option	955
C.2.5.2	1,28 Mcps TDD Option	957
C.2.5.3	7,68 Mcps TDD Option	958
C.3	DL Reference measurement channels	960
C.3.1	DL reference measurement channel (12,2 kbps).....	960
C.3.1.1	3,84 Mcps TDD Option	960
C.3.1.2	DL reference measurement channel (12,2 kbps) for 1,28 Mcps TDD Option	961
C.3.1.3	7,68 Mcps TDD Option	962
C.3.2	DL reference measurement channel (64 kbps)	964
C.3.2.1	3,84 Mcps TDD Option	964
C.3.2.2	DL reference measurement channel (64 kbps) for 1,28 Mcps TDD Option	966
C.3.2.3	7,68 Mcps TDD Option	967
C.3.3	DL reference measurement channel (144 kbps)	969
C.3.3.1	3,84 Mcps TDD Option	969
C.3.3.2	DL reference measurement channel (144 kbps) for 1,28 Mcps TDD Option	972

C.3.3.3	7,68 Mcps TDD Option	973
C.3.4	DL reference measurement channel (384 kbps)	975
C.3.4.1	3,84 Mcps TDD Option	975
C.3.4.2	DL reference measurement channel (384 kbps) for 1,28 Mcps TDD Option	977
C.3.4.3	7,68 Mcps TDD Option	978
C.3.5	BCH reference measurement channel	980
C.3.5.1	3,84 Mcps TDD Option	980
C.3.5.2	BCH reference measurement channel (12.3 kbps) for 1,28 Mcps TDD Option	980
C.3.5.3	7,68 Mcps TDD Option	981
C.3.6	DL reference measurement channel (2 Mbps) for 3,84 Mcps TDD Option	982
C.3.7	DL reference measurement channel (2 Mbps) for 7,68 Mcps TDD Option	984
C.3.8	DL reference measurement channel for MBSFN only UEs (28kbps)	987
C.3.8.1	3,84 Mcps TDD IMB Option	987
C.4	HSDPA reference measurement channels	989
C.4.1	HSDPA reference measurement channels for 3,84 Mcps TDD option	989
C.4.1.1	Reference measurement channels for 7,3 Mbps – Category 8 - UE	989
C.4.1.1.1	QPSK modulation scheme for test 1, 2, 3	989
C.4.1.1.2	QPSK modulation scheme for test 4	990
C.4.1.1.3	16QAM modulation scheme for test 1, 2, 3	991
C.4.1.1.4	16QAM modulation scheme for test 4	992
C.4.2	HSDPA reference measurement channels for 1.28 Mcps TDD option	993
C.4.2.1	Reference measurement channels for 0.5Mbps UE class	993
C.4.2.1.1	QPSK modulation scheme	993
C.4.2.2	Reference measurement channels for 1.1Mbps UE class	993
C.4.2.2.1	QPSK modulation scheme	993
C.4.2.2.2	16QAM modulation scheme	994
C.4.2.3	Reference measurement channels for 1.6Mbps UE class	995
C.4.2.3.1	QPSK modulation scheme	995
C.4.2.3.2	16QAM modulation scheme	996
C.4.2.4	Reference measurement channels for 2.2Mbps UE class	996
C.4.2.4.1	QPSK modulation scheme	996
C.4.2.4.2	16QAM modulation scheme	997
C.4.2.5	Reference measurement channels for 2.8Mbps UE class	998
C.4.2.5.1	QPSK modulation scheme	998
C.4.2.5.2	16QAM modulation scheme	999
C.4.2.6	Reference measurement channels for Category 16-24 UE	1000
C.4.2.6.1	Reference measurement channel for category 16-18 UE	1000
C.4.2.6.2	Reference measurement channel for category 19-21 UE	1001
C.4.2.6.3	Reference measurement channel for category 22-24 UE	1002
C.4.2.7	Reference measurement channels for Category 25 UE	1003
C.4.2.7.1	QPSK modulation scheme	1003
C.4.2.7.2	16QAM modulation scheme	1005
C.4.2.8	Reference Measurement Channel for category 26 UE	1007
C.4.2.8.1	QPSK modulation scheme	1007
C.4.2.8.2	16QAM modulation scheme	1009
C.4.2.9	Reference Measurement Channel for category 27 UE	1011
C.4.2.9.1	QPSK modulation scheme	1011
C.4.2.9.2	16QAM modulation scheme	1013
C.4.2.10	Reference Measurement Channel for category 28 UE	1015
C.4.2.10.1	64QAM modulation scheme	1015
C.4.2.11	Reference Measurement Channel for category 29 UE	1017
C.4.2.11.1	64QAM modulation scheme	1017
C.4.2.12	Reference Measurement Channel for category 30 UE	1019
C.4.2.12.1	64QAM modulation scheme	1019
C.4.2A	HSDPA reference measurement channels for 7,68 Mcps TDD option	1021
C.4.2A.1	Reference measurement channels for 5,3 Mbps - Category 8 - UE	1021
C.4.2A.1.1	QPSK modulation scheme for test 1, 2, 3 & 4	1021
C.4.2A.1.2	16QAM modulation scheme for test 1, 2, 3 & 4	1022
C.4.3	Variable Reference Channel definition for 3,84 Mcps and 1,28 Mcps TDD options	1023
C.5	Downlink reference parameters for MBMS tests	1023

C.5.1	MCCH	1023
C.5.1.1	3.84 Mcps TDD Option	1023
C.5.1.2	1.28 Mcps TDD Option	1024
C.5.1.3	7.68 Mcps TDD Option	1024
C.5.2	MTCH	1025
C.5.2.1	3.84 Mcps TDD Option (non-IMB).....	1025
C.5.2.1A	3.84 Mcps TDD Option (IMB)	1025
C.5.2.2	1.28 Mcps TDD Option	1026
C.5.2.3	7.68 Mcps TDD Option	1027
C.6	E-DCH Reference measurement channels	1028
C.6.1	E-DCH Fixed Reference Channels.....	1028
C.6.1.1	3,84 Mcps TDD Option	1028
C.6.1.1.1	Fixed Reference Channel 1 (FRC1)	1028
C.6.1.1.2	Fixed Reference Channel 2 (FRC2)	1029
C.6.1.1.3	Fixed Reference Channel 3 (FRC3)	1030
C.6.1.2	1.28Mcps TDD Option	1031
C6.1.2.1	E-DCH Fixed reference channel 1(FRC1)	1031
C6.1.2.2	Fixed reference channel 2(FRC2)	1032
C6.1.2.3	Fixed reference channel 3(FRC3)	1033
C.6.1.3.1	Fixed Reference Channel 1 (FRC1)	1034
C.6.1.3.2	Fixed Reference Channel 2 (FRC2)	1035
C.6.1.3.3	Fixed Reference Channel 3 (FRC3)	1036
Annex D (normative):	Propagation conditions.....	1038
D.1	Test Environments.....	1038
D.2	Propagation Conditions	1038
D.2.1	Static propagation condition.....	1038
D.2.2	Multi-path fading propagation conditions	1038
D.2.2.1	3.84 Mcps TDD Option	1038
D.2.2.2	1.28 Mcps TDD Option	1039
D.2.2.3	7.68 Mcps TDD Option	1041
D.2.3	Moving propagation conditions.....	1043
D.2.4	Birth-Death propagation conditions	1044
D.2.4A	High speed train condition.....	1044
D.2.5	Multi-path fading propagation conditions	1045
D.2.5.1	3.84 Mcps TDD Option	1045
D.2.5.1	1.28 Mcps TDD Option	1045
D.2.5.1.1	MIMO Dual Stream Static Orthogonal Conditions	1046
D.2.5.1	7.68 Mcps TDD Option	1046
Annex E (normative):	Common RF test conditions.....	1047
E.1	General	1047
E.2	Connection Set-up	1047
E.3	During connection	1047
E.3.1	Measurement of Tx Characteristics.....	1047
E.3.2	Measurement of Rx Characteristics.....	1048
E.3.3	Measurement of Performance requirements.....	1048
Annex F (normative):	General test conditions and declarations.....	1049
F.1	Acceptable uncertainty of Test System.....	1049
F.1.1	Measurement of test environments.....	1049
F.1.2	Measurement of transmitter.....	1050
F.1.3	Measurement of receiver	1051
F.1.4	Performance requirement	1051
F.1.5	Requirements for support of RRM.....	1052
F.1.6	Performance requirement (HSDPA).....	1056
F.2	Test Tolerances (This clause is informative).....	1056
F.2.1	Transmitter	1057

F.2.2	Receiver.....	1057
F.2.3	Performance requirements.....	1058
F.2.4	Requirements for support of RRM.....	1058
F.2.4.1	TDD/TDD Cell Reselection on intra-frequency cells.....	1058
F.2.4.1.1	3,84 Mcps TDD Option.....	1058
F.2.4.1.2	1,28 Mcps Option.....	1058
F.2.4.1.3	7,68 Mcps TDD Option.....	1058
F.2.5	Performance requirements (HSDPA).....	1059
F.2.6	Performance requirements (Multiple-cell).....	1059
F.3	Interpretation of measurement results.....	1059
F.4	Derivation of Test Requirements (This clause is informative).....	1059
F.4.1	3.84Mcps TDD Option.....	1060
F.4.2	1.28Mcps TDD Option.....	1064
F.4.2.1	Transmitter.....	1064
F.4.2.2	Receiver.....	1067
F.4.2.3	Performance requirement.....	1068
F.4.2.4	Performance of HSDPA.....	1069
F.4.2.5	Measurement of RRM requirements.....	1070
F.4.2.6	Performance requirements (Multiple-cell).....	1075
F.4.3	7.68Mcps TDD Option.....	1076
F.5	Acceptable uncertainty of Test Equipment (This clause is informative).....	1079
F.5.1	Transmitter measurements.....	1080
F.5.2	Receiver measurements.....	1080
F.5.3	Performance measurements.....	1080
F.5.5	Performance measurements (HSDPA).....	1080
F.6	General rules for statistical testing.....	1081
F.6.1	Statistical testing of receiver BER/BLER performance.....	1081
F.6.1.1	Error Definition.....	1081
F.6.1.2	Test Method.....	1081
F.6.1.3	Test Criteria.....	1081
F.6.1.4	Calculation assumptions.....	1081
F.6.1.4.1	Statistical independence.....	1081
F.6.1.4.2	Applied formulas.....	1081
F.6.1.4.3	Test procedure.....	1082
F.6.1.5	Definition of good pass fail decision.....	1082
F.6.1.6	Good balance between testtime and statistical significance.....	1083
F.6.1.7	Pass fail decision rules.....	1084
F.6.1.8	Test conditions for BER,BLER tests.....	1085
F.6.1.9	Practical Use (informative).....	1087
F.6.2	Statistical testing of RRM delay performance.....	1088
F.6.2.1	Test Method.....	1088
F.6.2.2	Bad Delay Ratio (ER).....	1088
F.6.2.3	Test Criteria.....	1088
F.6.2.4	Calculation assumptions.....	1089
F.6.2.4.1	Statistical independence.....	1089
F.6.2.4.2	Applied formulas.....	1089
F.6.2.4.3	Approximation of the distribution.....	1089
F.6.2.5	Definition of good pass fail decision.....	1089
F.6.2.6	Good balance between test-time and statistical significance.....	1090
F.6.2.7	Pass fail decision rules.....	1090
F.6.2.8	Test conditions for RRM delay tests.....	1091
F.6.2.9	Practical Use (informative).....	1093
F.6.3	Statistical Testing of HSDPA Receiver Performance.....	1094
F.6.3.1	Definition.....	1094
F.6.3.2	Mapping throughput to block error ratio.....	1094
F.6.3.3	Bad DUT factor.....	1095
F.6.3.3.1	Bad DUT factor, range of applicability.....	1096
F.6.3.4	Minimum Test time.....	1097
F.6.3.5	Pass fail decision rules.....	1097

Annex G (normative):	Environmental conditions	1107
G.1	General	1107
G.2	Environmental requirements	1107
G.2.1	Temperature	1107
G.2.2	Voltage	1107
G.2.3	Vibration.....	1108
G.2.4	Specified frequency range	1108
Annex H (normative):	Terminal Baseline and Service Implementation Capabilities (TDD)....	1109
H.1	Baseline Implementation Capabilities of 3.84 Mcps TDD.....	1109
H.1A	Baseline Implementation Capabilities of 1.28 Mcps TDD.....	1109
H.1B	Baseline Implementation Capabilities of 7.68 Mcps TDD.....	1110
H.2	Service Implementation Capabilities:	1110
Annex I (normative):	Default Message Contents	1111
Annex J (normative):	Cell configuration mapping	1115
Annex K (informative):	Change history	1116
History		1123

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

x the first digit:

- 1 presented to TSG for information;
- 2 presented to TSG for approval;
- 3 or greater indicates TSG approved document under change control.

y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.

z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

This present document specifies the measurement procedure for the conformance test of the mobile station that contain transmitting characteristics, receiving characteristics and performance requirements in addition to requirements for support of RRM (Radio Resource Management) in both UTRATDD modes. The two options are the 3,84 Mcps TDD Option and 1,28 Mcps TDD Option, respectively.

The requirements are listed in different clauses only if the corresponding parameters deviate. More generally, tests are only applicable to those mobiles that are intended to support the appropriate functionality. To indicate the circumstances in which tests apply, this is noted in the "definition and applicability" part of the test.

For example only release 5 and later UE declared to support HSDPA shall be tested for this functionality. In the event that for some tests different conditions apply for different releases, this is indicated within the text of the test itself.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 25.102 (V4.0.0): "UTRA (UE) TDD; Radio Transmission and Reception (TDD)".
- [2] 3GPP TS 25.123: "Requirements for Support of Radio Resource Management (TDD)".
- [3] 3GPP TS 34.108 "Common Test Environments for User Equipment (UE) Conformance Testing"
- [4] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".
- [5] 3GPP TS 25.224: "Physical Layer Procedures (TDD)".
- [6] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [7] 3GPP TR 25.990: "Vocabulary".
- [8] ITU-R Recommendation SM.328-9: "Spectra and bandwidth of emissions".
- [9] 3GPP TS 25.331: "Radio Resource Control (RRC) Protocol Specification".
- [10] 3GPP TS 25.433 "UTRAN Iub Interface NBAP Signalling".
- [11] ITU-R Recommendation SM.329: "Spurious emissions".
- [12] 3GPP TS 25.304: "UE Procedures in Idle Mode and Procedures for Cell Reselection in Connected Mode".
- [13] 3GPP TS 25.303: "Interlayer Procedures in Connected Mode".
- [14] 3GPP TS 25.321: "Medium Access Control (MAC) protocol specification".
- [15] 3GPP TS 25.223: "Spreading and modulation (TDD)".
- [16] ETSI ETR 273-1-2: "Improvement of radiated methods of measurement (using test sites) and evaluation of the corresponding measurement uncertainties; Part 1: Uncertainties in the measurement of mobile radio equipment characteristics; Sub-part 2: Examples and annexes".
- [17] 3GPP TR 25.926: "UE Radio Access Capabilities".