


NSF International Standard / American National Standard

NSF/ANSI 14 - 2010a

Plastics Piping System Components and Related Materials







NSF International, an independent, notfor-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safety-based risk management solutions while serving the interests of all stakeholders.

> This Standard is subject to revision. Contact NSF to confirm this revision is current.

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Plastics c/o NSF International 789 North Dixboro Road, P. O. Box 130140 Ann Arbor, Michigan 48113-0140 USA Phone: (734) 769-8010 Telex: 753215 NSF INTL FAX: (734) 769-0109 E-mail: info@nsf.org Web: http://www.nsf.org

NSF International Standard/ American National Standard for Plastics —

Plastics piping system components and related materials

Standard Developer **NSF International**

NSF International

Designated as an ANSI Standard April 22, 2011

American National Standards Institute

Prepared by The NSF Joint Committee on Plastics

Recommended for adoption by The NSF Council of Public Health Consultants

Adopted by NSF International October 1965

Revised February 1977 Revised November 1978 Revised November 1980 Revised November 1983 Revised November 1984 Revised November 1985 Revised August 1986 Revised October 1987 Revised December 1988 Revised November 1990 Revised September 1998 Revised December 1999 Revised February 2001 Revised January 2002 Revised January 2003 Revised September 2004 Revised August 2006 Revised March 2007 Revised May 2008 Revised December 2009 Revised April 2010 Revised April 2011

Published by

NSF International PO Box 130140, Ann Arbor, Michigan 48113-0140, USA

For ordering copies or for making inquiries with regard to this Standard, please reference the designation "NSF/ANSI 14 – 2010a."

Copyright 2011 NSF International

Previous editions © 2010, 2009, 2008, 2007, 2006, 2004, 2003, 2002, 2001, 1999, 1998, 1996, 1990, 1988, 1987, 1986, 1985, 1984, 1983, 1980, 1978, 1977.

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America.

Disclaimers¹

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health. Provisions for mechanical and electrical safety have not been included in this Standard because governmental agencies or other national standards-setting organizations provide safety requirements.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include *all* requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes are provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

¹ The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

Contents

1	General	1 1
2	Normative references	1 8
3	Definitions	9
4	Requirements for plastic piping system components and related materials 4.1 Materials 4.2 Physical and performance requirements 4.3 Potable water requirements 4.4 Special engineered products 4.5 Marking requirements 4.6 Quality assurance	. 13 . 14 . 14 . 14 . 14
5	Physical and performance requirements	. 14 . 15 . 15 . 15 . 15 . 15
6	Special engineered (SE) product requirements 6.1 General 6.2 SE specifications	. 17 . 17 . 17
7	Requirements for potable water plastic piping system components and related materials 7.1 General 7.2 Requirements for generic ingredients 7.3 Requirements for lead 7.4 Monitoring	. 17 . 17 . 19
8	Marking requirements	. 19 . 19 . 19 . 19 . 20
9	Quality assurance 9.1 General 9.2 Start-up and qualification of molds. 9.3 Generic ingredients 9.4 Verification of the calibration of equipment. 9.5 Quality assurance records 9.6 Production code identification 9.7 Number of test specimens 9.8 Formulation verification for solvent cements and primers 9.9 Product-specific quality assurance requirements Table 1 – Calcium carbonate and titanium dioxide summary of exposure durations Table 2 – Minimum number of test specimens for a sample Table 3 – Solvent analysis methods Table 4 – Solvent control limits Table 5 – Acrylonitrile-butadiene-styrene (ABS) pipe testing frequency	20 21 21 21 21 21 21 21 21 22 22 22 22 23

Table 7 - Continuous waste tubing and fittings ABS, PVC and PP test frequency. 25 Table 8 - Chlorinated poly(vinyl chloride) (CPVC) pipe test frequency. 26 Table 10 - PE-water, PE-gas and PB pipe and tubing test frequency. 27 Table 11 - Fittings for PE, PEX and PB tubing test frequency. 29 Table 12 - Poly(vinyl chloride) (PVC) pipe test frequency. 31 Table 13 - Poly(vinyl chloride) fittings and pipe bell ends test frequency. 32 Table 14 - Thermoset pipe and thermoset mortar pipe testing requirements and frequency. 33 Table 15 - Solvent cements and primers'-2 test frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive 33 waste drainage systems 33 Table 18 - Composite pipe test frequency. 35 Table 20 - PP pipe and fittings test frequency. 36 Table 17 - Polyolefin and Polyvinylidene Fluoride (PVDF) fittings for corrosive 34 Waste drainage systems 33 Table 18 - Composite pipe test frequency 35 Table 20 - PP pipe and fittings test frequency 36 Table 21 - Air admittance valve test frequency 36 Table 22 - Pressure rated composite pipe for elevated temperature services 37 Table 24 - Poly(v	Table 6 – Acrylonitrile-butadiene-styrene (ABS) fitting test frequency	24
Table 8 - Chlorinated poly(vinyl chloride) (CPVC) fittings test frequency. 26 Table 10 - PE-water, PE-gas and PB pipe and tubing test frequency. 29 Table 11 - Fittings for PE, PEX and PB tubing test frequency. 29 Table 12 - Poly(vinyl chloride) (PVC) pipe test frequency. 29 Table 13 - Poly(vinyl chloride) fittings and pipe bell ends test frequency. 31 Table 15 - Solvent cements and primes" treat frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive 33 waste drainage systems 33 Table 18 - Composite pipe test frequency. 36 waste drainage systems 34 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency. 36 Table 21 - Acit admittance valve test frequency. 36 Table 20 - PP pipe and fittings test frequency. 36 Table 21 - Acit admittance valve test frequency. 36 Table 22 - Pressure rated composite pipe for elevated temperature services. 37 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services. 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings. 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabrica	Table 7 – Continuous waste tubing and fittings ABS, PVC and PP test frequency	25
Table 10 - PE-water, PE-gas and PB tubing test frequency. 27 Table 11 - Fittings for PE, PEX and PB tubing test frequency. 29 Table 12 - Poly(vinyl chloride) (PVC) pipe test frequency. 31 Table 13 - Poly(vinyl chloride) fittings and pipe bell ends test frequency. 31 Table 14 - Thermoset pipe and thermoset mortar pipe testing requirements and frequency. 33 Table 15 - Solvent cements and primers'' test frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive waste drainage systems waste drainage systems 34 Table 18 - Composite pipe test frequency. 35 Table 20 - PP pipe and fittings test frequency. 36 Table 21 - Air admittance valve test frequency. 36 Table 21 - Air admittance valve test frequency. 36 Table 22 - PP pipe and fittings test frequency. 36 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services. 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings. 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings. 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water syst	Table 8 – Chlorinated poly(vinyl chloride) (CPVC) pipe test frequency	25
Table 10 - PE-water, PE-gas and PB tubing test frequency. 27 Table 11 - Fittings for PE, PEX and PB tubing test frequency. 29 Table 12 - Poly(vinyl chloride) (PVC) pipe test frequency. 31 Table 13 - Poly(vinyl chloride) fittings and pipe bell ends test frequency. 31 Table 14 - Thermoset pipe and thermoset mortar pipe testing requirements and frequency. 33 Table 15 - Solvent cements and primers'' test frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive waste drainage systems waste drainage systems 34 Table 18 - Composite pipe test frequency. 35 Table 20 - PP pipe and fittings test frequency. 36 Table 21 - Air admittance valve test frequency. 36 Table 21 - Air admittance valve test frequency. 36 Table 22 - PP pipe and fittings test frequency. 36 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services. 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings. 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings. 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water syst	Table 9 – Chlorinated poly(vinyl chloride) (CPVC) fittings test frequency	26
Table 11 - Fittings for PE, PEX and PB tubing test frequency. 29 Table 12 - Poly(vinyl chloride) (PVC) pipe test frequency. 31 Table 13 - Poly(vinyl chloride) (PVC) pipe test frequency. 32 Table 14 - Thermoset pipe and thermoset mortar pipe testing requirements and frequency. 33 Table 15 - Solvent cements and primers'' test frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive 33 Waste drainage systems 33 Table 18 - Composite pipe test frequency. 34 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency. 36 Table 21 - Air admittance valve test frequency. 36 Table 22 - PVC plastic schedule 40 drainage and DWV fabricated fittings 37 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services. 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings. 38 Table 25 - FVC plastic schedule 40 drainage and DWV fabricated fittings. 38 Table 26 - Flexible water connectors. 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems. 39 Table 26 - Flexible water connectors. 38	Table 10 – PE-water, PE-gas and PB pipe and tubing test frequency	27
Table 12 - Poly(vinyl chloride) (FVC) pipe test frequency 31 Table 13 - Poly(vinyl chloride) fittings and pipe bell ends test frequency 32 Table 14 - Thermoset pipe and thermoset mortar pipe testing requirements and frequency. 33 Table 15 - Solvent cements and primers'. ¹ test frequency. 33 Table 16 - Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive 33 Waste drainage systems 33 Table 18 - Composite pipe test frequency 35 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency 36 Table 21 - Air admittance valve test frequency 36 Table 22 - Pressure rated composite pipe for elevated temperature services 37 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold dinking-water systems 40 Table 28 - Oriented Polyvinyl Chloride (PVCO) pressure pipe 40 Table 29 - Oriented Polyvinyl Chloride (PVCO) pressure pipe	Table 11 – Fittings for PE, PEX and PB tubing test frequency.	29
Table 13 – Poly(vinyl chloride) fittings and pipe bell ends test frequency 32 Table 14 – Thermoset pipe and thermoset mortar pipe testing requirements and frequency 33 Table 15 – Solvent cements and primers' test frequency 33 Table 16 – Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive 33 waste drainage systems 33 Table 18 – Composite pipe test frequency 35 Table 19 – Fittings for composite pipe 35 Table 20 – PP pipe and fittings test frequency 36 Table 21 – Air admittance valve test frequency 36 Table 22 – Pressure rated composite pipe for elevated temperature services 36 Table 23 – Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems 39 Table 29 – Oriented Poly(vinyl chloride) (PVC) pressure pipe 40 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 41 Table 32 – Poly(vinyl chloride)	Table 12 – Poly(Vinyl chloride) (PVC) pipe test frequency	31
Table 14 – Thermoset pipe and thermoset, mortar pipe testing requirements and frequency	Table 13 – Poly(vinyl chloride) fittings and pipe bell ends test frequency	32
waste drainage systems 33 Table 17 - Polyolefin and Polyvinylidene Fluoride (PVDF) fittings for corrosive 34 Waste drainage systems 34 Table 18 - Composite pipe test frequency 35 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency 36 Table 21 - Air admittance valve test frequency 36 Table 22 - Pressure rated composite pipe for elevated temperature services 36 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 28 - Fittings having post-industrial recycle content 41 Table 29 - Oriented Poly(vinyl Chloride) (PVC) systems 40 Table 30 - Pipe and fittings having post-industrial recycle content 41 Table 31 - Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 - Poly(vi	Table 14 – Thermoset pipe and thermoset mortar pipe testing requirements and frequency.	33
waste drainage systems 33 Table 17 - Polyolefin and Polyvinylidene Fluoride (PVDF) fittings for corrosive 34 Waste drainage systems 34 Table 18 - Composite pipe test frequency 35 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency 36 Table 21 - Air admittance valve test frequency 36 Table 22 - Pressure rated composite pipe for elevated temperature services 36 Table 23 - Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings 38 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 28 - Fittings having post-industrial recycle content 41 Table 29 - Oriented Poly(vinyl Chloride) (PVC) systems 40 Table 30 - Pipe and fittings having post-industrial recycle content 41 Table 31 - Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 - Poly(vi	Table 15 – Solvent cements and primers ^{1, 2} test frequency	33
waste drainage systems 33 Table 17 - Polyolefin and Polyvinylidene Fluoride (PVDF) fittings for corrosive 34 Waste drainage systems 34 Table 18 - Composite pipe test frequency 35 Table 19 - Fittings for composite pipe 35 Table 20 - PP pipe and fittings test frequency 36 Table 21 - Air admittance valve test frequency 36 Table 22 - Pressure rated composite pipe for elevated temperature services 36 Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 - Flexible water connectors 38 Table 27 - Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 28 - Fittings having post-industrial recycle content 40 Table 28 - Pipe and fittings having post-industrial recycle content 41 Table 30 - Pipe and fittings having post-industrial recycle content 41 Table 31 - Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 - Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42	Table 16 – Polyolefin and Polyvinylidene Fluoride (PVDF) pipe for corrosive	
waste drainage systems34Table 18 - Composite pipe test frequency35Table 19 - Fittings for composite pipe35Table 20 - PP pipe and fittings test frequency36Table 21 - Air admittance valve test frequency36Table 22 - Pressure rated composite pipe for elevated temperature services36Table 23 - Fittings for pressure rated composite pipe for elevated temperature services37Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings37Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings38Table 26 - Flexible water connectors38Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems39Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) or chlorinated poly(vinyl chloride)(CPVC) systems40Table 30 - Pipe and fittings having post-industrial recycle content41Table 31 - Quality assurance requirements for materials suppliers and special compounders142Table 32 - POly(vinyl chloride) PVC pipe and fittings for underground fire article 33 - POly(vinyl chloride) PVC pipe and fittings for water transmission43Annex AA1Annex BB1	waste drainage systems	33
waste drainage systems34Table 18 - Composite pipe test frequency35Table 19 - Fittings for composite pipe35Table 20 - PP pipe and fittings test frequency36Table 21 - Air admittance valve test frequency36Table 22 - Pressure rated composite pipe for elevated temperature services36Table 23 - Fittings for pressure rated composite pipe for elevated temperature services37Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings37Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings38Table 26 - Flexible water connectors38Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems39Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) or chlorinated poly(vinyl chloride)(CPVC) systems40Table 30 - Pipe and fittings having post-industrial recycle content41Table 31 - Quality assurance requirements for materials suppliers and special compounders142Table 32 - POly(vinyl chloride) PVC pipe and fittings for underground fire article 33 - POly(vinyl chloride) PVC pipe and fittings for water transmission43Annex AA1Annex BB1	Table 17 – Polyolefin and Polyvinylidene Fluoride (PVDF) fittings for corrosive	
Table 18 - Composite pipe test frequency35Table 19 - Fittings for composite pipe35Table 20 - PP pipe and fittings test frequency36Table 21 - Air admittance valve test frequency36Table 22 - Pressure rated composite pipe for elevated temperature services36Table 23 - Fittings for pressure rated composite pipe for elevated temperature services37Table 24 - Poly(vinyl chloride) (PVC) gasketed sewer fittings37Table 25 - PVC plastic schedule 40 drainage and DWV fabricated fittings38Table 26 - Flexible water connectors38Table 27 - Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems39Table 28 - Fittings or appurtenances used in poly(vinyl chloride) (PVC) or chlorinated poly(vinyl chloride (PVCO) pressure pipe40Table 30 - Pipe and fittings having post-industrial recycle content41Table 31 - Quality assurance requirements for materials suppliers and special compounders142Table 32 - Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency42Table 33 - PVC pressure pipe and fabricated fittings for water transmission and distribution43Annex AA1Annex BB1	waste drainage systems	34
Table 19 – Fittings for composite pipe 35 Table 20 – PP pipe and fittings test frequency 36 Table 21 – Air admittance valve test frequency 36 Table 22 – Pressure rated composite pipe for elevated temperature services 36 Table 23 – Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 39 for hot and cold drinking-water systems 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented Poly(vinyl chloride (PCO) yestems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for water transmission and distribution 43 Annex A A1	Table 18 – Composite pipe test frequency	35
Table 20 – PP pipe and fittings test frequency 36 Table 21 – Air admittance valve test frequency 36 Table 22 – Pressure rated composite pipe for elevated temperature services 36 Table 23 – Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented poly(vinyl chloride) (CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution 43 Annex A A1	Table 19 – Fittings for composite pipe	35
Table 21 – Air admittance valve test frequency.36Table 22 – Pressure rated composite pipe for elevated temperature services36Table 23 – Fittings for pressure rated composite pipe for elevated temperature services37Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings37Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings38Table 26 – Flexible water connectors38Table 27 – Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems39Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) or chlorinated poly(vinyl chloride (PVCO) pressure pipe40Table 30 – Pipe and fittings having post-industrial recycle content41Table 31 – Quality assurance requirements for materials suppliers and special compounders142Table 32 – Poly (vinyl chloride) PVC pipe and fittings for water transmission and distribution43Annex AA1Annex BB1	Table 20 – PP pipe and fittings test frequency	36
Table 23 – Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints for hot and cold drinking-water systems 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) or chlorinated poly(vinyl chloride)(CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution 43 Annex A A1	Table 21 – Air admittance valve test frequency	36
Table 23 – Fittings for pressure rated composite pipe for elevated temperature services 37 Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 38 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented Poly(vinyl chloride)(CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1	Table 22 – Pressure rated composite pipe for elevated temperature services	36
Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings 37 Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings 38 Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented Poly(vinyl chloride)(CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution 43 Annex A A1	Table 23 – Fittings for pressure rated composite pipe for elevated temperature services	37
Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented Polyvinyl chloride)(CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution 43 Annex A A1 Annex B B1	Table 24 – Poly(vinyl chloride) (PVC) gasketed sewer fittings	37
Table 26 – Flexible water connectors 38 Table 27 – Multilayer pipe type 2, compression fittings, and compression joints 39 Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 39 Table 29 – Oriented Polyvinyl chloride)(CPVC) systems 40 Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution 43 Annex A A1 Annex B B1	Table 25 – PVC plastic schedule 40 drainage and DWV fabricated fittings	38
for hot and cold drinking-water systems	Table 26 – Flexible water connectors	38
Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC) 40 or chlorinated poly(vinyl chloride)(CPVC) systems	Table 27 – Multilayer pipe type 2, compression fittings, and compression joints	
or chlorinated poly(vinyl chloride)(CPVC) systems. 40 Table 29 – Oriented Polyvinyl Chloride (PVCO) pressure pipe. 40 Table 30 – Pipe and fittings having post-industrial recycle content. 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency. 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution. 43 Annex A A1	for hot and cold drinking-water systems	39
or chlorinated poly(vinyl chloride)(CPVC) systems. 40 Table 29 – Oriented Polyvinyl Chloride (PVCO) pressure pipe. 40 Table 30 – Pipe and fittings having post-industrial recycle content. 41 Table 31 – Quality assurance requirements for materials suppliers and special compounders ¹ 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire service test frequency. 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission and distribution. 43 Annex A A1	Table 28 – Fittings or appurtenances used in poly(vinyl chloride) (PVC)	
Table 30 – Pipe and fittings having post-industrial recycle content 41 Table 31 – Quality assurance requirements for materials suppliers and 42 Table 32 – Poly(vinyl chloride) PVC pipe and fittings for underground fire 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1	or chlorinated poly(vinyl chloride)(CPVC) systems	40
Table 32 – Foly(why childle) FVO pipe and nutrings for underground me 42 Service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1	Table 29 – Oriented Polyvinyl Chloride (PVCO) pressure pipe	40
Table 32 – Foly(why childle) FVO pipe and nutrings for underground me 42 Service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1	Table 30 – Pipe and fittings having post-industrial recycle content	41
Table 32 – Foly(why childle) FVO pipe and nutrings for underground me 42 Service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1	Table 31 – Quality assurance, requirements for materials suppliers and	
Table 32 – Foly(why chloride) FVO pipe and nutrings for underground me 42 Service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1	special compounders '	42
Service test frequency 42 Table 33 – PVC pressure pipe and fabricated fittings for water transmission 43 Annex A A1 Annex B B1		
Annex B	service test frequency	42
Annex AA1	I able 33 – PVC pressure pipe and fabricated fittings for water transmission	
Annex B	and distribution	43
Annex B		A 4
Annex B Table B1 – Abbreviations		A1
Table B1 – Abbreviations	Anney B	R1
	Table B1 – Abbreviations	B1

Foreword²

The purpose of this Standard is to establish minimum physical, performance, and health effects requirements for plastics piping system components and related materials.

In this edition of NSF/ANSI 14, the following revisions have been incorporated:

This version includes the following revisions:

- Issue 37 Table 3 was updated to include a GC/FID analytical method for MEK.
- Issue 38 This issue clarified the intent of the "Degree of Crosslinking" test. A footnote was
 added indicating that the test shall be performed on samples collected from the post cure
 process.
- Issue 39 The start frequency of in-plant QC for socketed fittings was raised from the current requirement of daily to weekly in tables 6, 9, and 13.

This Standard was developed by the NSF Joint Committee on Plastics using the consensus process described in NSF Standards Development Policies and accredited by ANSI.

Suggestions for improvement of this Standard are welcome. Comments should be sent to Chair, Joint Committee on Plastics, c/o NSF International, Standards Department, PO Box 130140, Ann Arbor, Michigan 48113-0140, USA.

² The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

NSF/ANSI 14 - 2010a

NSF/ANSI Standard for Plastics —

Plastics piping system components and related materials

1 General

1.1 Purpose

This Standard establishes minimum physical, performance, and health effects requirements for plastic piping system components and related materials. These criteria were established for the protection of public health and the environment.

1.2 Scope

The physical, performance, and health effects requirements in this Standard apply to thermoplastic and thermoset plastic piping system components, including but not limited to pipes, fittings, valves, joining materials, gaskets, and appurtenances. The established physical, performance, and health effects requirements also apply to materials (resin or blended compounds) and ingredients used to manufacture plastic piping system components. This Standard provides definitions and requirements for materials, ingredients, products, quality assurance, marking, and recordkeeping.

1.3 Materials, design, and construction

For plastic piping system components and materials cited by the references in 2, the materials, design, and construction requirements of this Standard and the applicable product standard(s) in 2 shall apply. When materials, designs, or constructions are utilized that are not cited in 2, the plastic piping system components and related materials shall comply with the applicable requirements of this Standard. Plastic piping system components and related materials that incorporate materials, designs, or constructions not cited in 2 are acceptable, provided that such plastic piping system components and related materials can be demonstrated to be at least equivalent in terms of strength, quality, effectiveness, durability, and safety to those that are cited in this Standard.

2 Normative references

The following documents contain requirements that, by reference in this text, constitute requirements of this Standard. At the time of publication, the indicated editions were valid. All of the documents are subject to revision, and parties are encouraged to investigate the possibility of applying the recent editions of the documents indicated below. It is the responsibility of the user of this Standard to determine the acceptance of the referenced standards to the application and requirements of the local jurisdictions.

2.1 Normative references for plastic pipe and related components

ASME A112.4.14-2004. Manually Operated, Quarter-Turn Shutoff Valves for Use in Plumbing Systems³

³ American Society of Mechanical Engineers (ASME), Three Park Avenue, New York, NY 10016-5990 <www.asme.org>.