

BS ISO 2982-2:2013



BSI Standards Publication

Rolling bearings — Accessories

Part 2: Dimensions for locknuts and locking devices

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

raising standards worldwide™



National foreword

This British Standard is the UK implementation of ISO 2982-2:2013. It supersedes BS ISO 2982-2:2001 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/7, Rolling bearings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 78233 6

ICS 21.100.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2013.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

ISO
2982-2

Third edition
2013-04-15

Rolling bearings — Accessories —

Part 2:

Dimensions for locknuts and locking devices

Roulements — Accessoires —

Partie 2: Dimensions des écrous à encoches et dispositifs de blocage



Reference number
ISO 2982-2:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	1
4.1 General.....	1
4.2 Locknuts with 4 slots.....	2
4.3 Lockwashers with straight inner tab.....	3
4.4 Locknuts with 8 slots.....	4
4.5 Locking clip assemblies.....	5
5 Dimensions	5
5.1 Locknuts with 4 slots.....	5
5.2 Lockwashers with straight inner tab.....	7
5.3 Locknuts with 8 slots.....	8
5.4 Locking clip assemblies.....	9
Annex A (informative) Lockwashers with bent inner tab	11
Bibliography	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 2982-2 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*.

This third edition cancels and replaces the second edition (ISO 2982-2:2001), which has been technically revised.

ISO 2982 consists of the following parts, under the general title *Rolling bearings — Accessories*:

- *Part 1: Dimensions for adapter sleeve assemblies and withdrawal sleeves*
- *Part 2: Dimensions for locknuts and locking devices*

Rolling bearings — Accessories —

Part 2: Dimensions for locknuts and locking devices

1 Scope

This part of ISO 2982 specifies:

- dimensions of locknuts;
- runout tolerance of locknut clamp face with respect to pitch diameter of screw thread;
- dimensions of lockwashers with straight inner tab for use with 4-slot locknuts;
- dimensions of locking clip assemblies for use with 8-slot locknuts.

The locknuts are also suitable for axial location of bearing inner rings on shafts and for dismounting of withdrawal sleeves.

For adapter sleeve assemblies and withdrawal sleeves, see ISO 2982-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5593, *Rolling bearings — Vocabulary*

ISO 15241, *Rolling bearings — Symbols for physical quantities*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5593 and the following apply.

3.1

locking clip

part in C-shape for securing a locknut

3.2

locking clip assembly

assembly comprising a locking clip and a bolt

4 Symbols

4.1 General

For the purposes of this document, the symbols given in ISO 15241 and the following listed in [4.2](#), [4.3](#), [4.4](#) and [4.5](#) apply.

The symbols shown in [Figure 1](#), [Figure 2](#), [Figure 3](#) and [Figure 4](#) and the values given in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) denote nominal dimensions, unless specified otherwise.