

NSF International Standard / American National Standard

## NSF/ANSI 14 - 2014

Plastics Piping System Components and Related Materials









NSF International, an independent, notfor-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safety-based risk management solutions while serving the interests of all stakeholders.

> This Standard is subject to revision. Contact NSF to confirm this revision is current.

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Plastics c/o NSF International 789 North Dixboro Road, P. O. Box 130140 Ann Arbor, Michigan 48113-0140 USA Phone: (734) 769-8010 Telex: 753215 NSF INTL FAX: (734) 769-0109 E-mail: info@nsf.org Web: http://www.nsf.org

NSF International Standard/ American National Standard for Plastics —

# Plastics piping system components and related materials

Standard Developer **NSF International** 

**NSF International** 

**Designated as an ANSI Standard** February 12, 2014

**American National Standards Institute** 

## Prepared by

## The NSF Joint Committee on Plastics

## Recommended for adoption by

## The NSF Council of Public Health Consultants

## Adopted by NSF International October 1965

Revised February 1977 Revised February 2001 **Revised November 1978** Revised January 2002 Revised November 1980 Revised January 2003 Revised November 1983 Revised September 2004 Revised November 1984 Revised August 2006 Revised November 1985 Revised March 2007 Revised August 1986 Revised May 2008 Revised October 1987 Revised December 2009 Revised December 1988 Revised April 2010 Revised April 2011 Revised November 1990 Revised September 1996 Revised February 2012 Revised November 1998 Revised March 2013 Revised December 1999 Revised August 2014

## Published by

#### **NSF** International

## PO Box 130140, Ann Arbor, Michigan 48113-0140, USA

For ordering copies or for making inquiries with regard to this Standard, please reference the designation "NSF/ANSI 14 – 2014."

Copyright 2014 NSF International

Previous editions © 2013, 2012, 2011, 2010, 2009, 2008, 2007, 2006, 2004, 2003, 2002, 2001, 1999, 1998, 1996, 1990, 1988, 1987, 1986, 1985, 1984, 1983, 1980, 1978, 1977.

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America.

## Disclaimers<sup>1</sup>

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health. Provisions for mechanical and electrical safety have not been included in this Standard because governmental agencies or other national standards-setting organizations provide safety requirements.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include **all** requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes are provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

.

<sup>&</sup>lt;sup>1</sup> The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

## Contents

| 1   | General  |  |                  |
|-----|--|--|------------------|
|     |  | oose   |                  |
|     | 1.3 Mate   | erials, design, and construction   |                  |
| _   | <b>.</b>   |  |                  |
| 2   | Normativ   | referencesnative references for plastic pipe and related components            | 1<br>?           |
|     | 2.1 Norr   | native references for compounds and other materials                            |                  |
|     | 2.3 Inter  | national and other normative references  | 8                |
| _   | D (* '   |  | 4.0              |
| 3   | Definition                                       | ns   | 10               |
| 4   | Requirer   | ments for plastic piping system components and related materials               | 14               |
|     | 4.1 Mate   | erials   | 14               |
|     | 4.2 Phys   | sical and performance requirements   | 15               |
|     | 4.3 Pota   | uble water requirementscial engineered products                                | 15<br>1 <i>5</i> |
|     | 4.5 Mark   | king requirements  | 15               |
|     |  | lity assurance   |                  |
| _   | Dharataal  |  | 4.5              |
| 5   | Physical   | and performance requirementseral   | 15<br>1 <i>5</i> |
|     | 5.2 Long   | g-term strength of plastic pipe  | 16               |
|     | 5.3 Requ   | uirements for PVC resins   | 16               |
|     | 5.4 Critic                                       | cal dimensions   | 16               |
|     | 5.5 PVC  | ingredientsitoring   | 1t               |
|     | 5.0 Mon  | rine resistance – Dependent Transfer Listing requirements                      | 10               |
|     | 5.8 Fittin                                       | igs and valves   | 18               |
| _   |  |  | 4.0              |
| 6   | Special 6  | engineered (SE) product requirementseral                                       | 16               |
|     |  | specifications   |                  |
|     |  | •  |                  |
| 7   | Requirer   | ments for potable water plastic piping system components and related materials | 19               |
|     | 7.1 Gen  | eraluirements for generic ingredients  | 18<br>10         |
|     | 7.3 Reg  | uirements for lead   | 21               |
|     | 7.4 Mon  | itoring  | 21               |
| 8   | Marking  | requirements   | 24               |
| 0   | 8 1 Gen  | eralera  | ∠  <br>21        |
|     | 8.2 Pipe   |  | 21               |
|     | 8.3 Fittir                                       | ngs and appurtenances  | 21               |
|     | 8.4 Thre   | ad compounds, sealants, gasket lubricants, solvent cement, and adhesives       | 22               |
|     | 8.6 Ingre  | cial engineered productsedients  | 22<br>22         |
|     | Ū  |  |                  |
| 9   | Quality a  | assurance  | 22               |
|     |  | eralt-up and qualification   |                  |
|     |  | eric ingredients   |                  |
|     | 9.4 Verification of the calibration of equipment |  | 23               |
|     | 9.5 Qua  | lity assurance records   | 23               |
|     | 9.6 Proc   | Juction code identification  | 23               |
|     | 9.1 Num  | ber of test specimensnulation verification for solvent cements and primers     | 23<br>22         |
|     |  | luct-specific quality assurance requirements                                   |                  |
|     |  |  |                  |
| Ann | iex A  |  | A1               |
| Ann | ex B   |  | B1               |

This page is intentionally left blank.

## Foreword<sup>2</sup>

The purpose of this Standard is to establish minimum physical, performance, and health effects requirements for plastics piping system components and related materials.

In this edition of NSF/ANSI 14, the following revisions have been incorporated:

## Issue 56

This issue addresses the frequency of the elevated temperature pressure test to match the requirements in the following ASTM standards: ASTM D2239, D2737, D3035, F714 and AWWA C906. This change is shown in Table 10A.

## Issue 61


This revision updated the scope of the standard in section 1.2; removed the reference to ASME 112.18.1 in section 2 and added a definition for integral in section 3.

This Standard was developed by the NSF Joint Committee on Plastics using the consensus process described in NSF Standards Development Policies and accredited by ANSI.

Suggestions for improvement of this Standard are welcome. This standard is maintained on a Continuous Maintenance schedule and can be opened for comment at any time. Comments should be sent to Chair, Joint Committee on Plastics at <a href="mailto:standards@nsf.org">standards@nsf.org</a>, or c/o NSF International, Standards Department, PO Box 130140, Ann Arbor, Michigan 48113-0140, USA.

.

<sup>&</sup>lt;sup>2</sup> The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.



© 2014 NSF NSF/ANSI 14 – 2014

NSF/ANSI Standard for Plastics —

# Plastics piping system components and related materials

## 1 General

## 1.1 Purpose

This Standard establishes minimum physical, performance, and health effects requirements for plastic piping system components and related materials. These criteria were established for the protection of public health and the environment.

## 1.2 Scope

The physical, performance, and health effects requirements in this Standard apply to thermoplastic and thermoset plastic piping system components including, but not limited to, pipes, fittings, valves, joining materials, gaskets, and appurtenances. The established physical, performance, and health effects requirements also apply to materials (resin or blended compounds) and ingredients used to manufacture plastic piping system components. This Standard provides definitions and requirements for materials, ingredients, products, quality assurance, marking, and recordkeeping. Plastic piping system components which are manufactured to one of the normative references in 2 and do not have integral connections specifically intended for plastic piping systems are not covered by this Standard.

## 1.3 Materials, design, and construction

For plastic piping system components and materials cited by the references in 2, the materials, design, and construction requirements of this Standard and the applicable product standard(s) in 2 shall apply. When materials, designs, or constructions are utilized that are not cited in 2, the plastic piping system components and related materials shall comply with the applicable requirements of this Standard. Plastic piping system components and related materials that incorporate materials, designs, or constructions not cited in 2 are acceptable, provided that such plastic piping system components and related materials can be demonstrated to be at least equivalent in terms of strength, quality, effectiveness, durability, and safety to those that are cited in this Standard.

## 2 Normative references

The following documents contain requirements that, by reference in this text, constitute requirements of this Standard. At the time of publication, the indicated editions were valid. All of the documents are subject to revision, and parties are encouraged to investigate the possibility of applying the recent editions of the documents indicated below. It is the responsibility of the user of this Standard to determine the acceptance of the referenced standards to the application and requirements of the local jurisdictions. The most recent published edition of the document shall be used for undated references.