BS EN 13168:2012+A1:2015



BSI Standards Publication

Thermal insulation products for buildings — Factory made wood wool (WW) products — Specification



...making excellence a habit."

National foreword

This British Standard is the UK implementation of EN 13168:2012+A1:2015. It supersedes BS EN 13168:2012, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by $\boxed{A1}$.

The UK participation in its preparation was entrusted to Technical Committee B/540, Energy performance of materials components and buildings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 86749 1

ICS 91.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2013.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2015	Implementation of CEN amendment A1:2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13168:2012+A1

February 2015

ICS 91.100.60

Supersedes EN 13168:2012

English Version

Thermal insulation products for buildings - Factory made wood wool (WW) products - Specification

Produits isolants thermiques pour le bâtiment - Produits manufacturés en laine de bois (WW) - Spécification Wärmedämmstoffe für Gebäude - Werkmäßig hergestellte Produkte aus Holzwolle (WW) - Spezifikation

This European Standard was approved by CEN on 6 October 2012 and includes Amendment 1 approved by CEN on 15 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN 13168:2012+A1:2015 E

BS EN 13168:2012+A1:2015 EN 13168:2012+A1:2015 (E)

Contents

Forewo	Foreword4			
1	Scope	6		
2	Normative references	6		
3 3.1 3.2	Terms, definitions, symbols, units and abbreviated terms Terms and definitions Symbols, units and abbreviated terms	7		
4 4.1 4.2 4.3	Requirements General For all applications For specific applications	. 11 . 11		
5 5.1 5.2 5.3	Test methods Sampling Conditioning Testing	. 19 . 19 . 19		
6	Designation code	. 21		
7 7.1 7.2 7.3	Assessment and Verification of the Constancy of Performance (AVCP) General Product Type Determination (PTD) Factory Production Control (FPC)	. 22 . 22		
8	Marking and labelling	. 23		
Annex	A (normative) Determination of the declared values of thermal resistance and thermal conductivity	. 25		
	-			
A.1	General	. 25		
A.1 A.2	General			
		. 25		
A.2 A.3	Input data	. 25 . 25		
A.2 A.3 Annex	Input data Declared values B (normative) M Product type determination (M (M PTD M) and factory production	. 25 . 25 . 28		
A.2 A.3 Annex	Input data Declared values B (normative) M Product type determination (PTD () and factory production control (FPC)	. 25 . 25 . 28 . 32		
A.2 A.3 Annex Annex	Input data Declared values B (normative) A Product type determination (PTD () and factory production control (FPC) C (normative) WW multi-layered insulation products	25 25 28 32 32		
A.2 A.3 Annex Annex C.1	Input data Declared values B (normative) A Product type determination (A (A PTD (A)) and factory production control (FPC) C (normative) WW multi-layered insulation products General.	. 25 . 25 . 28 . 32 . 32 . 32		
A.2 A.3 Annex Annex C.1 C.2	Input data Declared values B (normative) A Product type determination (A (A PTD (A)) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements	. 25 . 25 . 28 . 32 . 32 . 32 . 33		
A.2 A.3 Annex C.1 C.2 C.3 C.4	Input data Declared values B (normative) A Product type determination (A (A PTD A) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods	. 25 . 25 . 28 . 32 . 32 . 32 . 33 . 33		
A.2 A.3 Annex C.1 C.2 C.3 C.4	Input data Declared values B (normative) M Product type determination (M (M PTD M) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods Evaluation of conformity	. 25 . 25 . 28 . 32 . 32 . 32 . 32 . 33 . 33 . 34		
A.2 A.3 Annex C.1 C.2 C.3 C.4 Annex	Input data Declared values B (normative) A Product type determination (A) (A PTD (A) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods Evaluation of conformity D (normative) Specific test methods	. 25 . 25 . 28 . 32 . 32 . 32 . 33 . 33 . 33 . 34 . 34		
A.2 A.3 Annex C.1 C.2 C.3 C.4 Annex D.1 D.2 D.3	Input data Declared values B (normative) Product type determination ((PTD) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods Evaluation of conformity D (normative) Specific test methods Chloride content Load resistance	25 28 32 32 32 33 33 33 34 34 34 34		
A.2 A.3 Annex C.1 C.2 C.3 C.4 Annex D.1 D.2 D.3 Annex	Input data Declared values B (normative) A Product type determination ((PTD ()) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods Evaluation of conformity D (normative) Specific test methods Chloride content Load resistance Impact resistance E (normative) Determination of the thermal conductivity in relation to moisture content	25 28 32 32 32 33 33 33 34 34 34 34		
A.2 A.3 Annex C.1 C.2 C.3 C.4 Annex D.1 D.2 D.3 Annex	Input data Declared values B (normative) Product type determination ((PTD) and factory production control (FPC) C (normative) WW multi-layered insulation products General Requirements Test methods Evaluation of conformity D (normative) Specific test methods Chloride content Load resistance	25 28 32 32 32 33 33 33 34 34 34 34 34 35 37		

BS EN 13168:2012+A1:2015 EN 13168:2012+A1:2015 (E)

ZA.2	Procedures for AVCP of factory made wood wool products	40
ZA.3	CE Marking and labelling	47
Biblio	graphy	49
Tables	S	
Table	1 — Classes for length and width tolerances	12
Table	2 — Classes for thickness tolerances	13
Table	3 — Levels for deviation from flatness	13
Table	4 — Levels for chloride content	13
Table	5 — Levels for tensile strength perpendicular to faces	14
Table	6 — Levels for the deviation from squareness	15
Table	7 — Levels for compressive stress or compressive strength	16
Table	8 — Levels for bending strength	17
Table	9 — Levels for short term water absorption	17
Table	10 — Test methods, test specimens and conditions	20
Table	A.1 — Values for k for one sided 90 % tolerance interval with a confidence level of 90 %	27
Table	B.1 — Minimum product testing frequencies	28
Table	B.2 — Minimum product testing frequencies for the reaction to fire characteristics (1 of 2)	30
Table	ZA.1 — Relevant clauses for factory made wood wool and intended use	39
Table	ZA.2 — Systems of AVCP	41
Table	ZA.3.1 — Assignment of AVCP tasks for factory made wood wool products under system 1 for reaction to fire and system 3 (see Table ZA.2)	41
Table	ZA.3.2 — Assignment of AVCP tasks for factory made wood wool products under system 3 (see Table ZA.2)	43
Table	ZA.3.3 — Assignment of AVCP tasks for factory made wood wool products under combined system 4 for reaction to fire and system 3 (see Table ZA.2)	43
Figure	9S	
Figure	∋ D.1 — Test rig for load resistance of slabs	35
Figure	e D.2 — Test rig for impact resistance of slabs	36
Figure	e E.1 — Example of a graphic representation of "fψ"	38
Figure	ZA.1 — Example CE marking information of products under AVCP system 1 and system 3"	48

Foreword

This document (EN 13168:2012+A1:2015) has been prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2015, and conflicting national standards shall be withdrawn at the latest by November 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes At EN 13168:2012 (At.

This document includes Amendment 1 approved by CEN on 2014-12-15.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A] (A1).

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

A) For relationship with EU Construction Products Regulation (CPR), see informative Annex ZA, which is an integral part of this standard. (A)

Compared with EN 13168:2008, the main changes are:

- a) better harmonisation between the individual standards of the package (EN 13162 to EN 13171) on definitions, requirements, classes and levels;
- b) new normative annex on multi-layered products;
- c) changes on some editorial and technical content and addition of information on some specific items such as for MW: lamella, compressibility, etc;
- d) addition of links to EN 15715, *Thermal insulation products Instruction for mounting and fixing for reaction to fire testing Factory made products*;
- e) changes of Annex ZA.

Amendment 1 modifies EN 13168:2012 identifying those clauses of the standard which are needed for the compliance of the European Standard with the Construction Products Regulation (CPR).

This amendment introduces

- f) an addition to the foreword;
- g) an addition in 3.2;
- h) an addition in 4.3.12;
- i) modification of Clause 7;
- j) modification of Clause 8;
- k) modification of Annex B;

I) a new Annex ZA. (A1

This standard is one of a series of standards for insulation products used in buildings, but this standard may be used in other areas where appropriate.

In pursuance of Resolution BT 20/1993 revised, CEN/TC 88 have proposed defining the standards listed below as a package of documents.

The package of standards comprises the following group of interrelated standards for the specifications of factory made thermal insulation products, all of which come within the scope of CEN/TC 88:

EN 13162, Thermal insulation products for buildings — Factory made mineral wool (MW) products — Specification

EN 13163, Thermal insulation products for buildings — Factory made expanded polystyrene (EPS) products — Specification

EN 13164, Thermal insulation products for buildings — Factory made extruded polystyrene foam (XPS) products — Specification

EN 13165, Thermal insulation products for buildings — Factory made rigid polyurethane foam (PU) products — Specification

EN 13166, Thermal insulation products for buildings — Factory made phenolic foam (PF) products — Specification

EN 13167, Thermal insulation products for buildings — Factory made cellular glass (CG) products — Specification

EN 13168, Thermal insulation products for buildings — Factory made wood wool (WW) products — Specification

EN 13169, Thermal insulation products for buildings — Factory made expanded perlite board (EPB) products — Specification

EN 13170, Thermal insulation products for buildings — Factory made products of expanded cork (ICB) — Specification

EN 13171, Thermal insulation products for buildings — Factory made wood fibre (WF) products — Specification

The reduction in energy used and emissions produced during the installed life of insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

BS EN 13168:2012+A1:2015 EN 13168:2012+A1:2015 (E)

1 Scope

This European Standard specifies the requirements for factory made wood wool (WW) products, with or without facings or coatings, which are used for the thermal insulation of buildings. The products are manufactured in the form of boards or slabs.

This European Standard also specifies the requirements for the factory made composite products, made from wood wool in combination with other insulation materials.

This European Standard describes product characteristics and includes procedures for testing, evaluation of conformity, marking and labelling.

Products covered by this European Standard are also used in prefabricated thermal insulation systems and composite panels; the performance of systems incorporating these products is not covered.

This standard does not specify the required level of a given property to be achieved by a product to demonstrate fitness for purpose in a particular application. The levels and classes required for a given application are to be found in regulations or non-conflicting standards.

Products with a declared thermal resistance lower than $0,15 \text{ m}^2 \text{ K/W}$ or a declared thermal conductivity greater than $0,100 \text{ W/(m \cdot K)}$ at 10 °C are not covered by this standard.

This European Standard does not cover in situ insulation products and products intended to be used for the insulation of building equipment and industrial installations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 822, Thermal insulating products for building applications — Determination of length and width

EN 823, Thermal insulating products for building applications — Determination of thickness

EN 824, Thermal insulating products for building applications - Determination of squareness

EN 825, Thermal insulating products for building applications — Determination of flatness

EN 826, Thermal insulating products for building applications — Determination of compression behaviour

EN 1602, Thermal insulating products for building applications — Determination of the apparent density

EN 1604, Thermal insulating products for building applications — Determination of dimensional stability under specified temperature and humidity conditions

EN 1605, Thermal insulating products for building applications — Determination of deformation under specified compressive load and temperature conditions

EN 1606, Thermal insulating products for building applications — Determination of compressive creep

EN 1607, Thermal insulating products for building applications — Determination of tensile strength perpendicular to faces

EN 1609, Thermal insulating products for building applications — Determination of short term water absorption by partial immersion