

BS EN ISO 17621:2015



BSI Standards Publication

Workplace atmospheres — Short term detector tube measurement systems — Requirements and test methods

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN ISO 17621:2015. It supersedes BS EN 1231:1997 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EH/2/2, Work place atmospheres.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 76988 7

ICS 13.040.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

Workplace atmospheres - Short term detector tube
measurement systems - Requirements and test methods
(ISO 17621:2015)

Air des lieux de travail - Systèmes de mesurage par
tube détecteur à court terme - Exigences et méthodes
d'essai (ISO 17621:2015)

Arbeitsplatzatmosphäre - Kurzzeitprüfröhrchen-
Messeinrichtungen - Anforderungen und Prüfverfahren
(ISO 17621:2015)

This European Standard was approved by CEN on 7 May 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 17621:2015) has been prepared by Technical Committee ISO/TC 146 "Air quality" in collaboration with Technical Committee CEN/TC 137 "Assessment of workplace exposure to chemical and biological agents" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1231:1996.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17621:2015 has been approved by CEN as EN ISO 17621:2015 without any modification.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	3
4.1 General	3
4.2 Detector tubes	3
4.2.1 Specified measuring range	3
4.2.2 Scale	3
4.2.3 Evaluation of the stain	4
4.2.4 Shelf life	4
4.2.5 Mechanical strength	4
4.2.6 Transportation temperature stability	4
4.2.7 Packing of the detector tubes	4
4.2.8 Interferences	4
4.2.9 Overloading	4
4.2.10 Environmental influences	4
4.2.11 Instruction for use for detector tubes	5
4.3 Detector tube pump	5
4.3.1 General	5
4.3.2 Stroke volume	5
4.3.3 Leakage	5
4.3.4 Mechanical strength	5
4.3.5 Mechanical durability	5
4.3.6 Explosion hazard	6
4.3.7 Instructions for use for detector tube pumps	6
5 Test conditions	6
5.1 General	6
5.2 Reagents	6
5.3 Apparatus	6
5.4 Independent method	6
5.5 Generation of test gas mixtures	6
5.6 Test conditions for detector tubes	7
5.7 Test conditions for detector tube pumps	7
6 Test methods	7
6.1 Detector tubes	7
6.1.1 Visual checks	7
6.1.2 Test procedures	8
6.1.3 Mechanical strength	9
6.2 Detector tube pumps	10
6.2.1 Stroke volume	10
6.2.2 Leakage	11
6.2.3 Mechanical strength	11
6.2.4 Mechanical durability	11
6.2.5 Explosion hazard (electrically driven detector tube pumps only)	11
6.2.6 Instructions for use	11
7 Uncertainty of measurement	11
7.1 Potential sources of uncertainty	11
7.2 Estimation of the uncertainty components	12
7.2.1 Combined stain component	12
7.2.2 Pump-stroke volume	14

7.2.3	Effect of temperature	14
7.2.4	Effect of relative humidity	15
7.2.5	Test gas concentration used for evaluation	15
7.2.6	Stain-length reading	16
7.2.7	Analytical phenomena	16
7.2.8	Atmospheric pressure	16
7.2.9	Diffusive leakage into detector tube	16
7.2.10	Non-constant sampling flow	17
7.3	Combined standard uncertainty	17
7.4	Expanded uncertainty	18
8	Test report	18
8.1	Detector tubes	18
8.2	Detector tube pumps	18
9	Marking	19
9.1	Boxes	19
9.2	Detector tubes	19
9.3	Detector tube pumps	19
Annex A (normative) Test sequence		20
Annex B (normative) List of test instruments		21
Annex C (informative) Example for calculation of expanded uncertainty		22
Bibliography		25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 146, *Air quality*, Subcommittee SC 2, *Workplaces atmospheres*.

Introduction

Many short-term detector tube measurement systems consist of a (length-of-stain) detector tube connected to an associated detector tube pump. When workplace air containing a particular chemical agent is drawn through the detector tube, a colour change takes place corresponding to the concentration.

Such short-term detector tube measurement systems have many applications. This International Standard refers to detector tubes used for workplace air monitoring. These detector tubes can be used for measurement tasks such as follows:

- determination of the presence or absence of an analyte;
- finding the approximate range of concentration;
- determination of the efficiency of control measurements;
- determination of emission sources and emission changes in time;
- determination of compliance with ceiling or short-term limit values, as long as the device covers the reference time period and the precision requirements for the measurement.

To cover the possible range of concentration that can be encountered in the workplace, a combination of two or more measurements using detector tubes with restricted but complementary and overlapping measuring ranges can also be used.

This International Standard will enable the manufacturers, test houses, certification bodies, and the users to adopt a consistent approach to the assessment of performance of short-term detector tube measurement systems.

Workplace atmospheres — Short term detector tube measurement systems — Requirements and test methods

1 Scope

This International Standard specifies requirements and test methods under prescribed laboratory conditions for length-of-stain detector tubes and their associated pump (detector tube measurement system) used for short-term measurements of the concentration of specified chemical agents in workplace air.

This International Standard is not applicable to measurements made to demonstrate compliance with long-term limit values to personal exposure with a reference period of more than 15 min.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6141, *Gas analysis – Requirements for certificates for calibration gases and gas mixtures*

ISO 6142, *Gas analysis — Preparation of calibration gas mixtures — Gravimetric method*

ISO 6143, *Gas analysis — Comparison methods for determining and checking the composition of calibration gas mixtures*

ISO 6144, *Gas analysis — Preparation of calibration gas mixtures — Static volumetric method*

ISO 6145-1, *Gas analysis — Preparation of calibration gas mixtures using dynamic volumetric methods — Part 1: Methods of calibration*

ISO 6145-4, *Gas analysis — Preparation of calibration gas mixtures using dynamic volumetric methods — Part 4: Continuous syringe injection method*

ISO 6145-6, *Gas analysis — Preparation of calibration gas mixtures using dynamic volumetric methods — Part 6: Critical orifices*

ISO 6145-10, *Gas analysis — Preparation of calibration gas mixtures using dynamic volumetric methods — Part 10: Permeation method*

ISO 9169, *Air quality — Definition and determination of performance characteristics of an automatic measuring system*

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.