INTERNATIONAL STANDARD

ISO 683-1

Third edition 2016-07-01

Heat-treatable steels, alloy steels and free-cutting steels —

Part 1:

Non-alloy steels for quenching and tempering·

Aciers pour traitement thermique, aciers alliés et aciers pour décolletage —

Partie 1: Aciers non alliés pour trempe et revenu





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

ntent	S	Page			
eword		v			
Scop	e	1			
Norr	native references	2			
Liassification and designation					
5.2					
5.3					
Man	Manufacturing process				
6.1					
6.2					
6.3					
6.4					
	•				
	Chamical composition, machanical properties and hardenability	5			
7.1	7.1.1 General	5 5			
	7.1.4 Hardenability	6			
	, and the second				
710					
	7.5.2 Macroscopic inclusions	7			
7.6					
_					
	•				
0.5					
Test	methods	9			
9.1					
9.2	Mechanical tests	9			
0.0	1				
9.3					
	9.3.3 Surface hardness				
	Scop Norm Term Class 4.1 4.2 Infor 5.1 5.2 5.3 Man 6.1 6.2 6.3 6.4 Requ 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 Inspe 8.1 8.2 8.3	Information to be supplied by the purchaser 5.1 Mandatory information 5.2 Options and/or supplementary or special requirements 5.3 Ordering example Manufacturing process 6.1 General 6.2 Deoxidation 6.3 Heat-treatment condition and surface condition at delivery 6.3.2 Particular leat-treatment condition 6.3.3 Particular surface conditions 6.4 Traceability of the cast Requirements 7.1 Chemical composition, mechanical properties and hardenability. 7.1.1 General 7.1.2 Chemical composition. 7.1.3 Mechanical properties 7.1.4 Hardenability 7.1.5 Surface hardness 7.2 Machinability 7.3 Cold shearability 7.4 Grain size 7.5 Non-metallic inclusions 7.5.1 Microscopic inclusions 7.5.2 Macroscopic inclusions 7.5.3 Mechanical properties 7.5 Internal soundness 7.7 Surface quality. 7.8 Decarburization 7.9 Shape, dimensions and tolerances Inspection 8.1 Testing procedures and types of documents 8.2 Frequency of testing 8.3 Verification of the hardenability, hardness and mechanical properties 8.3.1 Verification of the hardenability, hardness and mechanical properties 8.3.2 Visual and dimensional inspection Test methods 9.1 Chemical analysis 9.2 Mechanical tests 9.2.1 Tensile test 9.2.1 Tensile test 9.2.2 Impact test 9.3.1 Verification of hardenability tests 9.3.2 Verification of hardenability 9.3.2 Verification of hardenability 9.3.2 Verification of hardenability 9.3.2 Verification of hardenability			

ISO 683-1:2016(E)

	9.4 Retests	10
10	Marking	10
Annex	A (normative) Ruling sections for mechanical properties	30
Annex	B (normative) Supplementary or special requirements	34
	C (informative) Designation of steels given in this part of ISO 683 and of comparable grades covered in various designation systems	36
Annex	D (informative) Dimensional standards applicable to products complying with this part of ISO 683	38
Biblio	graphy	39

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 17, *Steel*, Subcommittee SC 4, *Heat treatable and alloy steels*.

This third edition cancels and replaces the second edition (ISO 683-1:2012), of which it constitutes a minor revision.

ISO 683 consists of the following parts, under the general title *Heat-treatable steels, alloy steels and free-cutting steels*:

- Part 1: Non-alloy steels for quenching and tempering
- Part 2: Alloy steels for quenching and tempering
- Part 3: Case-hardening steels
- Part 4: Free-cutting steels
- Part 5: Nitriding steels
- Part 14: Hot-rolled steels for quenched and tempered springs
- Part 15: Valve steels for internal combustion engines
- Part 17: Ball and roller bearing steels
- Part 18: Bright steel products

Heat-treatable steels, alloy steels and free-cutting steels —

Part 1:

Non-alloy steels for quenching and tempering-

1 Scope

This part of ISO 683 specifies the technical delivery requirements for

- semi-finished products, hot formed, e.g. blooms, billets, slabs (see Note 1),
- bars (see Note 1),
- wire rod.
- finished flat products, and
- hammer or drop forgings (see Note 1)

manufactured from the direct hardening non-alloy steels and the non-alloy flame- and induction-hardening steels listed in <u>Table 3</u> and supplied in one of the heat-treatment conditions given for the different types of products in <u>Table 1</u> and in one of the surface conditions given in <u>Table 2</u>.

The steels are, in general, intended for the manufacture of quenched and tempered or austempered (see 3.2 and Note 2) and flame- or induction-hardened machine parts (see $\underline{\text{Tables 9}}$ and $\underline{\text{11}}$), but can also be partly used in the normalized condition (see $\underline{\text{Table 10}}$).

The requirements for mechanical properties given in this part of ISO 683 are restricted to the sizes given in $\frac{10}{10}$ and $\frac{10}{10}$.

NOTE 1 Hammer-forged semi-finished products (blooms, billets, slabs, etc.), seamless rolled rings and hammer-forged bars are, in the following, covered under semi-finished products or bars and not under the term "hammer and drop forgings".

NOTE 2 For the purposes of simplification, the term "quenched and tempered" is, unless otherwise indicated, used in the following also for the austempered condition.

NOTE 3 For International Standards relating to steels complying with the requirements for the chemical composition in <u>Table 3</u>, however, supplied in other product forms or treatment conditions than given above or intended for special applications, and for other related International Standards, see the Bibliography.

NOTE 4 This part of ISO 683 does not apply to bright products and bars and wire rod for cold heading. For such products, see ISO 683-18 and ISO 4954.

In special cases, variations in these technical delivery requirements or additions to them can form the subject of an agreement between the manufacturer and purchaser at the time of enquiry and order (see <u>5.2</u> and <u>Annex B</u>).

In addition to this part of ISO 683, the general technical delivery requirements of ISO 404 are applicable.