

BSI Standards Publication

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Secondary sealed cells and batteries for portable applications

Part 1: Nickel-Cadmium (IEC 61951-1:2017)



BS EN 61951-1:2017 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 61951-1:2017. It is identical to IEC 61951-1:2017. It supersedes BS EN 61951-1:2014, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/21/1, Secondary cells and batteries containing alkaline and other non-acidic electrolytes.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 87535 9

ICS 29.220.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2017.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61951-1

May 2017

ICS 29.220.30

Supersedes EN 61951-1:2014

English Version

Secondary cells and batteries containing alkaline or other nonacid electrolytes - Secondary sealed cells and batteries for portable applications - Part 1: Nickel-cadmium (IEC 61951-1:2017)

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Accumulateurs étanches pour applications portables - Partie 1: Nickel-cadmium (IEC 61951-1:2017) Akkumulatoren und Batterien mit alkalischen oder anderen nichtsäurehaltigen Elektrolyten - Tragbare wiederaufladbare gasdichte Einzelzellen - Teil 1: Nickel-Cadmium (IEC 61951-1:2017)

This European Standard was approved by CENELEC on 2017-04-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 61951-1:2017

European foreword

The text of document 21A/622/FDIS, future edition 4 of IEC 61951-1, prepared by SC 21A "Secondary cells and batteries containing alkaline or other non-acid electrolytes" of IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61951-1:2017.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-01-11
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2020-04-11

This document supersedes EN 61951-1:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61951-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 Series	NOTE	Harmonized as EN 60051 Series.
IEC 60086 Series	NOTE	Harmonized as EN 60086 Series.
IEC 61434	NOTE	Harmonized as EN 61434.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-482	2004	International Electrotechnical Vocabulary (IEV) - Part 482: Primary and secondary cells and batteries	- I	-
IEC 60086-1	-	Primary batteries - Part 1: General	EN 60086-1	-
IEC 60086-2	-	Primary batteries - Part 2: Physical and electrical specifications	EN 60086-2	-
IEC 61959	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Mechanical tests for sealed portable secondary cells and batteries	EN 61959	-
IEC 62133-1	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 1: Nickel systems	EN 62133-1	-

CONTENTS

FC	DREWOR	D	5
1	Scope		7
2	Norma	ive references	7
3	Terms	and definitions	7
4	Paramo	eter measurement tolerances	9
5	Cell an	d battery designation and marking	9
		ell and battery designation	
	5.1.1	Small prismatic cells and cylindrical cells	
	5.1.2	Button cells	
	5.1.3	Batteries	
	5.2 C	ell or battery termination	11
	5.3 N	larking	11
	5.3.1	Small prismatic cells and cylindrical cells	11
	5.3.2	Button cells	12
	5.3.3	Batteries	12
	5.4 E	xemption of wording	12
6	Dimens	sions	12
	6.1 S	mall prismatic cells and cylindrical cells	12
	6.1.1	General	12
	6.1.2	Small prismatic cells	13
	6.1.3	Cylindrical cells	13
	6.2 B	utton cells	15
7	Electric	cal tests	16
	7.1 G	eneral	16
	7.2 C	harging procedure for test purposes	16
	7.2.1	Charging procedure for cell	16
	7.2.2	Charging procedure for battery	
	7.3 D	ischarge performance	17
	7.3.1	General	
		Discharge performance at 20 °C	
	7.3.3	Discharge performance at –18 °C	
	7.3.4	Discharge performance for rapid charge cells (R cells)	
		harge (capacity) retention	
		ndurance	
	7.5.1	Endurance in cycles	
	7.5.2	Permanent charge endurance	
		harge acceptance at constant voltage	
		vercharge	
	7.7.1 7.7.2	Small prismatic cells	
	7.7.2	L, M, H or X cylindrical and button cells	
	7.7.3 7.7.4	J cylindrical cells	
	7.7.4	JT cylindrical cells	
	7.7.6	R cylindrical cells	
		afety device operation	
	, .5	aret, aerioe eperation	

	utton cells or batteries storage, small prismatic cells or batteries storage, ylindrical cells or batteries storage	31
	harge acceptance at +55 °C for LT, MT or HT cylindrical cells	
	rickle charge acceptance for JT cylindrical cells	
7.12 Ir	ternal resistance	33
7.12.1	General	33
7.12.2	Measurement of the internal AC resistance	33
7.12.3	Measurement of the internal DC resistance	
	nical tests	
9 Safety	requirements	34
10 Type a	pproval and batch acceptance	34
10.1 G	eneral	34
	ype approval	
10.2.1	Type approval for small prismatic cells	
10.2.2	Type approval for cylindrical and button cells	
10.2.3	Type approval for batteries	
	atch acceptance	
Bibliograph	/	40
Figure 1 – J	acketed cylindrical cells	13
Figure 2 – J	acketed small prismatic cells	13
Figure 3 – J	acketed cells dimensionally interchangeable with primary cells	14
Figure 4 – E	Button cells	15
Table 1 – D	imensions of jacketed small prismatic cells	13
Table 2 – D	imensions of jacketed cylindrical cells dimensionally interchangeable with	
primary cell	S	14
	imensions of jacketed cylindrical cells not dimensionally interchangeable	
	cells	
	imensions of button cells	
	ischarge performance at 20 $^{\circ}$ C for small prismatic cells and cylindrical cells	16
		16 17
Table 7 – D	ischarge performance at 20 °C for button cells	16 17
		16 17 18
Table 8 – R	ischarge performance at 20 °C for button cells	16 17 18
	ischarge performance at 20 °C for button cellsischarge performance at 20 °C for batteries	16 17 18 18
Table 9 – D	ischarge performance at 20 °C for button cellsischarge performance at 20 °C for batteriesated capacity (mAh) compliance test (example)	16 17 18 18 19
Table 9 – D Table 10 – I	ischarge performance at 20 °C for button cells	16 18 18 19 19
Table 9 – D Table 10 – I Table 11 – I Table 12 – I	ischarge performance at 20 °C for button cells	16 17 18 19 19 19
Table 9 – D Table 10 – I Table 11 – I Table 12 – I dimensional	ischarge performance at 20 °C for button cells	16 17 18 19 19 19
Table 9 – D Table 10 – I Table 11 – I Table 12 – I dimensional Table 13 – I	ischarge performance at 20 °C for button cells	16 18 19 19 19 19
Table 9 – D Table 10 – I Table 11 – I Table 12 – I dimensiona Table 13 – I primary cell	ischarge performance at 20 °C for button cells	16 18 19 19 19 20 21
Table 9 – D Table 10 – I Table 11 – I Table 12 – I dimensional Table 13 – I primary cell Table 14 – I	ischarge performance at 20 °C for button cells	16 18 19 19 19 20 21
Table 9 - D Table 10 - I Table 11 - I Table 12 - I dimensional Table 13 - I primary cell Table 14 - I	ischarge performance at 20 °C for button cells	16181919202121
Table 9 – D Table 10 – I Table 11 – I Table 12 – I dimensional Table 13 – I primary cell Table 14 – I Table 15 – I	ischarge performance at 20 °C for button cells. ischarge performance at 20 °C for batteries. ated capacity (mAh) compliance test (example) ischarge performance at –18 °C for small prismatic cells. Discharge performance at –18 °C for cylindrical cells. Discharge performance at –18 °C for button cells. Endurance in cycles for small prismatic cells and cylindrical cells not ly interchangeable with primary cells. Endurance in cycles for cylindrical cells dimensionally interchangeable with s. Endurance in cycles for H or X cells. Endurance in cycles for cylindrical X cells.	161819192021212222

Table 19 – Permanent charge endurance for button cells	24
Table 20 – Permanent charge endurance for LT, MT, or HT cylindrical cells	26
Table 21 – Permanent charge endurance for LU, MU, or HU cylindrical cells	28
Table 22 – Overcharge at 0 °C	29
Table 23 – Capacity deterioration due to storage period for cells or batteries	32
Table 24 – Charge and discharge at +55 °C	32
Table 25 – Trickle charge acceptance for JT cylindrical cells	33
Table 26 – Constant discharge currents used for measurement of DC resistance	34
Table 27 – Sequence of tests for type approval for small prismatic cells	35
Table 28 – Sequence of tests for type approval for cylindrical cells	36
Table 29 – Sequence of tests for type approval for button cells	37
Table 30 – Sequence of tests for type approval for batteries	38
Table 31 – Recommended test sequence for batch acceptance	39

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SECONDARY SEALED CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 1: Nickel-cadmium

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61951-1 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

This fourth edition cancels and replaces the third edition published in 2013 of which it constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- addition of battery type;
- revision of Figure 3 (6.1.3.1);

- addition of "Optional pip" note to positive contact;
- changed leader line position from pip to flats of positive contact (B and G).

The text of this standard is based on the following documents:

FDIS	Report on voting
21A/622/FDIS	21A/630/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61951 series can be found, under the general title Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary sealed cells and batteries for portable applications, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SECONDARY SEALED CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 1: Nickel-cadmium

1 Scope

This part of IEC 61951 specifies marking, designation, dimensions, tests and requirements for secondary sealed nickel-cadmium small prismatic, cylindrical and button cells and batteries, suitable for use in any orientation, for portable applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482:2004, International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries

IEC 60086-1, Primary batteries - Part 1: General

IEC 60086-2, Primary batteries – Part 2: Physical and electrical specifications

IEC 61959, Secondary cells and batteries containing alkaline or other non-acid electrolytes – Mechanical tests for sealed portable secondary cells and batteries

IEC 62133-1, Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells and for batteries made from them, for use in portable applications – Part 1: Nickel systems

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-482 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

nominal voltage

suitable approximate value of voltage used to designate or identify a cell or a battery

Note 1 to entry: The nominal voltage of a sealed nickel-cadmium rechargeable single cell: 1,2 V.