

CSA C22.2 No. 333:18
National Standard of Canada
(reaffirmed 2023)



Electric motors for use in hazardous locations — Protection by maintaining the concentration of flammable fluids above the UFL (upper flammable limit)





Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA C22.2 No. 333:18 October 2018

Title: Electric motors for use in hazardous locations — Protection by maintaining the concentration of flammable fluids above the UFL (upper flammable limit)

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The List ID that you will need to register for updates to this publication is 2426131.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to CSA Group 178 Rexdale Boulevard Toronto, Ontario, M9W 1R3 Canada A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada 600-55 Metcalfe Street Ottawa, Ontario, K1P 6L5 Canada





Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as "CSA Group"

National Standard of Canada

CSA C22.2 No. 333:18

Electric motors for use in hazardous locations — Protection by maintaining the concentration of flammable fluids above the UFL (upper flammable limit)



*A trademark of the Canadian Standards Association, operating as "CSA Group"



Published in October 2018 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 29.160.30 ISBN 978-1-4883-1396-7

Contents

| Technical Committee on Industrial Products 2 |
|---|
| Integrated Committee on Hazardous Location Products 4 |
| Preface 8 |
| 1 Scope 9 |
| 2 Reference publications 10 |
| 3 Definition 10 |
| 4 General requirements 10 |
| 5 Construction 10 5.1 Enclosure 10 5.2 Components 11 |
| 6 Pre-start purging to achieve the UFL condition 11 |
| 7 Motor protection by maintaining the UFL condition 12 |
| 8 Controls and Instrumentation 12 |
| 9 Marking 12 |
| 10 Tests 13 10.1 General 13 10.2 External surface temperature 13 10.3 Overpressure 13 10.4 Accelerated aging for sealing compound and gasket material 13 10.5 Verification of protective features 14 |
| 11 Documentation 14 |

Chair

Vice-Chair

Technical Committee on Industrial Products

R.M. Bartholomew Electric Power Equipment Ltd.,

Vancouver, British Columbia Category: Producer Interest

R.P. de Lhorbe Schneider Electric Canada, Inc.,

Richmond, British Columbia Category: Producer Interest

B.M. Baldwin Baldwin Services Inc.,

Saskatoon, Saskatchewan Category: General Interest

R.B. Buckler ASCO Power Technologies Canada,

Brantford, Ontario

Category: Producer Interest

C.C. Cormier Alberta Municipal Affairs,

Edmonton, Alberta

Category: Regulatory Authority

T.S. Driscoll OBIEC Consulting Ltd.,

Calgary, Alberta

Category: User Interest

V.V. Gagachev Eaton,

Burlington, Ontario

Category: Producer Interest

N. Hanna Electrical Safety Authority,

Mississauga, Ontario

Category: Regulatory Authority

R.J. Kelly Nunavut Department of Community and

Government Services, Igaluit, Nunavut

Category: Regulatory Authority

R. Leduc Marex Canada Limited,

Calgary, Alberta

Category: User Interest

D.R. MacLeod Department of Labour and Advanced Education,

Halifax, Nova Scotia

Category: Regulatory Authority

D. Mascarenhas Brampton, Ontario

Category: General Interest

R. Pack SaskPower,

Saskatoon, Saskatchewan Category: Regulatory Authority

T. Simmons British Columbia Institute of Technology,

Burnaby, British Columbia Category: General Interest

M. Smith Kitchener, Ontario

Category: General Interest

A.Z. Tsisserev AES Engineering,

Vancouver, British Columbia Category: User Interest

M. Humphries CSA Group,

Toronto, Ontario

Project Manager

Integrated Committee on Hazardous Location Products

M.T. Cole Hubbell Canada ULC, Chair

Pickering, Ontario

B. Keane Eaton, Vice-Chair

Mississauga, Ontario

D.S. Adams QPS Evaluation Services Inc.,

Calgary, Alberta

G. Benjamin Thomas & Betts Limited,

Dorval, Québec

G. Black QPS Evaluation Services Inc.,

Toronto, Ontario

A. Bozek EngWorks Inc.,

Calgary, Alberta

J. Bradshaw Pentair Thermal Management Canada,

Edmonton, Alberta

S. Briquet Tiger-Vac International Inc.,

Laval, Québec

J. Buono REXA, Inc.,

West Bridgewater, Massachusetts, USA

B. Chabrier Siemens Canada Limitée,

Dorval, Québec

H. Châteauneuf BBA Inc.,

Mont-St-Hilaire, Québec

S. Czaniecki Endress + Hauser Canada Ltd.,

Burlington, Ontario

T. DeSousa CSA Group,

Edmonton, Alberta

K. Dhillon LabTest Certification Inc.,

Delta, British Columbia

T.S. Driscoll OBIEC Consulting Ltd.,

Calgary, Alberta

R. Hall Alberta Municipal Affairs,

Edmonton, Alberta

G. Hebert Canadian Natural Resources Limited,

Fort McMurray, Alberta

C. Heron TECO-Westinghouse Motor Company,

Round Rock, Texas, USA

R.J. Kennedy Emerson Industrial Automation,

Elmira, Ontario

R. Kingston Strike Group Limited Partnership,

Calgary, Alberta

R. Kohuch QPS Evaluation Services Inc.,

Edmonton, Alberta

W.G. Lawrence FM Approvals, LLC,

Norwood, Massachusetts, USA

R. Leduc Marex Canada Limited,

Calgary, Alberta

L. Lewis W Interconnections Inc. (Weidmuller),

Markham, Ontario

G. Lobay CSA Consumer Network,

Ottawa, Ontario

W.E. Lockley Engineering Ltd.,

Calgary, Alberta

R. Loiselle Suncor Energy Inc.,

Calgary, Alberta

E. Massey Baldor Electric Company,

Greenville, South Carolina, USA

J. McVeigh CSA Group,

Edmonton, Alberta

J. Miller Detector Electronics Corporation (Det-Tronics),

Minneapolis, Minnesota, USA

B. Mistry General Electric Canada,

Peterborough, Ontario

R. Mistry Siemens Industry, Inc.,

Cincinnati, Ohio, USA

D.G. Morlidge Okotoks, Alberta

K. Nice QPS Evaluation Services Inc.,

Toronto, Ontario

J.S. Osprey Novatech Analytical Solutions Inc.,

Ste-Anne de Bellevue, Québec

V. Rowe Marex Canada Limited,

Nanaimo, British Columbia

B. Schneider Intertek,

Edmonton, Alberta

J. Silva Electrical Safety Authority Field Evaluation (ESAFE),

Ottawa, Ontario

W.A. Simpson North American Standards Assessment Corp.,

Sherwood Park, Alberta

D. Stochitoiu CSA Group,

Edmonton, Alberta

M. Throckmorton Shell Canada Limited Shell Upstream Americas,

Calgary, Alberta

W. Van Hill Intertek,

Edmonton, Alberta

Intertec Instrumentation Ltd., Sarnia, Ontario T. Zavitz

CSA Group, Toronto, Ontario Project Manager A. Hawley

Preface

This is the first edition of CAN/CSA-C22.2 No. 333, *Electric motors for use in hazardous locations* — *Protection by maintaining the concentration of flammable fluids above the UFL (upper flammable limit).*

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Integrated Committee on Hazardous Location Products under the jurisdiction of the Technical Committee on Industrial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

<u>Interpretations:</u> The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: "The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant CSA committee interpretation has not already been published, CSA Group's procedures for interpretation shall be followed to determine the intended safety principle."

Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- 4) To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include "Request for interpretation" in the subject line:
 - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - b) provide an explanation of circumstances surrounding the actual field condition; and
 - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csagroup.org.

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csaqroup.org and include "Proposal for change" in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.