INTERNATIONAL STANDARD

ISO 13276

Third edition 2020-01

Tobacco and tobacco products — Determination of nicotine purity — Gravimetric method using tungstosilicic acid

Tabac et produits du tabac — Détermination de la pureté de la nicotine — Méthode gravimétrique à l'acide tungstosilicique





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				Page
Fore	word			iv
1	Scope			
2	Norn	1		
3	Tern	1		
4	Principle			1
5	Reagents			1
6	Apparatus			2
7	Procedure			
	7.1 7.2	Precipitation procedure Filtration procedure		
		Filtration procedure		3
		7.2.1	General	3
		7.2.2	Glass filter filtration procedure	3
		7.2.3		3
8	Expression of results			4
9	Repeatability and reproducibility			4
10	Test report			
Bibli	iograph	ıy		6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 126, *Tobacco and tobacco products*.

This third edition cancels and replaces the second edition (ISO 13276:2017), which has been technically revised. The main changes compared to the previous edition are as follows:

- the Warning notice has been updated:
- the error in Formula (1) in Clause 8 has been corrected.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Tobacco and tobacco products — Determination of nicotine purity — Gravimetric method using tungstosilicic acid

WARNING — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of any other restrictions prior to use.

1 Scope

This document specifies a method for the gravimetric determination of the purity of nicotine using tungstosilicic acid.

The method is applicable to pure nicotine or nicotine salts used to calibrate analytical methods for the determination of nicotine in the field of tobacco, tobacco products and smoke analysis.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Principle

Complex formation of nicotine or its salts with tungstosilicic acid to form insoluble nicotine silicotungstate. Determination of the precipitate mass by filtration using either a sintered glass crucible in combination with oven-drying or an ashless filter paper in combination with incineration.

5 Reagents

Use only reagents of recognized analytical reagent grade and distilled water or water of at least equivalent purity.

5.1 Tungstosilicic acid solution (CAS of tungstosilicic acid: 12027-43-9).

Dissolve 12 g of dodeca-tungstosilicic acid $(H_4[Si(W_3O_{10})4] \cdot xH_2O)$ in 100 ml of water.

Avoid the use of the other forms of tungstosilicic acid such as $4H_2O \cdot SiO_210WO_3 \cdot 3H_2O$ or $4H_2O \cdot SiO_212WO_3 \cdot 20H_2O$ as they do not yield crystalline precipitates with nicotine. Tungstosilicic acid of the CAS 11130-20-4 and 12027-38-2 may be used for this method provided sufficiently crystalline precipitation occurs.